



DEFENSE LOGISTICS AGENCY
AVIATION AT OKLAHOMA CITY
3001 STAFF DRIVE SUITE 2B 95
TINKER AIR FORCE BASE, OKLAHOMA 73145-3015

June 3, 2025

IN REPLY
REFER TO: DLA Aviation-AOBB
Michael Hannan
Phone: 405-855-7126

Hamilton Sundstrand Corporation
United Technologies Aerospace Systems
One Hamilton Road
Windsor Locks, CT 06096

SUBJECT: Letter Solicitation Number SPRTA1-25-R-0284

Dear Ms. Lajoie:

This solicitation is issued for acquiring supplies identified on Page 2. Please provide the best price and delivery quote for the part number based on the required quantity listed as well as quantity ranges. Price and delivery quotes may be negotiated upon closing of this solicitation. The inspection and acceptance point will be at origin with FOB origin. Electronic submission is acceptable and preferred.

This correspondence constitutes a letter solicitation as these items are intended to be ordered as firm, fixed price, against the Basic Ordering Agreement, SPRPA1-19-G-CE01. Be advised that this requirement may be advertised in the Contract Opportunities website (Sam.gov) for viewing by the general public.

Proposal is expected at the earliest convenience, but no later than July 3, 2025. Direct any questions or more needed information to michael.hannan.1@us.af.mil.

Best Regards,

Contracting Officer
Defense Logistics Agency Procurement Operations
B-1, B-2, ATCALs, and Instrumentation Branch
3001 Staff Drive, Suite 2B 95
Tinker AFB OK 73145

The required quantity may change; therefore, contractor should provide a bid to the following ranges. If the quantity ranges provided in this solicitation do not provide the best pricing option, then the contractor should submit quantity ranges that yield the best prices to the Government based on the Min quantity of (29) each and Max quantity of (176) each including the current required quantity of (117) each. See clause 52.207-4. The final quantity of this solicitation will be re-evaluated upon receipt of the contractor's bid and closing of the solicitation.

Cage Code	P/N	NSN	PART NAME	BEQ	Min Qty	Max Qty
99167	943D905-1	6115-01-033-3179	Armature-Rotar, Generator	117 ea.	29 ea.	176 ea.

Receiving Report Required.
Standard Inspection Required.

Requested Delivery: SHIP TO (CUSTOMER): SW3211

CLIN 0001: 117 each on or before March 17, 2027. Early or partial delivery is acceptable

Packaging Requirements: See Attachment: Packaging Requirements, AFMC 158 and Special Packaging Instructions, DD Form 2169

Transportation Requirements: See Attachment: Transportation Data for Solicitations, DD Form 1653

UID Requirement: UID applies. The Government does not intend to tell contractors the specific data to be put into each mark. International Standards and MIL-STD-130L provide the guidance needed by the contractor to determine what information is required within the mark and acceptable formats for applying the mark. It is the contractor's discretion on which UID construct to use according to current business practices. Still, "The preferred format for Unique Identification (UID) is Construct 2 (Issuing Agency Code, Enterprise Identification [CAGE Code], Original Part Number, and Serial Number) as set forth by MIL-STD-130L (or later revision) and the DOD Guide to Uniquely Identifying Items, version 1.4, April 2004 (or later revision). UID shall be in addition to the original Human Readable Information and applied using comparable marking methods. Application of UID markings shall in no way compromise the integrity of the item." See Attachment: IUID Checklist, signed 8 March 2018 and Engineering Order, AF IMT 3925, Signed 22 June 2010.

Attachments:

- 1- Packaging to be accomplished IAW the attached packaging requirements.
- 2- Special Packaging Instructions.
- 3- Transportation to be accomplished IAW the attached transportation documents.

PACKAGING REQUIREMENTS																		
PURCHASE INSTRUMENT NUMBER: FD20302500913-00												VERSION: 1						
MIL-STD 129 REVISION: R												MIL-STD 2073-1 REVISION: E						
THE FOLLOWING STATEMENT IS IN COMPLIANCE WITH THE UNITED NATIONS-IMPLEMENTED RESTRICTIONS ON WOOD PACKAGING MATERIAL (WPM). THIS REQUIREMENT IS SPECIFICALLY CONCERNED WITH INVASIVE SPECIES SUCH AS THE PINEWOOD NEMATODE. WPM IS DEFINED AS WOOD PALLETS, SKIDS, LOAD BOARDS, PALLET COLLARS, WOODEN BOXES, REELS, DUNNAGE, CRATES, FRAMES, AND CLEATS. THE STATEMENT BELOW CITES THE REQUIREMENTS IN DETAIL AND COVERS LUMBER FOR BUILDING CONTAINERS AND PALLETS USED FOR DELIVERIES RESULTING IN SHIPMENTS WORLDWIDE (DIRECT, OR THROUGH AIR LOGISTICS CENTERS (ALC), CONTAINER CONSOLIDATION POINTS (CCP), OR OTHER BASES). WOODEN LUMBER, WOODEN PALLET AND PACKAGING/CONTAINER STATEMENT: ALL WOODEN LUMBER, WOODEN PALLET'S, AND WOODEN CONTAINERS PRODUCED ENTIRELY OR IN PART OF WOOD PACKING MATERIAL (WPM) SHALL BE CONSTRUCTED FROM DEBARKED WOOD IN ADDITION TO THE APPLICATION OF HEAT-TREATED (HT) MATERIAL (HT TO 56 DEGREES CENTIGRADE OR 133 DEGREES FAHRENHEIT FOR 30 MINUTES). CERTIFICATION/MARKING IS REQUIRED BY AN ACCREDITED AGENCY RECOGNIZED BY THE AMERICAN LUMBER STANDARDS COMMITTEE (ALSC). FOR REFERENCE DOCUMENTATION, SEE LATEST REVISION OF "INTERNATIONAL STANDARDS FOR PHYTOSANITARY MEASURES" (ISPM)NO.15), "REGULATION OF WOOD PACKAGING MATERIAL IN INTERNATIONAL TRADE."																		
PACRN:		PACKAGING REQUIREMENT:						PRESERVATION LEVEL:		PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAA		MIL-STD-2073-1 / SPI						MIL		B		F010333179		A		16172 - 20 JUN 2016		
ITEM(S): 6115010333179HY																		
CODED DATA:																		
QUP		ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																		
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																		
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																		
ORGANIZATION / OFFICE SYMBOL:		PACKAGING SPECIALIST:				PHONE NUMBER:				SIGNATURE:				DATE:				
406 SCMS / GULAA		Cox, Sean R				405-582-1901 / 852-1901				//SIGNED//Cox, Sean R				25059 - 28 FEB 2025				

SPECIAL PACKAGING INSTRUCTION			CODE ID 98748	SPI NO (TPO) F 01-033-3179
				SHEET 1 OF 4
PART OR DRAWING NO. 943D905-1	NATIONAL STOCK NO. 6115-01-033-3179 HY	CURR REV A	ILL D. CHOI PS V. CLAYTON CHKR T.C. JONES ENGR M. HEADLEE AUTH C. TROTTER	
ITEM NOMENCLATURE ARMATURE-ROTOR, GENERATOR		ORIG DATE 02003		

PRESERVATION IAW MIL-STD-2073 PACKING AS SPECIFIED BELOW AND BILL OF MATERIALS

SERVICEABLE METHOD: 52 LEVEL SPEC STYLE TYPE CL VRTY GR TR
UNSERVICEABLE METHOD: 10 A N/A N/A N/A N/A N/A N/A
QUP 001 B ASTM-D 5118 RSC CF WR SW V3C N/A
ICQ N/A

CLEANING & DRYING IAW MIL-STD-2073 LEVEL A LEVEL B

PRESERVATIVE N/A GROSS CU FT N/A 2.407
GROSS WT LBS N/A 75
MARKING IAW MIL-STD-129 DESIGN FRAGILITY G N/A N/A

SPECIAL MARKINGS:

A) SPI NO. F 01-033-3179 CNTNR I.D. LENGTH WIDTH DEPTH
B) REUSABLE CONTAINER AND DUNNAGE LEVEL A: N/A N/A N/A
DO NOT DESTROY. LEVEL B: 13 13 22 1/2
C) NOT FOR OUTSIDE STORAGE. CNTNR O.D. LENGTH WIDTH DEPTH
D) METHOD 50 LEVEL A: N/A N/A N/A
LEVEL B: 13 3/8 13 3/8 23 1/4

CLOSURE

LEVEL A: N/A ITEM DIM 15 1/8 7 7/8 7 7/8
LEVEL B: IAW ASTM-D 1974 ITEM WT LBS 60 LBS

REVISIONS		
LTR	DESCRIPTION	DATE
	NEW	02003
A	COMPLETE REVISION	16172

7	48	DESICCANT		MIL-D-3464 TYPE 1
6	1	WRAP	37 X 28	A-A-3174
5	1	BOTTOM PAD	11 7/8 X 11 7/8 X 7 1/2	A-A-59136 CLASS 2 DETAIL 'B'
4	1	TOP PAD	11 7/8 X 11 7/8 X 9	A-A-59136 CLASS 2 DETAIL 'A'
3	1	INTERIOR CONTAINER	12 X 12 X 21	ASTM-D-5118 RSC, SW, CF, V3C
2	1	BARRIER	76 X 43	MIL-PRF-131 CLASS 1
1	1	CONTAINER I.D.	13 X 13 X 22 1/2	SEE LEVEL OF PACK
PART NO.	QTY.	NOMENCLATURE OR DESCRIPTION	SIZE (INCHES UNLESS SPEC)	MATERIAL SPECIFICATION


SPECIAL PACKAGING INSTRUCTION

CODE ID
98748

SPI NO (TPO)
F 01-033-3179

ITEM NOMENCLATURE ARMATURE-ROTOR, GENERATOR

SHEET 2 OF 4



SPECIAL PACKAGING INSTRUCTION

CODE ID
98748


SPI NO (TPO)
F 01-033-3179

ITEM NOMENCLATURE ARMATURE-ROTOR, GENERATOR


SHEET 3 OF 4

DETAIL 'A'

TOP PAD (4)



SECTION A-A



SPECIAL PACKAGING INSTRUCTION



CODE ID
98748

SPI NO (TPO)
F 01-033-3179

ITEM NOMENCLATURE ARMATURE-ROTOR, GENERATOR

SHEET 4 OF 4

DETAIL 'B' BOTTOM PAD (5)



SECTION B-B

TRANSPORTATION DATA FOR SOLICITATIONS		PURCHASE INSTRUMENT NUMBER: FD20302500913-00		DATE INITIATED: 28 FEB 2025	
COMMODITY: See Continuation		STOCK NUMBER: See Continuation			
F.O.B. TERMS RECOMMENDED AS BEST SUITED FOR THIS PROCUREMENT					
☒ ORIGIN		☐ DESTINATION		☐ OTHER <i>(Specify)</i>	
☐ DATA / FIRST ARTICLE F.O.B. DESTINATION					
TRANSPORTATION PROVISIONS / CLAUSES				FAR CITATION	
F.O.B. Origin				52.247-29	
Freight Classification Description				52.247-53	
Contact DCMA Transportation Contact DCMA Transportation on ALL "DCMA Administered" contracts prior to shipment for shipping instructions using the DCMA Shipment Instruction Request (SIR) eTool System, at http://www.dema.mil < http://www.dema.mil > for ALL FOB: Origin, Foreign Military Sales (FMS), and FOB: Destination OCONUS/Export movements to obtain the appropriate DOD regulatory clearances, shipping documentation and instructions from your cognizant DCMA Transportation Office. If you are new to DCMA, and do not already have a SIR eTool account, you will first need to request an account via DCMA External Web Access Management (EWAM) application which can be accessed at http://www.dema.mil . If you need additional assistance, email DCMA Transportation Group at: Transportation.Division@dema.mil . Do not move any freight to a water or aerial port prior to contacting DCMA or it will become frustrated. Failure to contact the responsible DCMA may result in vendor incurring additional expenditures.				Vendor Transportation Instructions	
IAW BASIC CONTRACT				FD20302500913-00	
TACRN: AAA					
TRANSPORTATION FUNDS INFORMATION:					
Purchase Instrument Line LOA: 97X4930.FC04 645 47GT 159999 01N000 00000 GGGTTT 503000 F03000 FSR: 013352 PSR: K38831 First Destination Transportation Account Code: FRS2 Miscellaneous Obligation / Reimbursement Document: Second Destination Transportation Account Code: FMS LOA: Additional Funding Information:					
ITEM / SHIP TO(s):					
NSN / Pseudo NSN: 6115010333179HY Purchase Instrument Line Item Number: 0001 Ship to (DoDAAC / MAPAC): SW3211 Mark For: Acct 09 Ship To (Address): DLA DISTRIBUTION DEPOT OKLAHOMA 3301 F AVE CEN REC BLDG 506 DR 22 TINKER AFB OK 73145-8000 73145 - 8000 USA			Requisition Number: Supplemental Address: FMS Case:		
WPOD: APOD: BBP / CCP: RIC: 1 Ship To (Remarks):					
EVALUATION OF PORT BID OR PROPOSAL:					
SOLICITATION DATA NOTES:					
OTHER TRANSPORTATION DATA:					
NAME	ORGANIZATION / OFFICE SYMBOL	COMMERCIAL / DSN PHONE	SIGNATURE	DATE	
Cole, Chiquita D	406 SCMS / GULAA	478-926-7702 / 468-7702	//SIGNED//Cole, Chiquita D	28 FEB 2025	