

DRAWING SIZE B

4

3

2

1

NOTES:

I. APPLICABLE STANDARDS/SPECIFICATIONS:
A. MIL-STD-1916
B. MIL-W-63150

2. QUALITY ASSURANCE PROVISIONS.
A. UNLESS OTHERWISE SPECIFIED IN THE CONTRACT, THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF ALL INSPECTION REQUIREMENTS SPECIFIED HEREIN AND ON THE APPLICABLE DRAWING(S).
B. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COMPLETE COMPLIANCE AND CONFORMANCE WITH ALL CONTRACT, DRAWING, AND SPECIFICATION REQUIREMENTS. NONCONFORMING PRODUCT SHALL NOT BE SUBMITTED TO THE GOVERNMENT WHETHER OR NOT A QAP/SOAP SPECIFICALLY CALLS FOR A FEATURE OR ATTRIBUTE TO BE REPORTED TO THE GOVERNMENT.
C. CHARACTERISTICS AND INSPECTION REQUIREMENTS ARE IDENTIFIED ON THE APPLICABLE DRAWING(S) AS FOLLOWS:

ALL SHEETS ARE THE SAME REVISION LEVEL

REVISIONS

DRAW REV	DESCRIPTION	DATE(YEAR-MO-DA)	APPROVED
-	PRODUCT BASELINE ERR L20A2226	2020-10-06	RLV
A	NOR L21A2264 / 2021-07-12	2021-09-17	NAS

REFERENCE TO GAUGE PART NO.
(WHEN REQUIRED)
OR DESCRIPTION OF CHARACTERISTIC
(OPTIONAL)

VERIFICATION LEVEL PER MIL-STD-1916.
WHEN NO SAMPLING IS ALLOWED, 100%
INSPECTION IS PERFORMED, AND THE
VERIFICATION LEVEL IS INDICATED AS "0".

WHEN A "W" IS INDICATED, QAP
INSPECTION PER MIL-W-63150 APPLIES.

CHARACTERISTIC NUMBER:
1 THRU 99 - CRITICAL
101 THRU 199 - MAJOR
201 THRU 299 - MINOR
301 THRU 399 - SPECIAL TEST METHOD /
SPECIAL SAMPLING PLAN
401 THRU 499 - CERTIFICATION REQUIREMENT
501 THRU 599 - DEFINED TEST METHOD

METHOD OF INSPECTION:
C - STANDARD MEASUREMENT & TEST EQUIPMENT (SMTE)
CI - SMTE OR GAUGE
G - GAUGE
S - SPECIAL TEST EQUIPMENT
V - VISUAL
W - CERTIFICATE OF CONFORMANCE
Y - CERTIFIED TEST REPORT
Z - TEST METHODS AND PROCEDURES

THIS DRAWING WAS GENERATED FROM A SOLID MODEL
AND IS CAD MAINTAINED. CHANGES SHALL BE
INCORPORATED BY THE DESIGN ACTIVITY.

PART NO. 13101232

DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

PMIC	DO NOT SCALE DRAWING UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN INCHES	CONTRACT NUMBER	DESIGN ACTIVITY
MECHANICAL PROPERTIES	TOLERANCE ON ANGLES ± ° 2 PLACE DECIMALS ± 3 PLACE DECIMALS ±	DRAWN BY C. THERKORN	US ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND-ARMAMENT CENTER PICATINNY ARSENAL, NEW JERSEY 07806-5000
YP	AND ACCESSORIES	CHECKER	GENERAL REQUIREMENTS FOR QUALITY ASSURANCE PROVISIONS (LRG CAL WPN SYS)
TS	AND COMPONENTS	ENGINEER	SIZE DAI DWG NO. B 19200 13101232
EL2	WEAPON SYSTEMS	DRAWING APPROVAL MARK ZMUDA	SCALE 1/1 UNIT WT
RA	LARGE CALIBER	DESIGN APPROVAL GLENN OSBORN	SHEET 1 OF 8
BH	NEXT ASSY	MODELED BY C. THERKORN	
RH	APPLICATION		

FORMAT: B-TACOM-ENG-1-1-0

DRAWING SIZE B	4	3	2	1
REVISIONS				
DRAW REV	DESCRIPTION	DATE(YEAR-MO-DA)	APPROVED	
-	PRODUCT BASELINE ERR L20A2226	2020-10-06	RLV	
A	NOR L21A2264 / 2021-07-12	2021-09-17	NAS	
D. INSPECTION PROCEDURES. FIRST ARTICLE TEST SAMPLES MAY BE TAKEN SERIALLY OR RANDOMLY FROM THE FIRST LOT. IF THE FIRST ARTICLE TEST SAMPLES ARE RANDOMLY SELECTED FROM THE ENTIRE LOT QUANTITY, THE CONTRACTOR MAY REQUEST THE FIRST ARTICLE TEST PIECES COUNT TOWARDS THE LOT ACCEPTANCE TEST SAMPLING REQUIREMENT. (1) FIRST ARTICLE TEST/INSPECTION. UNLESS WAIVED BY THE CURRENT DESIGN ACTIVITY, A FIRST ARTICLE TEST/INSPECTION IS REQUIRED. UNLESS OTHERWISE SPECIFIED IN THE CONTRACT, THE FIRST ARTICLE SHALL CONSIST OF THREE (3) UNITS OF PRODUCT. ACCEPTANCE SHALL BE BASED ON CONFORMANCE TO ALL APPLICABLE REQUIREMENTS SPECIFIED HEREIN AND ON APPLICABLE DRAWINGS. FIRST ARTICLE TEST/INSPECTION REPORTS SHALL INCLUDE A DOCUMENTED LISTING OF ALL APPLICABLE REQUIREMENTS AND TEST/INSPECTION RESULTS FOR EACH OF THE THREE (3) UNITS OF PRODUCT. WITH REGARD TO MOLDED OR CAST PARTS ONLY, UNLESS OTHERWISE SPECIFIED IN THE CONTRACT OR ON THE APPLICABLE DRAWING, THE FIRST ARTICLE SHALL CONSIST OF THREE (3) PARTS FROM EACH CAVITY FROM EACH MOLD TO BE USED TO SATISFY THE CONTRACT QUANTITY; FURTHERMORE, IF A MOLD(S) IS REMOVED, ALTERED, OR REPAIRED, SUCH THAT ANY DIMENSION(S) IS AFFECTED, THEN A NEW FIRST ARTICLE SHALL BE SUBMITTED, AND THE AFFECTED DIMENSION(S) SHALL BE IDENTIFIED IN THE INSPECTION REPORT. (2) LOT ACCEPTANCE TESTING. UNLESS OTHERWISE SPECIFIED, VERIFICATION LEVEL VII PER MIL-STD-1916 SHALL APPLY TO CRITICAL CHARACTERISTICS. UNLESS OTHERWISE SPECIFIED, MAJOR AND MINOR CHARACTERISTICS, DEPENDANT ON LOT OR PRODUCTION INTERVAL SIZE, SHALL BE SAMPLED IN ACCORDANCE WITH VERIFICATION LEVEL II FOR MAJOR CHARACTERISTICS AND LEVEL I FOR MINOR CHARACTERISTICS, PER MIL-STD-1916. WHEN THE LOT OR PRODUCTION INTERVAL SIZE IS LESS THAN OR EQUAL TO THE SAMPLE SIZE, 100 PERCENT ATTRIBUTES INSPECTION IS REQUIRED. CRITICAL, MAJOR, AND MINOR CHARACTERISTICS (SHOWING QUANTITATIVE RESULTS, UNLESS AN ACCEPTED GAUGE SHOWS PASS/FAIL), CERTIFICATES OF CONFORMANCE, CERTIFIED TEST REPORTS, AND TEST METHODS AND PROCEDURES ARE REQUIRED AS SPECIFIED ON EACH APPLICABLE DRAWING. ALL OTHER CHARACTERISTICS NOT SPECIFICALLY IDENTIFIED FOR INSPECTION ARE SUBJECT TO CONTROL UNDER THE CONTRACTOR'S QUALITY PROGRAM OR INSPECTION SYSTEM AND MAY BE SUBJECT TO GOVERNMENT REVIEW FOR THE DURATION OF THE CONTRACT. OBJECTIVE QUALITY EVIDENCE FOR CHARACTERISTICS UNDER THE CONTRACTORS QUALITY PROGRAM SHALL BE MADE AVAILABLE UPON REQUEST. (3) QUALIFICATION TESTING. TESTS WHICH ARE NOT REQUIRED AS PART OF LOT ACCEPTANCE TESTING, BUT ARE REQUIRED PRIOR TO A POTENTIAL SOURCE BEING LISTED ON A DRAWING AS EITHER A SUGGESTED OR APPROVED SOURCE OF SUPPLY SHALL BE INDICATED BY A "Q" PRECEDING THE CHARACTERISTIC NUMBER. TO QUALIFY FOR A DESIGN, THE CONTRACTOR OR SOURCE SHALL HAVE OBJECTIVE EVIDENCE OF COMPLETE COMPLIANCE AND CONFORMANCE WITH ALL CONTRACT, DRAWING, AND SPECIFICATION REQUIREMENTS WHETHER OR NOT THOSE ITEMS ARE SPECIFICALLY IDENTIFIED IN THE GAP/SOAP. E. WORKMANSHIP. IN ADDITION TO THE REQUIREMENTS OF APPLICABLE ITEM SPECIFICATIONS, PARTS, ASSEMBLIES, SUBSYSTEMS, AND SYSTEMS SHALL BE VISUALLY EXAMINED TO DETERMINE COMPLIANCE WITH THE FOLLOWING REQUIREMENTS: THE QUALITY OF WORKMANSHIP SHALL NOT ADVERSELY AFFECT SAFETY, FUNCTION, PERFORMANCE, SERVICEABILITY, INTERCHANGEABILITY, AND/OR APPEARANCE. COMPLETED PARTS AND ASSEMBLIES SHALL NOT EXHIBIT DEFECTIVE MATERIAL OR PROCESSING SUCH AS SEAMS, LAPS, LAMINATIONS, CRACKS, FINS, EXTRANEOUS MATERIAL, VISIBLE STEPS OR IRREGULARITIES, SHARP EDGES, NICKS, SCRATCHES, BURRS, TOOL SCORES AND GOUGES, DEFORMATIONS, MISSING OPERATIONS, IMPROPER ASSEMBLY, MISSING PARTS, STAINS, CORROSION, NON-SPECIFIED OXIDATION (RUST), OR UNAUTHORIZED SALVAGING OPERATIONS (E.G., HAMMERING TO SHAPE, REPAIR BY WELDING, STRAIGHTENING, BENDING, ETC.) UNLESS OTHERWISE SPECIFIED.				
DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.				
FORMAT: B_TACOM.ENG_1.0				

B

A

PART NO. 13101232

DESIGN ACTIVITY
COMBAT CAPABILITIES DEVELOPMENT
PICATINNY ARSENAL, NEW JERSEY 07806-5000
US ARMY
COMMAND-ARMAMENT CENTER

GENERAL REQUIREMENTS FOR
QUALITY ASSURANCE PROVISIONS
(LRG CAL WPN SYS)

SIZE B
DAI 19200
DWG NO. 13101232

SCALE 1/1
UNIT WT
SHEET 2 OF 8

DRAWING SIZE B	4	3	2	1												
REVISIONS <table><thead><tr><th>DRAW REV</th><th>DESCRIPTION</th><th>DATE(YEAR-MO-DA)</th><th>APPROVED</th></tr></thead><tbody><tr><td>-</td><td>PRODUCT BASELINE ERR L20A2226</td><td>2020-10-06</td><td>RLV</td></tr><tr><td>A</td><td>NOR L21A2264 / 2021-07-12</td><td>2021-09-17</td><td>NAS</td></tr></tbody></table>					DRAW REV	DESCRIPTION	DATE(YEAR-MO-DA)	APPROVED	-	PRODUCT BASELINE ERR L20A2226	2020-10-06	RLV	A	NOR L21A2264 / 2021-07-12	2021-09-17	NAS
DRAW REV	DESCRIPTION	DATE(YEAR-MO-DA)	APPROVED													
-	PRODUCT BASELINE ERR L20A2226	2020-10-06	RLV													
A	NOR L21A2264 / 2021-07-12	2021-09-17	NAS													
F. CTR (CERTIFIED TEST REPORT). IF REQUIRED ON THE DRAWING, THEN A CTR SHALL BE PROVIDED TO THE GOVERNMENT FOR EACH LOT OF PARTS, ASSEMBLIES, SUBSYSTEMS, AND SYSTEMS BY LOT NUMBER PRIOR TO ACCEPTANCE. A CTR IS IN ADDITION TO, AND NOT IN LIEU OF, ANY RIGHTS OF THE GOVERNMENT UNDER CONTRACT OR LAW. A CTR MAY BE USED AS AN ELEMENT INCIDENT TO, BUT SHALL NOT BE USED AS THE SOLE BASIS FOR, GOVERNMENT ACCEPTANCE OF THE CONTRACT ITEM(S), UNLESS SO INDICATED IN THE TECHNICAL DOCUMENTATION OR CONTRACT. AS A MINIMUM, A CTR SHALL CONTAIN THE FOLLOWING: (1) NAME OF COMPANY AND DATE. (2) CONTRACT NUMBER OR PURCHASE ORDER NUMBER, NATIONAL STOCK NUMBER, AND DRAWING NUMBER. (3) COMPLETE NOMENCLATURE OF SUPPLIES TOGETHER WITH LOT NUMBER OR OTHER IDENTIFICATION. THE QUANTITY IN EACH LOT OR SHIPMENT SHALL BE GIVEN. (4) ALL INSPECTIONS AND TESTS (I.E., MATERIAL, PROCESSES, PERFORMANCE, FUNCTIONAL, ETC.) SHALL BE RECORDED IN THE CTR. THE CTR SHALL IDENTIFY EACH LOT SUBMITTED FOR ACCEPTANCE BY LOT NUMBER, THE SPECIFICATION OR DRAWING, REVISION AND DATE, GRADE OR TYPE AS APPLICABLE, NUMBER OF SPECIMENS TESTED, SPECIFIED CHARACTERISTICS AND REQUIREMENTS, AND ACTUAL RESULTS OBTAINED. (5) REPORTS OF THE RAW MATERIAL PRODUCER'S CHEMICAL, MECHANICAL, AND PHYSICAL ANALYSES. (6) A STATEMENT, AS FOLLOWS, CERTIFYING THAT THE MATERIAL MEETS ALL REQUIREMENTS OF THE CONTRACT: "THE UNDERSIGNED, INDIVIDUALLY, AND AS THE AUTHORIZED REPRESENTATIVE OF THE CONTRACTOR, WARRANTS AND REPRESENTS THAT ALL THE INFORMATION SUPPLIED ABOVE IS TRUE AND ACCURATE. THE MATERIAL COVERED BY THIS CERTIFICATE CONFORMS TO ALL CONTRACT REQUIREMENTS (INCLUDING BUT NOT LIMITED TO THE DRAWINGS AND SPECIFICATIONS), THE INSPECTION AND TEST RESULTS AND THE ANALYSES APPEARING HEREIN ARE TRUE AND ACCURATE, AND THIS CERTIFICATE IS MADE FOR THE PURPOSE OF INDUCING PAYMENT AND WITH KNOWLEDGE THAT THE INFORMATION AND CERTIFICATION MAY BE USED AS A BASIS FOR PAYMENT." (7) SIGNATURE, DATE OF SIGNATURE, AND TYPED/PRINTED NAME AND TITLE OF CERTIFYING OFFICIAL.																
DESIGN ACTIVITY COMBAT CAPABILITIES DEVELOPMENT CENTER PICATINNY ARSENAL, NEW JERSEY 07806-5000 US ARMY GENERAL REQUIREMENTS FOR QUALITY ASSURANCE PROVISIONS (LRG CAL WPN SYS) SIZE B DAI 19200 DWG NO. 13101232 SCALE 1/1 UNIT WT SHEET 3 OF 8 PART NO. 13101232																
DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED. 4 3 2 1																
FORMAT: B-TACOM-ENG-1.0																

DRAWING SIZE B	4	3	2	1												
REVISIONS																
DRAW REV	DESCRIPTION		DATE(YEAR-MO-DA)	APPROVED												
-	PRODUCT BASELINE ERR L20A2226		2020-10-06	RLV												
A	NOR L21A2264 / 2021-07-12		2021-09-17	NAS												
G. COC (CERTIFICATE OF CONFORMANCE). A COC IS REQUIRED FOR MILITARY STANDARD AND COMMERCIAL STANDARD ITEMS, SUPPORTED BY INSPECTION AND TEST DATA, MATERIAL ANALYSES, OR CERTIFICATION FROM THE RAW MATERIAL PRODUCER OR PROCESSOR, AND SHALL BE MADE AVAILABLE TO THE GOVERNMENT FOR SPECIFICATIONS COVERING RAW MATERIAL, PROCESSED MATERIAL, AND PROCESSES. A COC SHALL BE PROVIDED TO THE GOVERNMENT PRIOR TO ACCEPTANCE. THIS IS IN ADDITION TO, AND NOT IN LIEU OF, ANY RIGHTS OF THE GOVERNMENT UNDER CONTRACT OR LAW. A COC MAY BE USED AS AN ELEMENT INCIDENT TO, BUT SHALL NOT BE USED AS THE SOLE BASIS FOR, GOVERNMENT ACCEPTANCE OF THE CONTRACT ITEM(S), UNLESS SO INDICATED IN THE TECHNICAL DOCUMENTATION OR CONTRACT. AS A MINIMUM, A COC SHALL CONTAIN THE FOLLOWING: (1) NAME OF COMPANY AND DATE. (2) CONTRACT NUMBER OR PURCHASE ORDER NUMBER, NATIONAL STOCK NUMBER, AND DRAWING NUMBER. (3) COMPLETE NOMENCLATURE OF SUPPLIES TOGETHER WITH LOT NUMBER OR OTHER IDENTIFICATION. THE QUANTITY IN EACH LOT OR SHIPMENT SHALL BE GIVEN. (4) A STATEMENT, AS FOLLOWS, CERTIFYING THAT THE MATERIAL MEETS ALL REQUIREMENTS OF THE CONTRACT: "THE UNDERSIGNED, INDIVIDUALLY, AND AS THE AUTHORIZED REPRESENTATIVE OF THE CONTRACTOR, WARRANTS AND REPRESENTS THAT ALL THE INFORMATION SUPPLIED ABOVE IS TRUE AND ACCURATE, THE MATERIAL COVERED BY THIS CERTIFICATE CONFORMS TO ALL CONTRACT REQUIREMENTS (INCLUDING BUT NOT LIMITED TO THE DRAWINGS AND SPECIFICATIONS), THE ANALYSES APPEARING HEREIN ARE TRUE AND ACCURATE ANALYSES, AND THIS CERTIFICATE IS MADE FOR THE PURPOSE OF INDUCING PAYMENT AND WITH KNOWLEDGE THAT THE INFORMATION AND CERTIFICATION MAY BE USED AS A BASIS FOR SUCH PAYMENT." (5) SIGNATURE, DATE OF SIGNATURE, AND TYPED/PRINTED NAME AND TITLE OF CERTIFYING OFFICIAL. H. IF SPECIAL TEST EQUIPMENT IS IDENTIFIED FOR A CHARACTERISTIC, THEN EQUIPMENT CONFORMING TO THAT IDENTIFIED SHALL BE USED, UNLESS AN ALTERNATE IS APPROVED BY THE CURRENT DESIGN ACTIVITY. J. 301 THRU 399 - SPECIAL TEST METHOD / SPECIAL SAMPLING PLAN: (1) STM (SPECIAL TEST METHOD). A DRAWING MAY IDENTIFY AN STM THAT IS UNIQUE TO THE DRAWING. AT A MINIMUM, AN STM SHALL SPECIFY A SAMPLE SIZE, A TEST PROCEDURE OR A GUIDANCE DOCUMENT DETAILING THE TEST PROCEDURE, AND REJECTION CRITERIA. ALL DATA COLLECTED AS A RESULT OF PERFORMING AN STM SHALL BE SUBMITTED IN THE FORM OF A CTR AS DEFINED HEREIN. (2) SPECIAL SAMPLING PLAN. A DRAWING MAY IDENTIFY A SPECIAL SAMPLING PLAN IN LIEU OF MIL-STD-1916, MIL-W-63150, OR MIL-STD-105. PART NO. 13101232 <table><tr><td colspan="2">DESIGN ACTIVITY</td></tr><tr><td colspan="2">US ARMY COMBAT CAPABILITIES DEVELOPMENT PICATINNY ARSENAL, NEW JERSEY 07806-5000</td></tr><tr><td colspan="2">GENERAL REQUIREMENTS FOR QUALITY ASSURANCE PROVISIONS (LRG CAL WPN SYS)</td></tr><tr><td>SIZE B</td><td>DAI 19200</td></tr><tr><td>SCALE 1/1</td><td>DWG NO. 13101232</td></tr><tr><td>UNIT WT</td><td>SHEET 4 OF 8</td></tr></table> DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED. FORMAT: B-TACOM-ENG-1.0					DESIGN ACTIVITY		US ARMY COMBAT CAPABILITIES DEVELOPMENT PICATINNY ARSENAL, NEW JERSEY 07806-5000		GENERAL REQUIREMENTS FOR QUALITY ASSURANCE PROVISIONS (LRG CAL WPN SYS)		SIZE B	DAI 19200	SCALE 1/1	DWG NO. 13101232	UNIT WT	SHEET 4 OF 8
DESIGN ACTIVITY																
US ARMY COMBAT CAPABILITIES DEVELOPMENT PICATINNY ARSENAL, NEW JERSEY 07806-5000																
GENERAL REQUIREMENTS FOR QUALITY ASSURANCE PROVISIONS (LRG CAL WPN SYS)																
SIZE B	DAI 19200															
SCALE 1/1	DWG NO. 13101232															
UNIT WT	SHEET 4 OF 8															
B																
A																

DRAWING SIZE B		4		3		2		1																																																																																																																																																																	
K. 501 THRU 599 - DTM (DEFINED TEST METHOD).																																																																																																																																																																									
(1) ALL DATA COLLECTED AS A RESULT OF PERFORMING A DTM SHALL BE SUBMITTED IN THE FORM OF A CTR AS DEFINED HEREIN. IF A VERIFICATION LEVEL PER MIL-STD-1916 IS IDENTIFIED IN THE CHARACTERISTIC, THEN IT SHALL SUPERSEDE ANY SAMPLE SIZE NOTED IN THE DTM. (2) TEST SPECIMENS SHALL BE PREPARED FROM ACTUAL PRODUCTION ITEMS OR PARTS OR FROM SCRAPPED/REJECTED PARTS OF THE SAME KIND AND FINISH AND FROM THE SAME PRODUCTION LOT, WHICH HAVE BEEN REJECTED FOR A CAUSE(S) UNRELATED TO THE TEST BEING PERFORMED. (2.1) A REQUEST MAY BE MADE TO USE A TEST SAMPLE PANEL IN PLACE OF A SAMPLE PART FROM THE LOT PRODUCTION FOR SURFACE FINISH PROCESS TESTING. PERMISSION TO USE A TEST SAMPLE PANEL SHALL BE CONTINGENT UPON APPROVAL BY THE ENGINEERING SUPPORT ACTIVITY. (3) TEST SPECIMENS MAY BE REUSED TO SATISFY MULTIPLE DTM'S, AS LONG AS THE CONDITION OF THE TEST SPECIMENS WILL NOT ADVERSELY AFFECT THE TEST BEING PERFORMED. (4) WHEN NOTED BELOW, IF APPROVED BY THE CURRENT DESIGN ACTIVITY, THEN ALTERNATE TEST SPECIMENS (E.G., TEST PANELS, COUPONS, ETC.) MAY BE USED IN LIEU OF ACTUAL PRODUCTION ITEMS OR PARTS. (5) IF REQUIRED ON THE APPLICABLE DRAWING, THEN THE FOLLOWING DTM'S SHALL APPLY: 501 - HARDNESS. THREE (3) ITEMS SHALL BE SELECTED AT RANDOM FROM EACH HEAT TREATMENT BATCH. UNLESS OTHERWISE SPECIFIED ON THE APPLICABLE DRAWING, TESTING SHALL BE PERFORMED IN ACCORDANCE WITH ASTM E18. EACH HEAT TREATMENT BATCH SHALL BE IDENTIFIED AND REMAIN SEGREGATED, UNTIL ALL TESTS ARE COMPLETED. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED. A HEAT TREATMENT BATCH IS DEFINED AS ITEMS THAT HAVE BEEN HEAT TREATED AT THE SAME TIME IN THE SAME FURNACE AND QUENCH BATH FOR ALL THE PHASES OF THE HEAT TREATMENT PROCESS. 502 - SALT SPRAY TEST (PHOSPHATE COATING). THREE (3) ITEMS SHALL BE SELECTED AT RANDOM FROM EACH LOT. THE TEST SHALL BE PERFORMED AS SPECIFIED ON THE APPLICABLE DRAWING. PHOSPHATE TEST PROCEDURES AND EQUIPMENT SHALL HAVE THE PRIOR APPROVAL OF THE GOVERNMENT. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED. IF APPROVED BY THE CURRENT DESIGN ACTIVITY, THEN ALTERNATE TEST SPECIMENS MAY BE USED. 503 - COATING WEIGHT/THICKNESS (PHOSPHATE COATING). THREE (3) ITEMS SHALL BE SELECTED AT RANDOM FROM EACH BATCH. THE TEST SHALL BE PERFORMED AS SPECIFIED ON THE APPLICABLE DRAWING. PHOSPHATE TEST PROCEDURES AND EQUIPMENT SHALL HAVE THE PRIOR APPROVAL OF THE GOVERNMENT. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED. IF APPROVED BY THE CURRENT DESIGN ACTIVITY, THEN ALTERNATE TEST SPECIMENS MAY BE USED. <tr><td colspan="10">DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.</td></tr> <tr><td colspan="10">B</td></tr> <tr><td colspan="10">A</td></tr> <tr><td colspan="10">PART NO. 13101232</td></tr> <tr><td colspan="10">DESIGN ACTIVITY US ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND-ARMAMENT CENTER PICATINNY ARSENAL, NEW JERSEY 07806-5000</td></tr> <tr><td colspan="10">GENERAL REQUIREMENTS FOR QUALITY ASSURANCE PROVISIONS (LRG CAL WPN SYS)</td></tr> <tr><td colspan="10">SIZE B</td></tr> <tr><td colspan="10">DAI 19200</td></tr> <tr><td colspan="10">DWG NO. 13101232</td></tr> <tr><td colspan="10">SCALE 1/1</td></tr> <tr><td colspan="10">UNIT WT SHEET 5 of 8</td></tr> <tr><td colspan="10">1</td></tr> <tr><td colspan="10">2</td></tr> <tr><td colspan="10">3</td></tr> <tr><td colspan="10">4</td></tr> <tr><td colspan="10">FORMAT: B-TACOM-ENG-1.0</td></tr>										DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.										B										A										PART NO. 13101232										DESIGN ACTIVITY US ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND-ARMAMENT CENTER PICATINNY ARSENAL, NEW JERSEY 07806-5000										GENERAL REQUIREMENTS FOR QUALITY ASSURANCE PROVISIONS (LRG CAL WPN SYS)										SIZE B										DAI 19200										DWG NO. 13101232										SCALE 1/1										UNIT WT SHEET 5 of 8										1										2										3										4										FORMAT: B-TACOM-ENG-1.0									
DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.																																																																																																																																																																									
B																																																																																																																																																																									
A																																																																																																																																																																									
PART NO. 13101232																																																																																																																																																																									
DESIGN ACTIVITY US ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND-ARMAMENT CENTER PICATINNY ARSENAL, NEW JERSEY 07806-5000																																																																																																																																																																									
GENERAL REQUIREMENTS FOR QUALITY ASSURANCE PROVISIONS (LRG CAL WPN SYS)																																																																																																																																																																									
SIZE B																																																																																																																																																																									
DAI 19200																																																																																																																																																																									
DWG NO. 13101232																																																																																																																																																																									
SCALE 1/1																																																																																																																																																																									
UNIT WT SHEET 5 of 8																																																																																																																																																																									
1																																																																																																																																																																									
2																																																																																																																																																																									
3																																																																																																																																																																									
4																																																																																																																																																																									
FORMAT: B-TACOM-ENG-1.0																																																																																																																																																																									

DRAWING SIZE B		4		3		2		1	
REVISIONS									
DRAW REV		DESCRIPTION				DATE(YEAR-MO-DA)		APPROVED	
-		PRODUCT BASELINE ERR L20A2226				2020-10-06		RLV	
A		NOR L21A2264 / 2021-07-12				2021-09-17		NAS	
504 - SUPPLEMENTARY OIL TREATMENT SALT SPRAY TEST. THE TEST SHALL BE PERFORMED FOR FIRST ARTICLE AND AT LEAST SEMI-MONTHLY DURING PRODUCTION. THREE (3) ITEMS FROM EACH PROCESSING TANK OR DISPENSER SHALL BE PREPARED AND TESTED IN ACCORDANCE WITH EITHER MIL-PRF-3150 OR MIL-PRF-16173. THE CONTRACTOR SHALL MONITOR AND DOCUMENT TANK QUALITY TO ENSURE CONFORMANCE. 505 - CASE DEPTH. THREE (3) ITEMS SHALL BE SELECTED AT RANDOM FROM EACH DAY'S PRODUCTION FROM EACH CARBURIZING FURNACE OR SALT POT USED. DEFINITIONS AND TESTS PER MIL-W-13855 APPLY. UNLESS OTHERWISE SPECIFIED ON THE APPLICABLE DRAWING, "CASE DEPTH" IN ITS ENTIRETY SHALL REFER TO TOTAL CASE DEPTH. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED. 506 - 507 - CONDITIONS OF SURFACE (SURFACE CLEANLINESS). EACH ITEM (100% INSPECTION) SHALL UNDERGO AN INSPECTION FOR CONDITION OF SURFACE PRIOR TO APPLICATION OF PRIMER, IN ACCORDANCE WITH MIL-DTL-53072. IF ANY ITEM FAILS THE TEST, THE ITEM SHALL BE RECLEANED AND RETESTED UNTIL THE ITEM PASSES THE TEST. 508 - CARC DRY FILM THICKNESS. THREE (3) ITEMS SELECTED AT RANDOM FROM EACH LOT SHALL BE TESTED IN ACCORDANCE WITH MIL-DTL-53072. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED. 509 - CARC SOLVENT WIPE. THREE (3) ITEMS SELECTED AT RANDOM FROM EACH LOT SHALL BE TESTED IN ACCORDANCE WITH MIL-DTL-53072. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED. 510 - CARC ADHESION. THREE (3) ITEMS SELECTED AT RANDOM FROM EACH LOT SHALL BE TESTED IN ACCORDANCE WITH MIL-DTL-53072. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED. 511 - CARC CORROSION RESISTANCE (AFTER APPLICATION OF PRIMER). THREE (3) ITEMS SELECTED AT RANDOM FROM EACH LOT SHALL BE TESTED IN ACCORDANCE WITH MIL-DTL-53072. IF ANY ITEMS FAILS, THEN THE LOT SHALL BE REJECTED. 512 - PHOSPHATE COATING SUPPLEMENTARY OIL TREATMENT SALT SPRAY TEST. THREE (3) ITEMS SELECTED AT RANDOM SHALL BE TESTED IN ACCORDANCE WITH MIL-DTL-16232. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED. 513 - HYDROGEN EMBRITTLEMENT RELIEF TEST. ADEQUACY OF THE HYDROGEN EMBRITTLEMENT RELIEF TREATMENT SHALL BE DEMONSTRATED IN ACCORDANCE WITH ASTM F519, USING TYPE Ia SPECIMEN. THE FREQUENCY SHALL BE EVERY 120 DAYS UNLESS OTHERWISE INDICATED IN THE APPLICABLE SPECIFICATION.									
PART NO. 13101232									
DESIGN ACTIVITY US ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND-ARMAMENT CENTER PICATINNY ARSENAL, NEW JERSEY 07806-5000									
GENERAL REQUIREMENTS FOR QUALITY ASSURANCE PROVISIONS (LRG CAL WPN SYS)									
SIZE B		DAI 19200		DWG NO. 13101232					
SCALE 1/1		UNIT WT		SHEET 6 OF 8					
DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.									
4		3		2		1			
FORMAT: B-TACOM-ENG-1.0									

DRAWING SIZE B	4	3	2	1																														
<table><tr><td colspan="2">DRAW REV</td><td colspan="2">DESCRIPTION</td><td colspan="2">REVISIONS</td><td colspan="2">DATE/YEAR-MO-DA</td><td colspan="2">APPROVED</td></tr><tr><td colspan="2">-</td><td colspan="2">PRODUCT BASELINE ERR L20A2226</td><td colspan="2"></td><td colspan="2">2020-10-06</td><td colspan="2">RLV</td></tr><tr><td colspan="2">A</td><td colspan="2">NOR L21A2264 / 2021-07-12</td><td colspan="2"></td><td colspan="2">2021-09-17</td><td colspan="2">NAS</td></tr></table>					DRAW REV		DESCRIPTION		REVISIONS		DATE/YEAR-MO-DA		APPROVED		-		PRODUCT BASELINE ERR L20A2226				2020-10-06		RLV		A		NOR L21A2264 / 2021-07-12				2021-09-17		NAS	
DRAW REV		DESCRIPTION		REVISIONS		DATE/YEAR-MO-DA		APPROVED																										
-		PRODUCT BASELINE ERR L20A2226				2020-10-06		RLV																										
A		NOR L21A2264 / 2021-07-12				2021-09-17		NAS																										
514 - CASTING INSPECTION. SAMPLING SHALL BE IN ACCORDANCE WITH SAE AMS 2175 UNLESS OTHERWISE SPECIFIED. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED. 515 - SMUT TEST. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH MIL-DTL-13924. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED. 516 - CADMIUM PLATING THICKNESS. THREE (3) ITEMS SELECTED AT RANDOM SHALL BE TESTED IN ACCORDANCE WITH SAE AMS-00-P-416. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED. 517 - CADMIUM PLATING ADHESION. THREE (3) ITEMS SELECTED AT RANDOM SHALL BE TESTED IN ACCORDANCE WITH SAE AMS-00-P-416. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED. 518 - CADMIUM PLATING CORROSION RESISTANCE. THREE (3) ITEMS SELECTED AT RANDOM SHALL BE TESTED IN ACCORDANCE WITH SAE AMS-00-P-416. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED. 519 - CADMIUM PLATING EMBRITTLEMENT RELIEF TEST. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH ASTM F519 USING TYPE 1a SPECIMEN. FREQUENCY SHALL BE IN ACCORDANCE WITH SAE AMS-00-P-416. 520 - MAGNETIC PARTICLE INSPECTION. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH ASTM E1444/E1444M UNLESS OTHERWISE SPECIFIED. 521 - SOLID FILM LUBRICANT THICKNESS. THREE (3) ITEMS SELECTED AT RANDOM FROM EACH LOT SHALL BE TESTED FOR THICKNESS. THE THICKNESS SHALL BE 0.4 TO 1.0 MIL UNLESS OTHERWISE SPECIFIED. 522 - SOLID FILM LUBRICANT ADHESION. THREE (3) ITEMS SELECTED AT RANDOM FROM EACH LOT SHALL BE TESTED IN ACCORDANCE WITH ASTM D2510, PROCEDURE A. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED. 523 - SOLID FILM LUBRICANT CORROSION RESISTANCE. THREE (3) ITEMS SELECTED AT RANDOM FROM EACH LOT SHALL BE TESTED IN ACCORDANCE WITH ASTM B117. TEST ITEMS SHALL BE EXPOSED TO A 5% SALT SPRAY SOLUTION FOR 100 HOURS MINIMUM. PARTS SHALL SHOW NO MORE THAN THREE (3) RUST SPOTS PER 3" X 6" AREA WITH NONE LARGER THAN 1.0 MM IN DIAMETER. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED.																																		
DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.																																		
<table><tr><td>SIZE</td><td>DAI</td><td colspan="2">DWG NO.</td><td colspan="2">SHEET</td></tr><tr><td>B</td><td>19200</td><td colspan="2">13101232</td><td colspan="2">7 of 8</td></tr></table>					SIZE	DAI	DWG NO.		SHEET		B	19200	13101232		7 of 8																			
SIZE	DAI	DWG NO.		SHEET																														
B	19200	13101232		7 of 8																														
<table><tr><td colspan="2">DESIGN ACTIVITY</td><td colspan="3">US ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND-ARMAMENT CENTER PICATINNY ARSENAL, NEW JERSEY 07806-5000</td></tr><tr><td colspan="5">GENERAL REQUIREMENTS FOR QUALITY ASSURANCE PROVISIONS (LRG CAL WPN SYS)</td></tr></table>					DESIGN ACTIVITY		US ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND-ARMAMENT CENTER PICATINNY ARSENAL, NEW JERSEY 07806-5000			GENERAL REQUIREMENTS FOR QUALITY ASSURANCE PROVISIONS (LRG CAL WPN SYS)																								
DESIGN ACTIVITY		US ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND-ARMAMENT CENTER PICATINNY ARSENAL, NEW JERSEY 07806-5000																																
GENERAL REQUIREMENTS FOR QUALITY ASSURANCE PROVISIONS (LRG CAL WPN SYS)																																		
<table><tr><td colspan="2">PART NO.</td><td colspan="3">13101232</td></tr></table>					PART NO.		13101232																											
PART NO.		13101232																																
<table><tr><td colspan="2">DESIGN ACTIVITY</td><td colspan="3">US ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND-ARMAMENT CENTER PICATINNY ARSENAL, NEW JERSEY 07806-5000</td></tr><tr><td colspan="5">GENERAL REQUIREMENTS FOR QUALITY ASSURANCE PROVISIONS (LRG CAL WPN SYS)</td></tr></table>					DESIGN ACTIVITY		US ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND-ARMAMENT CENTER PICATINNY ARSENAL, NEW JERSEY 07806-5000			GENERAL REQUIREMENTS FOR QUALITY ASSURANCE PROVISIONS (LRG CAL WPN SYS)																								
DESIGN ACTIVITY		US ARMY COMBAT CAPABILITIES DEVELOPMENT COMMAND-ARMAMENT CENTER PICATINNY ARSENAL, NEW JERSEY 07806-5000																																
GENERAL REQUIREMENTS FOR QUALITY ASSURANCE PROVISIONS (LRG CAL WPN SYS)																																		
<table><tr><td>SCALE</td><td>I / I</td><td>UNIT</td><td>WT</td><td>SHEET</td></tr><tr><td></td><td></td><td></td><td></td><td>7 of 8</td></tr></table>					SCALE	I / I	UNIT	WT	SHEET					7 of 8																				
SCALE	I / I	UNIT	WT	SHEET																														
				7 of 8																														
FORMAT: B-TACOM-ENG-1.0																																		

DRAWING SIZE B

4

3

2

1

REVISIONS			
DRAW REV	DESCRIPTION	DATE(YEAR-MO-DA)	APPROVED
-	PRODUCT BASELINE ERR L20A2226	2020-10-06	RLV
A	NOR L21A2264 / 2021-07-12	2021-09-17	NAS

- 524 - ZINC COATING THICKNESS. THREE (3) ITEMS SELECTED AT RANDOM SHALL BE TESTED IN ACCORDANCE WITH ASTM B633. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED.
- 525 - ZINC COATING ADHESION. THREE (3) ITEMS SELECTED AT RANDOM SHALL BE TESTED IN ACCORDANCE WITH ASTM B633. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED.
- 526 - ZINC COATING CORROSION RESISTANCE. THREE (3) ITEMS SELECTED AT RANDOM SHALL BE TESTED IN ACCORDANCE WITH ASTM B633. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED.
- 527 - ZINC COATING EMBRITTLEMENT RELIEF TEST. TESTING SHALL BE PERFORMED IN ACCORDANCE ASTM F519, USING TYPE Ia SPECIMEN. FREQUENCY SHALL BE IN ACCORDANCE WITH ASTM B633.
- 528 - CHROMIUM PLATING THICKNESS. THREE (3) ITEMS SELECTED AT RANDOM SHALL BE TESTED IN ACCORDANCE WITH SAE AMS2460. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED.
- 529 - CHROMIUM PLATING ADHESION. THREE (3) ITEMS SELECTED AT RANDOM SHALL BE TESTED IN ACCORDANCE WITH SAE AMS2460. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED.
- 530 - CHROMIUM PLATING POROSITY. THREE (3) ITEMS SELECTED AT RANDOM SHALL BE TESTED IN ACCORDANCE WITH SAE AMS2460. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED.
- 531 - CHROMIUM PLATING HARDNESS. THREE (3) ITEMS SELECTED AT RANDOM SHALL BE TESTED IN ACCORDANCE WITH SAE AMS2460. IF ANY ITEM FAILS, THEN THE LOT SHALL BE REJECTED.
- 532 - CHROMIUM PLATING EMBRITTLEMENT RELIEF TEST. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH ASTM F519 USING TYPE Ia SPECIMEN. FREQUENCY SHALL BE IN ACCORDANCE WITH SAE AMS2460.

L. ACRONYMS NOT OTHERWISE DEFINED IN THIS DOCUMENT - FOR REFERENCE ONLY:
CTR- CERTIFIED TEST REPORT
CARC- CHEMICAL AGENT RESISTANT COATING

PART NO. 13101232

DESIGN ACTIVITY		US ARMY COMBAT CAPABILITIES DEVELOPMENT PICATINNY ARSENAL, NEW JERSEY 07806-5000	
GENERAL REQUIREMENTS FOR QUALITY ASSURANCE PROVISIONS (LRG CAL WPN SYS)			
SIZE	DAI	DWG NO.	
B	19200	13101232	
SCALE	I / I	UNIT	WT
		SHEET	8 OF 8

DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.