

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE		PAGE OF PAGES 1 10	
2. AMENDMENT/MODIFICATION NO. 0001		3. EFFECTIVE DATE 2026 APR 08		4. REQUISITION/PURCHASE REQ. NO. 22300-0041 (Q3 2A26)		5. PROJECT NO. <i>(If applicable)</i>
6. ISSUED BY NAVSUP WEAPON SYSTEMS SUPPORT MECH 5450 CARLISLE PIKE MECHANICSBURG, PA 17050-2411 CREATOR OFC CD: N743.4		CODE N00104		7. ADMINISTERED BY <i>(If other than Item 6)</i>		CODE
8. NAME AND ADDRESS OF CONTRACTOR <i>(No., street, county, State and Zip Code)</i>				(✓)		9A. AMENDMENT OF SOLICITATION NO. N00104-26-Q-FC25
				X		9B. DATED <i>(SEE ITEM 11)</i> 2026 MAR 18
						10A. MODIFICATION OF CONTRACT/ORDER NO.
						10B. DATED <i>(SEE ITEM 13)</i>
CODE		FACILITY CODE				

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☒ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers ☒ is extended, ☐ is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing Items 8 and 15, and returning 1 copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA *(If required)*

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

(✓)	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: <i>(Specify authority)</i> THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES <i>(such as changes in paying office, appropriation date, etc.)</i> SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
	D. OTHER <i>(Specify type of modification and authority)</i>

E. IMPORTANT: Contractor ☐ is not, ☐ is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION *(Organized by UCF section headings, including solicitation/contract subject matter where feasible.)*

QTHREE

THE HOUR AND DATE SPECIFIED FOR RECEIPT OF OFFERS IS EXTENDED TO 4:30 PM LOCAL TIME ON 2026 APR 22.

SEE NEXT PAGE

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER <i>(Type or print)</i>		16A. NAME AND TITLE OF CONTRACTING OFFICER <i>(Type or print)</i>	
15B. CONTRACTOR/OFFEROR <i>(Signature of person authorized to sign)</i>		16B. UNITED STATES OF AMERICA BY <i>(Signature of Contracting Officer)</i>	
15C. DATE SIGNED		16C. DATE SIGNED	

NOTE:

1. The offer due date is updated to 22 Apr 2026.
2. The TDP is updated from Version No.: 001 to Version No.: 002.
3. The Small Business Set-Aside is hereby dissolved.

**SET-ASIDE IS CHANGED FROM SET-ASIDE FOR SMALL BUSINESS
TO UNREVIEWED-UNRESTRICTED**

CONTINUATION SHEET		REFERENCE NO. OF DOCUMENT BEING CONTINUED N00104-26-Q-FC25 AMEND: 0001		PAGE 3	OF 10 PAGES
NAME OF OFFEROR OR CONTRACTOR					
ITEM NO.	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	TDP VERSION NUMBER IS CHANGED FROM 001 TO 002 SEE TECHNICAL REQUIREMENTS IN SECTIONS C, D, E AND ATTACHMENTS ALL REFERENCES TO WAIVERS ON PRIOR TDPS ARE NO LONGER APPLICABLE				

PART I - THE SCHEDULE
SECTION C
DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

CLIN: 0001
NIIN: 016209916
ITEM NAME: TUBING, NONMETALLIC

ACTIVITY USE ONLY: TDP VERSION NO.: 002

1. SCOPE

1.1 The material covered in this contract/purchase order will be used in a crucial shipboard system. The use of incorrect or defective material would create a high probability of failure resulting in serious personnel injury, loss of life, loss of vital shipboard systems, or loss of the ship itself. Therefore, the material has been designated as SPECIAL EMPHASIS material (Level I, Scope of Certification, or Quality Assured) and special control procedures are invoked to ensure receipt of correct material.

2. APPLICABLE DOCUMENTS

2.1 Order of Precedence - In the event of a conflict between the text of this contract/purchase order and the references and/or drawings cited herein, the text of this contract/purchase order must take precedence. Nothing in this contract/purchase order, however, must supersede applicable laws and regulations unless a specific exemption has been obtained.

2.2 Applicable Documents - The document(s) listed below form a part of this contract/purchase order including modifications or exclusions.

2.2.1 Specification Revisions - The specification revisions listed under "Documents References" below are the preferred revision. Older and/or newer revisions are acceptable when listed within Contract Support Library Reference Number CSD155 in ECDS (Electric Contractor Data Submission) at: <https://register.nslc.navy.mil/>. This is to allow Contractors to use certain acceptable older specification revisions to purge their existing stock of material certified to those older revisions or to use newer specification revisions when material is certified to newly released revisions, without requiring the submittal of waiver/deviation requests for each specification revision on every contract. Revisions of specifications reflecting editorial and/or re-approval (e.g. E2009, R2014, etc.) are considered inconsequential, but are acceptable when their revisions are listed within CSD155 or elsewhere within this contract.

2.2.2 Documents, drawings, and publications supplied are listed under "Drawing Number". These items should be retained until an award is made.

2.2.3 "Document References" listed below must be obtained by the Contractor. Ordering information is included as an attachment to this contract/purchase order.

2.3

DRAWING NO.	CAGE	REV	DOC TYPE	DISTR CD	SHEET NR	REV TYPE	SIZE
EB-2000	96169	C		D			

DOCUMENT REFERENCES

SPEC NO.	SLASH NO.	PART NO	REV	DATE	DISTR CD	AMEND	CHG NTC	SUPP
MIL-STD-792			F	23 FEB 23	A		01	
ISO_9001				15 NOV 08	A			
ISO10012				15 APR 03	A			
ISO/IEC 17025				15 MAY 05	A			
MIL-I-45208			A	24 JUL 81	A	1		
MIL-STD-45662			A	01 AUG 88	A			
ANSI/NCSL Z540.3				26 MAR 13	A			

3. REQUIREMENTS

3.1 <The MC 903 Nylon Tube for Ball Valve Seat/Seal material must be in accordance with E.B. Specification 2000, except as amplified or modified herein.>

3.2 <Dimensions: Outside Diameter - 15.470 inches; Inside Diameter - 10.200 inches; Length - 10inches>

3.3 < Tolerance - See Paragraph 3.3.2 of E.B. SPEC 2000>

3.4 Material for Parts Requiring Certification – Quantitative chemical and mechanical analysis is required for the parts listed below unless specifically stated otherwise:

Part – <Tube>

Material – MC903 (Type 6 cast nylon produced with polyepsilon caprolactam by the direct polymerization process) as manufactured by the Polymer Corporation or equal in accordance with Electric Boat Division Specification 2000. (Properties Specified Below Only)

Item	Property	Test Method	Value
(A)	Melting Point	ASTM E794 or ASTM D3418	221 deg C +/- 9
(B)	Relative Viscosity	ASTM D789 (Notes 1 and 4)	2000 Minimum
(C)	Specific Gravity	ASTM D792	1.15-1.17 at 23 deg C
(D)	Dimensional Change	Notes 2 & 4	0.2% Maximum
(E)	Tensile Impact	ASTM D1822 Type S Specimen (Notes 5 & 6)	80 ft-lbs/in 2 Minimum (Note 3)
(F)	Tensile Yield Stress	ASTM D638 (Note 6)	9000 psi Min. (Note 3)
(G)	Compressive Strength* (at 1 percent Offset)	ASTM D695 (Note 6)	9000 psi Min. (Note 3)
(H)	Water Absorption		
	24 hour	ASTM D570	1.3 percent Maximum
	Saturation	ASTM D570	7.0 percent Maximum
(I)	Rockwell "M" Hardness	ASTM D785	75 Minimum

Note 1: The test specimen must be finely ground particulates. After immersion the material must be checked daily for dissolution and must dissolve no longer than one hundred twenty (120) hours from the start of immersion. Within twenty-four (24) hours of the test specimen determined to be fully dissolved, it must be tested for viscosity.

Note 2: Dimensional stability testing must be performed in accordance with the dimensional stability method per ASTM D5989 or equivalent. The percent change in each dimension, outside diameter, inside diameter and thickness must not be greater than the value specified.

Note 3: These values are minimum averages. Separate specimens results may vary by 25%.

Note 4: Any change to an already established heat or annealing cycle to achieve both relative viscosity and/or dimensional stability must be presented to the procuring activity for approval along with justification for the change.

Note 5: Tensile-impact test specimens are to be type S in accordance with ASTM D1822, or round cylindrical specimens in accordance with MIL-DTL-32286, Paragraph 3.8

Note 6: Prior to test, the specimens must be dried in accordance with Federal Specification L-P- 410A, Paragraph 4.4.5.

3.5 Certificate of Compliance – (SPECIAL EMPHASIS MATERIAL) The Contractor must prepare and submit a certificate of compliance certifying that the items/components furnished under this contract comply with the requirements of the procurement document, including any/all invoked specifications and drawings.

3.6 Configuration Control – The Contractor must maintain the total equipment baseline configuration. For items of proprietary design, Contractor drawings showing the latest assembly configuration must be provided to the Government in electronic (C4) format. Definitions are provided elsewhere in the Contract/Purchase Order.

3.6.1 Waivers/Deviations – All waivers and deviations, regardless of significance or classification require review and approval by the Contracting Officer. Waivers and Deviations must be designated as Critical, Major, or Minor. The Contractor must provide a copy of this request to the QAR. Requests must include the information listed below.

- A complete description of the contract requirement affected and the nature of the waiver/deviation (non-conformance), including a classification of Critical, Major, or Minor.
- Number of units (and serial/lot numbers) to be delivered in this configuration.
- Any impacts to logistics support elements (such as software, manuals, spares, tools, and similar) being utilized by Government personnel or impacts to the operational use of the product.
- Information about remedial action being taken to prevent reoccurrence of the non-conformance.

3.6.2 All requests for Waivers/Deviations on NAVSUP-WSS Contracts must be submitted to the NAVSUP WSS Contracting Specialist via eMail.

3.6.3 ECPs – The Government will maintain configuration control and change authority for all modifications or changes affecting form, fit, function, or interface parameters of the Equipment and its sub-assemblies. The Contractor must submit an Engineering Change Proposal (ECP) for any Class I or II changes that impact the Equipment

covered by this contract. ECPs must be prepared in Contractor format, and must include the following information:

- a. The change priority, change classification (Class I or Class II), and change justification.
- b. A complete description of the change to be made and the need for that change.
- c. A complete listing of other Configuration Items impacted by the proposed change and a description of the impact on those CIs.
- d. Proposed changes to documents controlled by the Government.
- e. Proposed serial/lot number effectivities of units to be produced in, or retrofitted to, the proposed configuration.
- f. Recommendations about the way a retrofit should be accomplished.
- g. Impacts to any logistics support elements (such as software, manuals, spares, tools, and similar) being utilized by Government personnel in support of the product.
- h. Impacts to the operational use of the product.
- i. Complete estimated life-cycle cost impact of the proposed change.
- j. Milestones relating to the processing and implementation of the engineering change.

3.7 Mercury Free - Mercury and mercury containing compounds must not be intentionally added or come in direct contact with hardware or supplies furnished under this contract. Mercury contamination of the material will be cause for rejection.

*** QUALITY ASSURANCE REQUIREMENTS ***

3.8 Quality System Requirements - The Contractor furnishing items under this contract/purchase order must provide and maintain a quality system in accordance with ISO-9001 as amplified or modified herein, with the calibration system requirements of ISO-10012 or ANSI-Z540.3 with ISO-17025. A Quality System in accordance with MIL-I-45208, with the calibration system

3.8.1 The Contractor's quality system and products supplied under the system are subject to evaluation, verification inspection, and acceptance/nonacceptance by the Government representative to determine the system's effectiveness in meeting the quality requirements established in the Contract/Purchase Order.

3.8.2 The Contractor's quality system must be documented and must be available for review by the Contracting Officer or his representative prior to initiation of production and throughout the life of the contract. The Prime Contractor must, upon notification, make his facilities available for audit by the contracting Officer or his authorized representative.

3.8.3 See CDRL DI-QCIC-81110 (Inspection System Procedures) - All suppliers of Level I/SUBSAFE (LI/SS) material are required to submit a copy of their current documented quality system procedures to the Procurement Contracting Officer (PCO) prior to award of any contract/purchase order. Suppliers that have a copy of their current quality system procedures on file at the Procuring Activity may request the PCO waive this requirement.

3.8.4 This contract provides for the performance of Government Quality Assurance at source. The place or places of performance may not be changed without the authorization of the Procurement Contracting Officer. Upon receipt of this order, promptly notify the Government representative who normally services your plant so that appropriate planning for Government inspection can be accomplished. If you do not have an assigned Government representative, notify the nearest Defense Contract Management Agency (DCMA) Office. In the event that a local Government representative or DCMA Office cannot be located, our purchasing agent should be notified immediately.

3.8.5 Any changes made by the Contractor to a qualified quality system will require re-submittal to the PCO and concurrence by the Government Quality Assurance Representative prior to adoption.

3.9 Contractor Inspection Requirements - The Contractor must maintain adequate records of all inspections and tests. The records must indicate the the nature and number of observations made, the number and type of deficiencies found, the quantities approved and rejected and the nature of corrective action taken as appropriate. Inspection records must be traceable to the material inspected.

3.9.1 The supplier's gages, measuring and test equipment must be made available for use by the Government representative when required to determine conformance with Contract requirements. When conditions warrant, the supplier's personnel must be made available for operations of such devices and for verification of their accuracy and condition.

3.9.2 All documents and reference data applicable to this contract must be available for review by the Government representative. Copies of documents required for Government inspection purposes must be furnished in accordance with the instructions provided by the Government representative.

3.10 Subcontractor Inspection Requirements - The Government has the right to inspect at source, any supplies or services that were not manufactured or performed within the contractor's facility. Such inspection can only be requested by or under authorization of the Government representative. Any purchasing documents to a subcontractor

must cite the applicable portions of the contractually invoked quality system (e.g. calibration requirements), plus any product requirements that apply to the supplies being purchased. When the Government elects to perform source inspection at the subcontractor's facility, applicable purchase documents must be annotated with the following statement: "A Government inspection is required prior to shipment from your plant. Upon receipt of this order, promptly notify the Government representative who normally services your plant so that appropriate planning for Government inspection can be accomplished. If you do not have an assigned Government representative, notify the nearest Defense Contract Management Command (DCMC) Office. In the event that a local Government representative or DCMC Office cannot be located, our purchasing agent should be notified immediately."

3.10.1 The prime contractor's program must include procedures to assess the capability of the prospective suppliers to produce the products or supply the services in accordance with the contract, prior to the issuance of any purchase document.

3.10.2 Each sub-tier supplier of material or services for items in Section 3 of this contract must be subjected to a periodic review or audit by the Prime to determine the continued capability of the supplier to control the quality of the products or services specified in the purchase order or contract.

3.10.3 The prime contractor must ensure that the purchased product conforms to specified purchase requirements and this contract. The type and extent of control applied to the supplier and the purchased product must be dependent upon the effect of the purchased product on the end item represented by this contract.

3.10.4 The prime contractor must evaluate the requirements of the contract and select suppliers based on their ability to supply the product in accordance with the prime contractor's requirements and the contract. Criteria for selection and evaluation must be established. Records of this effort must be available for review by the government.

3.10.5 The prime contractor's supplier quality assurance program must provide for a review of purchase documents to assure applicable quality requirements are included or referenced in the documentation for compliance by the supplier.

3.11 Government Furnished Material and/or Equipment (GFM/GFE) – When material or equipment is furnished by the Government, the Contractor must develop documented control procedures that require at least the following:

3.11.1 Visual examination upon receipt to detect damage during transit.

3.11.2 Inspection for completeness and proper type.

3.11.3 Verification of material quality received.

3.11.4 Periodic inspection and precautions to assure adequate storage conditions and to guard against damage from handling and deterioration during storage.

3.11.5 Functional testing, either prior to or after installation, or both, as required by the Contract to determine satisfactory operation.

3.11.6 Identification and protection from improper use or disposition.

3.11.7 Reporting to the Government, any GFM or GFE property found damaged, malfunctioning, or otherwise unsuitable for use. In the event of damage or malfunction during or after installation, the supplier must determine and record probable cause and necessity for withholding the material from use.

3.11.8 For GFE material, and as required by the terms of the bailment agreement, the supplier must establish procedures for adequate storage, maintenance, and inspection of bailed Government material. Records of all inspection and maintenance performed on bailed property must be maintained.

3.11.9 Material returned to the contractor must be handled as GFM.

3.12 Traceability and Certification Requirements – To assure that correct materials are installed in Level I/SUBSAFE systems, it is imperative that traceability be maintained from the material to the material certification test report and other required Objective Quality Evidence (OQE). The material certification report must completely and accurately reflect that the material supplied meets the specified requirements. Materials requiring Traceability and Certification Data are identified within Paragraph 3, Section C of this contract/purchase order.

3.12.1 The following provides the minimum requirements for maintaining material traceability and supplements the requirements specified elsewhere in the contract/purchase order. The Contractor must develop written procedures that implement the material control requirements stated herein, and elsewhere in this contract/purchase order.

3.13 Material Traceability – The certification data report must be identified through a unique traceability number, heat-lot number, or batch of non-metallic material, which must also be marked on the material. This traceability marking on the material must provide direct traceability to the material's chemical composition and mechanical properties certification data. Traceability must be maintained through all process operations including any subcontracted operations, to the finished component.

3.13.1 Material Marking - Each seat must be permanently marked in accordance with MIL-STD-792, type I and as stated below, except for Teflon seats, which must only be tagged. Type IX marking may be substituted for type I, provided the minimum character size scribed by the marking tool must be approximately 3/32 inch high to insure legibility. Permanent marking is not permitted on Teflon seats. When permanent marking is required, it must be legible and must be located so as to not affect the form, fit, and function of the material. < >

Seat marking requirements must maintain complete traceability to certification OQE. Seat marking must be either heat/lot or batch number, a vendor traceability number/code, or a combination thereof and must be unique to the material certification.

3.14 See CDRL DI-MISC-80678 (SEAT MATERIAL) - Material Certification - The Contractor must furnish the applicable test reports for each heat/lot/batch of seat material. Material certification test reports must include, in addition to the specification, the class, form, grade, type, process, and/or composition, as applicable, of the material supplied.

3.15 Material Handling - The written material control process must include the following:

3.15.1 All raw materials must have traceability markings (except as specified below).

3.15.2 Stored raw materials requiring traceability must be segregated to preclude intermingling with materials not requiring traceability.

3.15.3 When traceability markings will be removed by a manufacturing or fabrication process, the marking must be recorded prior to removal and be immediately restored upon completion of the process. If this cannot be done or is impractical, an appropriate material control procedure (such as a bag and tag, tagging, and/or tote box control) must be employed. The material control procedure must provide a method of positive control to preclude commingling of batches or loss of traceability. The traceability marking must be reapplied upon completion of the final manufacturing process.

3.15.4 Purchase orders for raw material must specify that the material be traceable to material certification test reports by traceability codes that are marked on the material and identified on the test reports. The certification data requirements herein must be invoked by the prime contractor on all subcontractors supplying Level I material.

3.15.5 The material control process must include requirements for the maintenance of traceability for items sent out for subcontracted operations. If such operations would remove traceability markings, purchase or work orders must specify a method and marking location for remarking. The contractor must also ensure that subcontractor production controls are adequate to preclude commingling of materials during processing.

3.16 Receiving Inspection -

3.16.1 Products and services produced by sub-tier suppliers for incorporation in the contract end item must be subject to inspection or audit at the time of receipt by the prime prior to further processing within the prime contractor's plant or shipment to another location.

3.16.2 Receiving Inspection must include as a minimum -

Verification that the traceability number marked on the material agrees with that on the certification test reports.

Verification that certification test reports are legible and complete.

Verification that the contents of the certification test reports are in compliance with the contractually invoked specifications and requirements.

3.17 Discrepancy Reporting -

3.17.1 Nonconforming products must be identified and processed in accordance with the prime contractor's procedures for controlling nonconforming products. The prime contractor must report the receipt of any nonconforming products to the responsible sub-tier supplier in accordance with established procedures. Nonconforming material records will be maintained and available for review by the government Quality Assurance Representative (QAR).

3.18 Final Inspection - The following inspections must be performed prior to Government inspection and acceptance.

3.18.1 Sampling for certification must be on the basis of one set of test specimens from each heat/lot or batch.

3.19 See CDRL DI-MISC-80678 (Special Emphasis C of C) - The certificate of compliance must show traceability to the marking applied on each individual item, and must contain the following information:

1. Contractor's name, address and date.
2. The contract/purchase order number (for example: N00104-11-P-FA12)
3. The National Stock Number (NSN). The 18 character National Stock Number for Special Emphasis Material includes the two digit COG, the four digit FSC, the 9 digit NIIN, and the two digit SMIC (for example: 1H 4820 012345678 L1) ("N/A" when Not Applicable).

4. Lubricants, sealants, anti-seize, and/or thread locking compounds ("N/A" when Not Applicable).
5. Certification that O-rings, packing, gaskets, or other elastomeric products were installed in a compressed state within an assembly or sub-assembly, prior to expiration of the shelf life ("N/A" when Not Applicable).
6. Manufacturer's compound number ("N/A" when Not Applicable).
7. When weld procedure submittal is required by the contract, a statement that the approval date of the qualification data precedes any production or repair welding performed on this Contract. ("N/A" when Not Applicable).
8. A statement to the effect that all items furnished on this contract are in full compliance with the specifications and requirements and list each contractually invoked conformance/compliance test performed by name and that it was performed satisfactorily.
9. Contractor's or authorized personnel's signature.

**PART I - THE SCHEDULE
SECTION D
PACKAGING AND MARKING**

CLIN: 0001
NIIN: 016209916
ITEM NAME: TUBING, NONMETALLIC

ACTIVITY USE ONLY: TDP VERSION NO.: 002

5. PACKAGING

5.1 Preservation, Packaging, Packing and Marking - Preservation, Packaging, Packing and Marking must be in accordance with the Contract/Purchase Order Schedule and as specified below.

MIL-STD 2073 PACKAGING APPLIES AS FOUND ELSEWHERE IN THE SCHEDULE

**PART I - THE SCHEDULE
SECTION E
INSPECTION AND ACCEPTANCE**

CLIN: 0001
NIIN: 016209916
ITEM NAME: TUBING, NONMETALLIC

ACTIVITY USE ONLY: TDP VERSION NO.: 002

4. QUALITY ASSURANCE

4.1 Notes to DCMA QAR and the Contractor -

4.1.1 DCMA QAR and the Contractor for proprietary designs - Departures from Contractor imposed requirements, not specifically covered by the contract, must be judged individually on the basis of the effect, if any, on contractual requirements. When there is a disagreement between the Contractor and the Government representative as to the effect on contractual requirements, the departure must be considered a nonconformance and be submitted to the PCO for disposition.

4.1.2 DCMA QAR and the Contractor for proprietary designs - All records of departures from Contractor imposed requirements must be maintained and available for review at the Contractor's facility. A copy must be given to the local Government representative. A record of these departures, traceable to the applicable part number and contract number must be submitted to the PCO.

4.1.3 DCMA QAR and the Contractor for proprietary designs - For proprietary designs, the contractor's part numbers are acceptable for reference only. The delivered material must conform to all drawings, specifications, and other contractual requirements.

4.1.4 DCMA QAR - It is the responsibility of DCMA QAR to review Non-Destructive Testing (NDT) procedures for NAVSUP Contracts/Purchase Orders.

4.1.5 DCMA QAR and the Contractor - The ECDS (Electronic Contractor Data Submission) system is available for certain data submissions and to submit questions and clarifications, and waiver requests on Contracts and Solicitations. ECDS can be found at: <https://register.nslc.navy.mil/>

**PART III - LIST OF DOCUMENTS, EXHIBITS, AND OTHER ATTACHMENTS
SECTION J
LIST OF ATTACHMENTS**

CLIN: 0001
NIIN: 016209916
ITEM NAME: TUBING, NONMETALLIC

ACTIVITY USE ONLY: TDP VERSION NO.: 002

DOCUMENT NAME
NOTES
DD1423

EXHBT/ATTCHMNT
ATTACHMENT 1
EXHIBIT

CLIN: 0001
 NIIN: 016209916
 ITEM NAME: TUBING, NONMETALLIC

ACTIVITY USE ONLY: TDP VERSION NO.: 002

6. NOTES

6.1 Several definitions of terms that apply to CSI items are listed below. All terms may not apply to every item.

6.1.1 The ECDS (Electronic Contractor Data Submission) system is at: <https://register.nslc.navy.mil/> This application will require advance registration using a PKI Digital Certificate on a CAC. A Vendor User Guide is available as CSD001 in the CSD (Contract Support Document) Library within ECDS.

6.1.2 Critical Safety Item (CSI) - Any ship part, assembly, or support equipment containing a critical characteristic whose failure, malfunction, or absence of which could cause a catastrophic or critical failure resulting in loss of, or serious damage to the ship, or unacceptable risk of personal injury or loss of life.

6.1.3 Critical Process - As determined by the TWH, any process, operation or action performed on a Ship CSI that serves to establish a critical characteristic (such as welding, soldering, machining, polishing, cleaning, or assembling) or confirm that a critical characteristic is within drawing or specification compliance (such as, testing, measurement, or non-destructive evaluation).

6.1.4 First Article - Pre-production models, initial product samples, test samples produced to ensure a manufacturer's capability to meet full specification requirements.

6.1.5 First Article Test (FAT) - Contractually required testing and inspection of a supplier's pre-production, production, or "production representative" specimens to evaluate a manufacturer's ability to produce conforming product prior to the Government's commitment to receive subsequent production items. First Article Testing is product specific and does not assess manufacturing process controls nor does it assure the effectiveness of the manufacturer's quality program.

6.1.6 Government Source Inspection (GSI) - GSI is independent oversight performed by a government representative usually a DCMA Quality Assurance Representative (QAR)) to assure that those unique product quality and system elements, identified by the Contracting Agency as important, are observed and evaluated.

6.1.7 Quality Assurance Letter of Instruction (QALI) - A QALI is a formal document initiated by a contracting activity that provides essential requirements and instructions for contracted materials to be independently verified and accepted by a government representative prior to shipment.

6.1.8 Objective Quality Evidence (OQE) - The quantitative and qualitative data of all mechanical, chemical, and performance tests performed (as required by the applicable specification, drawing, or purchase document) to prove that the material supplied conforms to the specified requirements.

6.1.9 Surface Discontinuity - Any surface irregularity, marking, or localized change in physical character of the surface, other than dimensional, that exists infrequently at one or several places. (Examples: burrs, dents, nicks, scratches, gouges, pits, center-punches, scribes, and tool marks) Surface discontinuities less than 0.005-inch in depth are acceptable provided they do not violate any other design requirements specified in this Contract/Purchase Order.

6.1.10 Traceability Code - A code or number providing traceability to the actual chemical and mechanical properties of the specified heat, batch, or form from which the material originated.

6.1.11 Verification - An examination performed to determine compliance with a specific requirement.

6.1.12 Nonconformance - A nonconformance is defined as affecting or violating the following:

- The requirements of this contract/purchase order.
- Contractually invoked drawings (i.e. envelope dimensions, interface dimensions with mating parts/equipment, center of gravity, weights, piece part identification, material, etc.).
- Contractually invoked federal, military, or commercial specifications and/or standards.
- Form, fit, function, performance to contract requirements, reliability, maintainability, interchangeability, safety of personnel or equipment, or additional cost to the Government.

6.1.13 Waiver - A written authorization to accept an item, which during manufacture, or after having been submitted for Government inspection or acceptance, is found to depart from specified requirements, but nevertheless is considered suitable for use as is or after repair by an approved method.

6.1.14 Deviation - A specific written authorization (granted prior to the manufacture of an item) to depart from a particular requirement(s) of an item's current approved configuration documentation for a specific number of units or a specified period of time, and to accept an item which is found to depart from specified requirements, but

ATTACHMENT 1 - CONTINUED

PAGE: 2

nevertheless is considered suitable for use "as is" or after repair by an approved method.

6.1.15 Critical Waiver/Deviation - This waiver/deviation consists of a departure involving safety.

6.1.16 Major Waiver/Deviation - This waiver/deviation consists of a departure involving:

- Performance
- Interchangeability, Reliability, Survivability, Maintainability, or Durability of the item or its repair parts
- Health or Safety
- Effective Use or Operation
- Weight, Stability, or Structural Integrity
- System design parameters as schematics, flows, pressures or temperatures
- Compartment arrangements or assigned function

6.1.17 Minor Waiver/Deviation - This waiver/deviation consists of a departure which does not involve any of the factors listed as critical or major.

6.1.18 Engineering Change (EC) - A change to the current approved configuration documentation of a configuration item at any point in the life cycle of the item.

6.1.19 Engineering Change Proposal (ECP) - A proposed Engineering Change and the documentation by which the change is described, justified, and submitted to the Government for approval or disapproval.

6.1.20 Class I ECP - A class I ECP is approved by the Government's Configuration Control Board and authorized with a contract modification.

6.1.21 Class II ECP - A class II change is typically reviewed for concurrence in classification by the local government representative, unless otherwise specified elsewhere in the contract/purchase order.

6.2 In accordance with OPNAVINST 5510.1 all documents and drawings provided by the U.S. Navy to perspective Contractors must include a "Distribution Statement" to inform the contractor of the limits of distribution, and the safeguarding of the information contained on those documents and drawings.

6.2.1 There are 7 (seven) separate distribution statement codes used for non-classified documents and drawings. The definition for each is as follows:

- A... approved for public release; distribution is unlimited.
- B... distribution authorized to US Governments agencies only.
- C... distribution authorized to US Government agencies and their contractors.
- D... distribution authorized to DoD and DoD contractors only.
- E... distribution authorized to DoD Components only.
- F... further distribution only as directed by Commander, Naval Sea Systems Command, code 09T.
- X... distribution is authorized to US Government agencies and private individuals or enterprises eligible to obtain export controlled technical data in accordance with OPNAVINST 5510.161.

6.3 Ordering Information for Document References - The Department of Defense Single Stock Point (DODSSP), Website <http://www.dsp.dla.mil/>, provides product information for the Department Of Defense Index Of Specifications and Standards (DODISS) (i.e. Military/Federal Specifications and Standards), Data Item Descriptions (DIDs), and other DODSSP Products. Most Specifications can obtained directly from <http://quicksearch.dla.mil/>

A. Availability of Cancelled Documents - The DODSSP offers cancelled documents that are required by private industry in fulfillment of contractual obligations in paper format. Documents can be requested by phoning the Subscription Services Desk.

B. Commercial Specifications, Standards, and Descriptions - These specifications, standards and descriptions are not available from Government sources. They may be obtained from the publishers of the applicable societies.

C. Ordnance Standards (OS), Weapons Specifications (WS), and NAVORD OSTD 600 Pages - These type publications may be obtained by submitting a request to:

Commander, Indian Head Division, Naval Surface Warfare Center
Code 8410P, 101 Strauss Avenue
Indian Head, MD 20640-5035

D. On post-award actions, requests for "Official Use Only" and "NOFORN" (Not Releasable To Foreign Nationals) documents must identify the Government Contract Number, and must be submitted via the cognizant Defense Contract Management Command (DCMC) for certification of need for the document. On pre-award actions such requests must be submitted to the PCO for certification of need for the document.

ATTACHMENT 1 - CONTINUED

PAGE: 3

E. NOFORN Military Specifications and Standards (including Amendments, Change Notices and Supplements, but NOT interim Changes) to be ordered from:

Contracting Officer
NAVSUP-WSS
Code 87321
5450 Carlisle Pike
P.O. Box 2020
Mechanicsburg, Pa. 17055-0788

F. Nuclear Reactor Publications Assigned NAVSEA Documents and Identification Numbers (i.e. NAVSEA Welding Standard, NAVSEA 250-1500-1) are to be ordered enue:

Commanding Officer
NAVSUP-WSS
Code 009
5450 Carlisle Pike
P.O. Box 2020
Mechanicsburg, Pa. 17055-0788

G. Technical Manuals Assigned NAVSEA Identification Numbers (i.e. NAVSEA Welding And Brazing Procedure, NAVSEA S9074-AQ-GIB-010/248) are to be ordered from:

Commanding Officer
NAVSUP-WSS
Code 1 Support Branch
700 Robbins Avenue
Philadelphia, Pa. 19111-5094

H. Interim Changes and Classified Specifications must be obtained by submitting a request on DD Form 1425 to NAVSUP-WSS.

6.4 Recent Updates - A short description of recent updates to the technical requirements of this item are listed below, along with an implementation date for each issue. The notes below are only a generic quick reference and are provided for convenience only, detailed requirements will be defined elsewhere in the technical sections of this Contract/Purchase Order.

<10/20/2016 - Updated ECDS URL
Dec 20 2022 - Removed requirement for vender to submit Waivers/Deviations in ECDS
Jan 05 2012 - Added WAWF to forward Approved Waivers/Deviations with final OQE
Dec 17 2011 - Moved Quality Assurance Text location for Readability
Jan 19 2011 - Added notification of DCMA upon contract award
Mar 22 2011 - Added Traceability requirements for Non-Metallic Seats
Jul 02 2013 - Allowed ball valve seats to be marked using MIL-STD-792 type IX in addition to Type I
May 02 2009 - Added Lubricants and Sealants to the C of C
Aug 27 2014 - Took out contractor's phone number requirement
Dec 01 2011 - Moved "Notes to DCMA QAR" to QA Section
Jan 5 2017 - ECDS/CSD info was added to Definitions in the Notes section.>

CONTRACT DATA REQUIREMENTS LIST (2 Data Items)					Form Approved OMB No. 0704-0188		
Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.							
A. CONTRACT LINE ITEM NO.		B. EXHIBIT		C. CATEGORY: TDP <u> X </u> TM <u> </u> OTHER <u> </u>			
D. SYSTEM/ITEM TUBING, NONMETALLIC		E. CONTRACT/PR NO. N0010423X0860		F. CONTRACTOR			
1. DATA ITEM NO. 001		2. TITLE OF DATA ITEM INSPECTION AND TEST PLAN		3. SUBTITLE INSPECTION SYSTEM PROCEDURES			
4. AUTHORITY (Data Acquisition Document No.) DI-QCIC-81110 (SE)		5. CONTRACT REFERENCE TDP: PARA 3		6. REQUIRING OFFICE PURCHASE ACTY			
7. DD 250 REQ LT		9. DIST STATEMENT REQUIRED		10. FREQUENCY ONE/R		12. DATE OF FIRST SUBMISSION ASREQ	
8. APP CODE NA		11. AS OF DATE B		13. DATE OF SUBSEQUENT SUBMISSION NA		14. DISTRIBUTION a. ADDRESSEE PCO	
16. REMARKS Paragraph 10.4 of DI-QCIC-81110 does not apply.						b. COPIES Draft 00	
						Final Reg 01	
						Repro 00	
						15. TOTAL →	
1. DATA ITEM NO. 002		2. TITLE OF DATA ITEM CERTIFICATION/DATA REPORT		3. SUBTITLE SEAT MATERIAL			
4. AUTHORITY (Data Acquisition Document No.) DI-MISC-80678 (SMDD)		5. CONTRACT REFERENCE TDP: PARA 3		6. REQUIRING OFFICE PURCHASE ACTY			
7. DD 250 REQ DD		9. DIST STATEMENT REQUIRED		10. FREQUENCY ONE/R		12. DATE OF FIRST SUBMISSION ASREQ	
8. APP CODE NA		11. AS OF DATE D		13. DATE OF SUBSEQUENT SUBMISSION NA		14. DISTRIBUTION a. ADDRESSEE N39040	
16. REMARKS Block 4 - Paragraphs 10.2.2, 10.2.3, 10.2.4, and 10.3 of DI-MISC-80678 do not apply. Block 12 - Certification data must be submitted to Portsmouth Naval Shipyard for review and acceptance prior to each shipment of material. Certification documentation must be submitted via WAWF (Wide Area Work Flow). Enter in WAWF as follows: "Ship to" N50286 "Inspect by" N39040 "Accept by" N39040 and eMail notification field: PORT_PTNH_WAWF_Notification@navy.mil No material is to be shipped prior to the receipt of Acceptance.						b. COPIES Draft 00	
						Final Reg 01	
						Repro 00	
						15. TOTAL →	
G. PREPARED BY NAVSUP WSS N9752G		H. DATE 2026 MAR 24		I. APPROVED BY PATRICK L BURROWS		J. DATE 2026 MAR 24	

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE

INSTRUCTIONS FOR COMPLETING DD FORM 1423

(See DoD 5010.12-M for detailed instructions.)

FOR GOVERNMENT PERSONNEL

Item A. Self-explanatory

Item B. Self-explanatory

Item C. Mark (X) appropriate category: TDP - Technical Data Package; TM - Technical Manual; Other - other category of data, such as "Provisioning," "Configuration Management", etc.

Item D. Enter name of system/item being acquired that data will support

Item E. Self-explanatory (to be filled in after contract award).

Item F. Self-explanatory (to be filled in after contract award).

Item G. Signature of preparer of CDRL.

Item H. Date CDRL was prepared.

Item I. Signature of CDRL approval authority.

Item J. Date CDRL was approved.

Item 1. See Dod FAR Supplement Subpart 4.71 for proper numbering.

Item 2. Enter title as it appears on data acquisition document cited in Item 4.

Item 3. Enter subtitle of data item for further definition of data item (optional entry).

Item 4. Enter Data Item Description (DID) number, military specification number, or military standard number listed in DoD 5010.12-L (AMSDL), or one-time DID number, that defines data content and format requirements.

Item 5. Enter reference to tasking in contract that generates requirement for the data item (e.g., Statement of Work paragraph number).

Item 6. Enter technical office responsible for ensuring adequacy of the data item.

Item 7. Specify requirement for inspection/acceptance of the data item by the Government.

Item 8. Specify requirement for approval of a draft before preparation of the final data item.

Item 9. For technical data, specify requirement for contractor to mark the appropriate distribution statement on the data (ref. DoD 5230.24).

Item 10. Specify number of times data items are to be delivered.

Item 11. Specify as-of date of data item, when applicable.

Item 12. Specify when first submittal is required.

Item 13. Specify when subsequent submittals are required, when applicable.

Item 14. Enter addresses and number of draft/final copies to be delivered to each addressee. Explain reproducible copies in Item 16.

Item 15. Enter total number of draft/final copies to be delivered.

Item 16. Use for additional/clarifying information for Items 1 through 15. Examples are: Tailoring of documents cited in Item 4; Clarification of submittal dates in Items 12 and 13; Explanation of reproducible copies in Item 14; Desired medium for delivery of the data item.

FOR THE CONTRACTOR

Item 17. Specify appropriate price group from one of the following groups of effort in developing estimated prices for each data item listed on the DD Form 1423.

b. Group I. Definition - Data which is not otherwise essential to the contractor's performance of the primary contracted effort (production, development, testing, and administration) but which is required by DD Form 1423.

Estimated Price - Costs to be included under Group I are those applicable to preparing and assembling the data item in conformance with Government requirements, and the administration and other expenses related to reproducing and delivering such data items to the Government.

b. Group II. Definition - Data which is essential to the performance of the primary contracted effort but the contractor is required to perform additional work to conform to Government requirements with regard to depth of content, format, frequency of submittal, preparation, control, or quality of the data item.

Estimated Price - Costs to be included under Group II are those incurred over and above the cost of the essential data item without conforming to Government requirements, and the administrative and other expenses related to reproducing and delivering such data item to the Government.

c. Group III. Definition - Data which the contractor must develop for his internal use in performance of the primary contracted effort and does not require any substantial change to conform to Government requirements with regard to depth of content, format, frequency of submittal, preparation, control, and quality of the data item.

Estimated Price - Costs to be included under Group III are the administrative and other expenses related to reproducing and delivering such data item to the Government.

d. Group IV. Definition - Data which is developed by the contractor as part of his normal operating procedures and his effort in supplying these data to the Government is minimal.

Estimated Price - Group IV items should normally be shown on the DD Form 1423 at no cost.

Item 18. For each data item, enter an amount equal to that portion of the total price which is estimated to be attributable to the production or development for the Government of that item of data. These estimated data prices shall be developed only from those costs which will be incurred as a direct result of the requirements to supply the data, over and above those costs which would otherwise be incurred in performance of the contract if no data were required. The estimated data prices shall not include any amount for rights in data. The Government's right to use the data shall be governed by the pertinent provisions of the contract.

(2 Data Items)

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.						B. EXHIBIT							C. CATEGORY: TDP <u>X</u> TM _____ OTHER _____																										
D. SYSTEM/ITEM TUBING,NONMETALLIC								E. CONTRACT/PR NO. N0010423X0860								F. CONTRACTOR																							
1. DATA ITEM NO. 003				2. TITLE OF DATA ITEM CERTIFICATION/DATA REPORT										3. SUBTITLE SPECIAL EMPHASIS C OF C																									
4. AUTHORITY (<i>Data Acquisition Document No.</i>) DI-MISC-80678 (CCDD)								5. CONTRACT REFERENCE TDP: PARA 3										6. REQUIRING OFFICE PURCHASE ACTY																					
7. DD 250 REQ DD				9. DIST STATEMENT REQUIRED				10. FREQUENCY ONE/R				12. DATE OF FIRST SUBMISSION ASREO				14. DISTRIBUTION																							
8. APP CODE NA								11. AS OF DATE NA				13. DATE OF SUBSEQUENT SUBMISSION NA				a. ADDRESSEE				b. COPIES																			
																Draft				Final																			
																				Reg				Repro															
16. REMARKS																		15. TOTAL →																					
Block 4 - Paragraphs 10.2.1, 10.2.2, 10.2.3, 10.3, and 10.4 of DI-MISC-80678 do not apply. Block 12 - Certification data must be submitted to Portsmouth Naval Shipyard for review and acceptance prior to each shipment of material. Certification documentation must be submitted via WAWF (Wide Area Work Flow). Enter in WAWF as follows: "Ship to" N50286 "Inspect by" N39040 "Accept by" N39040 and eMail notification field: PORT_PTNH_WAWF_Notification@navy.mil No material is to be shipped prior to the receipt of Acceptance.																		N39040						00				01				00							
1. DATA ITEM NO.																		2. TITLE OF DATA ITEM										3. SUBTITLE											
4. AUTHORITY (<i>Data Acquisition Document No.</i>)								5. CONTRACT REFERENCE										6. REQUIRING OFFICE																					
7. DD 250 REQ				9. DIST STATEMENT REQUIRED				10. FREQUENCY				12. DATE OF FIRST SUBMISSION				14. DISTRIBUTION																							
8. APP CODE								11. AS OF DATE				13. DATE OF SUBSEQUENT SUBMISSION				a. ADDRESSEE				b. COPIES																			
																Draft				Final																			
																				Reg				Repro															
16. REMARKS																																							
15. TOTAL →																																							
G. PREPARED BY						H. DATE						I. APPROVED BY						J. DATE																					
NAVSUP WSS N9752G						2026 MAR 24						PATRICK L BURROWS						2026 MAR 24																					

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE

INSTRUCTIONS FOR COMPLETING DD FORM 1423

(See DoD 5010.12-M for detailed instructions.)

FOR GOVERNMENT PERSONNEL

Item A. Self-explanatory

Item B. Self-explanatory

Item C. Mark (X) appropriate category: TDP - Technical Data Package; TM - Technical Manual; Other - other category of data, such as "Provisioning," "Configuration Management", etc.

Item D. Enter name of system/item being acquired that data will support

Item E. Self-explanatory (to be filled in after contract award).

Item F. Self-explanatory (to be filled in after contract award).

Item G. Signature of preparer of CDRL.

Item H. Date CDRL was prepared.

Item I. Signature of CDRL approval authority.

Item J. Date CDRL was approved.

Item 1. See Dod FAR Supplement Subpart 4.71 for proper numbering.

Item 2. Enter title as it appears on data acquisition document cited in Item 4.

Item 3. Enter subtitle of data item for further definition of data item (optional entry).

Item 4. Enter Data Item Description (DID) number, military specification number, or military standard number listed in DoD 5010.12-L (AMSDL), or one-time DID number, that defines data content and format requirements.

Item 5. Enter reference to tasking in contract that generates requirement for the data item (e.g., Statement of Work paragraph number).

Item 6. Enter technical office responsible for ensuring adequacy of the data item.

Item 7. Specify requirement for inspection/acceptance of the data item by the Government.

Item 8. Specify requirement for approval of a draft before preparation of the final data item.

Item 9. For technical data, specify requirement for contractor to mark the appropriate distribution statement on the data (ref. DoD 5230.24).

Item 10. Specify number of times data items are to be delivered.

Item 11. Specify as-of date of data item, when applicable.

Item 12. Specify when first submittal is required.

Item 13. Specify when subsequent submittals are required, when applicable.

Item 14. Enter addresses and number of draft/final copies to be delivered to each addressee. Explain reproducible copies in Item 16.

Item 15. Enter total number of draft/final copies to be delivered.

Item 16. Use for additional/clarifying information for Items 1 through 15. Examples are: Tailoring of documents cited in Item 4; Clarification of submittal dates in Items 12 and 13; Explanation of reproducible copies in Item 14; Desired medium for delivery of the data item.

FOR THE CONTRACTOR

Item 17. Specify appropriate price group from one of the following groups of effort in developing estimated prices for each data item listed on the DD Form 1423.

b. Group I. Definition - Data which is not otherwise essential to the contractor's performance of the primary contracted effort (production, development, testing, and administration) but which is required by DD Form 1423.

Estimated Price - Costs to be included under Group I are those applicable to preparing and assembling the data item in conformance with Government requirements, and the administration and other expenses related to reproducing and delivering such data items to the Government.

b. Group II. Definition - Data which is essential to the performance of the primary contracted effort but the contractor is required to perform additional work to conform to Government requirements with regard to depth of content, format, frequency of submittal, preparation, control, or quality of the data item.

Estimated Price - Costs to be included under Group II are those incurred over and above the cost of the essential data item without conforming to Government requirements, and the administrative and other expenses related to reproducing and delivering such data item to the Government.

c. Group III. Definition - Data which the contractor must develop for his internal use in performance of the primary contracted effort and does not require any substantial change to conform to Government requirements with regard to depth of content, format, frequency of submittal, preparation, control, and quality of the data item.

Estimated Price - Costs to be included under Group III are the administrative and other expenses related to reproducing and delivering such data item to the Government.

d. Group IV. Definition - Data which is developed by the contractor as part of his normal operating procedures and his effort in supplying these data to the Government is minimal.

Estimated Price - Group IV items should normally be shown on the DD Form 1423 at no cost.

Item 18. For each data item, enter an amount equal to that portion of the total price which is estimated to be attributable to the production or development for the Government of that item of data. These estimated data prices shall be developed only from those costs which will be incurred as a direct result of the requirements to supply the data, over and above those costs which would otherwise be incurred in performance of the contract if no data were required. The estimated data prices shall not include any amount for rights in data. The Government's right to use the data shall be governed by the pertinent provisions of the contract.