

17. PRICE GROUP	
18. ESTIMATED TOTAL PRICE	

AUL by Product Detail

SDS Product Code:	P149022	Product PNI:	B	SLC:	6	Kit:	Yes
SDS Nr:	489222	Product Identifier/Trade Name:	GREEN EPOXY-POLYAMIDE; COMPONENT B MIL-DTL-24441D; FORMULA 150; TYPE III	Part Number:	N-6237B	This material is used at site: Yes	
NSN:	8010HMCN13400	Other Means of Identification/Item Name:	EPOXY COATING KIT	MILSPEC:	MIL-DTL-24441D	Haz Cd:	H
Manufacturer:	NCP COATINGS INC	Container Size:	5.0 GL	HCC:	FLAM	CTS Cd:	
Comments:							

Zone	Zone Description	AUL Expiration	Process Code	Process Description
BREM-11	SHOP 11 SHIPFITTING - METAL FORGING		ID0603	MARINE COATING, BRUSH & ROLL
			ID0606	MARINE COATING, SPRAY (OUTDOORS/DRYDOCK)
			ID0608	MARINE COATING, SPRAY (INDOORS/SHIP INTERIOR)
SD-84SB	SAN DIEGO NORTH ISLAND SPRAYBOOTH #950755		ID0603	MARINE COATING, BRUSH & ROLL
			ID0608	MARINE COATING, SPRAY (INDOORS/SHIP INTERIOR)
SD-84SHIPS	SAN DIEGO NORTH ISLAND SHIPBOARD #950757		ID0608	MARINE COATING, SPRAY (INDOORS/SHIP INTERIOR)
			ID0603	MARINE COATING, BRUSH & ROLL
BREM-71	SHOP 71 PAINTERS		ID0603	MARINE COATING, BRUSH & ROLL
			ID0606	MARINE COATING, SPRAY (OUTDOORS/DRYDOCK)
			ID0608	MARINE COATING, SPRAY (INDOORS/SHIP INTERIOR)
SD-84B73	SAN DIEGO NORTH ISLAND BLDG 73 #950756		ID0603	MARINE COATING, BRUSH & ROLL
			ID0608	MARINE COATING, SPRAY (INDOORS/SHIP INTERIOR)
BREM-56	SHOP 56 PIPEFITTERS		ID0603	MARINE COATING, BRUSH & ROLL
			ID0606	MARINE COATING, SPRAY (OUTDOORS/DRYDOCK)
			ID0608	MARINE COATING, SPRAY (INDOORS/SHIP INTERIOR)
JAPAN-86H	YOKOSUKA - STORED AS HAZMAT IN BLDG 4808		No records found.	

AUL by Product Detail

SDS Product Code:	P149021	Product PNI:	A	SLC:	6	Kit:	Yes
SDS Nr:	489220	Product Identifier/Trade Name:	GREEN EPOXY-POLYAMIDE; COMPONENT A MIL-DTL-24441D; FORMULA 150; TYPE III	Part Number:	N-6237A	This material is used at site: Yes	
NSN:	8010HMCN13400	Other Means of Identification/Item Name:	EPOXY COATING KIT	MILSPEC:	MIL-DTL-24441D	Haz Cd:	H
Manufacturer:	NCP COATINGS INC	Container Size:	5.0 GL	HCC:	FLAM	CTS Cd:	
Comments:							

Zone	Zone Description	AUL Expiration	Process Code	Process Description
IMF 71AW	C.834 PAINT & SANDBLASTING		ID0505	NON-MARINE COATING, BRUSH & ROLL
BREM-11	SHOP 11 SHIPFITTING - METAL FORGING		ID0603	MARINE COATING, BRUSH & ROLL
			ID0606	MARINE COATING, SPRAY (OUTDOORS/DRYDOCK)
			ID0608	MARINE COATING, SPRAY (INDOORS/SHIP INTERIOR)
			ID0603	MARINE COATING, BRUSH & ROLL
SD-84SB	SAN DIEGO NORTH ISLAND SPRAYBOOTH #950755		ID0608	MARINE COATING, SPRAY (INDOORS/SHIP INTERIOR)
SD-84SHIPS	SAN DIEGO NORTH ISLAND SHIPBOARD #950757		ID0603	MARINE COATING, BRUSH & ROLL
			ID0608	MARINE COATING, SPRAY (INDOORS/SHIP INTERIOR)
BREM-71	SHOP 71 PAINTERS		ID0603	MARINE COATING, BRUSH & ROLL
			ID0606	MARINE COATING, SPRAY (OUTDOORS/DRYDOCK)
			ID0608	MARINE COATING, SPRAY (INDOORS/SHIP INTERIOR)
			ID0603	MARINE COATING, BRUSH & ROLL
SD-84B73	SAN DIEGO NORTH ISLAND BLDG 73 #950756		ID0608	MARINE COATING, SPRAY (INDOORS/SHIP INTERIOR)
			ID0603	MARINE COATING, BRUSH & ROLL
BREM-56	SHOP 56 PIPEFITTERS		ID0606	MARINE COATING, SPRAY (OUTDOORS/DRYDOCK)
			ID0608	MARINE COATING, SPRAY (INDOORS/SHIP INTERIOR)
			No records found.	
JAPAN-86H	YOKOSUKA - STORED AS HAZMAT IN BLDG 4808			
SD-PL	POINT LOMA PIERSIDE		ID0603	MARINE COATING, BRUSH & ROLL
			ID0606	MARINE COATING, SPRAY (OUTDOORS/DRYDOCK)
			ID0608	MARINE COATING, SPRAY (INDOORS/SHIP INTERIOR)

MATERIAL ORDERING DATA

MIL-DTL-24441D

IDN: **N4523A** 6071-0225

ICN: 38LNG12305 KO: S01 KOI: 001

Any specification that is referenced in this Material Order Data sheet is required to be to the latest revision at time of award.

Paragraph 6.2 Ordering data

A. **MIL-DTL-24441D**, PAINT, EPOXY-POLYAMIDE, GENERAL SPECIFICATION FOR, dated 27 Aug 2009. Validated 13 Jan 2021.

B. Type of material required: Type III - 3-coat system with VOC restrictions <34

Applicable specification sheet (Check one below):

- ☐ MIL-DTL-24441/19C – Zinc primer, Formula 159, Type III
- ☒ MIL-DTL-24441/20B – Green primer, Formula 150, Type III
- ☐ MIL-DTL-24441/21B – Haze gray, Formula 151, Type III
- ☐ MIL-DTL-24441/22B – White, Formula 152, Type III
- ☐ MIL-DTL-24441/23B – Dark gray, RO1.8, Formula 153, Type III
- ☐ MIL-DTL-24441/24B – Dark gray, RO3.6, Formula 154, Type III
- ☐ MIL-DTL-24441/25B – Dark gray, RO6.0, Formula 155, Type III
- ☐ MIL-DTL-24441/26B – Red, Formula 156, Type III
- ☐ MIL-DTL-24441/27B – No. 50 Gray, Formula 157, Type III
- ☐ MIL-DTL-24441/28B – Yellow, Formula 158, Type III
- ☐ MIL-DTL-24441/29B – Green primer, Formula 150, Type IV
- ☐ MIL-DTL-24441/30B – Haze gray, Formula 151, Type IV
- ☐ MIL-DTL-24441/31B – White, Formula 152, Type IV
- ☐ MIL-DTL-24441/32B – Dark gray RO1.8, Formula 153, Type IV
- ☐ MIL-DTL-24441/33B – Dark gray, RO3.6, Formula 154, Type IV
- ☐ MIL-DTL-24441/34B – Dark gray, RO6.0, Formula 155, Type IV
- ☐ MIL-DTL-24441/35B – Red, Formula 156, Type IV
- ☐ MIL-DTL-24441/36B – No. 50 Gray, Formula 157, Type IV
- ☐ MIL-DTL-24441/37B – Yellow, Formula 158, Type IV
- ☐ MIL-DTL-24441/38B – Black, Formula 160, Type IV
- ☐ MIL-DTL-24441/39B – Yellow, Formula 161, Type IV
- ☐ MIL-DTL-24441/40B – Red, Formula 162, Type IV

C. If required, the specific issue of individual documents referenced: N/A

D Packaging requirements: IAW TABLE VI

E. MSDS and ASTM F718 required? :YES

Additional Data Requirements: YES

MATERIAL ORDERING DATA
MIL-DTL-24441D

CERTIFICATE OF ANALYSIS TO BE PROVIDED AND INCLUDE:

DENSITY, FINENESS OF GRIND, VISCOSITY, AND CONDITION IN CONTAINER
FOR EACH COMPONENT; AND DRY HARD TIME, SAG RESISTANCE, AND COLOR
OF DRY FILM IN THE MIXED CONDITION.

CD306 MARINE PAINT COMPLIANCE AND LABELING

SHELF LIFE & MARKING IAW DODD 4140.27-M VOL 1 CE-01

C542 MERCURY EXCLUSION

ALL UNIT, INTERMEDIATE AND SHIPPING CONTAINERS MUST BE MARKED IAW
MIL-STD-129. REFER TO DLA PROCUREMENT NOTE C20 FOR FURTHER
INSTRUCTIONS.

Prepared By: XXXXXXXXXX

Code: C/244.4