



DEFENSE LOGISTICS AGENCY
AVIATION AT OKLAHOMA CITY
3001 STAFF DRIVE, SUITE 2B95
TINKER AIR FORCE BASE, OKLAHOMA 73145-3015

28 Apr 2025

MEMORANDUM FOR: Honeywell International, Inc.

FROM: DLA Aviation - AOBA
3001 Staff Dr., 2B95
Tinker AFB, OK 73145

SUBJECT: Letter Solicitation SPRTA1-25-Q-0307

This solicitation is issued to acquire the supplies identified below. Please provide your best price and delivery quote for the part number based on the quantity listed. This correspondence constitutes a letter solicitation as this item is intended to be ordered as a firm fixed price contract against Basic Ordering Agreement SPE4A1-22-G-0014 (FAR part 15) or SPE4A1-22-G-0015 (FAR part 12).

CLIN	P/N	NSN	Noun	Quantity
0001	3214806-4-1	1660-01-445-9556	REGULATOR, AIR PRESS	5 EA

Required Quantity: 5 each

IUID APPLIES: DFARS 252.211.7003

FMS REQUIREMENT

Inspection: Origin

Acceptance: Origin

TAC: DFMS

Inspection/Acceptance Report: Receiving Report Required.

Quality Assurance: HIGHER LEVEL CONTRACT QUALITY REQUIREMENTS - ISO 9001:2015

Buy American Act/balance of Payments Program

Requested Delivery: 5 each On or Before 01 NOV 2025.

Ship to:

DICQ00

Please provide a quote no later than 4:00 PM CST on 28 May 2025. Please forward your quote and direct all questions to Scott Rountree at scott.rountree.1@us.af.mil.

Sincerely,

//SIGNED//

Erin Akin

Contracting Officer

Attachments

Packaging

Transportation Data

IUID Report

IUID Supporting Info

PACKAGING REQUIREMENTS																		
PURCHASE INSTRUMENT NUMBER: FD20302500600-00												VERSION: 1						
MIL-STD 129 REVISION: R												MIL-STD 2073-1 REVISION: E						
THE FOLLOWING STATEMENT IS IN COMPLIANCE WITH THE UNITED NATIONS-IMPLEMENTED RESTRICTIONS ON WOOD PACKAGING MATERIAL (WPM). THIS REQUIREMENT IS SPECIFICALLY CONCERNED WITH INVASIVE SPECIES SUCH AS THE PINWOOD NEMATODE. WPM IS DEFINED AS WOOD PALLETS, SKIDS, LOAD BOARDS, PALLET COLLARS, WOODEN BOXES, REELS, DUNNAGE, CRATES, FRAMES, AND CLEATS. THE STATEMENT BELOW CITES THE REQUIREMENTS IN DETAIL AND COVERS LUMBER FOR BUILDING CONTAINERS AND PALLETS USED FOR DELIVERIES RESULTING IN SHIPMENTS WORLDWIDE (DIRECT, OR THROUGH AIR LOGISTICS CENTERS (ALC), CONTAINER CONSOLIDATION POINTS (CCP), OR OTHER BASES). WOODEN LUMBER, WOODEN PALLET AND PACKAGING/CONTAINER STATEMENT: ALL WOODEN LUMBER, WOODEN PALLET'S, AND WOODEN CONTAINERS PRODUCED ENTIRELY OR IN PART OF WOOD PACKING MATERIAL (WPM) SHALL BE CONSTRUCTED FROM DEBARKED WOOD IN ADDITION TO THE APPLICATION OF HEAT-TREATED (HT) MATERIAL (HT TO 56 DEGREES CENTIGRADE OR 133 DEGREES FAHRENHEIT FOR 30 MINUTES). CERTIFICATION/MARKING IS REQUIRED BY AN ACCREDITED AGENCY RECOGNIZED BY THE AMERICAN LUMBER STANDARDS COMMITTEE (ALSC). FOR REFERENCE DOCUMENTATION, SEE LATEST REVISION OF "INTERNATIONAL STANDARDS FOR PHYTOSANITARY MEASURES" (ISPM)NO.15), "REGULATION OF WOOD PACKAGING MATERIAL IN INTERNATIONAL TRADE."																		
PACRN:		PACKAGING REQUIREMENT:						PRESERVATION LEVEL:		PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAA		MIL Long Line Packaging						MIL		B								
ITEM(S): 1660014459556																		
CODED DATA:																		
QUP		ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
1		000	41	1	00	EA	NA	A	NV	00	B	17	11.60	21.0	15.0	9.3	1.695	M
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																		
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																		
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																		
ORGANIZATION / OFFICE SYMBOL:		PACKAGING SPECIALIST:				PHONE NUMBER:				SIGNATURE:				DATE:				
406 SCMS / GULAA		Lee, Michael J				405-582-9767 / 852-9767				//SIGNED//Lee, Michael J				25070 - 11 MAR 2025				

TRANSPORTATION DATA FOR SOLICITATIONS		PURCHASE INSTRUMENT NUMBER: FD20302500600-00		DATE INITIATED: 11 MAR 2025	
COMMODITY: See Continuation		STOCK NUMBER: See Continuation			
F.O.B. TERMS RECOMMENDED AS BEST SUITED FOR THIS PROCUREMENT					
☒ ORIGIN		☐ DESTINATION		☐ OTHER <i>(Specify)</i>	
		☐ DATA / FIRST ARTICLE F.O.B. DESTINATION			
TRANSPORTATION PROVISIONS / CLAUSES				FAR CITATION	
F.O.B. Origin				52.247-29	
Clearance and Documentation Requirements				52.247-52	
Freight Classification Description				52.247-53	
Marking of Shipments				47.305-10	
Evidence of Shipment FMS				352.225-U037U	
Contact DCMA Transportation Contact DCMA Transportation on ALL "DCMA Administered" contracts prior to shipment for shipping instructions using the DCMA Shipment Instruction Request (SIR) eTool System, at http://www.dema.mil < http://www.dema.mil > for ALL FOB: Origin, Foreign Military Sales (FMS), and FOB: Destination OCONUS/Export movements to obtain the appropriate DOD regulatory clearances, shipping documentation and instructions from your cognizant DCMA Transportation Office. If you are new to DCMA, and do not already have a SIR eTool account, you will first need to request an account via DCMA External Web Access Management (EWAM) application which can be accessed at http://www.dema.mil . If you need additional assistance, email DCMA Transportation Group at: Transportation.Division@dema.mil . Do not move any freight to a water or aerial port prior to contacting DCMA or it will become frustrated. Failure to contact the responsible DCMA may result in vendor incurring additional expenditures.				Vendor Transportation Instructions	
TACRN: AAA					
TRANSPORTATION FUNDS INFORMATION:					
Purchase Instrument Line LOA: 9711X8242.0002 4FX LC5W CQBZIQ 000000 00000 006000 503000 F03000 FSR: 067687 PSR: F72370					
First Destination Transportation Account Code: DFMS					
Miscellaneous Obligation / Reimbursement Document:					
Second Destination Transportation Account Code:					
FMS LOA: 9711X8242.0002 4FX LC5W CQBZIQ 000000 00000 0					
Additional Funding Information:					
ITEM / SHIP TO(s):					
NSN / Pseudo NSN: 1660014459556			Requisition Number: DIQC7341805137		
Purchase Instrument Line Item Number: 0001			Supplemental Address: DXXQBZ		
Ship to (DoDAAC / MAPAC): DICQ00			FMS Case: QBZ		
Mark For: DIQC00					
Ship To (Address):					
WPOD:					
APOD:					
BBP / CCP:					
RIC:					
Ship To (Remarks): TAC DFMS					
EVALUATION OF PORT BID OR PROPOSAL:					
SOLICITATION DATA NOTES:					
OTHER TRANSPORTATION DATA:					
NAME	ORGANIZATION / OFFICE SYMBOL	COMMERCIAL / DSN PHONE	SIGNATURE	DATE	
Etters, Mickie J	406 SCMS / GULAA	478-222-0125 / 472-0125	//SIGNED//Etters, Mickie J	12 MAR 2025	

ITEM UNIQUE IDENTIFICATION (IUID) CHECKLIST	
I. IUID DETAILS: DFARS 252.211.7003 SECTION (c) (1) (ii) APPLIES TO THE FOLLOWING:	
ITEM REQUIRING IUID MARKING	
NSN 1660014459556	VERSION NUMBER 2
NOUN REGULATOR,AIR PRESS	
INITIATOR MAYS, ROBERT D	ORGANIZATION CODE / OFFICE SYMBOL 423 SCMS / GUEA
COMMERCIAL PHONE 405-734-7838	DSN PHONE 884-7838
CAGE / REFERENCE NUMBER	
MARKING IS TO BE PERFORMED IN ACCORDANCE WITH THE LATEST VERSION OF MIL-STD-130	
MARKING GUIDANCE Engineering Drawing / ECP / ECO	ENGINEERING DRAWING / ECP / ECO NUMBER 200945069-23
MARKING TYPE	MARKING METHOD
DESCRIPTION / LOCATION	
REMARKS NAME: MAYS, ROBERT D DATE: 22 JAN 2015 See Tech Data Appendix A.	
ATTACHMENT(S) IUID Appendix from 15A2-2-198-3.pdf	
II. EMBEDDED ITEMS SECTION (c) (1) (iii) APPLIES TO THE FOLLOWING:	
NSN	NOUN
CAGE / REFERENCE NUMBER	
ITEM IS AN EMBEDDED ITEM FOR NSN / PSEUDO NSN: 1660014459556	
MARKING GUIDANCE	ENGINEERING DRAWING / ECP / ECO NUMBER
MARKING TYPE	MARKING METHOD
DESCRIPTION / LOCATION	
REMARKS	
ATTACHMENT(S)	

APPENDIX A


UNIQUE IDENTIFICATION (UID) SUPPORTING INFORMATION

A.1 IUID SUPPLEMENTAL INFORMATION.

- Inspect UID Label by using a 2D hand-held electronic reader. Reference T.O. 00-25-260.
- If UID Label is not present or damaged, manufacture new label and install as shown in Table A-1.
- Do not cover any existing markings. Reference T.O. 00-25-260.
- Cage code is that of the activity responsible for guaranteeing uniqueness of the sequencing code.
- For additional information, reference MIL-STD-130() and T.O. 00-25-260.

Table A-1. Item Unique Identification (IUID) Required Information

Part Number	Noun	UID Label Figure/Index	UID Label Part Number	Surface Preparation	Application/ Verification
3214806-1-1	Air Pressure Regulator	Figure A-1	200945069-23	REF: T.O. 00-25-260 Premarking Activities	REF: T.O. 00-25-260
3214806-2-1	Air Pressure Regulator	Figure A-1	200945069-23	REF: T.O. 00-25-260 Premarking Activities	REF: T.O. 00-25-260
3214806-3-1	Air Pressure Regulator	Figure A-1	200945069-23	REF: T.O. 00-25-260 Premarking Activities	REF: T.O. 00-25-260
3214806-4-1	Air Pressure Regulator	Figure A-1	200945069-23	REF: T.O. 00-25-260 Premarking Activities	REF: T.O. 00-25-260



PN 3214806-1-1 (REF)
 PN 3214806-2-1 (REF)
 PN 3214806-3-1 (REF)
 PN 3214806-4-1 (REF)

H1211499

Figure A-1. IUID Identification Plate Location