



DEFENSE LOGISTICS AGENCY
AVIATION AT OKLAHOMA CITY
3001 STAFF DRIVE POST 2B95
TINKER AIR FORCE BASE, OKLAHOMA 73145-3015

23 Jul 2025

MEMORANDUM FOR: Joshua Gear / General Electric Company (GE)

FROM: DLA Aviation – AOAA / 3001 Staff Dr., 2B95 / Tinker AFB, OK 73145

SUBJECT: Letter Solicitation SPRTA1-25-R-0384

This Solicitation is issued for the purpose of acquiring the below requirement which is sole sourced to GE.

CLIN	P/N	NSN	Noun	BEQ Quantity
0001	9547M28G15	2840-01-580-7062PR	Roter, Fan, Aircraft	47 EA

Please provide pricing and delivery for purchase of this NSN in accordance with the terms and conditions of SPE4A1-24-G-0014. GE is requested to provide capacity, PLT and pricing based upon the quantity listed below.

BEQ Quantity: **47 each** – New Manufacture - Surplus is "**NOT AUTHORIZED**" for this procurement / Early Delivery Acceptable

Please Propose to the following Ranges:

Range 12-46 each: \$

Range 47-71 each: \$

IUID APPLIES: DFARS 252.211.7003

Critical Safety Item (CSI): YES

Inspection: Origin

Acceptance: Origin

Inspection/Acceptance Report: Receiving Report Required.

Quality Assurance: Standard inspection Far 52.246-2,-3,-4,-5,-6 AS APPLICABLE TO CONTRACT Higher Level Contract Quality Requirements FAR 52-246-11, ISO 9001:2000, AS 9100, NATO AQAP2070, (or equivalent)

Buy American Act/balance of Payments Program

Requested Delivery: 1 each per month starting 1 Nov 2025

Ship to:

SW3211
DLA DISTRIBUTION DEPOT OKLAHOMA
3301 F AVE CEN REC BLDG 506 DR 22
TINKER AFB OK 73145-8000 USA

The terms and conditions of SPE4A1-24-G-0014 will apply to this NSN. Please respond with your pricing and delivery for the item by the solicitation closing date of 27 Aug 2025, 2:00 p.m. CST. If you have any further questions, please contact Keith Russ at 405-855-7163 or keith.russ@us.af.mil.

Sincerely,

//SIGNED//

Keith J. Russ

Contracting Officer

ATTACHMENTS:

NOTE 1 – Packaging to be accomplished IAW the Packaging Requirements document attached.

NOTE 2 – Transportation to be accomplished IAW the applicable Transportation document attached.

NOTE 3 – IUID Checklist document attached.

NOTE 4 – Special Packaging Instructions

PACKAGING REQUIREMENTS																		
PURCHASE INSTRUMENT NUMBER: FD20302500922-00												VERSION: 1						
MIL-STD 129 REVISION: R												MIL-STD 2073-1 REVISION: E						
THE FOLLOWING STATEMENT IS IN COMPLIANCE WITH THE UNITED NATIONS-IMPLEMENTED RESTRICTIONS ON WOOD PACKAGING MATERIAL (WPM). THIS REQUIREMENT IS SPECIFICALLY CONCERNED WITH INVASIVE SPECIES SUCH AS THE PINEWOOD NEMATODE. WPM IS DEFINED AS WOOD PALLETS, SKIDS, LOAD BOARDS, PALLET COLLARS, WOODEN BOXES, REELS, DUNNAGE, CRATES, FRAMES, AND CLEATS. THE STATEMENT BELOW CITES THE REQUIREMENTS IN DETAIL AND COVERS LUMBER FOR BUILDING CONTAINERS AND PALLETS USED FOR DELIVERIES RESULTING IN SHIPMENTS WORLDWIDE (DIRECT, OR THROUGH AIR LOGISTICS CENTERS (ALC), CONTAINER CONSOLIDATION POINTS (CCP), OR OTHER BASES). WOODEN LUMBER, WOODEN PALLET AND PACKAGING/CONTAINER STATEMENT: ALL WOODEN LUMBER, WOODEN PALLET'S, AND WOODEN CONTAINERS PRODUCED ENTIRELY OR IN PART OF WOOD PACKING MATERIAL (WPM) SHALL BE CONSTRUCTED FROM DEBARKED WOOD IN ADDITION TO THE APPLICATION OF HEAT-TREATED (HT) MATERIAL (HT TO 56 DEGREES CENTIGRADE OR 133 DEGREES FAHRENHEIT FOR 30 MINUTES). CERTIFICATION/MARKING IS REQUIRED BY AN ACCREDITED AGENCY RECOGNIZED BY THE AMERICAN LUMBER STANDARDS COMMITTEE (ALSC). FOR REFERENCE DOCUMENTATION, SEE LATEST REVISION OF "INTERNATIONAL STANDARDS FOR PHYTOSANITARY MEASURES" (ISPM)NO.15), "REGULATION OF WOOD PACKAGING MATERIAL IN INTERNATIONAL TRADE."																		
PACRN:		PACKAGING REQUIREMENT:						PRESERVATION LEVEL:		PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAA		MIL-STD-2073-1 / SPI						MIL		B		F011911926		C		20031 - 31 JAN 2020		
ITEM(S): 2840015807062PR																		
CODED DATA:																		
QUP		ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																		
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																		
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																		
ORGANIZATION / OFFICE SYMBOL:		PACKAGING SPECIALIST:				PHONE NUMBER:				SIGNATURE:				DATE:				
406 SCMS / GULAA		Davis, Richard R				405-371-9037 / 582-5972				//SIGNED//Davis, Richard R				25113 - 23 APR 2025				

SPECIAL PACKAGING INSTRUCTION				CODE ID 98748	SPI NO (TPO) F 01-191-1926						
				SHEET 1 OF 7							
PART OR DRAWING NO. 9525M28G02		NATIONAL STOCK NO. 2840-01-191-1926 PR		CURR REV C	ILL D. CHOI PS A. MALLORY CHKR H. HOLINSWORTH AUTH M. CONAUGHTY						
ITEM NOMENCLATURE FAN ROTOR				ORIG DATE 86119							
PRESERVATION IAW MIL-STD-2073						PACKING AS SPECIFIED BELOW AND BILL OF MATERIALS					
SERVICEABLE METHOD: 10						LEVEL SPEC TYPE CL STYLE VRTY GR TR					
UNSERVICEABLE METHOD: 10											
QUP 001						A ASTM-D 6256 II 2 A N/A N/A B					
ICQ N/A						B ASTM-D 6256 I 1 A N/A N/A A					
CLEANING & DRYING IAW MIL-STD-2073						LEVEL A LEVEL B					
PRESERVATIVE N/A						GROSS CU FT 61.394 61.376					
MARKING IAW MIL-STD-129						GROSS WT LBS 475 475					
						DESIGN FRAGILITY G N/A N/A					
SPECIAL MARKINGS:						CNTNR I.D. LENGTH WIDTH DEPTH					
A) SPI NO. F 01-191-1926						LEVEL A: 52 46 36					
B) REUSABLE CONTAINER AND DUNNAGE DO NOT DESTROY.						LEVEL B: 52 46 36					
C) NOT FOR OUTSIDE STORAGE.						CNTNR O.D. LENGTH WIDTH DEPTH					
D) TO OPEN REMOVE LAG BOLTS						LEVEL A: 54 1/4 47 1/4 41 3/8					
						LEVEL B: 54 1/4 47 1/4 41 3/8					
CLOSURE						ITEM DIM 39 39 28					
LEVEL A: IAW ASTM-D 6256						ITEM WT LBS 275.8 LBS					
LEVEL B: IAW ASTM-D 6256											
						REVISIONS					
						LTR DESCRIPTION DATE					
						A REVISED AND REDRAWN 91297					
						B REVISED 93117					
						C UPDATED SPECS & ADDED DISTRIBUTION STMT. 20031					
6	4	INSIDE FRAMING	2 X 4 X 12 1/2	ASTM-D 6199		▶					
5	2	HEADER	2 X 4 X 46	ASTM-D 6199							
4	6	CARRIAGE BOLT W/NUT WASHER, LOCK WASHER	3/8 X 7	ASME B18.5, B18.2.2, B18.22.1, B18.21.1							
3	1	FLOOR	52 X 46 X 3/4	A-A-55057							
2	3	SKIDS	4 X 4 X 54	ASTM-D 6199							
1	1	CONTAINER I.D.	ID. 52 X 46 X 36	SEE LEVEL OF PACK							
PART NO.	QTY.	NOMENCLATURE OR DESCRIPTION	SIZE (INCHES UNLESS SPECIFIED) TOLERANCES ON FRAC. ± 1/8, DECIMAL ± .10, ANGLES ± 1°	MATERIAL SPECIFICATION							
ALL WOODEN PALLETS AND WOOD CONTAINERS PRODUCED OF NON-MANUFACTURED WOOD SHALL BE CONSTRUCTED FROM HEAT TREATED (HT TO 56° C ,CORE TEMPERATURE, FOR 30 MIN.) MATERIAL AND CERTIFIED BY AN ACCREDITED AGENCY RECOGNIZED BY THE AMERICAN LUMBER STANDARDS COMMITTEE (ALSC) IN ACCORDANCE WITH NON-MANUFACTURED WOOD PACKING POLICY AND NON-MANUFACTURED WOOD PACKING ENFORCEMENT REGULATIONS BOTH DATED MAY 30, 2001.											
DISTRIBUTION STATEMENT D: DISTRIBUTION AUTHORIZED TO DEPARTMENT OF DEFENSE AND U.S. DOD CONTRACTORS ONLY, ADMINISTRATIVE OR OPERATIONAL USE, 04 APRIL 2018, OTHER REQUESTS FOR THIS DOCUMENT SHALL BE REFERRED TO 406 SCMS/GULAA (PACKAGING DIVISION), TINKER AFB, OK 73145											

DD form 2169 MOD

COMPUTER GENERATED

SPI NO. F 01-191-1926

SPECIAL PACKAGING INSTRUCTION				CODE ID 98748	SPI NO (TPO) F 01-191-1926
ITEM NOMENCLATURE FAN ROTOR					SHEET 2 OF 7
PART NO.	QTY.	NOMENCLATURE OR DESCRIPTION	SIZE (INCHES UNLESS SPECIFIED) TOLERANCES ON FRAC. $\pm 1/8$, DECIMAL $\pm .10$, ANGLES $\pm 1^\circ$.	MATERIAL SPECIFICATION	
7	1	PLATFORM	12 1/2 X 12 1/2 X 3/4	A-A-55057	1
8	2	SIDE SUPPORT	2 X 8 X 12 1/2	ASTM-D 6199	
9	2	FWD/AFT SUPPORT	2 X 8 X 15 1/2	ASTM-D 6199	
10	1	RING	3/4 X 22 DIA.	A-A-55057	
11	2	BRACE	15 1/2 X 2 1/4 X 1 1/2	MIL-S-21041 UNIT A, TY-2 W/ BOLT, NUT WASHER	
12	12	CARRIAGE BOLT W/NUT WASHER, LOCK WASHER	3/8 X 1 1/2	ASME B18.5, B18.2.2, B18.22.1, B18.21.1	
13	10	CARRIAGE BOLT W/NUT WASHER, LOCK WASHER	3/8 X 6	ASME B18.5, B18.2.2, B18.22.1, B18.21.1	
14	4	LAG BOLT, W/WASHER	5/16 X 2	ASME B18.2.1, B18.22.1	
15	10	HORIZONTAL	44 X 2 1/4 X 1 1/2	MIL-S-21041 UNIT A, TY-2 W/ BOLT, NUT WASHER	
16	4	VERTICAL	30 X 2 1/4 X 1 1/2	MIL-S-21041 UNIT A, TY-2 W/ BOLT, NUT WASHER	
17	4	DIAGONAL	48 X 2 1/4 X 1 1/2	MIL-S-21041 UNIT A, TY-2 W/ BOLT, NUT WASHER	
18	1	TOP MOUNT	16 X 16 X 3/4	A-A-55057	4
19	1	PLUG	1 1/2 X 4 DIA.	A-A-55057	
20	1	CARRIAGE BOLT W/NUT WASHER, LOCK WASHER	3/8 X 3	ASME B18.5, B18.2.2, B18.22.1, B18.21.1	
21	A/R	CUSHION	AS REQUIRED	A-A-59135 OR EQUAL	2
22	A/R	WRAP	AS REQUIRED	MIL-B-121, GR-A	3

NOTES:

- 1) ASSEMBLE P/N (6) & (7) AND SECURE TO FLOOR P/N (3) AS SHOWN BY NAILING.
- 2) PLACE CUSHIONING P/N (21) TO ALL AREAS WHERE ITEM CONTACTS THE DUNNAGE.
- 3) COMPLETELY ENCASE ITEM IN WRAP P/N (22).
- 4) TO DEPACK ITEM, REMOVE TOP MOUNT P/N (18) FROM FRAME, SECURE LIFT FIXTURE 3C3008G01 TO FAN FOTOR AND THEN LIFT STRAIGHT UP. CAUTION SHOULD BE TAKEN NOT TO BUMP ITEM AGAINST THE CONTAINER FRAMEWORK.


SPECIAL PACKAGING INSTRUCTION

CODE ID
98748

SPI NO (TPO)
F 01-191-1926

ITEM NOMENCLATURE FAN ROTOR

SHEET 3 OF 7





SPECIAL PACKAGING INSTRUCTION

CODE ID
98748

SPI NO (TPO)
F 01-191-1926

ITEM NOMENCLATURE
FAN ROTOR

SHEET 4 OF 7





SPECIAL PACKAGING INSTRUCTION

CODE ID
98748



SPI NO (TPO)
F 01-191-1926

ITEM NOMENCLATURE FAN ROTOR

SHEET 5 OF 7



TOP MOUNT ⑱ ∇_4



PLUG ⑲


SPECIAL PACKAGING INSTRUCTION

CODE ID
98748

SPI NO (TPO)
F 01-191-1926

ITEM NOMENCLATURE FAN ROTOR

SHEET 6 OF 7



DUNNAGE PLACEMENT DETAIL


SPECIAL PACKAGING INSTRUCTION

CODE ID
98748


SPI NO (TPO)
F 01-191-1926

ITEM NOMENCLATURE FAN ROTOR

SHEET 7 OF 7



TOP HOLD-DOWN ASSEMBLY



TRANSPORTATION DATA FOR SOLICITATIONS		PURCHASE INSTRUMENT NUMBER: FD20302500922-00		DATE INITIATED: 23 APR 2025	
COMMODITY: See Continuation		STOCK NUMBER: See Continuation			
F.O.B. TERMS RECOMMENDED AS BEST SUITED FOR THIS PROCUREMENT					
☒ ORIGIN		☐ DESTINATION		☐ OTHER <i>(Specify)</i>	
☐ DATA / FIRST ARTICLE F.O.B. DESTINATION					
TRANSPORTATION PROVISIONS / CLAUSES				FAR CITATION	
F.O.B. Origin				52.247-29	
Clearance and Documentation Requirements				52.247-52	
Freight Classification Description				52.247-53	
Marking of Shipments				47.305-10	
Contact DCMA Transportation Contact DCMA Transportation on ALL "DCMA Administered" contracts prior to shipment for shipping instructions using the DCMA Shipment Instruction Request (SIR) eTool System, at http://www.dema.mil < http://www.dema.mil > for ALL FOB: Origin, Foreign Military Sales (FMS), and FOB: Destination OCONUS/Export movements to obtain the appropriate DOD regulatory clearances, shipping documentation and instructions from your cognizant DCMA Transportation Office. If you are new to DCMA, and do not already have a SIR eTool account, you will first need to request an account via DCMA External Web Access Management (EWAM) application which can be accessed at http://www.dema.mil . If you need additional assistance, email DCMA Transportation Group at: Transportation.Division@dema.mil . Do not move any freight to a water or aerial port prior to contacting DCMA or it will become frustrated. Failure to contact the responsible DCMA may result in vendor incurring additional expenditures.				Vendor Transportation Instructions	
TACRN:					
AAA					
TRANSPORTATION FUNDS INFORMATION:					
Purchase Instrument Line LOA: 97X4930.FC04 645 47GT 15380P 01N000 00000 000000 503000 F03000 FSR: 013352 PSR: K38770					
First Destination Transportation Account Code: FRS2					
Miscellaneous Obligation / Reimbursement Document:					
Second Destination Transportation Account Code:					
FMS LOA:					
Additional Funding Information:					
ITEM / SHIP TO(s):					
NSN / Pseudo NSN: 2840015807062PR Purchase Instrument Line Item Number: 0001 Ship to (DoDAAC / MAPAC): SW3211 Mark For: ACCT 09 Ship To (Address): DLA DISTRIBUTION DEPOT OKLAHOMA 3301 F AVE CEN REC BLDG 506 DR 22 TINKER AFB OK 73145-8000 73145 - 8000 USA			Requisition Number: Supplemental Address: FMS Case:		
WPOD: APOD: BBP / CCP: RIC: 1 Ship To (Remarks):					
EVALUATION OF PORT BID OR PROPOSAL:					
SOLICITATION DATA NOTES:					
OTHER TRANSPORTATION DATA:					
NAME	ORGANIZATION / OFFICE SYMBOL	COMMERCIAL / DSN PHONE	SIGNATURE	DATE	
Etters, Mickie J	406 SCMS / GULAA	478-222-0125 / 472-0125	//SIGNED//Etters, Mickie J	23 APR 2025	

ITEM UNIQUE IDENTIFICATION (IUID) CHECKLIST

I. IUID DETAILS: DFARS 252.211.7003

SECTION (c) (1) (ii) APPLIES TO THE FOLLOWING:

ITEM REQUIRING IUID MARKING

NSN	VERSION NUMBER
2840015807062PR	1

NOUN
ROTOR,FAN,AIRCRAFT

INITIATOR	ORGANIZATION CODE / OFFICE SYMBOL
Renegar, Andrew S	AFLCMC / LPSEB

COMMERCIAL PHONE	DSN PHONE
405-736-2008	336-2008

CAGE / REFERENCE NUMBER

MARKING IS TO BE PERFORMED IN ACCORDANCE WITH THE LATEST VERSION OF MIL-STD-130

MARKING GUIDANCE	ENGINEERING DRAWING / ECP / ECO NUMBER
Recommended Marking Instruction	

MARKING TYPE	MARKING METHOD
Bag/Tag	BAG/TAG

DESCRIPTION / LOCATION
Bag/Tag is the ONLY authorized marking method. This is a Critical Safety Item (CSI), and direct part marking is NOT AUTHORIZED.

REMARKS

NAME: Pena, Adrian L DATE: 29 JAN 2016

Bag/Tag is the ONLY authorized marking method. This is a Critical Safety Item (CSI), and direct part marking is NOT AUTHORIZED.

ATTACHMENT(S)

II. EMBEDDED ITEMS

SECTION (c) (1) (iii) APPLIES TO THE FOLLOWING:

NSN	NOUN
-----	------

CAGE / REFERENCE NUMBER

ITEM IS AN EMBEDDED ITEM FOR NSN / PSEUDO NSN: 2840015807062PR

MARKING GUIDANCE	ENGINEERING DRAWING / ECP / ECO NUMBER
------------------	--

MARKING TYPE	MARKING METHOD
--------------	----------------

DESCRIPTION / LOCATION

REMARKS

ATTACHMENT(S)