

DATA ITEM DESCRIPTION

Title: Acquisition and Sustainment Data Package (ASDP) Teardown Deficiency Report

Number: DI-PSSS-81534B

Approved Date: 20220809

AMSC Number: F10348

Limitation: N/A

DTIC Applicable: No

GIDEP Applicable: No

Preparing Activity: 11 (AFLCMC/EZSC)

Project Number: PSSS-2022-004

Applicable Forms: N/A

Use/Relationship: The Acquisition and Sustainment Data Package (ASDP) Teardown Deficiency Report provides a factual narrative analysis of a deficiency which has been noted on equipment.

- a. This Data Item Description (DID) is applicable when contractors are responsible for maintaining custodial records for government property being repaired, or, when detailed analysis is required for components undergoing a teardown investigation.
- b. This DID contains the format, content, and intended use information for the data deliverable resulting from the work task described in the solicitation.
- c. This DID supersedes DI-PSSS-81534A.

Requirements:

1. Reference documents. None.
2. Format. The ASDP Teardown Deficiency Report shall be in a text searchable format. If a model (e.g., Cameo, CAD, etc.) is used for the analysis or resolution of problems, the model shall be embedded in its native format. The Data Objects/Attributes and Associated Metadata (DOAM) listing shall be in Microsoft Excel spreadsheet format in accordance with the template provided in the DOAM Specification attached to the contract. All data shall be in the English language.
3. Content. The Teardown Deficiency Report shall include an analysis of the deficiency which includes cause of failure, recommended corrective action and recommendations for actions to prevent recurrence of the failure/deficiency, and the applicable category of the failure defined as follows:
 - a. Workmanship and non-conformance. Any deficiency (e.g., physical, chemical, electrical, functional) noted in materiel which is attributed to non-conformance to applicable specifications, drawing, standards, or Technical Order (TO); or workmanship during manufacture, repair modification or maintenance.
 - b. Material failure. The failure of an end item which was attributable to neither the repair nor the manufacturing process, but was due to an unpredictable failure of an internal component or sub-assembly.
 - c. No defect found/could not duplicate: Investigation of the exhibit revealed no deficiency. Equipment conforms to specifications and TO standards and procedures.
 - d. Technical data, deficiency: Technical data (including TOs, drawings, and work specifications) was deficient or inadequate so as to cause the deficiency/failure on the item.

- e. Field induced deficiency. Deficiency confirmed by the investigation to have been caused by operator error, i.e., wrong voltage applied, misaligned, maladjusted, mishandling, or not used for intended purpose.
- f. Maintenance deficiency. An unfavorable characteristic of an item that impedes the accomplishment of maintenance operations which results in excessive maintenance operations and/or in excessive maintenance man-hour consumption.
- g. Design deficiency. A condition that limits or prevents the use of material for purpose intended or required where the material meets all other specifications.
- h. Handling or shipping deficiency. A deficiency induced by improper handling or shipping, i.e., improper packaging, which prohibits the use for intended purpose.
- i. Packaging specifications inadequate - not complied with. Unsatisfactory conditions including item damage resulting from improper packaging.

3.1 DOAM. The completed Teardown Deficiency Report template, provided in the DOAM Specification attached to the contract, shall comply with the format requirements (see 2. above) so that it can be ingestible into a Product Lifecycle Management (PLM) solution to ensure proper tying, tracing, and linking to the lowest component of the end item to which the delivered Teardown Deficiency Report Information is applicable. Any field that is not applicable shall be marked "NA."

End of DI-PSSS-81534B.

DATA ITEM DESCRIPTION

Title: BILL OF MATERIALS (BOM) FOR LOGISTICS AND SUPPLY CHAIN RISK MANAGEMENT

Number: DI-PSSS-81656B

AMSC Number: N9724

DTIC Applicable: N/A

Preparing Activity: SA

Applicable Forms: N/A

Approval Date: 20160901

Limitation: N/A

GIDEP Applicable: No

Project Number: PSSS-2016-021

Use/relationship: The Bill of Materials (BOM) will provide information that can be used to establish the production status of parts used in a system. The BOM will also provide Diminishing Manufacturing Sources and Material Shortages (DMSMS) management essential information that enables the identification, forecasting, mitigation, and management of Hardware and Software obsolescence as a part of the Department of Defense (DoD) Program Manager's Total System Life Cycle Management responsibilities. The data will be used in DMSMS forecasting tools to allow for standard and efficient sharing of information on common items.

The BOM will also provide logisticians and supply chain risk managers with additional data they require to ensure supportability requirements and supply chain risks are identified or mitigated during the development of a system.

This Data Item Description (DID) contains the format, content, and intended use of information for the data product resulting from the work task described by the contract.

The data may be obtained during any program life cycle phase.

This DID supersedes DI-PSSS-81656A.

Requirements:

1. Format. The BOM shall be in a format similar to that of Figure 1.
2. Content. The BOM shall contain all of the information specified in Figure 1, with the path to the system level identified using the part/Next Higher Assembly method detailed in the table. All fields shall be included. Fields which do not require data shall be left blank. The information shall be included to the lowest indenture level (component level) specified in the contract

FIGURE – 1 Table 1: Field Definitions and Instructions

Field Name	Definition	Notes and Instructions	Data Type
OEM Part Number	The part number assigned by the Original Equipment Manufacturer (OEM). This may be the same as the Manufacturer's number but more often than not it is different. Sometimes referred to the Configuration Part Number or the Drawing Number	Required. Referred to as the "Referenced Part" hereafter	Alphanumeric
OEM Name	The full legal name of the entity that is providing the referenced part to the government. Sometimes referred to as the Prime Integrator or Prime	Required	Alphanumeric
OEM CAGE	Commercial and Government Entity (CAGE) code of the OEM	Required	Alphanumeric (5)
OEM's Address	The physical address of the part's OEM, including country	Required	Alphanumeric
OEM's Website	The web address of the part's OEM	Required when the OEM has a website	Alphanumeric
OEM's Facility Clearance Level	The level of security clearance the OEM's facility holds	Required	Alphanumeric (None, Confidential, Secret, Top Secret)
Revision Designator	The designator of the revision of the referenced part	Required if assigned	Alphanumeric
Software / Firmware Version	The designator assigned to the version of software / firmware used on the referenced part	Required for all parts containing software or firmware	Alphanumeric
Indenture Level	A number that represents the specific level of the top down structure specified on the Bill of Materials	Starts with the top level as one	Numeric
Reference Designator	A reference designator identifies the referenced part. ASME Y14.44-2008 and IEEE-315-1975 provide details for the proper configuration and use of reference designators.	Required if assigned	Alphanumeric

Field Name	Definition	Notes and Instructions	Data Type
Find Number	Find number refers to the ordinal number that gives an ID tag to the referenced part in a parts list (list of materials, bill of materials).	Required if assigned	Alphanumeric
NHA Part Number	The OEM Part Number of the referenced part's parent (Next Higher Assembly (NHA)). If the referenced part is software or firmware then the NHA is the item the software is used on	Required for all parts except the top level assembly	Alphanumeric
NHA CAGE	CAGE code of the OEM of the NHA	Required for all parts except the top level assembly	Alphanumeric (5)
Nomenclature	The name or designation of the referenced part	Required for all parts	Alphanumeric
Quantity	The count of the referenced part per NHA	Required for all parts	Numeric
NSN	National Stock Number (NSN) of the referenced part	Required if item has NSN assigned	Alphanumeric
COG	Cognizance (COG) Code: A two-part alphanumeric designator used by the Navy to provide supply management information	Required if assigned	Alphanumeric
Manufacturer's Part Number	The part number assigned by the actual manufacturer of the referenced item. This number will be used to monitor the part for obsolescence issues	Required (may be the same as the referenced part if the part is manufactured by the OEM)	Alphanumeric
Manufacturer's Name	The full legal name of the entity that actually manufactures the referenced part	Required	Alphanumeric
Manufacturer's CAGE	The CAGE code of the entity that actually manufactures the referenced part	Required	Alphanumeric (5)
Manufacturer's Address	The physical address of the part's manufacturer, including country	Required	Alphanumeric
Manufacturer's Website	The web address of the part's manufacturer	Required when the manufacturer has a website	Alphanumeric
Manufacturer's Facility Clearance Level	The level of security clearance the manufacturer's facility holds	Required	Alphanumeric (None, Confidential, Secret, Top Secret)

DI-PSSS-81656B

Field Name	Definition	Notes and Instructions	Data Type
Alternate For	The OEM part number of the item the referenced part is the alternate for	Required if the referenced part is an alternate to another part in the BOM	Alphanumeric
Assembly Type	Identifies whether the item is Commercial Off the Shelf (COTS), Non-Developmental Item (NDI), or Developmental Item (DI)	Required if the part is an assembly considered COTS, NDI, or DI. See the definitions section of 48 CFR 2.101 for definitions.	Alphanumeric (COTS, NDI, or DI)
Batteries	Indicates whether an item contains batteries.	Required. If the referenced part contains batteries and is a subassembly, its NHA should indicate that it also contains batteries	Yes / No
Service Bulletin Applicability	Information required to subscribe to service bulletin updates to the part's software or hardware	Required if the part will have service bulletins issued against it	Alphanumeric

3. Media Requirement: The BOM shall be provided as an electronically editable, machine-readable, Comma Separated Values (CSV) text file with alphanumeric fields enclosed in double quotation marks.

End of DI-PSSS-81656B

DATA ITEM DESCRIPTION

Title: CALIBRATION CERTIFICATE/REPORT

Number: DI-QCIC-80798C

Approved Date: 20170123

AMSC Number: F9766

Limitation: N/A

DTIC Applicable: No

GIDEP Applicable: No

Preparing Activity: 36

Project Number: QCIC-2017-003

Applicable Forms: N/A

Use/Relationship: The Calibration Certificate/Report documents calibration certificates or reports accompanying the calibrations performed on Department of Defense (DoD) test, measurement, and diagnostic equipment.

a. This Data Item Description (DID) contains the format and content preparation instructions for the data product generated by the specific and discrete task requirement as delineated in the contract.

b. This DID is applicable to contracts requiring calibration of test equipment prior to delivery. This DID is consistent with ISO/IEC 17025, *General requirements for the competence of testing and calibration laboratories*, requirements for calibration reports or certificates.

(Copies of this document are available online at <http://www.iso.org>.)

c. This DID supersedes DI-QCIC-80798B.

Requirements:

1. Reference documents. The applicable issue of the documents cited herein, including their approval dates and dates of any applicable amendments, notices, and revisions, shall be as specified in the contract.

2. Format. Contractor format is acceptable.

3. Content. The calibration certificate or report shall include:

a. Title (e.g., calibration certificate or calibration report);

b. The name and address of the laboratory and the location where the calibrations were carried out, if different from the address of the laboratory;

c. Unique identification of the calibration certificate or test report (such as the serial number), and on each page an identification in order to ensure that the page is recognized as a part of the test report or calibration certificate, and a clear identification of the end of the calibration certificate or test report;

d. The name and address of the client or customer;

e. Identification of the method used;

f. A description of, the condition of, and the unambiguous identification of the item(s) tested or calibrated;

g. The date of receipt of the test or calibration item(s) where this is critical to the validity and application of the results, and the date(s) of performance of the test or calibration;

DISTRIBUTION STATEMENT A. Approved for public release. Distribution is unlimited.

- h. Reference to the sampling plan and procedures used by the laboratory or other bodies where these are relevant to the validity or application of the results;
- i. The test or calibration results with, where appropriate, the units of measurement;
- j. The name(s), function(s) and signature(s) or equivalent identification of person(s) authorizing the calibration certificate or test report;
- k. Where relevant, a statement to the effect that the results relate only to the items tested or calibrated;
- l. The conditions (e.g., environmental) under which the calibrations were made that have an influence on the measurement results;
- m. The uncertainty of measurement or a statement of compliance with an identified metrological specification or clauses thereof;
- n. Evidence that the measurements are traceable.

End of DI-QCIC-80798C.

DATA ITEM DESCRIPTION

Title: COMMERCIAL ASSET VISIBILITY AIR FORCE (CAV AF)/GOVERNMENT
FURNISHED MATERIAL REPORT

Number: DI- MGMT-81634C

Approved Date: 20150911

AMSC Number: 9581

Limitation: N/A

DTIC Applicable: No

GIDEP Applicable: No

Preparing Activity: 11 (AFMC/A4RM)

Project Number: MGMT-2015-025

Applicable Forms: N/A

Use/Relationship: CAV AF is a web based system used to permit the reporting of end item repair and Government Furnished Material (GFM) transactions incident to the execution of Contract Depot Maintenance (CDM) contracts for the purpose of providing visibility and oversight of these assets.

- a. This Data Item Description (DID) contains the format and content preparation instructions for the data product generated by the specific and discrete task requirements as delineated in the contract.
- b. This DID may be used on any depot-level repair contract.
- c. This DID supersedes DI-MGMT-81634B.

Requirements:

1. Reference documents. The applicable issue of the documents cited herein, including their approval dates and dates of any applicable amendments, notices, and revisions, shall be as specified in the contract.
2. Format. Format. The CAV AF System transactions are processed via the World Wide Web, <https://www.cavaf.com>. Input formats are found in the CAV AF Users Guide. Repair contractors will be furnished with a copy of the CAV AF Users Guide.
3. Content. The contractor reporting shall contain the following transactions and report types as described in the CAV AF Users Guide:
 - a. End Items:
 - (1) Receipt
 - (2) Induction
 - (3) Awaiting Parts (AWP)
 - (4) Re-induction
 - (5) Survey/Scrap
 - (6) Completion
 - (7) Shipment
 - (8) Proof of Shipment
 - (9) Reversals

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

- (10) Assets Beyond Economic Repair (BER) and Maintenance Expenditure Limit (MEL)
- (11) Bulk Process
- (12) Borrow/Payback
- b. Government Furnished Material (GFM):
 - (1) Requisitions:
 - (a) Create
 - (b) Modify
 - (c) Cancel
 - (d) Follow-up as appropriate
 - (2) Receive material:
 - (a) Modify/reverse material option
 - (3) Issue material:
 - (a) Reverse issue of material
 - (4) Transfer material.
 - (5) Turn-in material:
 - (a) Reverse material turn in
 - (6) Condemnation/Plant Clearance of material:
 - (a) Condemn an item
 - (b) Reverse Condemnation
 - (c) Plant Clearance
 - (d) Reverse Plant Clearance
 - (7) Shipping of material:
 - (a) Material Release Order (MRO)
 - (b) Redistribution Order (RDO)
 - (c) After Receipt of Order (ARO)
 - (d) Reverse Material Shipment

End of DI-MGMT-81634C

DATA ITEM DESCRIPTION			Form Approved OMB No. 0704-0188	
1. TITLE Contractor's Corrective Action Plan		2. IDENTIFICATION NUMBER DI-MGMT-80501		
3. DESCRIPTION/PURPOSE 3.1 The Contractor's Corrective Action Plan delineates the contractor's (proposed) corrective actions with regard to breached or anticipated to be breached contractual requirements. 3.2 The plan is used to evaluate the contractor's (proposed) corrective actions.				
4. APPROVAL DATE (YYMMDD) 871230	5. OFFICE OF PRIMARY RESPONSIBILITY (OPR) A/MSMT	6a. DTIC APPLICABLE	6b. GIDEP APPLICABLE	
7. APPLICATION/INTERRELATIONSHIP 7.1 This Data Item Description (DID) contains the format and content preparation instructions for the data product generated by the specific and discrete task requirement as delineated in the contract. 7.2 A prerequisite for application of this Data Item Description is a contractual tasking requirement for the contractor to develop and evaluate corrective actions when contractual requirements are breached or are anticipated to be breached.				
8. APPROVAL LIMITATION		9a. APPLICABLE FORMS		9b. AMSC NUMBER A4282
10. PREPARATION INSTRUCTIONS 10.1 <u>Format</u> . The Contractor's Corrective Action Plan shall be in a contractor selected format and shall be typewritten on 8 1/2 x 11 inch white bond paper. When necessary to provide clarification (e.g., identification of the items, parts, materials, processes); detailed diagrams, drawings, sketches, photographs, etc., shall be included in conjunction with the text. When consistent with an effective presentation, the contractor's selected format used in the initial submission shall be used for subsequent submissions including revisions. 10.2 <u>Content</u> . The Contractor's Corrective Action Plan content shall be as follows: 10.2.1 <u>Title Page</u> . The Title Page shall contain the following: a. Contractor assigned (sequential) number with appropriate revision letter. b. Descriptive title (e.g., "Contractor's Corrective Action Plan for Resolving a Deficiency in the A3 Assembly of the Mark V Sight.") c. Contract numbers of the affected Government contracts. d. Contractor's (business) name, address, and telephone number. e. Contractor's Point of Contact's name and telephone number. f. Date of the Corrective Action Plan. 10.2.2 <u>Executive Summary</u> . An executive summary of the Contractor's Corrective Action Plan. (Continued on Page 2)				
11. DISTRIBUTION STATEMENT DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.				

10. PREPARATION INSTRUCTIONS (Continued)

10.2.3 Table of Contents. Identification of the (major) content elements contained in the Contractor's Corrective Action Plan indexed to page numbers.

10.2.4 Contractual Impact. Delineation of the impact of the Contractor's Corrective Action Plan on the contractual requirements (e.g., performance, schedules, prices, costs) correlated to the affected Government contracts (reference 10.2.1 c.).

10.2.5 Contractual Warranties. Identification of any contractual warranties breached or anticipated to be breached correlated to the affected Government contracts (reference 10.2.1 c.).

10.2.6 Item Identification. Identification (e.g., serial numbers, types, nomenclature, part numbers, National Stock Numbers, commercial part numbers) of the affected items (e.g., materials, pieceparts, components, subassemblies, assemblies, equipments, systems) correlated to the affected Government contracts (reference 10.2.1 c.).

10.2.7 Item Status. Identification of the status (e.g., purchased, manufacturing in process, manufacturing completed, tested, inspected, accepted, shipped, returned, under warranty) and quantities of the affected items including their current location correlated to the Item Identification (reference 10.2.6).

10.2.8 Item Characteristics. Delineation of those item characteristics which breach or are anticipated to breach the contractual requirements (include identification of the contractual requirements) correlated to the Item Identification (reference 10.2.6).

10.2.9 Corrective Actions. Delineation of the corrective actions including retrofit corrective actions and identification of the corrective actions effectivity (e.g., dates, events) correlated to the Item Identification (reference 10.2.6).

10.2.10 Corrective Actions Effectiveness. Delineation of the test requirements including test equipment and test procedures necessary to evaluate and demonstrate the effectiveness of the corrective actions correlated to the Corrective Actions (reference 10.2.9).

10.2.11 Item Testing Requirements. Identification of the previous testing including test procedures, test requirements, and test schedules which will be invalidated by accomplishment of the Item Corrective Actions (reference 10.2.9). Delineation of any additional and repeat testing which will be required including test procedures, test requirements, and test schedules. Previous, repeat, and additional testing shall be correlated to the Item Identification (reference 10.2.6).

10.2.12 Item and System Impact. Delineation of the impact of the Corrective Actions (reference 10.2.9) on the item and system characteristics (e.g., reliability, quality, safety, performance, maintainability, logistic support) correlated to the affected Government contracts (reference 10.2.1.c).

10.2.13 Item Disposition. Delineation of item disposition for items no longer usable or rendered obsolete including piece parts and materials. Identification shall be correlated to the Item Identification (reference 10.2.6).

10. PREPARATION INSTRUCTIONS (Continued)

10.2.14 Affected Documentation. Identification of the documentation and delineation of the required changes to the documentation affected by the Corrective Actions (reference 10.2.9) including the documentation change action schedules correlated to Item Identification (reference 10.2.6).

10.2.15 GFM/GFE Impact. Identification (e.g., serial numbers, types, nomenclature, part numbers, National Stock Numbers, commercial part numbers) of Government Furnished Material (GFM) and Government Furnished Equipment (GFE) affected by the Corrective Actions (reference 10.2.9) including delineation of the quantities, manner affected, current location, and changes to GFM/GFE requirements including schedules correlated to the affected Government contracts (reference 10.2.1.c).

10.2.16 Government Actions. Identification of any required Government actions including delineation of time and event schedules. Identification of the consequences of not meeting the scheduled actions. Identification shall be correlated to the affected Government contracts (reference 10.2.1.c).

10.2.17 Summary Recommendations and Conclusions. Delineation of additional comments, recommendations, conclusions, and data applicable to the Contractor's Corrective Action Plan.

10.2.18 Revisions. Any Contractor's Corrective Action Plan revision shall highlight (e.g., asterisks, margin liners) the changes to the basic plan being revised.

DATA ITEM DESCRIPTION

TITLE: COUNTERFEIT PREVENTION PLAN

Number: DI-MISC-81832

AMSC Number: 9181

DTIC Applicable: No

Office of Primary Responsibility: NRO

Applicable Forms: N/A

Approval Date: 20110121

Limitation:

GIDEP Applicable: No

Use/Relationship: The Counterfeit Prevention Plan will be used by the procurement activity to determine and evaluate the effectiveness of the contractor's counterfeit protection plan and award fee.

- a. This Data Item Description contains the format and content preparation instructions for the data product generated by the specific and discrete task requirements delineated in the statement of work.
- b. This DID is related to Parts, Materials and Processes Selection List (PMPSL).
- c. This DID is related to "As Designed" and "As Built" Parts List.
- d. The Counterfeit Prevention Plan will be updated as counterfeiting methods evolve to include any new indicators, as well as new prevention processes needed (either discovered directly or provided by the Government).

Requirements:

1. The Counterfeit Prevention Plan shall be in contractor format and shall include the following, as a minimum:
 - a. Procurement practices and procedures to include procurement of all parts and materials from original qualified parts/materials equipment manufacturer (OEM) or its franchised/authorized distributor.
 - b. Procurement practices and internal processes used for exceptions to buying from OEM or OEM franchised distributors in cases where items are no longer available including a process to qualify/certify non-OEM parts & materials.
 - c. Monitoring procedures to include the delivery of test results from random sampling and supply chains surveillance that does not assume any source is safe to identify possible penetration of OEM supply chain.
 - d. Training/certification program for receiving inspectors.
 - e. Process to verify counterfeit.

- f. Processes to identify, store, and report counterfeit parts.
- g. Process to ensure subcontracts contain the following requirements (As a minimum):
 - (1) Requirements to procure only from Original Equipment Manufacturer (OEM) or OEM franchised distributors
 - (2) Procurement practices and internal processes used for exceptions to buying from OEM or OEM franchised distributors including a process to qualify/certify non-OEM parts & materials obtained
 - (3) Requirements to monitor supply (including delivery of test results from random sampling and supply chain surveillance that does not assume any source is safe) to identify possible penetration of OEM supply chain
 - (4) Training/certification program for receiving inspectors
 - (5) Process to verify counterfeit
 - (6) Processes to identify, store, and report counterfeit parts.
 - (7) Notification procedure (tailored to specific sub-contractor based on following Notification Procedure)
- h. Self-audit of internal processes.
- i. Monitor processes at all subcontractor levels processes and verify compliance through on-site audits.
- j. Notification Procedure:
 - (1) Step 1: The contractor shall quarantine all suspect products pending further direction. The contractor shall provide a statement, with problem description, justifying why this is considered suspect and how it was detected. The contractor shall NOT notify the supplier that the items are suspected as being counterfeit items. However, consultation with the OEM is authorized. Make certain the parts and all members of the lot procured for use on this contract are stored in correct environmental controls. These parts need to be protected as evidence.
 - (2) Step 2: Contractors that identify suspect items shall immediately notify their customer that is the next link toward the prime contractor. Notification shall be passed up the customer chain until reaching the prime contractor. The prime contractor shall immediately notify the cognizant Contracting Officer (CO) and Contracting Office Technical Representative (COTR) of all suspect items identified.

- (3) Step 3: The contractor shall make certain that the original documentation is secured as evidence and maintain any and all documentation associated with the part to include:
 - a. Part information such as part identifying number, lot date code, manufacturer information and originator/point of contact information
 - b. Any information reflecting part procurement/acquisition traceability which should include a copy of the purchase order, any and all correspondence between the buyer and the supplier to include: e-mails, records of phone conversations and paper letters of correspondence
 - c. Part documentation from the purported original manufacturer, distributors and suppliers (certificate of compliance and certificate of conformance)
 - d. All visual examination and physical analysis/testing results and the technical data package showing that the parts passed the required screening and qualification tests
 - e. List of company products affected
- (4) Step 4: Determine that the part is or is not counterfeit (Usually accomplished as part of root cause analysis of non-conforming parts and/or materials)
- (5) Step 5: If the parts are found to be counterfeit, they shall be isolated and controlled pending direction from law enforcement.
- (6) Step 6: The contractor shall provide any additional required information to the government's investigation team

END OF DI-MISC-81832

DATA ITEM DESCRIPTION

Title: ENGINEERING CHANGE PROPOSAL (ECP)

Number: DI-SESS-80639E

Approval Date: 20200211

AMSC Number: N10140

Limitation: N/A

DTIC Applicable: No

GIDEP Applicable: No

Preparing Activity: NM

Project Number: SESS-2020-003

Applicable Forms: DD Form 1692, Engineering Change Proposal (ECP)

Use/relationship: An Engineering Change Proposal (ECP) provides the documentation in which the engineering change is described and specifies how the proposed change will be implemented.

a. This DID contains the format, content, and intended use information for the data deliverable resulting from the work task described in EIA-649-1 and the principles of EIA-649 (Copies of these standards are available online at www.sae.org or from SAE International, 400 Commonwealth Drive, Warrendale, PA 15096-0001, Tel 877-606-7323 [inside USA and Canada] or 724-776-4970 [outside USA]).

b. This DID may be used in conjunction with DI-SESS-80642, Notice of Revision (NOR). A requirement for NORs and Specification Change Notices (SCN) should be contractually imposed in conjunction with this DID.

c. This DID supersedes DI-SESS-80639D.

d. An electronic version of DD Form 1692, Engineering Change Proposal (ECP), is available online at <https://www.esd.whs.mil/dd/>.

Requirements:

1. Reference Documents. The applicable issue of the documents cited herein, including their approval dates and dates of any applicable amendments, notices, and revisions, shall be as specified in the contract.

2. Format. The ECP shall be in one of the following formats:

- a. DD Form 1692, Engineering Change Proposal (ECP),
- b. The schema required by the Acquirer's Integrated Digital Environment (IDE), or
- c. The Supplier's preferred format.

3. Content. The ECP shall contain all the information required by DD Form 1692.

End of DI-SESS-80639E

DISTRIBUTION STATEMENT A. Approved for public release. Distribution is unlimited.

Source: <http://assist.dla.mil> -- Downloaded: 2025-05-27T17:59Z
Check the source to verify that this is the current version before use.

DATA ITEM DESCRIPTION

Title: CONTRACT GOVERNMENT FURNISHED MATERIAL (GFM) MONTHLY REQUISITION AND INVENTORY REPORT

Number: DI-MGMT-82128A

Approval Date: 20201211

AMSC Number: F10210

Limitation: N/A

DTIC Applicable: No

GIDEP Applicable: No

Preparing Activity: 70 (419 SCMS/GUBA)

Project Number: MGMT-2020-017

Applicable Forms: N/A

Use/Relationship: The Contract Government Furnished Material (GFM) Monthly Requisition and Inventory Report provides the Government with monthly information for determining GFM balances by condition code, consumption, turn-ins, transfers, due-ins, receipts, and shipping actions.

- a. This Data Item Description (DID) contains the format, content, and intended use information for the data deliverable resulting from the work task described in the contract.
- b. This DID may be used on any depot level maintenance contract.
- c. This DID supersedes DI-MGMT-82128.

Requirements:

1. Reference documents. None.
2. Format. The Contract GFM Monthly Requisition and Inventory Report shall be in the Table I format below.
3. Content. The Contract GFM Monthly Requisition and Inventory Report shall include the following data, provided by the Production Management Specialist (PMS) and the Contractor, through the end of the month:
 - 3.1 Blocks 1 through 3 of the report shall contain the following information provided by the PMS:
 - a. As-Of Date: The day, month, and year (DDMMYYYY) applicable to the report. Data shall be through the end of the month.
 - b. Block 1: PMS's name, PMS's code, PMS's email address, and PMS's phone number.
 - c. Block 2: The name of the business and the Department of Defense Activity Address Code (DoDAAC) assigned to the business for shipment of material. The contractor's Commercial and Government Entity (CAGE) Code, email address, and phone number shall also be included.
 - d. Block 3: Government Item Manager's or Technical Point of Contact (POC)'s name.
 - 3.2 Blocks A through O of the Contract GFM Monthly Requisition and Inventory Report shall include the following:
 - a. Block A1: National Stock Number (NSN)
 - b. Block A2: Part Number (#)

- c. Block B: Contract # GFM is authorized under
- d. Block C: Delivery Order (DO) #
- e. Block D: Open GFM Requisition (REQ) #
- f. Block E: Due-In Quantity (QTY)
- g. Block F: QTY Received
- h. Block G: Transfer in from another order or adjusted (ADJ)
- i. Block H: Transfer out or ADJ
- j. Block I: Sum QTY Issued to Repair Line
- k. Block J: Sum QTY Turn-In
- l. Block K: Shipped QTY
- m. Block L: Total On-Hand (OH) Balance
- n. Block M: Serviceable "A" Condition (COND) OH
- o. Block N: Unserviceable "F" COND OH
- p. Block O: Condemned "H" COND OH

TABLE I. Contract Government Furnished Material (GFM) Monthly Requisition and Inventory Report Template

CONTRACT GOVERNMENT FURNISHED MATERIAL (GFM) MONTHLY REQUISITION AND INVENTORY REPORT							Due Date: Within 10 business days of the previous month's last calendar date		Month and As-Of Date (DDMMYYYY)						
1. PMS/PMS CODE/EMAIL/PHONE #							2. CONTRACTOR/DODAAC/CAGE CODE/EMAIL/PHONE #					3. GOVERNMENT ITEM MANAGER OR TECHNICAL POC			
(A1) NSN	(A2) PART #	(B) CONTRACT #	(C) DO #	(D) OPEN GFM REQ #	(E) DUE- IN QTY	(F) QTY RECEIVED	(G) TRANSFER IN OR ADJ	(H) TRANSFER OUT OR ADJ	(I) SUM QTY ISSUED TO REPAIR LINE	(J) SUM QTY TURN IN	(K) SHIPPED QTY	(L) TOTAL OH BALANCE	(M) "A" COND O/H	(N) "F" COND O/H	(O) "H" COND O/H

End of DI-MGMT-82128A.

DATA ITEM DESCRIPTION

Title: Government Property (GP) Inventory Report

Number: DI-MGMT-80441D

AMSC Number: 10184

DTIC Applicable: No

Preparing Activity: MDA

Applicable Forms: None

Approval Date: 20200609

Limitation: N/A

GIDEP Applicable: No

Project Number: MGMT-2020-012

Use/Relationship: The Government Property (GP) Inventory Report enables the contractor to periodically provide to the Department of Defense (DoD) Service or Agency an inventory listing of GP (i.e., both Government Furnished Property (GFP) and Contractor Acquired Property (CAP)) in the contractor's possession (to include subcontractors) by contract.

This Data Item Description (DID) is applicable to all contracts where GP will be furnished by the Government (i.e., GFP) or acquired, fabricated, or otherwise provided by a contractor (i.e., CAP) in performance of a contract.

This DID contains the format, content, and intended use information for the data deliverable resulting from the work task described in the solicitation.

This DID supersedes DI-MGMT-80441C.

Requirements:

1. Reference documents. None.
2. Format. The report shall be in an electronic .xls or .xlsx compatible format.
3. Content. The report shall contain the following column headers (i.e., data fields):
 - A. Contract Number
 - B. Agency or Service Asset Identification Number (GFP Only)
 - C. Contractor Asset Identification Number
 - D. Item Description
 - E. Manufacturer Part Number
 - F. Manufacturer Model Number
 - G. Manufacturer Serial Number
 - H. National Stock Number (NSN) (if applicable)
 - I. Quantity
 - J. Unit of Measure
 - K. Unit Acquisition Cost
 - L. Unique Item Identifier (if registered in the Item Unique Identification (IUID) Registry; GFP only)
 - M. Asset Location
 - N. Asset Sub-Location (if applicable)
 - O. Type of Government Property (i.e., Government Furnished Property (GFP) or Contractor Acquired Property (CAP))
 - P. Classification of Government Property (i.e., Communication Security (COMSEC), Equipment (EQP), Material (MAT), Special Test Equipment (STE), or Special Tooling

(ST))

- Q. Date of Last Physical Inventory
- R. Federal Condition Code

END OF DI-MGMT-80441D

DATA ITEM DESCRIPTION

Title: MEETING AGENDA

Number: DI-ADMN-81249C

Approval Date: 20210730

AMSC Number: F10263

Limitation: N/A

DTIC Applicable: No

GIDEP Applicable: No

Preparing Activity: 11 (AFLCMC/EZSC)

Project Number: ADMN-2021-001

Applicable Forms: N/A

Use/Relationship: The Meeting Agenda provides information concerning the purpose, location, and schedule of meetings and conferences required to manage systems equipment, related items, and services. For the purposes of this DID, a conference is considered to be a type of meeting.

- a. This Data Item Description (DID) contains the format, content, and intended use information for the data deliverable resulting from the work task described in the solicitation.
- b. This DID relates to DI-ADMN-81250, *Meeting Minutes*. (Copies of this document are available online at <https://quicksearch.dla.mil>.)
- c. This DID supersedes DI-ADMN-81249B.

Requirements:

1. Reference documents. The applicable issue of the documents cited herein, including their approval dates and dates of any applicable amendments, notices, and revisions, shall be as specified in the contract.
2. Format. Contractor format, compatible with government applications, is acceptable.
3. Content. The meeting agenda shall include the following, where applicable:
 - a. The purpose and objective of the meeting.
 - b. The meeting location (or virtual conferencing application, if applicable), meeting date, and meeting duration.
 - c. A daily chronological listing of each major topic and subtopic to be discussed and the amount of time to be devoted to each topic.
 - d. A list of activities to be accomplished during the meeting and identification of the corresponding office of primary responsibility (OPR) for each activity.
 - e. A list of subcommittees to be established during the meeting and the proposed goals, objectives, and activities for each subcommittee.
 - f. Meeting location(s), meeting schedule(s), and purpose or subject area to be covered by each subcommittee.
 - g. Names of the meeting chairperson, co-chair, and subcommittee chairpersons.
 - h. Reference to, and a brief description of, the results of relevant previous meetings, to include action items.
 - i. A brief description of progress on action items or problems identified at previous meetings.
 - j. Information on billeting, messing, transportation, and administrative services available to meeting attendees.

- k. A complete list of documentation to be available for attendee review.
- l. Other pertinent information, such as: forms to be used, identification of any deviations or waivers, security classification level, and security clearance requirements.

3.1 Distribution Statement. The applicable Distribution Statement, as necessary, in accordance with Department of Defense Instruction (DoDI) 5230.24, *Distribution Statements on Technical Documents*, Enclosure 4. (Copies of this document are available online at www.esd.whs.mil/DD.)

3.2 Classification Marking. The applicable classification marking, as necessary, in accordance with Department of Defense Manual (DoDM) 5200.01, Volume 2, *DoD Information Security Program: Marking of Information*, or Controlled Unclassified Information (CUI) markings (when applicable) in accordance with DoDI 5200.48, *Controlled Unclassified Information (CUI)*. (Copies of these documents are available online at www.esd.whs.mil/DD.)

End of DI-ADMN-81249C.

DATA ITEM DESCRIPTION

Title: MEETING MINUTES

Number: DI-ADMN-81250C

Approval Date: 20210730

AMSC Number: F10264

Limitation: N/A

DTIC Applicable: No

GIDEP Applicable: No

Preparing Activity: 11 (AFLCMC/EZSC)

Project Number: ADMN-2021-002

Applicable Forms: N/A

Use/Relationship: Meeting minutes provide documentation of technical information provided, and decisions and agreements reached, at meetings and conferences. For the purposes of this DID, a conference is considered to be a type of meeting.

- a. This Data Item Description (DID) contains the format, content, and intended use information for the data deliverable resulting from the work task described in the solicitation.
- b. This DID relates to DI-ADMN-81249, *Meeting Agenda*. (Copies of this document are available online at <https://quicksearch.dla.mil>.)
- c. This DID supersedes DI-ADMN-81250B.

Requirements:

1. Reference documents. The applicable issue of the documents cited herein, including their approval dates and dates of any applicable amendments, notices, and revisions, shall be as specified in the contract.
2. Format. Contractor format, compatible with government applications, is acceptable.
3. Content. The meeting minutes shall include the following:
 - a. A title page containing the following:
 - (1) Meeting title, type of meeting, and meeting date(s).
 - (2) Identification of the system, equipment, or contract number for which the meeting was held.
 - (3) Space for signatures of the designated representatives of the contractor and government activity.
 - (4) The name of the contractor and address to which the government activity will acknowledge receipt of comments.
 - b. The purpose and objective of the meeting.
 - c. The meeting location (or virtual conferencing application, if applicable).
 - d. A summary of the discussions, decisions, and agreements reached during the meeting or during individual subcommittee meetings.
 - e. A list of attendees by name, rank, grade or position, activity represented, activity symbol or code, phone number, and email address, as appropriate.
 - f. Action items resulting from the meeting, including, for each action item: a description, responsible party, suspense date, closure criteria, and status.
 - g. Briefing charts, if any were presented, shall be provided for information only.

h. A list of documents reviewed during the meeting, where applicable.

3.1 Distribution Statement. The applicable Distribution Statement, as necessary, in accordance with Department of Defense Instruction (DoDI) 5230.24, *Distribution Statements on Technical Documents*, Enclosure 4. (Copies of this document are available online at www.esd.whs.mil/DD.)

3.2 Classification Marking. The applicable classification marking, as necessary, in accordance with Department of Defense Manual (DoDM) 5200.01, Volume 2, *DoD Information Security Program: Marking of Information*, or Controlled Unclassified Information (CUI) markings (when applicable) in accordance with DoDI 5200.48, *Controlled Unclassified Information (CUI)*. (Copies of these documents are available online at www.esd.whs.mil/DD.)

End of DI-ADMN-81250C.

DATA ITEM DESCRIPTION

Title: CONTRACT DEPOT MAINTENANCE (CDM) MONTHLY PRODUCTION REPORT

Number: DI-PSSS-81995A

Approved Date: 20201130

AMSC Number: F10209

Limitation: N/A

DTIC Applicable: No

GIDEP Applicable: No

Preparing Activity: 70 (419 SCMS/GUBA)

Project Number: PSSS-2020-012

Applicable Forms: N/A

Use/Relationship: The Contract Depot Maintenance (CDM) Monthly Production Report provides the Government with monthly maintenance production figures, status and accountability of assets at the contractor facility, performance to schedule, anticipated production for the next month, and a summary of unresolved problems at the end of the report period.

This Data Item Description (DID) contains the format, content, and intended use information for the data deliverable resulting from the work task described in the contract.

- a. This DID may be used on any depot level maintenance contract.
- b. This DID supersedes DI-PSSS-81995.

Requirements:

1. Reference documents. None.
2. Format. The CDM Monthly Production Report shall be in the Table I format below.
3. Content. The CDM Monthly Production Report shall include the following data, provided by the Production Management Specialist (PMS) and the Contractor, through the end of the month:
 - 3.1 Part I: Blocks 1 through 4 of the report shall contain the following information provided by the PMS:
 - a. As of date: The day, month, and year (DDMMYYYY) applicable to the report. Data shall be through the end of the month.
 - b. Block 1: PMS's name, PMS's code, PMS's email address, and PMS's phone number.
 - c. Block 2: Contractor name, the Department of Defense Activity Address Code (DoDAAC) assigned to the contractor for shipment of material, the contractor's Commercial and Government Entity (CAGE) code, the contractor's email address, and the contractor's phone number.
 - d. Block 3: Contract number and Program (PRGM) or Weapon System (WS) supported.
 - e. Block 4: Government item manager's or technical Point of Contact's (PoC's) name.
 - 3.2 Blocks A through O of the report shall contain the following information:
 - a. Block A: Item identification, which shall include the Federal Supply Class (FSC) under A-1, and the National Item Identification Number (NIIN) of the item being reported under A-2.
 - b. Block B: Delivery/Call Order number. When the awarded contract is a delivery/call order type, this is the applicable order number. When an item is awarded on more than one order, the order number is repeated for each order until completed. If the current report completes the call, the word "completed" shall be added.
 - c. Block C: The contract line item number (CLIN), which shall be the CLIN assigned to the National Stock Number (NSN) in the contract.

- d. Block D: Quantity on contract or delivery order (DO)/call
- e. Block E: Reparables received, which shall be the number of reparable items received for repair, and shall include the quantity of reparables received during the report month under E-1 and the cumulative quantity of reparables received from the start of the contract through the report month under E-2.
- f. Block F: Miscellaneous (Misc.) assets received that are not part of the contract, in various condition codes, which shall include the quantity received during the report month under F-1 and the cumulative total received from the start of the contract through the report month under F-2.
- g. Block G: Reparables (REPS) on hand, which shall be the number of reparables on hand waiting for induction into repair.
- h. Block H: Total number of reparables currently inducted (IND) into work.
- i. Block I: Quantity of reparables awaiting parts (AWP).
- j. Block J: Quantity (QTY) produced (PROD), which shall include the quantity that completed repair and was produced during the report month under J-1 and the cumulative total that completed repair and was produced from the start of the contract through the report month under J-2.
- k. Block K: Serviceables (SERV) on hand, which shall be the quantity of serviceables on hand awaiting shipping action.
- l. Block L: Serviceables shipped, which shall be the number of serviceables shipped from the repair facility, and shall include the number of serviceables shipped during the report month under L-1 and the cumulative number of serviceables shipped from the start of the contract under L-2.
- m. Block M: QTY condemned, which shall include the quantity of reparables condemned during the report month under M-1 and the cumulative quantity of reparables condemned from the start of the contract under M-2.
- n. Block N: Misc. Shipped/Condemned Shipped, which shall include the misc. assets received in Block F that are not part of the contract, in various condition codes or condemned assets shipped during the report month under N-1 and the misc. or condemned assets shipped from the start of the contract through the report month under N-2.
- o. Block O: Next Month Forecast PROD, which shall be the quantity of items scheduled to be produced next month.

3.3 Part II, Production Summary. A Production Summary shall be included only if:

- a. The previously reported production forecast was not shipped,
- b. The current production forecast does not equal the contract scheduled quantity, or
- c. The Contractor anticipates a problem with production in the near future.

TABLE I. Format of (CDM) Monthly Production Report

[illegible]

DATA ITEM DESCRIPTION

Title: Nuclear Hardness and Survivability (NH&S) Program Plan

Number: DI-ENVR-82097

AMSC Number: F9759

DTIC Applicable:

Preparing Activity: AF-27

Applicable Forms: None

Approval Date: 20161209

Limitation:

GIDEP Application: No

Project Number: ENVR-2016-005

Use/Relationship: This Data Item Description (DID) contains the format and content requirements for the NH&S Program Plan. This data is produced as a result of tasking in 5.3.1.2 and 5.3.1.2.1 of MIL-STD-1766C but because it is a plan for execution of all tasks in that standard, its scope is not restricted to these two paragraphs. It is initially due at PDR but needs to be required by contract at other points before (e.g., during TMRR phase) or after.

This DID is applicable to system development contracts during the engineering and manufacturing development and production phases, and to other contracts when an NH&S program is required. It contains the format and content requirements for the NH&S Program Plan that is needed to organize and conduct the activities and tasks defined in MIL-STD-1766 (latest revision). The essential content of DIDs DI-ENVR-80263 (hardness assurance plan), DI-ENVR-80264 (hardness maintenance plan), and DI-ENVR-80265 (hardness surveillance plan) has been incorporated into this DID through the use of updates to the NH&S Program Plan at the appropriate point in a program as defined in MIL-STD-1766 (latest revision).

This plan provides the basis for the procuring agency's determination that the contractor's NH&S program will meet contractual requirements in a cost-effective manner and is used by the procuring agency to review, evaluate, and approve all aspects of the contractor's NH&S program. It also serves as an ongoing means for establishing and assuring mutual understanding between the procuring agency and the contractor as to the scope and content of the contractor's NH&S activities.

The nature of the contract will be a factor in deciding the number of versions of the plan that need to be called for in the contract. Updates to the plan are needed at appropriate points in the program to include the Hardness Assurance planning, the Hardness Maintenance planning, and the Hardness Surveillance planning.

This DID describes a NH&S program description which is new and unique. Comments, suggestions, or questions on this document should be addressed to the Defense Standardization Program Office (DSPO), 1551 Wyoming Blvd. SE Kirtland AFB, NM 87117-5624 or emailed to afnwc.dspo.workflow@us.af.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST online database at <https://assist.dla.mil>.

Requirements:

1. **Format.** The plan shall be in the contractor's format except where format is specified herein and shall be consistent with the content and tasking of MIL-STD-1766 (latest revision).

Page size shall generally be 8 ½ x 11” except where necessary, 11 x 17” may be used as a foldout (folded to 8 ½ x 11”).

2. **Content.** The report content shall be as follows with additions as the contractor deems necessary to describe the NH&S program.
3. **General content.** The NH&S Program Plan shall cover all aspects of the NH&S program, including the schedule for execution based on program milestones with sufficient details of specific tasks, analyses, and tests to allow for budgeting and scheduling of program resources, and for directing and monitoring technical progress. The plan shall cover the methods and techniques for incorporating nuclear survivability into design, development, and system integration, and for conducting a comprehensive NH&S validation and qualification program. The engineering organization responsible for NH&S shall be identified and the organizational structure in which it operates defined (e.g. organization chart and associated discussion) showing how all other organizations will interact to receive proper direction and communication that ensures cognizance throughout the program team of the NH&S tasking, methods, and purposes.
4. **Executive Summary.** An executive summary shall identify and briefly discuss the essentials of the program plan and identify in a list, the deliverable end product(s) (hardware and NH&S data). Include a cross index in the format shown below to identify the relationship between all contract program tasks, tasks planned to implement the contract tasks, and (1) applicable specifications or standards cited by the contract work statement, (2) other referenced documents, and (3) contractor policies and standards.

Applicable paragraph of contract tasking (e.g., SOW) or prime item development specification (PIDS) or applicable task designed to implement the contract/PIDS	Applicable paragraph of the NH&S program plan that discusses the details of that task	Other referenced documents related to the task and/or requirement, including computer codes to be employed	Company procedures and controls
--	---	--	---------------------------------

Format for task and requirements cross-reference matrix

5. **Specific Content:** The program plan shall be prepared consistent with the tasking of MIL-STD-1766 (latest revision) and shall include the information as described below:
 - a. Identification of the work, analyses and tests to be accomplished for each applicable task, and the time phasing involved, including a calendar schedule which details the technical and program management reviews to be held along with technical interchange and other program meetings.
 - b. The plan shall detail the combination of analyses and test that will be employed to validate and qualify (MIL-STD-1766C , 5.3.5.1 and 5.3.5.2) the hardware being designed

and/or produced. The plan shall identify the assembly level for tests and/or analyses to be performed and the relationships between requirements and the testing and analytical efforts. A summary of this part of the plan shall be provided in a nuclear environments and effect hardware element matrix (NEEHM) as described in MIL-STD-1766C, 5.3.1.2 and in the example provided at the end of this DID. The text discussing the NEEHM shall describe the rationale for and decision-making process employed to determine the mix of testing vs. analysis, identification test facilities and simulators to be used, test schedule, etc. When analysis is selected, the rationale shall demonstrate that the analysis is a technically adequate means to ensure compliance with nuclear environment performance requirements.

- c. The plan shall include identification of computer codes and their intended application. An alternate version of the NEEHM may be used.
- d. Planned trade studies, including consideration of what will be done for hardness assurance, hardness maintenance and hardness surveillance tests and inspections planning and preparation.
- e. The plan shall present a schedule of critical NH&S program milestones related to the overall program schedule and milestones. This time-phased schedule shall indicate start date, review date(s), and completion date for each key nuclear survivability task.
- f. The plan shall present a general discussion of the integrated logistic support management approach to field a survivable system, including design, analysis, test, and documentation.
- g. The plan shall delineate piece part, component, and subsystem tests to be performed for each specified nuclear environment and indicating relationships to analytical efforts. Details, such as sample size, test methods, test instrumentation; parameters to be characterized may be provided or reserved for separate delivery in the specific test plan for the item being tested.
- h. The plan shall describe anticipated test facilities to be employed, anticipated schedules, and reporting. Details such as test configurations, test article orientation, exposure levels and test data to be obtained may be provided in the program plan or in the specific test plans for each item to be tested.
- i. The plan shall describe the NH&S considerations that will be used as the basis for selection of piece parts, materials, device technologies, circuit and mechanical designs; The implementation plans for hardness critical items (HCI) and hardness critical processes (HCPs) shall be IAW MIL-STD-1766 (latest revision) and explained in the program plan, including the configuration control approach to control HCIs and HCPs, especially when non-developmental items are planned (MIL-STD-1766C, Table II and A.3.104).

- j. If this contract will make use of any non-developmental or proprietary items, this plan shall detail how the nuclear survivability of these items will be evaluated, assured, maintained, and documented during all phases of life-cycle development, operation and support. The plan shall describe the method of control over contractor, subcontractor, and vendor NH&S programs that will ensure hardness requirements are met.
 - k. The plan shall describe the approach to the incorporation of NH&S issues and considerations into the appropriate life-cycle hardness (LCH, MIL-STD-1766C, 5.3.8.3 through 5.3.8.5.1) documentation as early as possible in the program IAW applicable MIL-STD-1766 (latest revision). The plan shall describe the procedures of MIL-STD-1766 (latest revision) that will be followed regarding the proper annotation of HCIs and HCPs in the Logistic Support Analysis and the Logistic Support Analysis Record when these items are required deliverables of the contract.
 - l. The plan shall delineate the aspects of the design that are anticipated to be driven by the nuclear survivability of the system, especially the anticipated need for custom or hardened parts, materials, or components and the basis of need for these items and delineate the design guidelines to provide standardized:
 - (1) Derating/design margins/safety factors in design;
 - (2) Design analysis techniques;
 - (3) Parts characterization/material properties data;
 - (4) Overall methodology for derating components, including the NH&S portion.
 - m. The plan shall identify the methodology for decision making relative to NH&S requirement trade-offs vs. other system requirements such as schedule, cost, mobility, reliability, producibility and integrated logistic support.
 - n. Nuclear Environments and Effects Hardware Element Matrix (NEEHM). The program plan version of the NEEHEM is a matrix showing test and analysis plans for each major hardware division within the CI. The NEEHEM in this form is a planning tool for program scoping, scheduling, and status tracking. At PDR it shows the planned test facility and may contain samples size and other test information. An example NEEHEM is shown in the figure at the end of this DID. Other versions of the matrix are used in the NH&S DAR (under DI-ENVR-80266B) as a documentation organization tool to show all reports and/or other documents that fulfill the test/analysis intent of each box within the matrix.
- 6. Hardness Assurance, Maintenance, and Surveillance content.** The plan shall discuss planning and preparation for hardness assurance (HA) (i.e., preservation of hardness throughout production) and hardness maintenance and surveillance (HM/HS) preparation (see MIL-STD-1766C, all content in section 5.3.8). The appropriate HA/HM/HS activities of MIL-STD-1766 (latest revision) shall be included regardless of the number of CIs or assembly level of hardware under contract. The program plan shall be prepared consistent with the information contained in MIL-STD-1766 (latest revision) and shall include the information as described below.

6.1 Hardness Assurance Content. At the appropriate point in the program as explained in MIL-STD-1766C (refer especially to 5.3.8.7 thru 5.3.8.10), the program plan shall be updated to include:

- a. Identification of the hardware elements selected to undergo hardness assurance testing/ inspection. Include the rationale for each selection, including the rationale for the level of assembly chosen for test. For each selected item, identify the specific hardness related characteristics to be tested/inspected and the applicable nuclear environments, the sample size and test/inspection frequency recommended, and any special equipment and facility required to perform the test/inspection.
- b. Identification of the procedural, documentation, and interface activities required of existing contractor control disciplines (or organizational entities) in support of hardness assurance. Include consideration of the following control disciplines: (1) configuration control; (2) parts/material control; (3) production/manufacturing control; and (4) quality assurance/quality control.
- c. Description of the hardness assurance program management activity. Identify the approach that will be used to manage the hardness assurance program, and identify the responsibilities and interfaces of all contractor organizations/groups involved with hardness assurance planning and implementation, and the means by which their separate activities will be coordinated and integrated. Identify the organizational structure and means by which the progress and results of hardness assurance tests/inspections will be reviewed and evaluated in a timely manner, and corrective actions will be identified, implemented, and tracked in the event of validated problems or anomalies. Identify the management approach and procedures for the control and review of the data necessary to support and implement the hardness assurance activity.

6.2 Hardness Maintenance Content. At the appropriate point in the program as explained in MIL-STD-1766C (refer especially to 5.3.8.6, 5.3.8.7 and 5.3.8.16), the program plan shall be updated to include:

- a. Description of the hardness data annotation activity. Identify all data items that will be hardness annotated in support of hardness maintenance and the procedures by which this annotation will be accomplished. Include a copy of any contractor-generated operating instruction, drafting manual amendment, or any other instructional document used by the contractor to implement the hardness annotation of engineering data. Identify the responsibilities and interfaces of all contractor organizations/groups involved with the planning and implementation of the hardness data activity and the means by which their separate activities will be coordinated and integrated.
- b. Description of the hardness logistics support definition activity. Identify the procedures to be followed in accomplishing the incorporation of hardness requirements in the logistics support analysis (LSA) and the logistics support

analysis records (LSAR). Identify guidelines/ground rules pertinent to the preservation of the hardness of the contractor's configuration item(s) (CI(s)) during repair/maintenance for use in accomplishing hardness annotation of the LSA/LSAR. Identify any hardness dedicated tests/inspections and associated equipment required during the repair/maintenance of the contractor's CIs for use in accomplishing hardness annotation of the LSA/LSAR and for preparations to transition equipment to the hardness maintenance implementation. Identify the resources required to implement such tests/inspections. Identify the responsibilities and interfaces of all contractor organizations/groups involved with the planning and implementation of the hardness logistics support definition activity and the means by which their separate activities will be coordinated and integrated.

6.3 Hardness Surveillance Content. At the appropriate point in the program as explained in MIL-STD-1766C (refer especially to 5.3.8.11, 5.3.8.13 and 5.3.8.15), the program plan shall be updated to include:

- a. Identification of recommended hardness surveillance hardware candidates. Identify all hardware elements that are expected to undergo hardness degradations as a result of the conditions of operational life and the associated degradation mode(s) of concern for each item. Prioritize the list of candidate hardware elements in terms of the probability of occurrence during the operational life of the hardness degradation mode(s) postulated and the impact on the system mission should those degradations actually occur.
- b. Identify how and when design considerations for hardness surveillance will be considered and the decision-making process to be used to determine whether such design features will be included. Address how the design feature can allow for easier implementation vs. the cost of other choices for carrying out the test/inspection and also the risk of introducing an additional vulnerability by the use of such a design feature. An example of such a design feature would be an antenna receiver placed in a location internal to the system that would allow for measurements of shielding attenuation of electromagnetic environments.
- c. Identification of candidate tests/inspections which can be used to detect the hardness degradations identified. Optimize the candidate tests/Inspections with respect to the level of hardware assembly chosen for test/inspection and the minimization of Interference with routine field and depot operations. Address explicitly the possibilities for incorporating/ coordinating the candidate hardness surveillance tests/inspections with routine repair/maintenance activities and planned/existing aging and surveillance programs.
- d. Identification of the contractor's recommendations for a hardness surveillance program for the hardware relevant to the contract. Include an estimate of the equipment, documentation, training, and other resources that would be required to implement the recommended program.

7. Management interface controls described in the plan:

- a. Identification and definition of the interfaces between the NH&S program and closely related programs or elements within the contractor's organization. For the parts, materials, and processes standardization and control program, interface definition shall include those management procedures which will enable the contractor's NH&S organizational element to:
 - (1) Review and concur with hardness parameters and parameter values in specifications;
 - (2) Review and concur with the methods of control and audit of hardness critical manufacturing processes and controls;
 - (3) Review and concur with all Class I and Class II engineering changes affecting parts, materials, and processes and to review and concur with the decision to use a Class I or Class II process;
 - (4) Review and concur with hardness critical item (HCI) failure analysis;
 - (5) Serve as the ultimate authority within the contractor's organization relative to HCI designation and identification and hardness design feature selection and implementation with appropriate checks and balances to allow for cost and schedule considerations after appropriate management review to allow the best decision in the government's interest to be made; and
 - (6) Provide direct support to studies of the effects of operating life on HCIs.

Other NH&S program interfaces (if such functions exist within the contract scope) described shall include:

- (1) Design engineering;
 - (2) Systems engineering;
 - (3) Parts control board;
 - (4) Configuration management;
 - (5) Reliability program;
 - (6) Maintainability program;
 - (7) Quality assurance program;
 - (8) Logistics engineering;
 - (9) Aging and surveillance program
 - (10) Worst case design analysis;
 - (11) System/cost effectiveness analysis;
 - (12) System acquisition life-cycle cost analysis;
 - (13) Assembly and checkout;
 - (14) Logistics support analysis;
 - (15) Operational test and evaluation program
 - (16) Technical Order HCI content, especially annotation for HCPs
- b. Methodology and procedures by which the contractor shall ensure that the appropriate nuclear survivability program is executed in subcontracts shall be

described and the responsibilities division between the contractor and his subcontractors such that all NH&S tasks are either flowed-down to the subcontractor (where they are competent to perform) or assumed by the contractor for the subcontractor. The means by which any tasking to be performed by the contractor for a subcontractor will be coordinated between the contractor and subcontractor.

- c. Actions to be taken to ensure nuclear survivability (to include validation, assurance and maintenance) for material to be procured elsewhere, including any non-development or proprietary items shall be delineated.

8. Program management described in the plan:

- a. Responsibilities and authority of the NH&S Program Manager and the nuclear weapons effects experts assigned to the program. Identification of the personnel assigned to these functions with appropriate contact information.
- b. Management process and actions required to ensure the successful application and accomplishment of NH&S requirements.

9. Example NEEHEM:

ADD/DELETE Rows to match system configuration in enough detail to allow for all necessary tests and analyses																
System Location Subindenture	System Location (e.g., Launch Facility) (In this column, replace with specific nouns/titles and part numbers or document numbers applicable to the system)	Program Effect	Transient Dose Rate		Prompt Gamma		Total Dose		Neutron Damage		Free Field EMP		Conducted EMP		Shock & Vibration	
			Analysis	Test	Analysis	Test	Analysis	Test	Analysis	Test	Analysis	Test	Analysis	Test	Analysis	Test
ALL	HDM (add complete listing for all HDMs affected by the program - insert new rows as needed to make a complete list) DAR (Existing DAR update[s] - list all DARs affected by the program OR indicate if New DAR?)	Modify														
		Modify														
Location 1 (e.g., Launch Support Building)	Component 1 (e.g., Air Compressor)	Eliminate														
	Component 2 (e.g., Environmental Control System)	-----														
	Component 2 subindenture item 1 (e.g., Sensors)	Replace														
	Component 2 subindenture item 2 (e.g., Controls)	Replace														
	Component 2 subindenture item 3 (e.g., Damper Operators)	Replace														
	Component 2 subindenture item 4 (e.g., Ductwork & Dampers)	No Change														
	Component 2 subindenture item 5 (e.g., Switches, Panels)	Replace														
	Component 3 (e.g., Generator)	-----														
	Component 3 subindenture item 1 (e.g., Sensors)	Replace														
	Component 3 subindenture item 2 (e.g., Controls)	Replace														
	Component 4 (e.g., Motor Starters)	Replace														
	Component 5 (e.g., Coolant Lines/Plumbing)	No Change														
	Component 6 (e.g., Supplemental Air Lines)	Abandon														
	Component 7 (e.g., Electric Heater Unit)	No Change														
	Component 8 (e.g., Remote Monitoring System)	Add														
	Component 2 subindenture item 1 (e.g., Sensors)	Replace														
	Component 2 subindenture item 2 (e.g., Controls)	Replace														
Component 9 (e.g., Coolant Chiller - 27k BTU/h)	Replace															
Component 10 (e.g., Ventilation Exhaust Fan)	No Change															
Component 11 (e.g., Environmental Control System)	-----															
Component 11 subindenture item 1 (e.g., Sensors)	Replace															
Component 11 subindenture item 2 (e.g., Controls)	Replace															
Component 11 subindenture item 3 (e.g., Damper Operators)	Replace															
Component 11 subindenture item 4 (e.g., Ductwork & Dampers)	No Change															
Component 11 subindenture item 5 (e.g., Switches, Panels)	Replace															
Component 12 (e.g., Motor Starters)	Replace															
Component 13 (e.g., Coolant Lines/Plumbing)	No Change															
Component 14 (e.g., Remote Monitoring System)	Add															
Component 15 (e.g., Air Conditioner)	Replace															
Component 16 (e.g., Heater Assembly)	Modify															
Component 17 (e.g., Emergency Fan Assembly)	No Change															

ADD/DELETE Environment Columns as necessary to match the applicable portions of the Weapon Specification

Example NEEHEM

10. End of DI-ENVR-82097

DATA ITEM DESCRIPTION

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. TITLE Presentation Material		2. IDENTIFICATION NUMBER DI-ADMN-81373	
3. DESCRIPTION / PURPOSE 3.1 Presentation materials are audiovisual aids, such as viewgraphs, photographs, slides or electronic equivalent. They are used to present information during reviews, briefings, and similar activities involving more than one person.			
4. APPROVAL DATE (YYMMDD) 931001	5. OFFICE OF PRIMARY RESPONSIBILITY (OPR) F/ESC/EN-4	6a. DTIC APPLICABLE	6b. GIDEP APPLICABLE
7. APPLICATION / INTERRELATIONSHIP 7.1 This Data Item Description (DID) contains the format and content preparation instructions for the data product generated by the specific and discrete task requirement as delineated in the contract. 7.2 This DID may be applied on any acquisition. 7.3 This DID supersedes DI-A-3024A.			
8. APPROVAL LIMITATION	9a. APPLICABLE FORMS	9b. AMSC NUMBER F6970	
10. PREPARATION INSTRUCTIONS 10.1 <u>Format</u> . Contractor format is acceptable, with the exception that the government must approve the use of any contractor insignia, trade names or symbols. Delivery media format shall be defined on the DD Form 1423, Contract Data Requirements List. 10.2 <u>Content</u> . Presentation material shall include a text of any accompanying verbal material unless the verbal portion is included as part of an electronic presentation. In either case the text or audio shall include the following statement: "The publication of this material does not constitute approval by the government of the findings or conclusion herein. Wide distribution or announcement of this material shall not be made without specific approval by the sponsoring government activity."			
11. DISTRIBUTION DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.			

DATA ITEM DESCRIPTION

Form Approved
OMB No. 0704-0188

Production Surge Plan

1. IDENTIFICATION NUMBER

DI-MGMT-80969

DESCRIPTION/PURPOSE

3.1 The Production Surge Plan delineates a contractor's capability to rapidly accelerate and sustain production utilizing existing facilities and equipment in a peace time acquisition environment without a declaration of war or mobilization and subsequent use of emergency war powers.

(continued on Page 2)

APPROVAL DATE
(YYMMDD)

900423

5. OFFICE OF PRIMARY RESPONSIBILITY (OPR)

A/AMCCOM/PD

6a. DTIC APPLICABLE

6b. GIDEP APPLICABLE

APPLICATION/INTERRELATIONSHIP

7.1 This DID contains the format and content preparation instructions for the data product generated by the specific and discrete task requirement as delineated in the contract.

7.2 This Data Item Description is applicable in contracts for which a production surge capability for select critical items is required.

7.3 This Data Item Description may be used independently, with, but not in lieu of DI-P-7046 (Industrial Preparedness Planning (IFF) Data). (continued on Page 2)

APPROVAL LIMITATION

9a. APPLICABLE FORMS

9b. AMSC NUMBER

A4923

PREPARATION INSTRUCTIONS

10.1 Format. The report shall be in the contractor's format.

10.2 Content. The Production Surge Plan shall consist of the following:

10.2.1 Rate. The maximum sustainable rate of production, to include a production buildup schedule by the month until the maximum sustainable production rate is achieved. When applicable, a subcontractor's or vendor's capability to accelerate production/delivery of components and materials must be taken into consideration and a statement shall be included in the plan verifying that this vertical planning has been done.

10.2.2 Lists of items. Two lists, one of subcontracted and one of non-subcontracted items/components, by nomenclature, part number, leadtime, and production buildup of long-leadtime, critical, or pacing items/components which could adversely impact the production rates. (See paragraph 10.2.1 above). Subcontractors and vendors shall be identified by name and address for each item. This requirement shall flow down to whichever subcontractor tier (level) is necessary to adequately identify the long-leadtime, critical, and pacing items/components.

10.2.3 List of contracts. A list of Government contracts being performed at the contractor's facility that have a production surge provision or could reasonably be presumed to be surged. The list shall identify the contract number, the item(s), and the Defense Materials System and Defense Priorities Systems priorities assigned to each contract.
(continued on Page 2)

DISTRIBUTION STATEMENT

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Block 3, Description/Purpose (Continued)

3.2 The Production Surge Plan provides data on the maximum sustainable production rate; long leadtime, critical or pacing items/components; other contracts with production surge provisions; probable surge impact; additional skilled labor requirements; strategic or critical materials, precious metals, and substitute materials; and suggested tooling and/or equipment to improve surge protection capability. This data provides for surge (accelerated production) planning of select items.

Block 7, Application/Interrelationship (Continued)

7.4 This DID supersedes DI-P-1634A.

Block 10, Preparation Instructions (Continued)

10.2.4 Impact. Describe what impact surging this contract would have on the performance of any other Government contract that might be currently surged with this contract, or what impact surging of the other Government contract(s) would have on the ability to surge this contract. Describe what impact surging this contract would have on the contractor's commercial business.

10.2.5 Labor. Identify all additional skilled labor requirements, i.e., machinist, tool makers, quality assurance, etc., necessary to support the maximum sustainable production rate.

10.2.6 List of materials. A list identifying strategic or critical materials and/or precious metals, by type, quantity and cost, required to produce the item on contract or the subcontracted/non-subcontracted long-leadtime, critical or pacing items/components. This list should include rolling inventory to attain and maintain surge production within six months. Additionally, a list identifying any substitute materials that could be utilized in place of the strategic or critical materials and/or precious metals.

10.2.7 List of production equipment. A list of tooling, equipment and costs, down to the lowest tier subcontractor, that if acquired, would increase surge production rate capability and/or reduce leadtime by at least 10 percent, or as specified in the contract within current facilities limitations. The estimated increase in the surge production rate and/or decrease in leadtime shall be included. Data obtained under this paragraph will not be used in the preparation of the basic plan but may be used by the Government for developing additional surge capability if deemed essential.

DATA ITEM DESCRIPTIONForm Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.**

1. TITLE

Scientific and Technical Reports

2. IDENTIFICATION NUMBER

DI-MISC-80711A

3. DESCRIPTION/PURPOSE

3.1 Scientific and Technical Reports document and disseminate the precise nature and results of analytical studies, research, development, test and evaluation (RDT&E) on an assigned task(s) to the analytical, scientific, technical and management community. Scientific and Technical Reports, may be definitive for the subject presented, exploratory in nature, or an evaluation of critical subsystem or of technical problems.

4. APPROVAL DATE
(YYYYMMDD)

20000121

5. OFFICE OF PRIMARY RESPONSIBILITY (OPR)

L/DD

6a. DTIC APPLICABLE

X

6b. GIDEP APPLICABLE**7. APPLICATION/INTERRELATIONSHIP**

7.1 This DID contains the format requirements and preparation instructions for the information product generated by the specific and discrete task requirement as delineated in the contract.

7.2 This DID is applicable to the elements, organization and design of technical publications.

7.3 This DID supersedes UDI-S-23272C, DI-S-4057, DI-S-3591A, and DI-MISC-80711.

7.4 Defense Technical Information Center (DTIC), 8725 John J. Kingman Rd., Ste. 0944, Ft. Belvoir, VA 22060-6218

8. APPROVAL LIMITATION**9a. APPLICABLE FORMS**

SF 298

9b. AMSC NUMBER

L7382

10. PREPARATION INSTRUCTIONS

10.1 Reference document. The applicable issue of the documents cited herein, including their approval dates and dates of any applicable amendments, notices, and revisions, shall be as specified in the contract.

10.2 Document format shall be in accordance with ANSI/NISO Z39.18 Scientific and Technical Reports -- Elements, Organization, and Design.

10.3 Document content shall be clearly written, describe accomplishments and other facts adequately with no technical errors, and be acceptable for release. If marked unclassified, unlimited, they should be accompanied by a letter certifying that the documents have been cleared for public release and sale, to include foreign nationals.

11. DISTRIBUTION STATEMENT

Distribution Statement A: Approved for public release; distribution is unlimited.

DATA ITEM DESCRIPTION

Title: Status Report

Number: DI-MGMT-80368A

AMSC Number: 7619

DTIC Applicable: No

Office of Primary Responsibility: NS/DA02

Applicable Forms: N/A

Approval Date: 30 OCT 2006

Limitation: N/A

GIDEP Applicable: No

Use/relationship:

The Status Report documents the status of contractor effort towards achieving contract objectives. It identifies accomplishments to date and difficulties encountered, and compare the status achieved to planned goals and the resources expended. It is used by the Government to monitor and evaluate contractor performance.

This Data Item Description (DID) contains format and content preparation instructions for the data product generated by the specific and discrete task requirement as delineated in the contract.

It is not intended that all requirements herein should be applied to every program. Portions of the DID are subject to tailoring by deletion depending on the specific status reporting requirements of the project.

This DID is related to DI-FNCL-80331, Funds and Man-Hour Expenditure Report which can be used in conjunction with this report if paragraph 3.2.3 below is deleted.

This DID supersede DI-MGMT-80368.

Requirements:

1. Reference documents. None.
2. Format. The Status Report shall be in contractor format.
 - 2.1 Identification. The data indicated below shall be contained on a title page or on the first page of the report.
 - a. Title/identification of the system/component/program/project.

- b. Type of report (e.g., monthly, interim, final).
- c. Period covered by the report.
- d. Contract number.
- e. Preparing activity or contractor's title.
- f. Security classification, when required.
- g. Distribution Statement.

2.2 Page size. The report shall be on 8 ½ by 11 inch (metric A4) paper.

3. Content. The report shall contain the following:

3.1 Summary. The summary shall include a brief statement of the overall project status , covering the accomplished technical activities and development, objectives of efforts, summary results of efforts, identification of major problems/deficiencies with impact, and recommended solutions.

3.2 Body of report. The Status Report shall contain the following items, where applicable:

3.2.1 Milestone/task status. The status of each milestone/task as defined by the statement of work or contract, as applicable:

- a. A statement as to whether or not the program/project/task is on schedule; if not, the effort planned to meet the schedule shall be indicated. Include an overall status of each milestone, task, or unit of work. Include update schedule sheets, milestone charts, or task synopsis sheets identifying phase of task and percentage of completion of each task, technical instruction, or order.
- b. A comparison of achieved end-product performance capabilities projected against contract baseline values, requirements, or allocations.
- c. Effort expended on each task to date, and a brief description of technical developments and accomplishments.
- d. Key dates in any testing program and description of tests performed and significant test results. If applicable, a description of the amount and type of down time on the equipment or system under test.
- e. A list of all designs completed and a brief description of each item. For designs in process, provide estimated dates for design and drawing completion.
- f. A narrative of outstanding problems existing as of the previous status report, and their resolution status.

DI-MGMT-80368A

- g. New problem areas encountered or anticipated, their effect on the overall work effort/project and steps being taken to remedy problem situations.
- h. Significant results of conferences, trips, or directives for the Contracting officer's representatives.
- i. Any other information which may cause significant changes in the program schedule.

3.2.2 Future plans. Summary of future plans, recommendations and proposals both for the next reporting period and for any long term plans.

3.2.3 Itemized man-hours and costs. Itemized man-hour and cost expenditure incurred for the reporting period by category and task, total contractual expenditures, and funds remaining as of the reporting date.

3.2.4 Contract deliveries status. The status of each deliverable end item, including data deliverables, as required by the contract. Provide item and contract identification, shipping/transmittal data, acceptance status, security classification, and schedule due date information.

3.2.5 Report preparer. Name of person(s) preparing report and telephone number(s).

3.3 Appendices. Appendices where applicable, for tables, references, charts, or other descriptive material. Each appendix shall be identified and referenced in the appropriate area of the report.

4. END OF DI-MGMT-80368A

DATA ITEM DESCRIPTION

Title: SUPPLY CHAIN RISK MANAGEMENT (SCRM) PLAN

Number: DI-MGMT-82256A

Approval Date: 20230203

AMSC Number: F10374

Limitation: N/A

DTIC Applicable: No

GIDEP Applicable: Yes

Preparing Activity: 11 (AFLCMC/LZS)

Project Number: MGMT-2022-030

Applicable Forms: N/A

Use/Relationship: The Supply Chain Risk Management (SCRM) Plan defines the structured, contractor-proposed SCRM strategy relative to the products and services to be provided by the prime, its suppliers, and subcontractors. The SCRM plan will include a systematic process used to identify, assess, handle, and monitor supply chain risks associated with the product or service to be provided. This information will be used by the Government to maintain oversight of the contractor's holistic SCRM Plan to effectively handle risks within the supply chain.

This Data Item Description (DID) contains the format, content, and intended use information for the data deliverable resulting from the work task described in the solicitation.

This DID supersedes DI-MGMT-82256.

Requirements:

1. Reference documents. DI-MGMT-82255A, DoDI 5000.90, DoDM 4140.01. Copies of the DoD Directives can be found at <https://www.esd.whs.mil/DD/>.
2. Format. Government directed electronic format shall be used to the fullest extent possible; however, if none identified, the contractor's electronic format, Microsoft Word® version .docx, is acceptable.
3. Content. The SCRM plan shall contain the following:
 - 3.1 Cover and Title Page. This page shall identify the following:
 - a. SCRM Plan date of issue;
 - b. SCRM Plan document number;
 - c. Contract number;
 - d. Contractor's name and address;
 - e. Title of plan;
 - f. Program title;
 - g. Security classification;
 - h. USD(R&E) Critical Technology List (if applicable);
 - i. Distribution statement; and
 - j. Destruction notice, if applicable.
 - k. Cybersecurity Maturity Model Certification (CMMC) certification level (Note: DoDI 5000.90 3.4.a)

3.2 Revision Control. The SCRM plan shall contain a list of all revisions identifying the following information:

- a. Each revision number;
- b. Date of each revision;
- c. Pages affected by each revision; and
- d. Summary of major content changes.

3.3 Table of Contents. The table of contents shall identify each major section title, paragraph number, and starting page number for each major section.

3.4 Section Contents. The SCRM Plan shall address each major section identified below:

- a. Scope. This section shall include:
 - (1) Defining SCRM applicability to the prime and all suppliers, subcontractors, associated integrators, and vendors;
 - (2) Defining SCRM as the coordinated, holistic approach, involving all supply chain stakeholders, which identifies, assesses, handles, and monitors supply chain risks associated with weaknesses, vulnerabilities, and threats, addressing both services and products; and
 - (3) Defining the supply chain as the linked activities associated with providing materiel from a raw material stage to an end user as a finished product.
- b. SCRM Strategy. This section shall provide an overview of the contractor's overall SCRM strategy. It will include how the contractor plans to identify, assess, handle, and monitor risks in the lifecycle supply chain that have the potential to jeopardize the integrity of assets, compromise related intellectual property, disrupt the flow of critical goods or services needed for continued Department of Defense (DoD) operations, unexpectedly drive materiel cost increases to programs, or compromise national security.
- c. Responsible Organizational Component. This section shall include:
 - (1) Contractor's organizational SCRM construct; and
 - (2) Contractor's primary and alternate focal points' contact information to include names, duty titles, addresses, telephone numbers, and email addresses.
- d. SCRM Processes and Procedures. This section shall describe:
 - (1) Processes for: Protecting products and services throughout the entire lifecycle; identifying, assessing, handling, and monitoring potential supply chain threats, weaknesses, and vulnerabilities; and analyzing identified potential disruptions for the program's supply chain, suppliers, products, technologies, and services; and
 - (2) Process for revising the SCRM Plan in accordance with government guidelines during the lifecycle of the program, and for providing a copy of the SCRM plan to the Government Product Support Manager or Program

Manager.

- e. Supply Chain Risk Identification. This section shall describe in detail:
 - (1) Processes and tools utilized to identify supply chain risks and associated root causes as early as possible;
 - (2) Intelligence-based and counter-intelligence-based techniques and commercial business tradecrafts employed to uncover and map supplier networks; and
 - (3) Process for communicating supply chain risks to affected stakeholders and the Government Program Support Manager or Program Manager.
- f. Supply Chain Risk Assessment. This section shall include:
 - (1) Process to scan the contractor's supply chain network (to include sub-tier suppliers), applying risk categories, to identify and assess supply chain risks that could impact the Government's program;
 - (2) Contractor's methodology for assessing all vendors or sources of supply to identify potential threats and vulnerabilities;
 - (3) Processes for analyzing root causes and assigning a risk rating by assessing the likelihood of occurrence; and determining severity of impact to the contractor's supply chain.

As proscribed in *DoDM 4140.01 Supply Chain Materiel Management Policy*, SCRM owners assess supply chain risk by determining the severity of impacts to 1.) integrity of goods and services; 2.) assurance of supply; and 3.) economic efficiency to the contractor's supply chain.

Processes for assessing SCRM risk impacts are specific to risks originating from the supply chain and do not encompass all enterprise or program risks. However, successful supply chain risk management does enable Program Managers to proactively manage risks associated with cost (economic efficiency), schedule (assurance of supply), and performance (integrity of products or services).

 - (4) Process to focus attention on critical risks and document in the Supply Chain Risk Register; and
 - (5) Process to report the Supply Chain Risk Register to the Government Product Support Manager or Program Manager on a quarterly basis.
- g. Supply Chain Risk Handling. This section shall include:
 - (1) Supply chain risk handling plans to combat identified and potential supply chain risks. It shall include:
 - (a) A descriptive title for each supply chain risk;
 - (b) Root cause or trigger of each risk;
 - (c) Possible risk handling plan to alleviate each risk; and
 - (d) Description of events and activities intended to accept, avoid, mitigate, or transfer the risk, success criteria for each planned event, and residual risk rating (acceptable level of risk). Reference DI-MGMT-82255A Supply Chain Risk Register.

- (2) Methodology to prioritize potential supply chain risks;
- (3) Process to capture risks and associated details, relative to the products and services to be provided, in a risk register.
- h. Supply Chain Risk Monitoring. This section shall include:
 - (1) Process for the persistent and comprehensive monitoring and re-evaluation of supply chain risks and corresponding risk handling plans;
 - (2) Process for reporting risk monitoring information to the Government Product Support Manager or Program Manager quarterly; and
 - (3) The Supply Chain Risk Register will include a unique risk identifier, risk category and description, risk rating, risk handling response, responsible POC, expiration date, and current status. Reference DI-MGMT-82255A Supply Chain Risk Register.
- i. SCRM Training. This section shall describe in detail:
 - (1) SCRM training that promotes an understanding of the basics of SCRM as a practice, the nature of risks facing supply chains, and the recommended approaches;
 - (2) SCRM-related course numbers, titles, sources, and descriptions;
 - (3) Number of personnel trained in each of the aforementioned courses; and
 - (4) Duty titles of personnel trained.

End of DI-MGMT-82256A.