

QUESTIONS/RFI's & ANSWERS (Q&A)					
TOPR NO.:	FA301626Q0004				
PROJECT NAME	LTS for JBSA Lackland and Ft Sam Houston				
DATE:	9-Apr-2026				
CONTRACTOR					
NUMBER	QUESTIONS	PWS REFERENCE	GOVERNMENT RESPONSE	GOVERNMENT REFERENCE	DOES IT CHANGE PWS Y/N
1	Can the government confirm that "Attachment 4-UAR" is only required for individuals who do not have base access but want to attend the April 7th site survey. If the UAR is required for everyone, what information should be placed in Blocks 1-13 for the sponsor?	Attachment 4-UAR	UAR is required for individuals who do not have an active contractor CAC. Since site visit has already passed, UAR will be required for those who perform work that do not meet the previously mentioned contractor CAC.	UAR	No
2	PWS; Session Initiation Protocol (SIP) trunking with a Primary Rate Interface (PRI) hand-off. Will the vendor need to provide the router?	5.2; 5.6.1	Vendor will need to provide all equipment and material necessary for SIP trunking with PRI handoff	2.0, 5.1, 6.1 PWS	No
3	If a router needs to be provided, does the base plan to own at end of service or can it be bundled with the managed service?	5.2; 5.6.1	The Base will not take ownership or have any service responsibility	2.0, 5.1, 6.1 PWS	No
4	Does the base have equipment for 1G and 10M to support the Transport channels noted?	5.2; 5.6.1	Vendor will need to provide all equipment and material necessary for SIP trunking with PRI handoff	2.0, 5.1, 6.1 PWS	No
5	Is there any flexibility with this - Contractor will port all NPA-NXX DID numbers within 30 days of contract start date	5.2.1	Vendor need to have all numbers ported no later than 31 Aug 2026	5.2.1 PWS	Yes
6	How many domestic long distance are used? On-net to on-net is included.	5.2.1	Vendor will provide SIP trunking with Long Distance Services for all DID numbers	2.0, 5.1, 6.1 PWS	No
7	To confirm compliance, should the contractor assume responsibility for SIP to-PRI internetworking, including media gateway provisioning, or will Government-Furnished-Equipment be provided for PRI termination?	5.1 Paragraph 2	Vendor will need to provide all equipment and material necessary for SIP trunking with PRI handoff	2.0, 5.1, 6.1 PWS	No
8	In section 5.2.1 of PWS, it states SIP Signaling will be used, but scope states SIP with PRI/TDM handoff. Please confirm requirement	5.2.1	Vendor will provide SIP trunking with PRI handoff	5.1, 6.1 PWS	No
9	Can the base confirm if the preferred Ethernet handoff is 1000Base SMF (optical)?	5.1 Paragraph 2	Vendor will need to provide all equipment and material necessary for SIP trunking with PRI handoff	2.0, 5.1, 6.1 PWS	No
10	During transition from the Nortel CS2100 system to CUCM, should the contractor plan for a parallel operating period supporting both platforms, and if so, is a specific duration anticipated?	5.1 Paragraph 2	Vendors should not plan for a parallel operating period supporting both platforms. Therefore there is no specific duration	5.1 PWS 6.1 PWS	No
11	When you state diverse and active paths, I am reading that as physically diverse routes, separate POPs, and active/active (not primary/backup). Does this sound correct or are you just asking for logical diversity?	5.1 Paragraph 2	No diverse path needed. PWS at 5.1 & 6.1 has been edited to remove verbiage	5.1 PWS 6.1 PWS	Yes
12	On the diversity request, are there existing dual entrances?	5.1 Paragraph 2	See answer given to question 11	5.1 PWS 6.1 PWS	Yes
13	Does the base have equipment for 1G and 10M to support the Transport channels noted?	5.4, 6.4	Vendor will need to provide all equipment and material necessary for SIP trunking with PRI handoff	2.0, 5.1, 6.1 PWS	No
14	Will base accept a replacement product for analog services?	5.4, 6.3	Yes	6.3 PWS	No
15	Is it possible to identify what lines are used for? i.e fax, elevator, alarm, modem, voice	5.4, 6.3	Goververment is not able to identify specific use of each line	5.4, 6.3 PWS	No
16	Can the analog flex voice lines be ported over as DID?	6.3	Each analog line per PWS needs to be cutover	6.3 PWS	No
17	Does the Government require the two (2) Fort Sam Houston locations to be diverse and redundant from one another, and additionally to be diverse and redundant from the IPVPN circuits at JBSA Lackland? Please provide detailed guidance on acceptable diversity and redundancy (e.g., carrier diversity, physical route diversity, equipment/location separation, or service level redundancy).	App 1A PWS 5.1; App 1B PWS 6.1	See answer given to question 11	App 1A PWS 5.1; App 1B PWS 6.1	Yes
18	Does the Government require geographically diverse softswitch or call routing platforms to support survivability during site wide outages?	App 1A PWS 5.1; App 1B PWS 6.1	No	App 1A PWS 5.1; App 1B PWS 6.1	No
19	Please clarify whether transport channels referenced in the PWS are required to be physically diverse from other Government network services (e.g., base IPVPN or DISN connections).	App 1A PWS 5.4; App 1B PWS 6.4	See answer given to question 11	App 1A PWS 5.4; App 1B PWS 6.4	Yes

20	Are there specific availability or uptime requirements (e.g., 99.9%, 99.99%) for local voice services beyond standard commercial best effort expectations?	PWS 2.1	PWS 2.2.1 provides guidance	2.2.1 PWS	No
21	Ft. Sam Houston has its own PRI counts and Central Control Points (CCPs) identified in the PWS. Do both Fort Sam Houston locations require access to the full inventory of approximately 60,000 telephone numbers, or should numbering be segmented by site?	App 1B PWS 6.1	Numbering should be segement by site	6.2 PWS	Yes
22	Based on the DIDs listed for JBSA Ft. Sam Houston, which telephone numbers are associated with Brooke Army Medical Center (BAMC)?	App 1B PWS 6.2	210-539-0000-9999 & 210-916-0000-9999	6.2 PWS	Yes
23	Does the Government require SIP trunking to interoperate with any existing Government owned call managers, Session Border Controllers (SBCs), or legacy TDM infrastructure, and if so, please identify the platforms and handoff requirements.	App 1A PWS 5.6; App 1B PWS 6.6	Vendor will need to provide all equipment and material necessary for SIP trunking with PRI handoff	2.0, 5.1, 6.1 PWS	No
24	Please clarify whether the Government requires the Contractor to provide and manage SBCs as part of the LTS solution, or if SBCs will be Government furnished equipment.	App 1A PWS 5.6; App 1B PWS 6.6	Contract should provide and manage SIP to PRI	5.1, 6.1 PWS	Yes
25	Are there mission critical or life safety lines at Ft. Sam Houston that require zero interruption cutovers?	App 1B PWS 6.3	No there will be no Mission Critical or Life-Safety Cutovers involved in the requirement	App 1B PWS 6.3	No
26	The PWS indicates that all telephone numbers must be ported within thirty (30) days of contract start. Does this timeline assume all prerequisite activities (e.g., LOAs, external carrier coordination, site readiness, and testing) are completed prior to Day 1? Would the Government consider a phased or mutually agreed porting schedule that prioritizes mission critical numbers and ensures service continuity?	App 1A PWS 5.2.1; App 1B PWS 6.2.1	Vendor need to have all numbers ported no later than 31 Aug 2026	5.2.1, 6.2.1 PWS	Yes
27	Does the Government require number portability for future acquisitions, deactivations, or reorganizations occurring after the initial thirty day transition window?	N/A	N/A	N/A	No
28	Can the Government clarify the types of systems and services supported by the Commercial Service Locations (CSLs) identified in the PWS, including whether CSLs support alarm circuits, elevator phones, fire alarms, security cameras, access control systems, life safety systems, or other regulated or operational technologies?	App 1B PWS 6.3	N/A	N/A	No
29	Are any circuits required to support Quality of Service (QoS) marking or traffic prioritization across Government networks, and if so, what standards or policies should be applied?	App 1A PWS 5.6; App 1B PWS 6.6	No	N/A	No
30	Does the Government require call detail records (CDRs) or usage reporting beyond standard domestic long distance summaries, and if so, at what frequency and level of detail?	App 1A PWS 5.2.1; App 1B PWS 6.2.1	Customer Service Records (CSR) are identified in Pricing Schedule	Attachment 2 Pricing Schedule	No
31	Please provide the last six (6) months of Domestic Long Distance usage for JBSA Lackland, JBSA Ft. Sam Houston, and BAMC.	App 1A PWS 5.2.1; App 1B PWS 6.2.1	N/A	N/A	No
32	Please clarify whether E911 services must integrate with any existing base emergency response systems or third party Public Safety Answering Points (PSAPs).	App 1A PWS 5.5; App 1B PWS 6.5	There will be no connection with the exisiting base emergency response systems or third party Public Safety Answering Points (PSAPs)	N/A	No
33	Are there specific testing, validation, or acceptance criteria the Government intends to apply prior to cutover completion at each site?	PWS 4.2.1	No	N/A	No
34	Does the Government anticipate any facility access restrictions (e.g., hours, escort requirements, blackout periods) that could impact installation or cutover activities?	PWS 3.1	No	N/A	No
35	Does the Government require Telecommunications Service Priority (TSP) for each circuit, and are restoration objectives required to be exercised or tested during the period of performance?	App 1A PWS 5.1; App 1B PWS 6.1	No. 2.1.4 PWS covers all outage priority expectations	2.1.4 PWS	No
36	Please clarify whether any telephone numbers are associated with classified, restricted, or mission sensitive operations that require special handling during porting or maintenance.	N/A	N/A	N/A	No

--	--

37	Are there anticipated growth requirements (add/move/change telephone numbers or circuits) during the period of performance, and is pricing expected to be fixed or usage based?	N/A	No anticipated growth is expected.Contract will be deemed firm fixed-price	N/A	No
38	Does the Government require Contractor participation in base wide outage reporting, incident response, or communications exercises?	PWS 2.1.3	2.1.1 and 2.1.3 PWS covers all outage expectations	2.1.1, 2.1.3 PWS	No
39	Please confirm whether Contractor provided services must comply with any additional DoD or Air Force cybersecurity requirements beyond standard commercial voice offerings.	N/A	None Apply	N/A	No
40	Is there a Government preferred sequence for site activation (JBSA Lackland vs. Ft. Sam Houston), or may the Contractor propose an optimized deployment schedule?	PWS 4.2	Contractor will provide proposed cutover plan for government review	4.2 PWS	No
41	Would the Government be open to reviewing a contractor recommended CLIN structure aligned to the proposed solution and pricing strategy?	RFP Page 7; Attachment 2 – Pricing Schedule	Yes.	N/A	No
42	Total DID is 40,000 vs the JBSA Attachment 2 Pricing schedule 20MAR2026 Row 22 & 23 has it as 400. Is the government intending to keep all 40,000 DID and correct the pricing schedule?	5.2	Yes, Gov will keep 40,000 DID's. Unit of issue is HD on Pricing Schedule.	5.2 PWS	No
43	Question: Could the government provide an estimated LD call volume per month	5.2.1	No	N/A	No
44	Access to International Long-Distance charged on a per-call basis. Could the provider bill on per minute rather than per call?	5.2.1	Yes the government will change PWS to reflect billing on a Per-Minute basis	5.2.1 PWS	Yes
45	Access to International Long-Distance charged on a per-call basis. Could the provider bill on per minute rather than per call?	5.2.1	Yes the government will change PWS to reflect billing on a Per-Minute basis	5.2.1 PWS	Yes
46	E911 Capability: is the government asking for basic 911 which provide address of caller or E911 which provide station information to include address, floor, and office/cube.	5.5	No Connection will be required to E911 System; However E911 Capability diagrams needed	5.5 PWS	No
47	Total DID is 60,000 vs the JBSA Attachment 2 Pricing schedule 20MAR2026 Row 55 & 56 has it as 600. Question: Is the government intending to keep all 60,000 DID and correct the pricing schedule.	6.2	Yes, Gov will keep 60,000 DID's. Unit of issue is HD on Pricing Schedule.	6.2 PWS	No
48	Unlimited Domestic Long Distance at a flat rate price included in the cost. Question: Could the government provide estimated LD call volume per month.	6.2.1	No Government will not provide monthly call volume	6.2.1 PWS	No
49	Access to International Long-Distance charged on a per-call basis. Could the provider bill on per minute rather than per call?	6.2.1	Yes the government will change PWS to reflect billing on a Per-Minute basis	6.2.1 PWS	Yes
50	Access to International Long-Distance charged on a per-call basis. Could the provider bill on per minute rather than per call?	6.2.1	Yes the government will change PWS to reflect billing on a Per-Minute basis	6.2.1 PWS	Yes
51	E911 Capability: is the government asking for basic 911 which provide address of caller or E911 which provide station information to include address, floor, and office/cube.	6.5	No Connection will be required to E911 System; However E911 Capability diagrams needed	6.5 PWS	No
52	Delivery Schedule: Can you government clarify the expected deliverable in sub factor 4? What is the expectation of the 30 day installation and cutover timeline delivery schedule? What are contractors expected to provide after 30 days?	Amendment 0001, page 5	The expectation is the contractor will have all infrastructure in place by the end of the specified deadline which will be amended in solicitation to reflect NLT 31 Aug 2026	Amendment 0002	N/A
53	With questions only being submitted April 9th, will the government allow a two week extension for contractors to review and update their responses to provide a competitive and techical solution	General	Government will extend quote deadline to 28 April 2026 @ 2:00PM CST. Revision to quote deadline will be under Amendment 0002.	Amendment 0002	N/A