

1503010 – Custodial	
Spec Item	Title
1	General Information
1.1	Concept of Operations
2	Management & Administration
2.1	Definitions and Acronyms
2.2	Personnel
2.2.1	Certification, Training, and Licensing
2.2.2	List of Approved Chemicals
2.3	Special Requirements
2.3.1	Pathogen Exposure
2.3.2	Employee Training
2.3.3	Immunizations
2.4	References and Technical Documents
3	Recurring Work
3.1	Scheduled Services
3.1.1	Space Cleaning
3.1.1.1	Emptying Waste Containers
3.1.1.2	Emptying Recycling Containers
3.1.1.3	Low Area Cleaning
3.1.1.4	Lunch/Break Room Cleaning
3.1.1.5	Entrance Cleaning
3.1.1.6	Interior Glass Surfaces Cleaning
3.1.1.7	Drinking Fountains Cleaning
3.1.2	Floor Care
3.1.2.1	Sweeping and Dust Mopping
3.1.2.2	Vacuuming Carpets and Rugs
3.1.2.3	Cleaning Walk-off Mats
3.1.2.4	Spray Cleaning and Buffing
3.1.2.5	Wet Mopping
3.1.2.6	Stripping, Coating, and Buffing
3.1.2.7	Carpet and Rug Deep Cleaning
3.1.3	Restroom Services
3.1.3.1	Restroom Cleaning
3.1.3.2	Restroom Supplies
3.1.4	Group Shower/Locker Room Cleaning
3.1.5	Building Perimeter Services
3.1.5.1	Debris Removal
3.1.5.2	Emptying Perimeter Waste Containers
3.2	Unscheduled Services
4	Non-Recurring Work

1503010 - Custodial		
Spec Item	Title	Description
1	General Information	The Contractor shall provide all labor, management, supervision, tools, material, and equipment required to perform custodial services at the following locations: Public Works Department (PWD) Washington • Region U.S. Naval Observatory (USNO) • Region Carderock • NAVFAC Carderock Public Works Department (PWD) South Potomac (Dahlgren, VA and Indian Head, MD) • Region Dahlgren • DODDS School Dahlgren • Navy Exchange Dahlgren • DECA Dahlgren • Air Force Dahlgren • Naval Surface and Mine Warfighting Development Center (NSMWDC) Dahlgren • Region Indian Head • Naval Surface Warfare Center (NSWC) Indian Head • EOD Tech Div Indian Head • NAVFAC Indian Head • NRL Pomonkey Indian Head • SEALOG Indian Head • DIA (Bldg 1662) Public Works Department (PWD) Patuxent River • Region NSA Patuxent River and Webster Field • Region Solomon's Annex • NAWC Webster Field • COMFRC Solomon's Annex
1.1	Concept of Operations	The intent of 1503010 Custodial is to specify the requirements related to the cleaning of facilities. Custodial requirements consist mainly of services that ensure the cleanliness of working environments. The following services are not included in this Template: • Custodial services do not include any repair work of facilities or fixtures. This is included in 1502000, Facilities Investment. • Custodial services include waste removal for buildings and service locations to collection points, but disposal of waste from collection sites is addressed in 1503030 Integrated Solid Waste Management. •

1503010 - Custodial		
Spec Item	Title	Description
2	Management & Administration	
2.1	Definitions and Acronyms	Definitions and Acronyms are listed in J-1503010-01.
2.2	Personnel	The Contractor shall provide personnel with the qualifications, technical knowledge, experience and skills required for efficient operations within the custodial function.
2.2.1	Certification, Training, and Licensing	The Project Manager, Site Safety and Health Officer and other Contractor personnel performing work where they may be exposed to blood or other potentially infectious materials shall receive pathogen training prior to beginning service. The Contractor shall submit Pathogen Training Certificates per Section F.
2.3	Special Requirement	
2.3.1	Pathogen Exposure	The Contractor shall comply with 29 CFR-1910.1030 at all times if personnel are performing work where they may be exposed to blood or other potentially infectious materials. The Contractor shall have an established Exposure Control Plan accessible to employees. This plan shall be reviewed annually and comply with 29 CFR-1910.1030. Employees in areas subject to higher exposure risk shall submit to all required testing and receive vaccinations as required by the installation.
2.4	References and Technical Documents	References and Technical Documents are listed in J-1503010-03.

1503010 - Custodial				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
3	Recurring Work	The Contractor shall provide custodial services to ensure facilities are clean and sightly.	The Contractor's cleaning techniques and products shall protect the integrity of surfaces, finishes and floor coverings. <u>Service Level Standards are defined in CNICINST 11300.1 Facility Services. Services and associated frequencies specified in Section J are aligned to CNICINST 11300.1, however, requirements must be validated with the CNIC Facility Services (FX) Regional Program Director (RPD). Service Level Standards are defined by Commander, Navy Installations Command (CNIC) for Navy Shore Commands. Services and associated frequencies are specified for Prestige and Standard Service Levels in J-1503010-03.</u> Customers not funded by CNIC receive services at the associated frequencies shown by Service Class in J-1503010-02. The Contractor shall perform service at frequencies given in J-1503010-04 per Mandated Service Classes for Child Youth Program Facilities. See Section J-1503010-06 for maps and locations. A Custodial Inventory is provided in J-1503010-07 detailing type of space, floor type, square footage, and other relevant information.	Facilities are clean and sightly, consistent with the specified Service Level and/or Service Class.
3.1	Scheduled Services	The Contractor shall provide scheduled custodial services to ensure facilities are clean and sightly.	The Contractor shall develop and submit an Annual Work Schedule and Monthly Work Plan for custodial services per Section F. The schedule shall clearly indicate the day of performance of each service for each building.	Facilities are clean and sightly, consistent with the specified Service Level and/or Service class. Work is completed in accordance with

1503010 - Custodial				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
				the Contractor's schedule.
3.1.1	Space Cleaning	The Contractor shall clean spaces to ensure they are clean and sightly.	The Contractor shall return furniture and other items moved during performance to their original positions.	Spaces are clean and sightly consistent with the specified Service Level and/or service class. Furniture and other items moved returned to original position. Clean Rooms are maintained free of dust in accordance with clean room protocols.
3.1.1.1	Emptying Waste Containers	The Contractor shall empty waste containers and ensure they are clean.	The Contractor shall collect and dispose of items placed adjacent to waste containers and marked "TRASH." Waste collection excludes individual items that exceed 20 pounds in weight. All waste that is dropped during the waste removal process shall be picked up and properly disposed. All spills that occur during the waste removal process shall be and properly treated and cleaned. The Contractor shall collect all waste from desk-side waste containers and/or interior collection points unless otherwise specified based on COL as listed in J-1503010-01. All waste shall be moved to designated refuse containers.	Waste containers are empty and clean. Waterproof liners are provided and replaced when soiled or unserviceable. Services are performed at the specified frequencies.
3.1.1.2	Emptying Recycling Containers	The Contractor shall empty recycling containers and ensure they are clean.	The Contractor shall collect and dispose of items placed adjacent to recycling containers and marked "RECYCLE." Waste collection excludes individual items that exceed 20 pounds in weight. All recyclable material that is dropped during the removal	Recycling containers are empty and clean. Services are performed at the specified frequencies.

1503010 - Custodial				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
			process shall be picked up and properly disposed. Provide liners for plastic and glass containers. The Contractor shall collect all recyclable material from desk-side recycling containers and/or interior collection points unless otherwise specified based on Service Level Standards as listed in J-1503010-03. All recyclable material shall be moved to building collection site. Interior collection points and building collection sites are identified on Floor Plans included in J-1503010-07.	
3.1.1.3	Low Area Cleaning	The Contractor shall provide low area cleaning services to ensure surface areas are clean.	Low area cleaning includes dusting and wiping clean all furniture and fixtures (e.g., partitions, radiators, hand rails, grills, ledges, sills, walls, moldings, ledges, baseboards, doors, and light fixtures) to a maximum height of 7'-0" above floor level. Insert cleaning restrictions, e.g., Low area cleaning does not include desktops of occupied cubicles or offices. Areas to receive low area cleaning are identified on the Custodial Inventory provided in J- 1503010-07.	Surfaces are clean. Cleaning is performed at the specified frequencies.
3.1.1.4	Lunch/Break Room Cleaning	The Contractor shall provide cleaning services in lunch/break room areas to ensure areas are clean and sanitary.	Employee lunch/break room areas shall include sinks, countertops, trash containers, cooking equipment, coffee makers, and dining areas. Where present, soap and paper towel dispensers shall be refilled. The Contractor shall collect all waste from lunch/break room areas. All waste shall be moved to designated refuse containers.	Lunch/break room is clean and sanitary. Lunch/break room waste containers are empty, clean, and waterproof liners have been replaced. Dispensers are refilled and

1503010 - Custodial				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
			All waste that is dropped during the waste removal process shall be picked up and properly disposed.	supplies are stocked. Services are performed at the specified frequencies.
3.1.1.5	Entrance Cleaning	The Contractor shall clean doors and all associated glass of the entrance to ensure doors and glass surfaces are clean and sightly.	Entrances surfaces include but are not limited to doors, associated transoms, and sidelights. When the entry is an atrium entrance the Contractor shall clean both sets of doors and all associated glass. Surfaces shall be free of all dirt and provide a clear, streak-, smudge- and mark-free appearance regardless of height.	Glass surfaces are clean and sightly on both sides and for the full height of the glass. Doors are clean and free of all dirt and marks. Cleaning is performed at the specified frequencies.
3.1.1.6	Interior Glass Surfaces Cleaning	The Contractor shall clean all interior glass to ensure glass surfaces are clean and sightly.	Glass surfaces include but are not limited to interior doors, partitions, and walls. Surfaces shall be free of all dirt and provide a clear, streak-, smudge- and mark-free appearance regardless of height.	Glass surfaces are clean and sightly on both sides and for the full height of the glass. Cleaning is performed at the specified frequencies.
3.1.1.7	Drinking Fountains Cleaning	The Contractor shall clean drinking fountains to ensure they are clean, sanitary, and sightly.	Drinking fountain surfaces shall be properly disinfected.	Drinking fountains are clean, sanitary, and sightly. Cleaning is performed at the specified frequencies.
3.1.2	Floor Care	The Contractor shall provide floor care services to ensure they are clean and sightly.	The Contractor shall move furniture, non-permanent rugs and other floor coverings prior to floor care services. The Contractor shall return furniture, rugs, floor coverings, and other items moved during services to its original position. When caring for raised deck floors, the Contractor shall ensure that all items below the floor are protected from damage.	Floors are clean and sightly consistent with the specified COLS and/or service class. -

1503010 - Custodial				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
			Floor care services shall be performed in a manner that minimizes interference with daily operations. The Contractor shall post warning signs and barricades in areas of floor care operations, as appropriate, to ensure personnel safety.	
3.1.2.1	Sweeping and Dust Mopping	The Contractor shall sweep or dust mop uncarpeted floors to ensure floors are free of debris and dust.	The Contractor shall sweep or dust mop uncarpeted floors, including stairwells and elevators.	Floors are free of debris and dust. Services are performed at the specified frequencies.
3.1.2.2	Vacuuming Carpets and Rugs	The Contractor shall vacuum carpets and rugs to ensure they are free of debris and dust.	Contractor shall provide spot cleaning as needed.	Carpets and rugs are free of debris and dust. Services are performed at the specified frequencies.
3.1.2.3	Cleaning Walk-off Mats	The Contractor shall clean the walk-off mats and surfaces below the mats to ensure mats and surfaces are clean.	The Contractor shall return mats to their original locations after cleaning. The Contractor shall notify the KO when walk-off mats are defective, missing, or not serviceable.	Walk-off mats and surfaces below the mats are clean. Services are performed at the specified frequencies.
3.1.2.4	Spray Cleaning and Buffing	The Contractor shall spray clean and buff floors to ensure floors are clean and present a sightly appearance.	The Contractor shall ensure there is no buildup or residue on baseboards, mop boards, cove base, and kick plates. Floor products used shall result in a non-slip finish.	Floors are clean and have a uniform glossy finish. Non-slip floors are clean and have a uniform matte finish. Services are performed at the specified frequencies.
3.1.2.5	Wet Mopping	The Contractor shall wet mop floors to ensure	The Contractor shall wet mop uncarpeted floors, including stairwells and elevators. Scuff	Floors are clean. Hospital, clinic, CDC, Youth

1503010 - Custodial				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
		that floors are clean.	marks, spots, and dried stains shall be removed. Hospital, clinic, CDC, Youth Center, kitchen, lunch/break room and galley floors shall be sanitized.	Center, kitchen, lunch/break room and galley floors are clean and sanitary. Services are performed at the specified frequencies.
3.1.2.6	Stripping, Coating, and Buffing	The Contractor shall strip, coat and buff floors to ensure that floors are clean and sightly. The Contractor shall coat floors to ensure continuous protection.	The Contractor shall strip, coat, and buff uncarpeted floors, including stairwells and elevators. The Contractor shall ensure there is no buildup or residue on baseboards, mop boards, cove base, and kick plates. The Contractor shall apply sufficient coats of product to protect floors from traffic and use. Floor products used shall result in a non-slip finish.	Floors are clean, free of previously applied coat, and have a uniform glossy finish. Floors are properly coated and protected. Non-slip floors are clean and have a uniform matte finish. Services are performed at the specified frequencies.
3.1.2.7	Carpet and Rug Deep Cleaning	The Contractor shall deep clean carpets and rugs to ensure that floors are clean, sightly and available for use in a timely manner.	Acceptable methods for deep cleaning include shampooing, chemical extraction, steam cleaning, and other similar deep cleaning processes.	Carpets and rugs are clean. Carpets and rugs are dry and passable in 12 hours. Services are performed at the specified frequencies.
3.1.3	Restroom Services	The Contractor shall service restrooms to ensure they are clean, sanitary, sightly, and stocked with sufficient supplies.	The Contractor shall inform the KO/COR when dispensers, fixtures, and drinking fountains are damaged or missing. The Contractor shall clean locker rooms and showers as part of restroom services.	Restrooms are clean, sanitary, and sightly consistent with the specified service class and COLS. Restrooms are adequately stocked with restroom supplies.

1503010 - Custodial				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
				Services are performed at the specified frequencies.
3.1.3.1	Restroom Cleaning	The Contractor shall clean and disinfect restrooms to ensure they are clean, sanitary, and free of offensive odors.	All cleaning materials and equipment used in restrooms shall not be used in any other areas outside the restrooms. Cleaning materials, including sponges, cloths, brushes, and similar items, used to clean toilets, urinals, floors, and walls shall not be used to clean showers, lavatories and sinks. All restroom floors, walls, partitions, fixtures, mirrors, and shower areas shall be disinfected. All graffiti from restroom surfaces shall be removed. All waterless urinals shall be maintained in accordance with manufacturers' recommendations, and at the frequency required by use.	All restrooms are clean, sanitary, and free of offensive odors. No graffiti present on restroom surfaces. Cleaning is performed at the specified frequencies.
3.1.3.2	Restroom Servicing	The Contractor shall service restrooms to ensure they are stocked with sufficient supplies and waste containers are emptied.	Restroom supplies include toilet paper, toilet seat protectors, soap, and paper towels. Utilize dispenser where available. The Contractor shall collect all waste from all restrooms. All waste shall be moved to designated refuse containers. All waste that is dropped during the waste removal process shall be picked up and properly disposed.	Restroom supplies are filled to capacity and are available. Restroom waste containers are empty, clean, and waterproof liners have been replaced. Services are performed at the specified frequencies.
3.1.4	Group Shower/Locker Room Cleaning	The Contractor shall provide cleaning services in group shower/locker rooms to ensure	All cleaning materials and equipment used in shower/locker rooms shall not be used in any other areas outside the shower/locker rooms.	All shower/locker rooms are clean, sanitary, and free of offensive odors.

1503010 - Custodial				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
		areas are clean and sanitary.	Cleaning materials, including sponges, cloths, brushes, and similar items, used to clean toilets, urinals, floors, and walls shall not be used to clean showers, lavatories and sinks. The Contractor shall collect all waste from all shower/locker rooms. All waste shall be moved to designated refuse containers. All waste that is dropped during the waste removal process shall be picked up and properly disposed. Shower/locker room supplies include toilet paper, toilet seat protectors, soap, and paper towels. Utilize dispenser where available.	Shower/locker room waste containers are empty, clean, and waterproof liners have been replaced. Shower/locker room supplies are filled to capacity and are available. Cleaning is performed at the specified frequencies.
3.1.5	Building Perimeter Services	The Contractor shall provide building perimeter services to ensure that they are sightly.	The building perimeter is defined as the area within five feet from the building outside wall and shall be extended to include associated porches, patios, sidewalks, and designated smoking areas as indicated on Maps and Locations shown in J-1503010-07.	Building perimeters are sightly consistent with the specified COLS and/or service class.
3.1.5.1	Debris Removal	The Contractor shall remove debris from the building perimeter to ensure a sightly appearance.	The Contractor shall deposit all debris in the designated waste container.	Building perimeters are clear of debris. Services are performed at the specified frequencies.
3.1.5.2	Emptying Perimeter Waste Containers	The Contractor shall empty perimeter waste containers and ensure they are clean.	The Contractor shall empty waste containers, excluding dumpsters, located in the perimeter area. The Contractor shall pick up all waste around the containers. The Contractor shall collect and dispose of items placed adjacent to waste containers.	Waste containers are empty and clean. Waterproof liners are provided and replaced when soiled or unserviceable.

1503010 - Custodial				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
			The Contractor shall empty ash urns and refill or replace sand as necessary. All waste that is dropped during the waste removal process shall be picked up and properly disposed. Provide waterproof liners and replace when needed.	Services are performed at the specified frequencies.
3.2	Unscheduled Services	The Contractor shall respond and complete requests for minor cleaning tasks between scheduled service intervals to ensure spaces and surfaces are clean.	Typical unscheduled services include clean up of overflowed restroom fixtures, spills, bodily fluids, muddy or wet entrances, broken glass, carpet spot cleaning and other similar items. Contractor performs services at the same level required for similar types of services as set forth in item 3.1. An unscheduled service is limited to two labor hours and \$50 of material cost per occurrence. Contractor shall notify the KO upon identification that the unscheduled services will exceed the unscheduled service limit. Non-Recurring work may be issued for services exceeding the unscheduled service limit; the Government will only be liable for the amount of cost exceeding the unscheduled service limit. The Contractor shall submit an Unscheduled Services Report per Section F. Informational Note: The following is an estimate number of Unscheduled Services by customer:	Unscheduled services are completed within two hours after notification.
4	Non-Recurring Work	Non-Recurring work may be ordered utilizing	Refer to Non-Recurring Work ELINs for task listings, descriptions, and related	

1503010 - Custodial				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
		DoD FedMall in accordance with Section H or on a task order in accordance with the PROCEDURES FOR ISSUING ORDERS clause in Section G. The order will specify the exact locations and types of work to be accomplished. The period of performance will be specified in each order.	requirements. All periods of performance are measured from issue date of order to acceptance of the work. Performance standards for Non-Recurring work will be the same as those in Spec Item 3 where applicable.	
