

HERBICIDE FORMULATIONS USED ON BLM ADMINISTERED LANDS			
MAXIMUM ALLOWED PER ACRE PER YEAR			December 27, 2024
		Maximum Per Acre Per Year ^(Note #1)	
Herbicide Active Ingredient	Sample Trade Name	Formulation	A.I. or A.E.
Aminocyclopyrachlor	Method 240 SL	18.0 fl. ounces	0.28 lb. a.e.
Aminopyralid	Milestone	7.0 fl. ounces	0.11 lb. a.e.
Bromacil	Hyvar X	15.0 pounds	12.0 lbs. a.i.
Chlorsulfuron	Telar XP	3.0 ounces	0.141 lb. a.i.
Clethodim	Clethodim 2E	32.0 fl. ounces	0.5 lb. a.i.
Clopyralid	Transline	1.33 pints	0.5 lb. a.e.
2,4-D - Annual & Perennial	Several Formulations	Note #2	2.0 lbs. a.e.
2,4-D - Woody Species	Several Formulations	Note #2	4.0 lbs. a.e.
Dicamba	Banvel	2.0 quarts	2.0 lbs. a.e.
Dicamba + Diflufenzopyr	Overdrive	8.0 ounces	0.35 lb. a.e.
Diquat	Reward	4.4 quarts	4.0 lbs. a.i.
Diuron	Diuron 80DF	25.0 pounds	20.0 lbs. a.i.
Fluazifop-P-butyl	Fusilade DX	72.0 fl. ounces	1.125 lb. a.i.
Flumioxazin - Terrestrial Application	Flumioxazin 51WDG Select	24.0 ounces	0.765 lb. a.i.
Flumioxazin - Aquatic Application	Flumioxazin 51WDG Select	Note #3	Note #3
Fluridone	Sonar	Note #2	1.3 lbs. a.i.
Fluroxypyr	Vista XRT	23.0 fl. ounces	0.5 lb. a.e.
Glyphosate	Several Formulations	Note #2	7.0 lbs. a.e.
Hexazinone	Velpar DF VU	10.67 lbs	8.0 lbs. a.i.
Imazamox	Clearcast	4.0 quarts	1.0 lb. a.e.
Imazapic	Plateau	12.0 fl. ounces	0.1875 lb. a.e.
Imazapyr	Arsenal	3.0 quarts	1.5 lbs. a.e.
Indaziflam	Rejuvra	10.0 fl. ounces	0.13 lb. a.i.
Metsulfuron Methyl	Escort XP	4.0 ounces	0.15 lb. a.i.
Oryzalin	Surflan AS Specialty Herbicide	12.0 quarts	12.0 lbs. a.i.
Picloram	Tordon 22K	2.0 quarts	1.0 lb. a.e.
Rimsulfuron	Grapple	4.0 ounces	0.0625 lb. a.i.
Sulfometuron Methyl	Oust XP	8.1 ounces	0.38 lb. a.i.
Tebuthiuron	Spike 20P	20.0 pounds	4.0 lbs. a.i.
Triclopyr	Garlon 4 Ultra	8.0 quarts	8.0 lbs. a.e.
Note #1: Certain herbicides have different maximum application rates depending upon the application situation, such as			
rangeland vs noncropland, Be sure to follow the label directions pertaining to the application site in question.			
Note #2: There are several formulation concentrations associated with this active ingredient. User will have to make sure that the			
amount of formulated product to be applied equals the amount of active ingredient intended for application.			
Note #3: The label identifies the specifics for treating bodies of water, pointing out:			
1. Do not exceed 400 ppb concentration in the water any one application of the herbicide.			
2. Do not retrat the same section of water with this herbicide more than 6 times per year.			