

**PERFORMANCE WORK STATEMENT
FOR MORTUARY SERVICES
TO SUPPORT**

Keesler AFB, Mississippi

Dated 16 September 2025

PREPARED BY

81 Contracting Squadron (81 CONS)

**STANDARDS OF OPERATION FOR DOD MORTUARIES
OR
PERFORMANCE WORK STATEMENT
FOR DOD CONTRACTED MORTUARY SERVICES**

September 2025

Contents

1. Introduction	2
2. Description of Services	2
3. Mortuary Services	3
4. Classification of Remains.....	4
5. Preparation of Remains	5
6. Embalming of Remains.....	6
7. Transportation of Remains.....	9
8. State, Territory, Local, or International Authority-Issued Permits and Certificates	10
9. Sheltering of remains	11
10. Cremation	11
11. Hygienic Compliance with Federal and State Laws	13
12. Pre-Contract Award Inspection	13
13. Inspection of Crematory Facilities Prior to Award of Contract for Mortuary Services of Authorized Personnel.....	14
14. Service Delivery Summary (SDS).....	15
15. Government Furnished Items	18
16. Contractor Furnished Items.....	18
17. Contract Data Requirements List (CDRL) Deliverables	19
Appendix A – Definitions and Acronyms	20
Appendix B - Funeral Home Pre-Award Survey Plan.....	22
Appendix C - Quality Assurance Surveillance Plan	25
Appendix D - Commercial Item Descriptions	26
Appendix E - Classification of Defects.....	28
E.1. Classification of Metal Casket Defects	28
E.2. Classification of Hardwood Casket Defects	30
E.3. Classification of Metal Urn Defects	32
E.4. Classification of Hardwood Urn Defects.....	34
Appendix F - Crematory Pre-Award Survey Plan.....	36
F1. Facilities	36
F4. Processing of cremated remains.....	36

1. Introduction:

This document establishes the DoD mortuary specifications for operation of DoD facilities providing mortuary services, and funeral homes under contract for DoD mortuary services, and will apply to all Service components. The Defense Federal Acquisition Regulation Supplement (DFARS) includes clauses unique to the procurement of mortuary services (252.237-7000 through 252.237-7011). Contracting Officers must utilize the standards contained herein when contracting for mortuary services. The standards contained herein are not applicable to deaths where the person authorized to direct disposition (PADD), or where the person with authority to effect disposition¹ elects to make all arrangements for the disposition of remains.

2. Description of Services:

2.1. Purpose: The 81st Force Support Squadron is acquiring mortuary services for the embalming, restoration, other preparation, care, and disposition of remains of authorized personnel. The contractor shall provide licensed facilities², equipment, licensed funeral service practitioners, motor vehicles, professional services, supplies, death certificates, caskets, urns, outer shipping containers, transportation and perform hygienic practices as specified in this performance work statement (PWS). The contractor will comply with all existing federal, state, territory, and local licensing requirements and regulatory standards applicable in the area of performance of this contract.

2.1.1. Authorized Personnel. The following types of personnel may be authorized by management to be present in the preparation room while human remains are being embalmed, washed, or otherwise prepared for final disposition:

a. Licensed embalmers and unlicensed assistants. The contractor shall comply with applicable federal, state, local, or jurisdiction laws in which the funeral home is located when using unlicensed assistants.

b. Licensed and registered interns/apprentices/students as defined by state licensing boards.

c. Public officials or representatives in the discharge of their official duties; and

d. Licensed medical personnel.

2.2. Time allotted to perform: The contractor will furnish the materials ordered and perform the services specified by the contracting officer or designee as promptly as possible. The contractor will perform the services not later than 24 hours after receiving notification to remove the remains, or after the remains have been released to Government control, excluding the time necessary for the Government to inspect and check the results.

¹ The “person authorized to direct disposition” pertains to the person authorized to direct disposition for remains of military members. The term “person with authority to effect disposition” generally applies to the person authorized to effect disposition of civilian remains.

² The term “licensed facility” as used herein includes any facility licensed by the state or territory for the embalming and preparation of human remains, and complies with Appendix B of this document.

2.3. Area of performance: The area of performance is the geographic boundaries that determine whether the mortuary services contract applies to the services required by the Armed Services and whether or not transportation charges for removal or delivery of the remains, may be charged. (See DFARS 252.237.7004.) This area is a four-hour radius from Keesler Air Force Base, Mississippi.

2.4. Quality Assurance: The goods and services purchased from the contractor or provided by a DoD mortuary will meet or exceed the standards contained within this PWS. The Government reserves the right to perform inspections to ensure supplies and services conform to prescribed requirements as set forth in this document.

3. Mortuary Services:

3.1. General: The contractor will provide complete disinfection, preservation, and restoration of the remains as set forth in this document. The contractor will practice hygienic measures that comply with applicable local, State, territory, and Federal laws, regulations, and rules. (Note: Disciplinary action by a regulatory agency or licensing authority may be the basis for non-consideration or termination of a contract.)

3.2. Processing or Reprocessing of Remains.

3.2.1. Un-embalmed Remains: Remains will be placed in refrigeration at 36-38 degrees F (2.2-3.3 degrees C) until the remains are identified and the disposition instructions have been received.

3.2.2. Processing of Remains: The embalming will ensure complete disinfection and preservation of all tissue. Additionally, when the condition of remains allow, all efforts will be made to restore remains in accordance with (IAW) paragraph 3.2.5 to facilitate viewing. The contractor will ensure that cosmetics are applied to the deceased and that the remains are dressed or wrapped, casketed, and transported as directed by the Service's mortuary affairs representative.

3.2.3. Chemical Preservative Preparation: Arterial, cavity, and other embalming chemicals will be used in the treatment of all remains IAW paragraph 6 of this document.

3.2.4. Reprocessing of Remains: When remains are received, either at the port mortuary or receiving funeral home, which require additional/corrective preparation or restoration, all discrepancies will be documented by the embalmer and corrected as directed by the Service's mortuary affairs representative.

3.2.5. Restorative Art: Restorative art is defined as care of the deceased to recreate natural form and color to provide an opportunity for the family to view the deceased.

3.2.5.1. Minor restorations include, but are not limited to, correcting a misaligned fracture, hypodermic tissue building, reduction of swelling, sub-tissue surgery (mouth or eye), waxing (lips, abrasions, sutures or razor burns), suturing clean cuts, small hair replacements

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

(eyebrow, eyelash, or temporal hair), bleaching and concealing minor discolorations or removal and restoration of fever sores (scabs). Consent from the person with authority to direct or effect disposition is granted by signature on DoD, Service or local mortuary form or for civilian decedents the civilian mortuary equivalent form.

3.2.5.2. Major restorations include, but are not limited to, the restoration of a full head of hair, sub-tissue surgery of a swollen neck, problems with misaligned or protruding teeth, deep wound preparation (after excision of necrotic, mutilated or diseased tissue), care of deep lacerations, repair (or reconstruction) of multiple fractures, third degree burns, skin slip, dismemberment of a limb (or head), and complete loss of a part. Technical skill is required to artificially construct a distorted portion of the face or cranium, wax surfacing over a large wound (cheek, forehead, or neck), modeling a facial feature, achieving a natural appearance when masking a completely discolored face (or large post-mortem stain) with opaque cosmetics or matching wax with the complexion. Consent from the person with authority to direct or effect disposition is granted by signature on a DoD, Service, and local, or civilian mortuary equivalent form.

3.2.5.3. Semblance of limbs. The DoD mortuary facility or contract funeral home will not undertake the creation of the semblance of limbs without express written authorization on a DoD, Service, local, or civilian mortuary equivalent form, from the person with authority to direct or effect disposition. A copy of the written authorization will be placed in the deceased's casualty/mortuary file.

4. Classification of Remains:

4.1. General: The DoD mortuary facility or contract funeral home embalmer will make a recommendation to the Service mortuary representative regarding view ability of the deceased. Remains will be classified in one of three categories: viewable, viewable for identification only, or non-viewable. View ability recommendations have sub- classifications. Every attempt will be made to restore remains to a natural form and color that permits the person with the authority to direct or effect disposition to make the decision on whether the remains be viewed or not. The manner in which the remains are to be prepared will take into consideration cultural and religious customs and traditions and the PADD's preferences.

4.1.1. VIEWABLE. Remains are considered viewable when the face and hands have only minor or no trauma, edema, dehydration, or discoloration. Remains may be fully restored to a natural color and form. Condition of remains allows for dressing in uniform or other clothing selected by the person with the authority to direct or effect disposition.

4.1.2. VIEWABLE FOR IDENTIFICATION. Remains may or may not be fully intact; with face and hands that may have trauma, edema, dehydration, or discoloration. Although remains may be missing limbs or have received other trauma, condition of remains allows for dressing in uniform or other clothing selected by the person with the authority to direct or effect disposition. Remains may be restored to an appearance suitable for visual recognition.

4.1.3. NON-VIEWABLE. Remains may or may not be fully intact; and may manifest extreme trauma, edema, dehydration, discoloration, or decomposition. Remains may not be restored to an appearance suitable for visual recognition. Condition of remains may not allow

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

for dressing in uniform or other clothing selected by the person with the authority to direct or effect disposition.

4.1.3.1. HEADWRAP. Remains are categorized as such when they are categorized as non-viewable with the face or head having severe trauma, edema, dehydration, or discoloration where restoration to a condition of viewable recognition is not possible. However, the condition of remains allows for dressing in uniform or other clothing selected by the person with the authority to direct or effect disposition. The head wrap will be accomplished IAW paragraph 6.7.2.1.

4.1.3.2. FULL BODY WRAP. Remains categorized as non-viewable. The remains may not be intact or have sustained severe trauma, edema, dehydration, or discoloration where restoration to a condition of viewable recognition is not possible will be prepared using a full body wrap. The full body wrap will be accomplished IAW paragraph 6.7.2.2.

5. Preparation of Remains:

5.1. General: DoD mortuaries and funeral homes under contract to provide DoD mortuary services will prepare and embalm the remains unless embalming is expressly prohibited in writing by the person authorized to direct or effect disposition. Frequently, final disposition of processed or reprocessed remains may not be affected for a period of 10 days or more or the remains may be subjected to extreme weather conditions, or the remains may be transported over long distances. All remains, whether viewable or non-viewable, require variations in preservation techniques and procedures to accomplish maximum disinfection, preservation, and restoration of all body tissues. The following procedures will be accomplished in the course of processing or reprocessing all viewable remains, and to the extent possible, non-viewable remains.

5.1.1. Insect Treatment: Maggots and other insect larvae shall be destroyed and removed, and their breeding sites in or on the remains thoroughly treated with an appropriate chemical.

5.1.2. Disinfecting: All body orifices shall be treated with a non-astringent, disinfectant chemical.

5.1.3. Washing: All body surfaces will be thoroughly washed with warm water and germicidal soap. Special attention will be given to the viewable surfaces, i.e. the face and hands.

5.1.4. Grooming: For military personnel male facial and scalp hair shall be washed and groomed to conform to military standards; suitable hair preparation shall be accomplished for females to conform to military standards unless expressed otherwise in writing by the PADD. Fingernails shall be cleaned and trimmed. For non-military personnel, the Service mortuary representative will check with the family to ascertain personal preferences.

5.1.5. Setting features: The mouth will be securely closed by needle injector, muscular or mandibular suture, where the lips abut to form a natural expression. The eyes shall be securely closed by the use of eye caps, with proper attention given to prevent wrinkling of the eyelids and a sunken appearance.

5.1.6. Body positioning: The body will be positioned to appear comfortable and restful.

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

The head will be positioned straight, without any turn, and hands will be positioned left over right. Deviation will be dependent upon the conditions of the remains at the discretion of the embalmer.

5.1.7. Damaged Tissue: The embalmer will determine when during the preparation process ulcerated, burned, and necrotic tissue, and/or bedsores, shall be excised and/or treated either by hypodermic injection or by cavity pack application of deodorizing/preserving chemicals.

6. Embalming of Remains:

6.1. Preparation of Viewable Remains: To obtain optimum results, a thorough pre-embalming case analysis will be completed by the embalmer utilizing the number of arterial injection sites necessary to ensure proper distribution of fluid. The only exception to this requirement is in the absence of a limb or the head. The arterial chemical solution injected into the remains shall contain a minimum 5% concentration, by volume, of formaldehyde or isomer of formaldehyde derivative preservative agent(s). The total volume of arterial solution injected shall not be less than 1 gallon per 50 pounds of body weight. Unless the decedent is edematous, a humectant must be added in equal volume to the arterial chemical, in the total fluid solution injected into the head and arms. It is permissible for a humectant based arterial chemical to be used in lieu of humectant additive being incorporated into the total fluid solution. For non-autopsied cases, the thoracic, abdominal, male genitals, and cranial cavities shall be thoroughly aspirated and injected with full-strength cavity chemicals having a 36-index (%) or greater. A minimum of 16 ounces of cavity chemical must be injected into the thoracic cavity, and a minimum of 16 ounces in the abdominal cavity and male genitals, and a minimum of 2 ounces of cavity chemical to ensure preservation of contents of the cranial cavity, having a 36-index (%) or greater. Hypodermic injections, packs, or other special treatments shall be accomplished, as required, to assure the disinfection and preservation of all body tissues. A suitable cream or lotion shall be applied on the face and hands to prevent dehydration.

6.2. Preparation of Non-viewable Remains: To obtain optimum results, a thorough pre-embalming case analysis will be completed. Each gallon of arterial fluid shall contain a minimum 10% concentration, by volume, of formaldehyde or isomer of formaldehyde derivative preservative agent(s). The total volume of arterial solution injected shall not be less than 1 gallon per 50 pounds of body weight. All body areas shall be further treated by means of hypodermic injection using undiluted cavity chemicals having a 36-index (%) or greater. In addition, packs, special gels and/or dry sanitizers shall be used, as required, to ensure preservation, prevent leakage, and eliminate all offensive odors. The thoracic, abdominal, male genitals, and cranial cavities shall be thoroughly aspirated and injected with full-strength cavity chemicals having a 36-index (%) or greater. A minimum of 16 ounces of cavity chemical must be injected into the thoracic cavity, and a minimum of 16 ounces in the abdominal cavity and male genitals, and a minimum of 2 ounces of cavity chemical to ensure preservation of contents of the cranial cavity, having a 36-index (%) or greater. When arterial injection and/or cavity treatment is not possible, all articulated and disarticulated anatomical portions shall be thoroughly disinfected and preserved via hypodermic injection and accessory chemical embalming techniques. Immersion and/or hypodermic-injection with a trocar and/or syringe and needle, using full strength cavity chemicals 36-index (%) or greater is acceptable. Surface application of liquid, gel, or dry sanitizers and preservatives is also required to supplement primary needle and/or hypodermic injection techniques.

6.3. Autopsied Remains: If a partial or complete autopsy is performed, a 6-point injection with multisite drainage shall be accomplished, using the arterial chemical solutions requirements as specified in 6.1. or 6.2. Hypodermic-injection of the thoracic and abdominal walls; back,

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

buttocks, male genitals, shoulders, vertebral column with an undiluted cavity chemical having a 36-index (%) or greater is required. The scalp will be injected by syringe and needle with the chemical solution used for the arterial injection. Under no circumstances with the Service provider dispose of or destroy any internal organs (viscera) or partial remains. The viscera from remains that have had a cranial, thoracic and/or abdominal examination, shall be removed, cut into sections not greater than 2 x 2 inch and immersed in a undiluted cavity chemical having a 36-index (%) or greater, for an appropriate amount of time but typically a minimum of 2 hours. The inner surfaces of the body cavities shall be given a liberal application of gel formaldehyde or isomer of formaldehyde derivative preservative agent. The preserved organs are to be placed into the thoracic or abdominal cavities and liberally coated with a formaldehyde or isomer of formaldehyde derivative preservative agent and drying compound (hardening compound). When a cranial autopsy is performed, the vertebral and internal carotid arteries must be sealed, the cranial cavity shall be packed with cotton and drying compound, both in the cranium and the calvarium secured by cranial clamps or wiring. The scalp shall be replaced over the calvarium, the incision will be coated with drying compound and tightly and neatly sutured to avoid leakage and unnatural appearance. The color of the suture cord should blend with the deceased's hair.

6.4. Treatment of Scalp (Viewable Remains): If the scalp was shaved because of medical treatment or surgery, processing or reprocessing shall be accomplished as specified for viewable remains, after which the cranium shall be wrapped with gauze or equivalent in a neat and professional manner. The component Service retains the ability to use an authorized uniform hat or beret, in lieu of gauze wrap. For remains requiring a partial head wrap the remains will be prepared IAW paragraph 6.1. The embalmer will ensure the tissue is firm, dry, and thoroughly preserved. The wrapping will be accomplished IAW paragraph 6.7.2.1., but will be limited to covering the affected area of trauma providing the possibility of viewing if desired by the person with authority to direct or effect disposition.

6.5. Mutilated Hands (Viewable Remains): When the hands are mutilated, to the point that restoration is not possible, or discolorations are present that cannot be cleared, the hands shall be treated in a manner which shall render all tissue firm, dry, and thoroughly preserved. The hands, regardless of condition, will then be placed in opaque, leak proof gloves followed by white (military) cloth gloves.

6.6. Wounds, stains and discolorations: All lacerations, abrasions, incisions, excisions, and burn wounds shall be sealed and/or sutured to prevent leakage. Swollen or distorted features shall be reduced, if possible, to the normal contours. Applying packs and/or needle injection may be used to chemically bleach ante mortem/postmortem stains. On viewable areas, masking cosmetics may be used to render stains/discolorations non-detectable.

6.7. Dressing Remains: The person with authority to direct or effect disposition will be consulted and provided the opportunity to determine the clothing the deceased is to be dressed, or which is to be displayed upon the top of wrapped remains, as the situation dictates. The contract funeral home or DoD facility providing mortuary services will be provided the clothing selected. Prior to dressing, all remains will be placed in a white, opaque, or clear leak proof protective undergarment (one-piece plastic garment used to cover the entire body from the neck down to include the feet). Drying powder and/or preservative powders will be placed inside the protective undergarment to absorb any possible leakage or odors.

6.7.1. Viewable: Remains that have been processed or reprocessed as outlined in paragraph 6.1. will be dressed in the clothing provided by the Service mortuary representative.

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

6.7.2. Non-viewable with Full Body Wrap: Remains that have been processed or reprocessed as outlined in paragraph 6.2. will be draped in the clothing provided by the Service mortuary representative. Trauma that is isolated to a specific area will be wrapped with gauze or equivalent in a neat and professional manner. Example: In severe head trauma, the head will be sealed to ensure no leakage occurs, and then wrapped IAW paragraph 6.7.2.1.

6.7.2.1. Head Wrap. During the embalming process, the tissue shall be prepared to present as natural a head shape as possible once the head wrap process is complete. Required materials to accomplish the head wrap process include: two (2) clear or semi-transparent plastic (.78 mil or greater) liner bags approximately 24" by 23"; 2" white surgical tape or 2" clear strapping tape; 12 yards of 4.5" (Sterile or Non-sterile) gauze bandage (approx. 3 rolls); cotton prep towels; (sterile or non-sterile) absorbent cotton or absorbent sheet product. Prior to beginning the wrapping process, all tissue and hair shall be rendered as dry as possible. Wrapping shall be accomplished as follows: The embalmer will place one clear or semi-transparent bag over the head and tuck down into the full-body, plastic garment, as required in paragraph 6.7. Ensure all air is removed from the bag before it is secured at the base of the neck with tape. Taping the bag around the forehead, over the nose and over the chin may provide a more aesthetically pleasing shape. The embalmer will place a second clear or semi-transparent bag over the head and repeat the above steps, taking care not to lose shape of the facial features, if present. A minimum of three (3) strips of gauze bandage will be prepared side by side, overlapping .25 inch and centered over the crown of the head extending to the base of the skull and the base of the chin. The bandage will be tightly stretched and unobtrusively secured by tape. Beginning at the natural hairline on the left side of the head, the embalmer will secure the end of gauze bandage roll. Once secure, the gauze bandage will be wrapped around the head, overlapping the previous row of bandage by one half the width of the gauze bandage. This is done to ensure no visibility of the underlying plastic bag or and to present a neat and professional appearance. The gauze bandage will continue to be wrapped around the head, down the neck until it reaches the base of the neck and will be secured with white surgical tape. The remains should then be dressed IAW paragraph 6.7., ensuring no tape is visible above the collar of the shirt or blouse.

6.7.2.2. Wrapped Remains: Remains that have been processed or reprocessed as outlined in paragraphs 6.1. or 6.2. and are traumatized to the extent that the remains cannot be dressed, shall be wrapped.

6.7.2.2.1. Wrapping shall be accomplished as follows: Polyethylene sheeting (5 mil or greater) and a wool blanket shall be furnished by the Service's mortuary representative. The military wool blanket shall be spread on the dressing table with opposing corners at the head and foot ends of the table. The blanket is then covered with white cotton sheet followed by a sheet of polyethylene. Cotton strips are laid down the center of the plastic sheet and liberally coated with a preservative/drying compound (hardening compound). The dorsal side of the remains shall be coated with a gel preservative and then laid on top of the prepared wrapping material on the dressing table. The ventral side of the remains shall be liberally coated with a preservative/drying compound (hardening compound). Additional cotton strips shall be placed over the remains, completely covering them. The polyethylene sheet is then folded in around the remains. The folding of the polyethylene sheeting, white cotton sheet and wool blanket shall be uniform, with the head and foot ends folded in first.

6.7.2.2.2. The wrapping material on the left side of the remains shall be folded to the right. The right side then folded to the left side of the remains shall be secured with tape or pins, as applicable and described below. All seams in the polyethylene sheeting shall be sealed with nylon filament packing tape, to ensure no odor and/or fluid is emitted from the wrapping.

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

When necessary, in extreme cases, duplicate layers of polyethylene sheets may be used. The white cotton sheet is then wrapped around the polyethylene-sheathed remains, secured with large safety pins (silver in color, 2-3 inches) placed no more than 4 inches apart. The wool blanket is then wrapped around the white cotton sheet, which shall have as few creases as possible, and secured with large safety pins placed no more than 4 inches apart. A tag identifying the deceased shall be attached to the foot end of the wrapped remains bearing the deceased name, rank, last four of the social security number or common access card (CAC) identification number, and date of death.

6.8. Cosmetics: Cosmetics shall be applied only in the amount necessary to produce natural color and texture. For female Service members the cosmetics will conform to military standards unless expressly requested otherwise in writing by the PADD.

6.9. Embalmer Evaluation: The embalmer processing or reprocessing the remains shall critically evaluate the completed treatment to ensure all remains are effectively disinfected, uniformly preserved, and will arrive at its destination in excellent condition. The Service mortuary representative will authorize delivery or shipment of remains when assured that the services and supplies furnished by the contractor including the signed DD Form 2062 (Record of Preparation and Disposition of Remains, OCONUS) or the signed DD Form 2063 (Record of Preparation and Disposition of Remains, CONUS) meets this PWS and commercial item descriptions in their entirety.

6.10. Placement in Casket: Remains shall be placed in the casket in a manner that will create an appearance of rest and repose. When remains are prepared for transit or shipping, body positioning devices may be placed around the remains to prevent shifting. Only positioning devices available from funeral service suppliers are authorized. A piece of plastic will be placed between the decedent's head and the pillow. A piece of plastic will be placed under the hands, for transit, to ensure cosmetics are not transferred onto the uniform or clothing. When white gloves are utilized, no plastic is required under the hands. A clean piece of tissue will be placed over the face. The casket shall be within specifications identified in Appendix D and of sufficient size to prevent the appearance of crowding and cramping. When an "oversize" casket is used, the preparing facility will notify the Service mortuary representative.

6.11. Quality Assurance Evaluation: Remains will be inspected as follows: after embalming, after dressing, and after placement of remains in a casket. Failure to pass these inspections will require the contractor to remove the remains from the casket and perform one or more of the following services as directed by the contracting officer or designee: additional disinfectant or preservative treatment, re-dressing or rewrapping, or placement of remains in new casket when the original casket is defective.

6.12. When the Service mortuary representative directs corrective action under this paragraph, the contractor shall perform the corrective measures and other required services again at no additional cost to the Government.

7. Transportation of Remains:

7.1. Removal: Transport remains in a funeral coach, or appropriate first-call vehicle, from the place where death occurs, from where remains are released by convening medical authority, or from any place designated by the Service mortuary representative to the place where processing,

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

reprocessing, or cremation is to be performed.

7.2. Prior to transport of the casketed remains, if the casket has an adjustable bed it will be lowered to the bottom. When applicable the locking tube cap or memorial cap will be removed prior to air shipment. A casket key will be provided for all international shipments.

7.3. Encasing Casket for air transport. The casket will be placed in a new outer shipping container as required. All shipping documents will be affixed to the outside of the shipping container. For authorized personnel, the casket will be flag draped prior to being placed in the air tray. (See Appendix D-1.7 for information on the air tray.)

7.4. Overland transportation of casketed remains. The casketed remains will be placed feet first in a funeral coach or other appropriate vehicle authorized by the Service. For authorized personnel, the casket will be flag draped prior to transport.

7.4.1. Delivery of casketed remains: Remains will be transported in a funeral coach or other appropriate vehicle authorized by the Service, to a place designated by the person with authority to direct or effect disposition. This may include the following: directly to a common carrier, the receiving funeral home, or to a Government or non-Government cemetery. The vehicle carrying the remains shall arrive at the designated location at the time specified by the Service mortuary representative.

7.4.2. Common Carrier: Remains shipped by common carrier will be delivered to the airport IAW local airport/common carrier requirements. Transfer from the preparing mortuary facility to a common carrier will be in a funeral coach or other appropriate vehicle authorized by the Service.

7.4.3. When subsequently identified remains are transferred to a crematorium, the cremation container will be accompanied by a flag, when authorized, during the movement. Cremated remains will be delivered to the designated location as directed by the person with authority to direct or effect disposition. When authorized an escort, the inurned remains will be transported in a government provided vehicle, i.e. GOV or appropriate government provided rental vehicle.

7.5. Employee Attire: Personnel providing any transportation of the remains will be dressed in traditional business attire. Traditional business attire includes business suits, dress shirts, and ties for men. It includes business-oriented suits for women, both skirted suits and tailored pantsuits. Appropriate dress shoes (closed-toe/closed heel), socks and/or hosiery are also a requirement for any outfit to qualify for traditional business attire. Military personnel will wear appropriate military uniform designated by the Military Service. Wearing of outer garments and protective footwear is authorized for inclement weather or as required.

8. State, Territory, Local, or International Authority-issued Permits and Certificates:

8.1. The preparing facility representative will obtain the necessary permits, licenses, and documentation issued by legal authority to inter, cremate, or transport remains (e.g. Burial/Transit Permits) and provide one copy to the Service mortuary representative at the time the remains are inspected and accepted by the Service mortuary representative.

8.2. The contractor will submit the necessary information and documents to the legal authority that is authorized to issue death certificates.

8.2.1. The contractor shall obtain 10 certified copies of the final death certificate from the issuing authority, and will provide them within 10 business days of being issued to the Service mortuary representative or the Service Mortuary Affairs Office.

8.2.2. In the event a supplemental/amended death certificate is issued, the preparing facility representative will provide 15 copies of the final death certificate to the Service mortuary representative or the Service mortuary Affairs Office within 10 business days of being issued.

8.2.3. The preparing facility representative will provide two copies of any other official document(s) issued in conjunction with the death (e.g., medical examiner cremation authorization certificate, cremation certificate) to the Service mortuary representative or the Service Mortuary Affairs Office within 10 business days of being issued.

9. Sheltering of remains:

The Government may, at no additional charge, require the preparing facility to hold the remains for an additional period; not to exceed 72 hours from the time the remains are casketed and final inspection completed, to accommodate movement of escorts and/or family members.

10. Cremation:

The only time cremations will be provided under provisions of this document are for subsequent portions or retained organs. Cremation of remains defined as whole body or a non-intact torso, may not be performed in a mortuary operated by a Military Service or through a funeral home or crematory under contract with a Military Service.

10.1. Cremation of subsequently identified remains directed by the person with authority to direct or effect disposition: This identifies services, supplies, and transportation requirements for cremation when directed by the person with authority to direct or effect disposition. The alternative cremation container provided will meet the commercial item description as stated in Appendix D, and be utilized for the cremation of all subsequent remains. Subsequently identified remains and retained organs will be prepared as a full body wrap as outlined in paragraph 6.7.2.2. prior to cremation. A tag identifying the deceased will be attached to the top of the blanket. The tag will bear the deceased's name or name of the Group Designation, rank, last four numbers of the social security number or CAC identification number, and date of death. The person with authority to direct or effect disposition will specify whether a solid bronze or solid walnut urn will be provided. The preparing facility representative will provide an urn for entitled personnel that meets the applicable urn specification as stated in Appendix D. The bronze urn will be engraved with the name, rank, date of birth, and date of death (Month, Day, and Year). However, on a solid walnut urn, the information will be inscribed on an engraving plate. The preparing facility representative will ensure all the cremated remains recovered from the retort are placed in the urn and delivered to the destination designated by the person with authority to direct or effect disposition.

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

10.2. Cremation of subsequently identified remains or retained organs affected by the Service as directed by the person with authority to direct or effect disposition: When directed by the person with authority to direct or effect disposition, the Service will effect disposition IAW DoD mortuary affairs instructions.

10.3. Cremation of unidentified remains: The Service will effect disposition of unidentified remains IAW DoD mortuary affairs instructions.

10.4. When the preparing facility representative contracts a crematorium to provide the cremation services, the preparing facility representative will directly pay the crematorium for the cremation services.

10.5. Prior to delivery of remains to the crematorium, the preparing facility representative will ensure that the retort (cremation chamber) and cremulator are operational. In the event either is inoperable, the preparing facility representative will arrange for cremation services to be performed to the standards of this section at another facility at no additional cost to the Government.

10.6. Crematorium and cremation procedures: This section establishes crematorium and cremation procedures to include verification of identification of the remains to be cremated.

10.7. Receipt and verification of remains within the cremation container at the crematorium: Remains will be verified by the crematorium authority upon receipt by checking the tags affixed to the blanket against the documentation accompanying the remains. This will constitute adequate verification of identification of the remains by the crematory operator. In the event the information on the tag is not in agreement with the documentation accompanying the remains, no cremation will be accomplished until the identification discrepancy is resolved. The crematorium will provide a receipt for the remains to the Service mortuary representative. The receipt must show the name and address of the crematorium, date and time of delivery of remains, verified name of deceased or group designation, the type of container used to deliver the remains, and the type of urn provided. The receipt must be signed by both the person delivering the remains and the crematorium representative receiving the remains.

10.8. Sheltering of remains for cremation: When the crematory operator is unable to cremate the remains immediately upon taking custody thereof, the crematorium authority will place the remains in a holding area not accessible to the public. Remains will not be stored overnight at the crematorium, if the crematorium is not attached to a funeralhome.

10.9. Remains accountability: Immediately prior to being placed within the retort, the crematorium authority will assign a cremation number that will correspond to the number on a metal ID disk, ceramic tile, or similar device. The numbered ID disk, ceramic tile, or similar device will be placed in the retort with the remains being cremated. The numbered disk, tile, or similar device will be maintained with the cremated remains from the retort until the cremated remains are placed in the urn. The numbered ID disk, ceramic tile, or similar device will then be affixed to the packaged cremated remains inside the urn.

10.10. Processing Cremated Remains.

10.10.1. Upon completion of cremation, the cremated remains will be removed from the cremation chamber and the retort swept clean. The cremated remains will be placed in a container or tray dedicated solely to that cremation. The identification disk, ceramic tile, or similar device

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

will be attached to the container or tray to wait final processing.

10.10.2. All body prostheses, bridgework, or similar items; metallic casket parts; and uniform accouterments not consumed or destroyed in the cremation process will be segregated from the cremated remains and disposed of as regulated medical waste.

10.10.3. All cremated remains will undergo final processing where each fragment is reduced to an unidentifiable dimension of no more than 1/8 inch in size.

10.11. Inurnment of cremated remains: After processing, the cremated remains will be placed in an urn with the identification disk, ceramic tile, or similar device affixed to the top of the packaged cremated remains inside the urn.

10.11.1. If the cremated remains do not fill the urn, the extra space shall be filled with clean cotton. If the volume of the cremated remains exceeds the capacity of the urn provided, the Service mortuary representative will be notified to authorize a specification urn of adequate capacity to hold the cremated remains.

10.11.2. Release of cremated remains. The cremated remains will be released to the Service mortuary representative on the day of the cremation.

10.11.2.1. The crematorium representative will provide the Service mortuary representative with a receipt for the release of the urn containing the cremated remains. The receipt must display the following: the name and address of the Government activity receiving the urn and cremated remains, the date and time of release of the urn and cremated remains, the verified name of the deceased or name of the Group Designation and the cremation number, the type of urn the cremated remains are released in, and the signatures of both the person releasing and the person receiving the remains.

10.11.2.2. Release Documentation: The preparing mortuary will provide all necessary documentation required for disposition of the cremated remains, to include the certificate of cremation and burial/transit permit. If applicable law does not prescribe the format for a cremation certificate, then the preparing mortuary will prepare and sign a certificate that includes the deceased's name or group designation, date of death or incident, date of cremation, the corresponding cremation identification number, and the name and address of the crematorium.

11. Hygienic Compliance with Federal and State laws:

Hygienic Practices: The preparing mortuary facility will employ universal precautions, protective equipment, and other hygienic measures and techniques designed to accomplish concurrent and terminal disinfection and decontamination of the preparation room, dressing, and shipping areas, IAW applicable laws, regulations, ordinances and codes.

12. Funeral Home Pre-Contract Award Procedures:

12.1. The contracting officer or designee, with or without the Service mortuary representative, will ensure that the funeral home is licensed to conduct and provide funeral services IAW state or

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

territory laws; possess a business license IAW local laws; and employs licensed funeral directors and licensed embalmers IAW state or territory laws.

12.2. An analysis of business practices, of up to 5 years, will be conducted. Any disciplinary actions such as suspensions, probation, fines or multiple consumer complaints may be considered as the basis for disqualification.

12.3. The preparation room must be (whether located on site or at a centralized embalming facility) clean, orderly, and in compliance to conform to Occupational Safety and Health Administration (OSHA) standards. The preparation room must have the proper equipment and embalming instruments and chemicals available and stored IAW OSHA standards. The preparation room must have an adequate biomedical waste disposal system and hot and cold running water available.

12.4. The establishment shall have a repose room and remains storage facilities that are not accessible to the public. The establishment must have music equipment, office facilities, and equipment necessary for religious services.

12.5. The firm must meet the standards of service within the time permitted by this contract. Contractor must have the capability to obtain additional assistance in an emergency.

12.6. The caskets, urns, and outer shipping containers provided by the contractor must conform to the commercial item descriptions included in Appendix D.

12.7. The contractor must understand and comply with the minimum requirements of the Armed Services specifications for the care of remains contained herein.

12.8. The contractor's funeral coach or first-call vehicle must be clean, properly maintained without visible defects, and is in compliance with applicable State Department of Transportation requirements.

12.9. The contractor will register and comply with Transportation Security Administration requirements for shipment of human remains.

13. Crematorium Facilities Pre-Contract Award Procedures:

13.1. The contracting officer or designee, with or without the Service mortuary representative, will ensure that the crematorium to be used by the contractor is licensed to conduct and provide cremation services IAW applicable laws, regulations, ordinances and codes; possesses a business license IAW applicable laws, regulations, ordinances and codes, and employs personnel who are certified crematory operators.

13.2. The contracting officer or designee will ensure that the crematory to be used by the contractor is used solely for purposes of human cremation.

13.3. The crematory shall be located in an area that ensures the safeguarding of the remains being processed at the facility.

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

13.4. An analysis of business practices, of up to 5 years, will be conducted. Any disciplinary actions such as suspensions, probation, fines or multiple consumer complaints may be considered as the basis for disqualification.

13.5. The crematorium shall be clean, orderly, and conform to OSHA standards. The crematorium's receiving and holding area will be secure and not accessible to the public. Additionally, the holding area shall be climate controlled.

13.6. The crematorium shall have an established remains accountability process that includes numbered identity metal disks, ceramic tile, or similar devices to track identity of the remains through the cremation process until inurnment. Remains identification tracking records will be maintained IAW state law, but no less than 7 years.

13.7. The crematory operator will demonstrate that the retort's ignition burner and the after burner are operational.

13.8. The crematory operator will demonstrate that the equipment and tools available are capable of adequately sweeping cremated remains from the retort.

13.9. The crematory operator will demonstrate that the processor is operational and capable of reducing each fragment to an unidentifiable dimension of no more than 1/8 inch in size.

13.10. The crematorium will meet the standards of service within time permitted by this contract. In addition, the crematorium must have capability to obtain additional assistance in an emergency.

13.11. The crematory operator must understand and comply with the minimum requirements of the specifications for cremation, identification, accountability and documentation contained herein.

14. Service Delivery Summary (SDS)

(Refer to Service Delivery Summary Figure 14.0. for ease of reference)

14.1. The SDS cites:

14.1.1. The performance objective (service required)

14.1.2. The performance threshold (specific standard) required

14.2. In accordance with the Inspection of Services Clause, the contractor will not be paid for services unless services are rendered IAW the standards set forth in the contract.

14.3. Payments to the contractor per remains will be reduced for unsatisfactory performance using the following methods:

14.3.1. For each of the remains, the contractor's performance will be compared to contract standards.

14.3.2. If performance in any required service is unsatisfactory and the poor performance is clearly the fault of the contractor, an amount of money up to the unit line item price multiplied

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

by the percentage of the service found to be unsatisfactory will be deducted.

14.4. Quality Control. The contractor shall establish a complete Quality Control Plan (QCP) to ensure the requirements of the contract are provided as specified. One copy of the Contractor's QCP shall be provided to the contracting officer at the Pre-Award Survey. Provide an updated copy to the contracting officer on the contract start date and as changes occur. The plan shall include, but is not be limited to, the following:

14.4.1. Contract/Agreement number.

14.4.2. An inspection system covering the services stated in Fig. 14.0, Service Delivery Summary (SDS). It must specify areas to be inspected on a scheduled or unscheduled basis and the title of the individual who will do the inspection.

14.4.3. Description of processes and controls used to verify acceptable performance.

14.4.4. The contractor-developed metrics used to verify the performance level of each objective.

14.4.5. The metric reported as a qualitative value (% , > , < , etc.) and the definition and numerical figures used to calculate the percent or outcome.

14.4.6. A method for identifying deficiencies in the quality of services performed before the level of performance is unsatisfactory.

14.4.7. A file of all inspections conducted by the contractor and corrective actions taken. The file will be made available to the Government during the term of the contract.

14.4.8. Performance Evaluation Meetings. The manager or owner shall meet with the Quality Assurance Program Coordinator (QAPC), Quality Assurance Evaluator (QAE) and contracting officer as requested during the first months of the contract. The QAPC is a representative from the Keesler AFB Contracting Office and the QAE is a representative from the Keesler AFB Mortuary Affairs Office.

14.4.8.1. Meetings with the contracting officer, QAPC, and QAE shall be as often as necessary thereafter as determined by the contracting officer.

14.4.8.2. The written minutes of these meetings shall be signed by the contractor or his or her manager, contracting officer and QAE. Should the contractor not concur with the minutes, the contractor shall state in writing to the contracting officer any areas wherein the contractor does not concur.

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

Performance Objective	PWS Paragraph	Performance Standard	Method of Surveillance
The contractor shall provide facility, personnel, and motor vehicle(s)	PWS para 7, 12, 13, B1	The contractor provided facility, personnel, and motor vehicle(s)	100% Inspection
The contractor shall employ universal hygienic practices	PWS para 11	The contractor employed universal hygiene practices	100% Inspection
The contractor shall transport remains as from the place requested by the designated Service mortuary representative	PWS para 7.1	The contractor transported remains as required by the Service mortuary representative	Customer Complaint
The contractor shall complete processing/reprocessing of remains	PWS para 3.2, 6	The contractor completed processing/reprocessing of remains	100% Inspection and review of DD Form 2063
The contractor shall provide proper dressing/wrapping, casketing, encasing casket, and loading of remains	PWS para 5, 6.7, 6.10, 7.3	The contractor provided proper dressing/wrapping, casketing, encasing casket, and loading of remains	100% Inspection and review of DD Form 2063
The contractor shall provide casket/urn in accordance with commercial description provided	PWS para 12.6, 16.2, 16.4, B1.8	The contractor provided casket/urn in accordance with commercial description provided	100% Inspection
The contractor shall ensure delivery(ies) of remains	PWS para 7.4	The contractor ensured delivery(ies) of remains	Customer Complaint
The contractor shall prepare DD Form 2063, Record of Preparation and Disposition of Remains	PWS para 6.9, 7.2, 12.5, 15.1, C1.1	The contractor prepared DD Form 2063	100% Inspection
The contractor shall provide shipping container	PWS para 16.3, B1.9	The contractor provided shipping containers	100% Inspection and review of DD Form 2063
The contractor shall provide cremation services, engraving capability	PWS para 7.4, & 10	The contractor shall provide cremation services, engraving capability	100% Inspection

Figure 14.0. Service Delivery Summary

15. Government Furnished Items:

The Government shall provide the following items:

15.1. Department of Defense (DD) Form 2063, Record of Preparation and Disposition of Remains, (Preparation Room History). Rubber or polyethylene sheeting (5mil or greater thickness), wool blanket, and pins required to wrap non-viewable remains that cannot be dressed.

15.2. Necessary clothing.

16. Contractor Furnished Items:

In addition to items specified in Description of Services, the contractor shall furnish the following:

16.1. Secondary Funeral Home Payments

16.1.1. The Contractor will pay the secondary funeral home, not to exceed the primary and secondary expenses as described within AFI 34-501. This action will only be applicable when the Contractor is caring for the mortuary case in the role of primary funeral home.

16.1.2. The Contractor will not render the secondary funeral home payment prior to review and authorization by the Mortuary Affairs Officer approval to proceed.

16.1.3. The Contractor can apply up to a 3% fee, on the secondary funeral home payment, for labor and expenses incurred from this service.

16.2. Caskets. Commercial item descriptions are provided in Appendix D.

16.2.1. The casket furnished by the contractor for all remains shall be inspected. The QAE shall inspect the casket by observation.

16.2.1.1. In the event a casket is found to be defective, the Service representative may require the contractor to provide a replacement casket.

16.2.1.2. The Service representative may, at their discretion, have the defective casket evaluated and tested by Service authorities.

16.2.1.3. The Service representative will notify the contracting officer through the QAE of the non-compliance and recommend that action be taken against the contractor. Additionally, the contractor may be liable for the cost incurred by the Service at the final destination.

16.3. Shipping Containers. Commercial item description is provided in Appendix D.
The shipping container furnished by the contractor for all remains will be inspected. The QAE will inspect the shipping container to ensure serviceability.

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

16.4. Urns. Commercial item descriptions are in Appendix D.

16.4.1. The urn furnished by the contractor for all remains shall be inspected by the QAE by observation.

16.4.2. If an urn is found to be defective at the final destination, the Service representative may require the contractor to provide a replacement urn.

16.4.3. The Service representative may, at their discretion, have the defective urn evaluated by Service authorities. If the urn is found to be defective, the QAE will notify the contracting officer of the non-compliance and recommend that action be taken against the contractor. Additionally, the contractor may be liable for the cost incurred by the Service for replacement.

17. Contract Data Requirement List (CDRL) Deliverables

17.1. Licenses. The contractor shall submit licenses to the contracting officer in accordance with paragraphs 2, 8.1, 12.1, and 13.1. The contractor shall provide the required licenses at the pre-award survey, at contract start, whenever a change occurs, at the time the remains are inspected and accepted by the service mortuary representative, and upon request.

17.2. Permits. The contractor shall submit permits to the contracting officer and/or designee in accordance with paragraphs 8.1. The contractor shall provide the required permits at the time the remains are inspected and accepted by the service mortuary representative, and upon request.

17.3. Death Certificates. The contractor shall submit death certificates to the service mortuary representative in accordance with paragraph 8.2. The contractor shall provide the death certificates as required within 10 business days of issue.

17.4. Quality Control Plan. The contractor shall submit a QCP to the contracting officer in accordance with paragraph 14.4. The contractor shall provide the QCP at the pre-award survey, at contract start and whenever a change occurs.

CDRL	Description	Frequency
A001	Licenses	Initial, as needed
A002	Permits	Initial, as needed
A003	Death Certificates	Initial, as needed
A004	Quality Control Plan	Initial, as needed

Appendix A - Terms and Definitions

A1. Definitions:

Alternative cremation container. Alternative containers encase the body and can be made of materials like fiberboard or composition materials (with or without an outside covering). An alternative cremation container will be utilized for subsequent remains cremations.

Chemical preservative preparations. Arterial, cavity, and other embalming chemicals used in the treatment of all remains under this contract shall affect the maximum preservation and disinfection of all body tissues, including those associated with body cavities (internal organs).

Crematory- the machine that performs the cremation process.

Crematory operator. The legal entity or the authorized representative of the legal entity who conducts the cremation.

Crematorium. The building that houses the cremation chamber.

Cremated remains. The remaining bone fragments after the cremation process is completed.

Cremation. The technical heating process that reduces human remains to bone fragments. The reduction takes place through combustion and evaporation.

Cremation casket. The container in which the human remains shall be delivered to the crematory. The container will be placed in the cremation chamber for cremation. The casket shall meet or exceed the hardwood casket specifications.

Cremation chamber. The enclosed space within which the cremation process takes place.

Cremation chambers covered by these procedures shall be used exclusively for the cremation of human remains.

Cremulator. The machine that reduces the size of the cremated remains down to 1/8 inch or smaller.

Funeral coach. A vehicle specifically dedicated and designed for conveying a deceased person in a casket.

Sheltering facility. An area designated for the retention of human remains prior to cremation within the crematory facilities that shall comply with any applicable public health laws, preserve the dignity of human remains, and recognize the personal integrity and health of the crematory authority personnel operating the cremation chamber.

Human remains. The dead human body or portions of.

Non-viewable remains. Any remains which, due to extreme mutilation, advanced decomposition, or severe burns or charring cannot be restored to the known ante mortem appearance by restorative art.

Retort. The chamber in which the cremation container with remains are placed in to be cremated.

Processed cremated remains. The end result of pulverization where the residual from the cremation process is cleaned; leaving only bone fragments reduced to unidentifiable dimensions.

Processing of remains. The complete preservation (embalming) and disinfection, application of restorative art techniques and/or cosmetics, dressing and/or wrapping, casketing, and transportation of remains as directed by the contracting officer or designee.

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

Quality Assurance Evaluator (QAE). Representative of the contracting officer who normally performs surveillance of the contract.

Quality Assurance Program Coordinator (QAPC). Representative of the contracting office who oversees the quality assurance of the contract.

Reprocessing of remains. The inspection and correction of all discrepancies noted in preservation (embalming). Application of restorative art techniques and/or cosmetics, dressing or wrapping, casketing, and transportation of remains as directed by the contracting officer or designated representative.

Viewable remains. Any remains undamaged by trauma or disease; or those damaged by trauma or disease but viewable tissue surfaces have been restored to the known ante mortem appearance of the deceased by restorative artwork.

A2. Acronyms

CONUS: Continental United States (excludes Alaska and Hawaii)

COR: Contracting Officer's Representative

COTR: Contracting Officer's Technical Representative

DFARS: Defense Federal Acquisition Regulation Supplement

DoD: Department of Defense

FAR: Federal Acquisition Regulation

KO: Contracting Officer

OCI: Organizational Conflict of Interest

OCOUS: Outside the Continental United States (includes Alaska and Hawaii)

ODC: Other Direct Costs

OSHA: Occupational Safety and Health Administration

PADD: Person Authorized Direct Disposition

PIPO: Phase-in/Phase-out

POC: Point of Contact

PRS: Performance Requirements Summary

PWS: Performance Work Statement

QA: Quality Assurance

QAE: Quality Assurance Evaluator

QAPC: Quality Assurance Program Coordinator

QASP: Quality Assurance Surveillance Plan

QC: Quality Control

QCP: Quality Control Plan

TE: Technical Exhibit

Appendix B - Funeral Home Pre-Award Survey Plan

B1. Facilities, Vehicles, and Personnel.

B1.1. Standards and techniques: The contractor shall practice hygienic measures that will ensure complete and satisfactory disinfection and sanitation of the funeral establishment in compliance with OSHA standards. The contractor shall provide high quality service and a sufficient number of licensed embalmers to process (embalm) or reprocess any remains on a timely basis. Interns (apprentices) may be used to assist the licensed embalmer IAW applicable State regulations. All supplies and technical procedures shall conform to standards and professional techniques acceptable to the funeral service industry. Embalmers shall utilize any or all optimal techniques available to ensure complete and adequate treatment of remains.

B1.2. Preparation room requirements. The minimum requirements for the preparation room shall include, but not be limited to the following:

B1.2.1. The room must be large enough to accommodate and contain the minimum equipment and instruments necessary to accomplish the remains preparation outlined herein, allow enough work area to perform the complete preparation of all remains and dedicated for the purposes outlined in this paragraph.

B1.2.2. Standard commercial embalming chemicals used for arterial and cavity injection, special purpose chemicals, preservative gel preparations, sanitizing, drying and preservative powdered preparations.

B1.2.3. The room will be clean, orderly, and in compliance to conform to OSHA standards

B1.3. Sheltering room. Many funeral establishments do not have a special area for sheltering of remains. Therefore, an accepted area for sheltering remains is the preparation room or reposing room.

B1.3.1. In instances where the funeral establishment does not have a reposing room, the preparation room may be used for sheltering remains. Under these conditions, the room should be large enough to allow for the sheltering of remains and permit the preparation of other remains at the same time.

B1.3.2. If the funeral establishment uses a reposing room rather than the preparation room for sheltering remains, the room should be large enough to accommodate at least two casketed remains awaiting transportation or disposition.

B1.4. Funeral coach. The funeral establishment will have or may lease a suitable funeral coach for delivery of remains. The vehicle(s) shall be in good mechanical condition and appearance.

B1.5. Reception/Visitation Room. There will be space specifically designed to accommodate a receiving of friends or holding of a service. The furniture and furnishings shall present an appearance of cleanliness and be free from signs of excessive wear and tear.

B1.6. Licensing requirements. The funeral establishment must be licensed and in good standing as required by State laws, and have sufficient staff to furnish services as required under the contract.

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

B1.7. External appearance

B1.7.1. The outside of the building and grounds will present an appearance of being well maintained.

B1.7.2. Adequate parking will be available.

B1.8. Caskets and urns. The contractor must be able to obtain merchandise specified in Appendix D within 24 hours of being notified of the casket or urn selection.

B1.9. Shipping containers (air tray or equivalent): Casket shipping containers furnished by contractors will be wood-based and conform to the Performance Testing Specification requirements of the air carriers and subsequent connecting carriers. For overseas shipment, the contractor shall provide a casket-shipping container that meets the requirements of the air carrier(s) and the country involved.

B1.10. Inspection Form. A sample inspection form is provided at Figure B-1 *Funeral Home Facilities Inspection Checklist Format*.

B1.11. Crematory. A visual inspection will be made of the proposed crematory using Appendix F.

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

Installation_____Date_____		
Name and Address of Funeral Establishment		
1. PREPARATION ROOM	YES	NO
A. SIZE - Size is adequate.....	()	()
B. EQUIPMENT - Adequate for treatment of remains.....	()	()
C. INSTRUMENTS - Sufficient to prepare remains.....	()	()
D. SUPPLIES - Sufficient for remains preparation.....	()	()
E. VENTILATION - Adequate ventilation.....	()	()
F. APPEARANCE - Clean, orderly and free of extraneous items.....	()	()
2. STORAGE		
HOLDING REMAINS - Funeral home has space for sheltering remains.....	()	()
3. PRIVATE CARRIER		
TRANSPORTATION - Funeral home has a suitable funeral coach.....	()	()
4. OTHER AREAS		
A. CHAPEL - Funeral home has a satisfactory chapel.....	()	()
B. STATEROOM - Funeral home has a satisfactory stateroom for visitation.....	()	()
C. OFFICE - Office is satisfactory.....	()	()
5. STANDARD CRITERIA		
A. COMPLIANCE - Can meet all specifications, laws, and statutes on preparing remains.....	()	()
B. LICENSE - Funeral home and manager are currently licensed.....	()	()
C. STAFF - A competent professional staff is available.....	()	()
6. ESTABLISHMENT - EXTERNAL APPEARANCE		
A. BUILDING - Exterior appears to be clean and well maintained.....	()	()
B. GROUNDS - Grounds and parking areas appear to be well maintained.....	()	()
C. LOCATION- Surrounding area appears to be well maintained and comparable to the appearance of the majority of other area funeral homes.....	()	()
We, the undersigned, certify that the funeral home named above is () is not () acceptable to the (Branch of Service) to provide contractual mortuary services.		
Contracting Officer:		
Mortuary Officer/Other Officer:		

Funeral Home Facilities Inspection Checklist Format
Figure B-1

Appendix C - Quality Assurance Surveillance Plan

C1. Quality Assurance Surveillance Plan for Contracted Mortuary Services.

C1.1. Introduction. This Quality Assurance Surveillance Plan is designed to aid the Service Quality Assurance Evaluator (QAE) in providing effective and systematic surveillance of all aspects of the mortuary services being provided. This plan provides for monitoring all contract requirements through a combination of methods as follows: inspection, customer complaint, or Service Representative review of DD Form 2063.

C1.1.1. The Objective. The objective of the surveillance plan is to evaluate how the contractor is performing in key areas. We are primarily interested in the final product of services the contractor provides and not necessarily the details of how he does it.

C1.1.2. How To Use the Surveillance Plan. The QAE is responsible for using this surveillance plan.

C1.1.2.1. The QAE shall complete the inspection checklist portion of DD Form 2063.

C1.1.2.2. The QAE cannot develop a monthly schedule for this service. Services will be inspected as they are scheduled.

C1.1.2.3. The first inspection shall be when the remains are received, to determine the mortuary services required. The second inspection is after preparation is completed and before the remains are dressed or wrapped. The final inspection will be after the remains are clothed/ wrapped and placed in the casket. The final inspection includes the casket or urn as appropriate. Additional inspections will be conducted, as required, until noted discrepancies are removed and the mortuary services rendered appear to be satisfactory.

C1.1.2.4. The contractor's establishment, personnel, grounds, equipment, and motor vehicles shall be inspected by the QAE to determine whether the standards cited are still being maintained. Noncompliance shall be called to the contracting officer's attention for action against the contractor.

C1.1.2.5. The contractor's professional/technical performance in the complete processing/reprocessing of remains shall be evaluated by the Armed Services Mortuary Office. The evaluation shall be accomplished by review of DD Form 2063, completed by the contractor, and shall be applied against the requirements and standards prescribed in this PWS.

C1.1.2.6. In the event remains processed under this contract arrive at final destination and are found to be in an unsatisfactory condition, the Service representative shall evaluate the entire matter. This shall include, but not be limited to, the necessary services obtained by the Armed Service at the final destination in rectifying deficiencies; determining the extent of the contractor's noncompliance with the performance work statement. The Service representative shall furnish the contracting officer, through the QAE, recommended actions to include recovery of costs incurred by the Service at the final destination.

Appendix D - Commercial Item Descriptions

D1.1. This section establishes the commercial item descriptions for caskets, shipping containers, urns and emblems.

D1.2. Metal Interment/Entombment Casket: An 18-gauge steel, protective, gasketed casket, within the range of silver tone to gray. The casket shall be standard adult size or other size as appropriate based on the height and weight of the individual. The casket will be upholstered in a white, ivory or similar color crepe, satin or similar material. The casket will have a continuous fixed bar or swing arm handles. The bottom of the casket is attached by a continuous seam weld.

D1.3. Hardwood Interment /Entombment Casket: A solid hardwood casket, with a satin or high gloss walnut finish, upholstered in a rose tan, or other neutral color crepe, satin or similar material. The casket will have a continuous fixed bar or swing arm handles.

D1.4. Cremation Caskets: A hardwood casket, with a satin walnut finish, upholstered in a rose tan, or other neutral color made of crepe, satin or similar material. The casket will have handles that may be either a continuous fixed bar or swing arm. The casket must have a raised crown (flat top cremation caskets will not be acceptable) and will be constructed with minimum metallic parts and be specifically designed for cremation of human remains.

D1.5. Alternative Cremation Container: A minimum fiberboard container which will ONLY be utilized for the cremation of subsequent portions of human remains. DoD Mortuaries will retain an adequate supply of Alternative Cremation Containers for subsequent remains cremation.

D1.6. DoD Mortuaries will retain adequate supply of infant, child and youth caskets made of wood, with or without an outside covering; metal or plastic type material for families to select for purchase on a reimbursable basis.

D1.7. Shipping Containers (Air Tray or Equivalent): Shipping containers are authorized for shipment of standard and oversize caskets. Casket shipping containers furnished by contractors shall conform to the performance testing specification requirements of the air carriers and subsequent connecting carriers. For overseas shipment, the contractor shall provide a casket-shipping container that meets the requirements of the air carrier(s) and the country involved.

D1.8. Solid Hardwood Urns: Urns will be made of solid hardwood with a satin or high-gloss finish in a cube- like shape with flared base with an inside capacity of at least 300 cubic inches.

D1.9. Bronze Urn: Urns may also be made of bronze, of either wrought, cast, or at least a 64 ounce sheet in a cube-like shape with an inside capacity of at least 300 cubic inches.

D1.10. Protective Carrying Case for Urn: Provided upon request and availability, a protective case with a carrying handle that is specifically designed to encase a military specification urn for transport by an escort for delivery to the destination designated by the PADD.

D1.11. Military Emblems: The urn shall have affixed a cast bronze military emblem. The emblem's finish shall be satin for the raised portion while the background shall be a contrasting

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

darker color. The emblem shall be at least 3 inches in diameter. The emblem shall be affixed to the face side of the urn with two threaded brass studs, washers, and nuts. The portions of the studs extending beyond the nuts inside the urn shall be covered to prevent penetration and perforation of the urn's inner container. The emblem shall be centered from left to right on the upper portion of the face side of the urn to allow a balanced space below for engraving. The military emblems to be provided are U.S. Air Force, U.S. Navy, U.S. Marine Corps, U.S. Army, and U.S. Coast Guard as stipulated by the contracting officer or the designated representative. Specific emblems to be provided are illustrated in Figure D1.



Service Emblems
Figure D-1

Appendix E - Classification of Defects

E.1. Classification of Metal Casket Defects.

Examine	Defect	Classification (Major or Minor)
Primer		
Outside of bottom and inside of shell	No primer on outside of bottom or inside of shell	Major
Finish		
All exterior metal surfaces exposed to view, including surfaces that are exposed when casket is opened (not applicable to bottom)	Not within specified range of color	Major
	Orange peel or texture	Major
	Area of no film	Major
	Gritty surface or overspray that is rough to touch	Minor
	Wet or tacky surface	Major
	Any permanent stain or blemish	Major
	Paint on gasket	Minor
	Finish dirty, for example, oil, glue, or other non-permanent stain	Minor
Construction and workmanship		
All metal, rubber, and vinyl components, general (unless otherwise classified)	Any functioning assembly that is inoperative, for example, lid locks will not operate as intended	Major
	Any loose part, for example, if a fixed bar is loose fit to the lug or corner, or swing out bar is bent or fails to swing out smoothly	Minor
	Any functioning assembly that requires abnormal pressure to operate	Minor
Welding		
	Not welded where required or not specified type of welding	Major
	Weld burned through, not free from pits, holes, or fissures	Major

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

E.1. Classification of Metal Casket Defects. (Continued)

Metal fasteners		
Screws, bolts, nuts, etc.	Any missing, stripped, or otherwise damaged	Major
	Any fastener cocked	Major
	Not specified type of fastener	Major
Upholstery		
	Any component missing or stained	Major
	Any open seam, tear, or material defect	Major
	Waving or pleating crushed or matted down	Major
	Lining pulled away where it should be affixed	Major
	Outside flash not stripped	Major

E.2. Classification of Hardwood Casket Defects.

Examine	Defect	Classification (Major or Minor)
Color		
All exposed surfaces and outside of bottom	No color on outside or edge of bottom	Major
Finish		
All exterior wood surfaces exposed to view, including surfaces that are exposed when the casket is opened (not applicable to bottom)	Not uniform range of color	Major
	Orange peel or texture	Major
	Area of no film	Major
	Gritty surface or overspray that is rough to touch	Minor
	Wet or tacky surface	Major
	Any permanent stain or blemish	Major
Construction and workmanship		
	Any functioning assembly that is inoperative, for example, lid locks will not operate as intended	Major
	Any part loose, for example, swing-out bar is loose fit to lug or corner, but bar is adequately retained, or swing-out bar bent or fails to swing out smoothly	Minor
	Any functioning assembly that requires abnormal pressure to operate	Minor
Assembly		
	Split or open joints	Major
	End grain visible on miters	Minor
	Open miter	Major
	Splits or openings in wood surface	Major
	Lid not properly centered on body, that is, no clearance between top molding with lid angle (check with lid secured in place)	Major

E.2. Classification of Hardwood Casket Defects. (Continued)

	Any part perceptibly out of square or not symmetrical	Major
	Casket rocks more than one-half inch when placed on a level surface (check with lid secured in place)	Major
Metal fasteners		
Screws, nails, bolts, nuts, etc.	Any missing, stripped, or otherwise damaged	Major
	Any fastener cocked	Major
	Any screw or nail head visible	Major
Upholstery		
	Any component missing or stained	Major
	Any open seam, tear, or material defect	Major
	Waving or pleating crushed or matted down	Major
	Lining pulled away where it should be affixed	Major

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

E.3. Classification of Metal Urn Defects.

Examine	Defect	Classification (Major or Minor)
Size		
	Not specified dimensions	Major
Metal		
	Not specified metal	Major
Finish		
All exterior surfaces	Not within specified color match	Major
	Orange peel or texture	Major
	Area with film	Minor
	Gritty surface or overspray that is rough to touch	Minor
	Wet or tacky surface	Major
	Any permanent stain or blemish	Major
	Finish dirty, for example, oil, glue or other nonpermanent stain	Minor
Construction and workmanship		
Metal, polyethylene components	Any functioning assembly that is inoperative, for example, screw will not loosen or tighten as intended	Major
	Any part loose	Major
	Any function in assembly that requires abnormal pressure to operate	Minor
Welding and/or soldering		
	Not welded where required or not specified type of welding	Major
	Weld burned through, not free from pits, holes, or fissures	Major
	Outside flash not stripped	Major
	Exposed welded joints not ground and sanded flush to original surface	Minor
	Evidence of bleed-out (a darkened are on the urn compared to the rest of the urn's colored surfaces)	Major
Metal fasteners (screws)		
	Any missing, stripped, or otherwise damaged	Major
	Not specified type of fastener	Major

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

E.3. Classification of Metal Urn Defects. (Continued)

	Any part perceptibly out of square or not symmetrical	Major
	Urn rocks more than 1/16 of 1 inch when placed on a level surface	Major
Inner container		
	Too small in size	Major
	Plastic too thin	Minor
Emblem		
	Not centered	Minor
	Not in upper portion of urn	Major
	Not affixed as specified	Major
	Gap between emblem and urn	Minor
	End of stud inside urn not properly covered	Major

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

E.4. Classification of Hardwood Urn Defects.

Examine	Defect	Classification (Major or Minor)
Size		
	Not specified design	Major
	Not specified capacity	Major
Wood		
	Not solid walnut	Major
Color (Stain)		
All exposed surfaces and outside of bottom	No color on outside or bottom	Major
Finish		
All exterior surfaces	Not uniform range of color	Major
	Orange peel or texture	Major
	Area with film	Minor
	Gritty surface or overspray that is rough to touch	Minor
	Wet or tacky surface	Major
	Any permanent stain or blemish	Major
	Finish dirty, for example, oil, glue, or other non-permanent stain	Minor
Construction and Workmanship		
	Any functioning assembly that is inoperative, for example, the bottom	Major
	Any part loose, for example, loose fit to corner	Major
	Any function in assembly that requires abnormal pressure to insert and remove	Major
Assembly		
	Split or open joints	Major
	End grain visible on miters	Minor
	Open miter	Major
	Splits or openings in wood surface	Major
	Any part perceptibly out of square or not symmetrical	Major
	Urn rocks more than 1/16 of 1 inch when placed on a level surface	Major

STANDARDS OF OPERATION FOR DOD MORTUARIES OR PERFORMANCE
WORK STATEMENT FOR DOD CONTRACTED MORTUARY SERVICES

E.4. Classification of Hardwood Urn Defects. Continued:

Metal fasteners (screws)		
	Any missing, stripped, or otherwise damaged	Major
Inner surfaces		
	Thin or bare areas	Major
Bottom panel		
	Does not fit tightly against or into the body	Major
	Has less than required number of brass screws	Minor
Inner container		
	Does not fit tightly against or into the body	Major
	Has less than required number of brass screws	Minor
Emblem		
	Not centered	Major
	Not in upper portion of urn	Major
	Gap between emblem and urn	Major
	Not proper size	Major
	End of stud inside urn not properly covered	Major
Engraving plate		
	Not centered	Minor
	Not in lower portion of urn	Major
	Slight gap between plate and urn	Major

Appendix F - Crematorium Pre-Award Survey Plan

F1. Facilities.

F1.1. Receiving/Sheltering Area Requirements. The minimum requirements for the receiving area shall include, but is not be limited to the following:

F1.1.1. The receiving area will be sufficient to allow enough work area to perform the administrative transfer of remains custody from the contract mortuary to the crematorium and the identification verification process. The room will have minimum equipment for moving the remains within the facility. The sheltering area should be sufficient to accommodate at least two remains waiting for cremation.

F1.1.2. The room and all contents shall be neat, clean, and orderly, free of all extraneous items.

F2. Retort. The inspector will ensure that both burners are operational and the crematory operator can demonstrate that the refractory can meet the minimum, safe operational standards as established by the manufacturer.

F3. The crematorium must have written standard operating procedures in place to establish accountability of remains throughout the cremation process, through transfer of cremated remains to the preparing mortuary.

F4. Processing of cremated remains.

F4.1. The crematorium will ensure all cremated remains (bone fragments) are swept from the retort after each cremation.

F4.2. All metal or foreign objects will be removed from the cremated remains and later disposed of IAW all applicable laws and regulations.

F4.3. The crematory must have a motorized mechanical device, such as a cremulator, specifically designed for reduction of cremated remains to granulated appearance with no particle larger than 1/8.”

F5. The contracting officer will ensure that the crematorium is licensed solely for the cremation of human remains. Crematoriums that process animals and pets may not provide this service in the same facility or building where human remains are cremated.

F6. Certification Requirements. The contracting officer will ensure that the crematorium operator is certified to operate the crematory, and has sufficient staff to furnish services as required under the contract.