

SECTION J 1503060
PAVEMENT CLEARANCE

SECTION J – 1503060
PAVEMENT CLEARANCE

ATTACHMENT NUMBER	ATTACHMENT TITLE
J-1503060-01	DEFINITIONS AND ACRONYMS
J-1503060-02	REFERENCES AND TECHNICAL DOCUMENTS
J-1503060-03	SERVICE LEVEL STANDARDS
J-1503060-04	WORKING AREAS, FREQUENCIES AND SITE MAPS
J-1503060-05	PAVEMENT CLEARANCE ANTICIPATED SERVICE ORDERS

SECTION J 1503060
PAVEMENT CLEARANCE

J-1503060-01
DEFINITIONS AND ACRONYMS

DEFINITION/ACRONYM	DESCRIPTION
Air Operations (Air Ops)	The department responsible for all ground and air traffic on the airfield side of Naval Air Station.
Clear	Free of debris, as defined below.
Debris	Includes, but is not limited to, paper, cans, bottles, limbs and branches, pine straw and pinecones, leaves, sand, soil, aggregates, grass, metals, and other similar items.
End of Cleanup	Defined as when the Contractor has met all performance objectives.
End of Precipitation	The end of the hour during which the Contractor and the KO or designated representative mutually agree the precipitation has ended
EPA	Environmental Protection Agency
FAA	Federal Aviation Administration
Foreign Object Debris (FOD)	Any foreign object external to an aircraft that can cause damage. Examples include nuts, bolts, safety wire, baggage tags, misplaced tools, sand, volcanic ash rocks, asphalt chunks, birds, snakes and, rodents. Any item(s) on a runway, shoulders, taxiways, parking aprons and ramps, that may be picked up by any aircraft and potentially cause damage to any part of the aircraft.
NAS	Naval Air Station
New Storm	Any precipitation occurring after the “End of Precipitation” defined above.
Other Paved Surfaces	Other Paved Surfaces include parking areas, sidewalks, walkways, airport aprons, porch areas, smoking areas, entrance/canopy areas, external stairs/steps, recreational areas, bleachers, terraces, running tracks, open storage and other similar areas.
Passage	The movement of persons or vehicles across paved surfaces.
Primary Runway (Taken from FAA AC 150/5200-30C)	A runway expected to be used under the existing atmospheric and storm event conditions where most of the takeoff and landing operations will take place.
Secondary Runway (Taken from FAA AC 150/5200-30C)	A runway that supports a primary runway. Takeoff and landing operations on such a runway are generally less frequent than on a primary runway.
Snow (on the ground). (Taken from FAA AC 150/5200-30C)	A porous, permeable aggregate of ice grains, which can be predominately single crystals or close groupings of several crystals.

SECTION J 1503060
PAVEMENT CLEARANCE

ATTACHMENT J-1503060-02
REFERENCES AND TECHNICAL DOCUMENTS

The Contractor shall adhere to the applicable portions of the current edition of the following publications and directives in performing the services required under this contract. This list shall not be considered all-inclusive and does not release the Contractor from all obligations that must be fulfilled in the observance and execution of this contract.

When U.S., European and/or Italian directives, instructions and industry standards are applicable to the work to be performed under this contract, the most stringent directives, instructions and industry standards shall govern.

TITLE	REFERENCE	SOURCE
Personnel and Equipment in the Runway Safety Area	Certalert NO 03-07	Airport Safety and Operations Division AAS-300
Ground Vehicle Operations On Airports	Advisory Circular 150/5210-20 Chg 1	DOT / FAA
Airport Field Condition Assessment and Winter Safety And Operations	Advisory Circular 150/5200-30D	DOT / FAA
Airport Snow And Ice Control Equipment	Advisory Circular 150/5220-20	DOT / FAA
Buildings For Storage And Maintenance of Airport Snow And Ice Control Equipment And Materials	Advisory Circular 150/5220-18A	DOT / FAA
Painting, Marking, And Lighting of Vehicles Used On An Airport	Advisory Circular 150/5210-5D	DOT / FAA
Managing Aircraft And Airfield Deicing Operations To Prevent Contamination of Drinking Water	816-F-02-018	EPA

KNOWN 'BEST PRACTICES' FOR AIRFIELD SAFETY - AIRPORT PERSONNEL
(Published by FAA) (Edited to include only those items relevant to pavement clearance)

1. Eliminate distractions in the operational area.
2. Eliminate confusing call signs for vehicles operating in the airport operations area.
3. Use two vehicles for runway inspections to reduce "Time-on-Runway".
4. Use high visibility vehicles to increase conspicuity for pilots, controllers and other drivers operating on the AOA (airport operations area).
5. All vehicle lights (high beams, flashers, beacons, and strobes) should be turned on when crossing or operating on runways, taxiways or the AOA.
6. Vehicle flashers and beacons help ATC, aircrews and other vehicle operators see vehicles in the AOA – especially during periods of reduced visibility and at night.
7. Use current diagrams in all AOA access vehicles.
8. Carry a current airport diagram with all AOA personnel badges.
9. Obtain and use airport diagrams. Use the FAA runway safety website to find airport diagrams for all airports.
10. The airport authority is encouraged to share its driver's training program. (Even FAA employees are required to take training if they are on the airfield.)
11. Utilize CD-based pilot and driver's education training materials and electronic programs.
12. All AOA access authorized personnel, including taxi-qualified mechanics, should complete a driver's training program – to include recurrent training.
13. Require and schedule FAA employee driver's training and recurrent training/testing.
14. Offer training and awareness education to local contractors working on the airport, and monitor them.
15. Ensure drivers know where to look for traffic when a pilot isn't talking to the tower or broadcasting on CTAF.
16. AOA access authorized personnel should have an awareness and understanding of the "uniqueness of helicopter operations".
17. Conduct "Clearing Turns" prior to entering ANY runway.
18. Place signs and marking placards in all AOA access vehicles.

SECTION J 1503060
PAVEMENT CLEARANCE

19. Know who has access to the airfield.
20. Enforce a “No Tailgating” policy to ensure vehicles remain within proximity until gate is closed and secure to prevent unauthorized “Tailgating”.
21. Keep the runway a runway, no racing.
22. Enforce maximum use of existing service roads; stay off of the runway as much as possible.
23. Use tunable radios.
24. Enforce a policy of “No Cell Phone” use for personnel while operating on the airfield.
25. Prevent potential obstructions.
26. Issue NOTAMS for snow removal operations and mowing operations.
27. Attend and conduct safety seminars and programs on RUNWAY SAFETY.
28. Improve safety by teaching, advocating, stressing and understanding situational awareness.
29. Cite specific airport RUNWAY SAFETY web pages.
30. Realize that every airport is unique and presents its own set of RUNWAY SAFETY challenges.
31. Stay alert; stay alive.
32. Declare war on errors; make it everyone’s responsibility.
33. Always think SAFETY FIRST.

SECTION J 1503060
PAVEMENT CLEARANCE

ATTACHMENT J-1503060-03
SERVICE LEVEL STANDARDS

<u>SERVICE LEVEL STANDARDS</u>		
Spec Item	Task	Standard
3.1.1	Roads and Other Paved Surfaces	Roads¹ – Periodic sweeping is provided for primary and mission critical roads to remove sand, ash, soil, aggregates, grass, leaves, debris and other foreign matter. Piers – Periodic sweeping is provided for piers to remove sand, soil, aggregates, grass, leaves, debris and other foreign matter. Secondary Roads and Parking Lots – No recurring service is provided. This work will be ordered via non-recurring work task order as required.
3.1.2	Airfield Pavement Surfaces	Swept in accordance with operational requirements commensurate with the airfield condition.
Note 1: Primary and mission critical roads are indicated on the Site Maps provided in J-1503060-04. Note 2: Mission critical and non-mission critical roads, piers, parking lots, sidewalks and airfields are indicated on the Site Maps provided in J-1503060-04. Note 3: Non-Mission Critical areas are sub-divided into those receiving recurring services and those receiving unscheduled services. Recurring service areas are indicated on the Site Maps provided in J-1503060-04.		

SECTION J 1503060
PAVEMENT CLEARANCE

ATTACHMENT J-1503060-04
WORKING AREAS, FREQUENCIES AND SITE MAPS

Funding Command: CNRE			
Location	Primary and Mission Critical Working Area	Approx. Area	Frequency
NAS I	Includes all areas as shown in NAS I site map provided below	88,000 m ²	Twice a Year
NAS II	Includes all areas as shown in NAS II site map provided below (not including the Airfield Area)	180,000 m ²	Twice a Year
	Airfield Area Includes all areas under the exclusive use of the US Navy as shown in Airfield area site map provided below The US area covers: ramp 1, ramp 2, ramp 3, taxiway Juliet, taxiway Kilo, taxiway Hotel, primary red label, and all areas around/near US buildings within the airfield * Quarterly scheduled frequency (with a minimum of flexibility) plus twice a year as an unscheduled frequency to be used in case of exceptional events for a total of six times a year	300,000 m ²	Six Times Per Year *

NAS I SITE MAP



SECTION J 1503060
PAVEMENT CLEARANCE

ATTACHMENT J-1503060-04
WORKING AREAS, FREQUENCIES AND SITE MAPS

NAS II SITE MAP



AIRFIELD AREA SITE MAP



SECTION J 1503060
PAVEMENT CLEARANCE

ATTACHMENT J-1503060-05
PAVEMENT CLEARANCE ANTICIPATED SERVICE ORDERS

Funding Activity	Estimated Annual Quantity	Limit of Liability Up to	Responded And Completed Within (From Notification)
CNRE	2	5.000 sqm	Five (5) Days
Family Housing	6	2.000 sqm	Five (5) Days