

Performance Work Statement
(Includes associated Performance Requirements Summary (PRS))

Tailor this example document to the individual acquisition. Ensure this cover page and all areas providing instructional or sample language (red and or italicized font) are deleted before finalizing and submitting the document.

IAW AR 25-50, this Sample is presented in size 12 Arial font and the final document is recommended to follow same format.

Page breaks between parts (e.g. Part 1 General Information and Part 2 Definitions & Acronyms) shall be maintained..

*The purpose of this template is to assist Requiring Activities (RAs) in communicating and drafting a document which addresses performance objectives, standards, and acceptable quality levels during the requirements development process. **Draft contents are acquisition sensitive.***

Information and guidance on how to use this sample is located below and throughout this document.

- 1) **Black font** in the PWS contains standard, technically acceptable language typically used in the acquisition field. The RA may augment sections containing black font, however, the RA is encouraged to contact and coordinate with their servicing Contracting Officer, Contract Specialist, or servicing Quality Assurance Specialist if a change or augmentation to the existing black font language is anticipated.*
- 2) If a paragraph does not appear to be required, the number and title of that paragraph must remain in place and the RA shall enter the word "RESERVED".*
- 3) General instructions, fill-in prompts, guidance and information provided for the RA's consideration as is Example language, also provided for use as a launch pad to assist the RA in writing their requirements.*
- 4) Deliverables / Submittals are identified in **{red bold italics}** font within red bold braces. Identification of a deliverable / submittal prompts the RA to insert the identification number assigned to the deliverable and must be in sequential order of appearance within the PWS. All deliverables must be listed in Part 7 Attachment 2 of the PWS.*
- 5) Parts 2, 6, and 7 of this PWS contain definitions and acronyms typically used in the acquisition field, applicable publications, manuals, and regulations listed in the PWS, and attachment/technical exhibits, respectively. These parts shall all be reviewed by the RA and augmented as needed to ensure terms, publications, attachments/technical exhibits are properly identified in this PWS.*

- 6) *This document provides information and sample language applicable to both CONUS and OCONUS requirements. Pertinent to the work to be performed, this PWS should be developed in coordination with appropriate and required garrison organizations, to include and if appropriate applicable OCONUS host nation liason offices.*

If work is to be performed OCONUS, although all efforts have been made to capture most common considerations, additional edits may be necessary by the RA and/ or contracting office to fit the country, applicable laws and specific requirement.

For CONUS requirements, non-applicable OCONUS narrative should be deleted and paragraphs re-numbered as appropriate.

PERFORMANCE WORK STATEMENT (PWS)

*(Insert Title of the Requirement)
(Date)*

Part 1 General Information

Part 1 contains background information, a brief description of the services required, quality control requirements, personnel related matters such as safety requirements, security requirements, security clearances, etc. Reminder - If a paragraph is not required, the number and title of that paragraph must remain in place and the word "RESERVED" shall be entered in black print.

REMINDER - DELETE ALL INSTRUCTIONAL INFORMATION PRIOR TO FINALIZING THE PWS

1. General: This is a non-personal service(s) contract under which the personnel rendering the service(s) are not subject, either by the contract's terms or by the manner of its administration, to the supervision and control usually prevailing in relationships between the Government and its employees.

1.1 Description of Services/Introduction: This is a non-personal service(s) contract to provide capabilities for Sensitivity Labeling, Records Management and Workspace Management.

1.2 Background: The Army produces and hosts a large volume of work product across a variety of workspaces, including OneDrive, Teams and Sharepoint. This volume of data and number of workspaces presents administrative challenges in the areas of data protection, data management and workspace management. Additionally, the Army has to comply with Federal

Records Management requirements IAW guidance from the National Archives and Records Administration (NARA). The Army therefore requires capabilities which enable the Army to manage data and workspaces, protecting sensitive information, enabling operations and complying with Federal Records Management obligations.

1.3 Scope: The Contractor shall provide non-personal service(s). *(Insert a summary of the scope of the service(s) to be provided For example, “The Contractor shall provide all personnel, equipment, supplies, facilities, transportation, tools, materials, supervision, and other items necessary to perform services as described in the PWS and associated contract documents, except for those items specified in Part 3 Government Property and Services. The Contractor shall perform to the standards and acceptable quality levels identified in this PWS and associated contract documents.”)*

Contractor shall provide software capability which supports Data Management, Records Management and Workspace Management requirements as outlined in Part 5. Contractor shall provide software, licenses (if applicable), installation and technical support.

1.4 Objectives: *(Insert a few bullets stating what the basic service objective is. (For example; “The objective of this contract is to provide...”)*

- Deliver Data Management, Records Management and Workspace Management capabilities to the Army.
- Support Delegated Administration aligned with Army heirarchical structure.

1.5 General Information:

1.5.1 Quality Control Plan (QCP): *(Identify if the acquisition is for commercial services and will be performed using FAR Part 12. If yes, state the contractor’s existing quality assurance system shall be utilized in accordance with FAR 12.208. If no, continue with recommended narrative as follows).* The Contractor shall develop and maintain a QCP to ensure services are performed in accordance with (IAW) this PWS. The Contractor shall develop and implement procedures to identify, prevent, and ensure non-recurrence of defective services. The Contractor’s QCP is the means by which it assures that the work provided complies with the requirements of the contract.

The Contractor’s Proposed QCP shall be submitted to the Contracting Officer (KO) through the Contracting Officer’s Representative (COR) for review within *(Insert number of days - ten (10) days is a common timeframe used, but may be adjusted to fit the requirement and should be reasonable)* after date of contract award *(Insert Deliverable #) (for example, “A.001”). (NOTE: To minimize confusion, and to the extent possible, if using “day” as defined in Part 2, recommend use of “day” throughout the PWS.)*

The Government will review and either notify the Contractor in writing of acceptance of the plan or return their comments to the Contractor within *(Insert number of days)*. If the Government has provided comments, the Contractor shall then have *(Insert number of days)* to submit a Final QCP. After receipt of the Final QCP, the Contractor may receive the Contracting Officer’s acceptance in writing. Any proposed changes to the accepted QCP are required to be resubmitted for acceptance by the Contracting Officer no later than *(Insert*

number of days) prior to the anticipated change and before implementation by the Contractor. The timeline noted above will apply for review and acceptance for proposed changes. At a minimum, the QCP must include and answer the following to be acceptable:

(a) A chart showing the organizational structure and lines of authority, the names, qualifications, duties, responsibilities, and classification of each member of the Contractor's Quality Control Team;

(b) How the Contractor will monitor work to ensure performance complies with all deliverables (etc. timelines, deadlines, and goals);

(c) How the Contractor will monitor work to ensure performance complies with all specifications and requirements of the contract, including the contract's clauses;

(d) How the Contractor will monitor and ensure staff qualifications remain current and valid including Department of Defense (DoD) Contractor Personnel Office (DOCPER) processes/approvals throughout contract performance;

(e) How the Contractor will ensure all keys issued will remain controlled items (Paragraph 1.7 Key Control);

(f) How the Contractor will inventory and track maintenance of all Government Provided Equipment / Materials;

(g) How the Contractor will identify, investigate, and correct any non-conforming performance and prevent similar deficiencies in the future; and

(h) How the Contractor will file and save all Quality Control related documents for the life of the contract plus 5 years.

1.5.1.1 *(Optional addendum to the QCP)* An Analysis of Quality Control and Timeliness of Submittals (i.e. deliverables) shall be provided to the COR within *(Insert number of days - 30 days is frequently used)* upon completion of each option period or Task Order (*{Insert Deliverable #}*).

1.5.1.2 The Contractor shall inform the COR of issues or potential issues that might affect the performance within *(Insert number of hours and specify clock hours or working hours)* of identifying those issues. Verbal reports shall be followed up by written reports within *(Insert number of days)* (*{Insert Deliverable #}*).

1.5.2 Quality Assurance: The Government will evaluate the Contractor's performance under this contract in accordance with the Quality Assurance Surveillance Plan (QASP). This plan is primarily focused on what the Government must do to ensure that the Contractor has performed in accordance with the performance standards. It defines how the performance standards will be applied, the frequency of surveillance, and the acceptable quality levels (performance thresholds).

1.5.3 Recognized Holidays: The following provides information on recognized holidays for the purpose of the PWS. If submittal of any documentation (e.g. deliverables, submittals, etc.) deadlines fall on a holiday, the closest work day prior to the holiday will apply as the deadline for submittal.

1.5.3.1 U.S. Holidays: Work *(Insert one – shall or shall not)* be performed on U.S. federally recognized holidays occurring during the normal workweek unless otherwise directed by the Contracting Officer. When a U.S. holiday occurs on a Saturday or a Sunday, the holiday is observed on the preceding Friday or following Monday, respectively.

New Year's Day January 1st
Presidents Day 3rd Monday in February
Juneteenth June 19th
Labor Day 1st Monday in September
Veteran's Day November 11th
Christmas Day December 25th

M. L. King Memorial Day 3rd Monday in Jan
Memorial Day last Monday in May
Independence Day July 4th
Columbus Day 2nd Monday in October
Thanksgiving Day 4th Thursday in November

1.5.3.2 Host Nation Holidays: *RESERVED*

1.5.4 Operating Hours: The Government facility office hours, facility operating hours, and the Contractor support hour requirements often coincide, however, they may differ. Please refer to the following.

1.5.4.1 Government Facility Office Hours: The Government facility office hours are *(Insert the hours (e.g. 0800 to 1700), and days (e.g. Monday through Friday))* except U.S. Holidays identified in paragraph 1.5.3.1 above or when the Government facility is closed due to local or national emergencies, administrative closings, or similar Government directed facility closings.

1.5.4.2 Government Facility Operating Hours: The Government facility operating hours occur between the hours of *(Insert the hours (e.g. 0600 to 1800), days (e.g. Monday through Saturday))*. The Government facility is *(Insert whether the facility is open or closed during local or national emergencies, administrative closings, or similar Government directed facility closings. For example, "The Government facility is open for operations during the recognized U.S. Holidays identified in paragraph 1.6.3.1 above. The Government facility may close due to local or national emergencies, administrative closings, or similar Government directed facility closings and will be communicated by the Contracting Officer to the Contractor.")*

1.5.4.3 Contractor Support Hours: The Contractor shall provide support between the hours of *(Insert the hours that the Contractor shall provide support (e.g. 0600 to 1800), the days (e.g. Monday through Saturday) and state whether the facility is open or closed during local or national emergencies, administrative closings, or similar Government directed facility closings.)*. The Contractor shall maintain an adequate workforce at all times, for the uninterrupted performance of all tasks defined within this PWS when the Government facility is not closed for the above reasons. When hiring personnel, the Contractor shall keep in mind that the stability and continuity of the workforce is essential. *(Add the following sentence ONLY when this PWS is used for other than a firm fixed price contract: "For other than firm fixed price*

contracts, the Contractor will not be reimbursed when the Government facility is closed for the above reasons".)

1.5.4.3.1 Contractor Work Plan: *(If applicable)* The Contractor shall prepare and maintain a Work Plan. The plan, as a minimum, shall identify regularly scheduled work (to include location, work to be completed, timeline, etc.) *(and, if applicable, how the Contractor intends to address and meet increased operations tempo (e.g. Contractor's need for overtime or extended work hours). If the need for overtime is anticipated, the Contractor must receive approval from the Contracting Officer at a minimum seven (7) calendar days prior to execution.)* The Contractor's proposed Work Plan shall be submitted to the Contracting Officer via the COR for review within *(Insert number of days)* after date of contract award (*{Insert Deliverable #}*). The Government will review and either accept or return their comments to the Contractor within *(Insert number of days – Frequently ten (10) days is used)*. The Contractor shall then have *(Insert number of days – Frequently three (3) days is used)* to submit a Final Work Plan. Any proposed change to the accepted Final Work Plan is required to be resubmitted via the COR for review and acceptance by the Contracting Officer at a minimum thirty (30) days prior to implementation. The timeline noted above shall apply for review and acceptance for proposed changes.

1.5.5 Training Holidays: *(Common to OCONUS requirements – Use and edit as appropriate)* USAREUR or other applicable theater has historically granted military personnel training holidays as compensation for time that they spent in field training. These are typically combined with regular holiday leave schedules (for example, Christmas half days or day on day off schedules). Training holidays may affect access to military operated facilities. If scheduled work or access to facilities is required, coordination with occupants will be necessary or the work in affected facilities shall be rescheduled after the training holiday. However, announced training holidays or exodus of military personnel may provide the Contractor with an opportunity for unrestricted access to facilities and areas. The Contractor shall take full advantage of such opportunities by planning maintenance or actions that are better accomplished when such areas are vacant.

1.5.6 Place of Performance: The work to be performed under this contract will be performed *(Insert the location city and place of performance and clearly identify if services are performed at a Contractor facility or Government facilities).*

1.6 Security Requirements: The following information is provided on security related matters.

1.6.1 Security Program: *(If applicable)* Contractor personnel performing work under this contract must have a *(Insert the level of security required, if and as applicable)* at time of the proposal submission, and must maintain the level of security required for the life of the contract. The security requirements are IAW with the DoD Contract Security Classification Specification (DD Form 254), which is currently accessible at the following link: <http://www.dtic.mil/whs/directives/forms/efrms/dd0254.pdf> *(The RA's unit security monitor is responsible for initiating this form.)*

1.6.2 Personnel Security Clearance Requirements: *(If applicable)* Contractor personnel performing work under this contract must have an active personnel security clearance at the *(Insert the level of security clearance required, the highest level required, if applicable)* level in the Defense Information System for Security (DISS) at time of the proposal submission, and must maintain the level of security required for the life of the contract. The security requirements are IAW the DoD Contract Security Classification Specification DD Form 254. *(The RA's unit security monitor is responsible for initiating this form.)* The Contractor shall ensure that Contractor employees and subcontractor employees performing services under this contract comply with FAR 52.204-2 Security Requirements when the employee has access to information classified "Confidential," "Secret," or "Top Secret." The Contractor shall ensure the employee complies with the DoD Security Agreement (DD Form 441), and the NISPOM rule at 32 Code of Federal Regulation (CFR) Part 117, effective 24 Feb 2021. The NISPOM is the National Industrial Security Program Operating Manual to which contractors must implement and comply.

1.6.3 Installation Access: Access to U.S. installations, buildings and controlled areas is limited to personnel who meet security criteria and are authorized. Failure to submit required information/data and obtain required documentation or clearances will be grounds for denying access to U.S. installations, buildings and controlled areas. The Contractor shall ensure that any subcontractors used in performance of this contract complies with these requirements and that all employees, of both the Contractor and any subcontractor utilized by the Contractor, are made aware of and comply with these requirements.

The Contractor shall be aware of and comply with the requirements associated with Installation Access Control. The Government is not liable for any costs associated with performance delays due solely to a firm's failure to comply with Installation Access Control System (IACS) processing requirements.

The Contractor shall return installation passes to the issuing IACS office when the contract is completed or when a Contractor employee no longer requires access.

1.6.3.1 Installation Pass Log: *(Insert RA's specific access control requirements, if any.) (If the RA's requirement does not address the subject below, the RA shall include the following "*In addition, the Contractor shall provide the Contracting Officer, via the COR, an Initial Installation Pass Log within *(Insert number of days - three (3) calendar days is frequently used)* after contract award *{Insert Deliverable #}*". The log must at a minimum contain the following information *(RA shall insert information required in this log)*. The log shall be updated as employees are added or removed. The Updated Installation Pass Log shall be current and available at any time upon request by the Government and submitted to the COR within five (5) days after any changes to the log *{Insert Deliverable #}*.

1.6.3.2 Individual Termination or Expiration of Employment: The Contractor shall collect the installation access passes the same day employment of an individual has expired or has been terminated and shall return them to the issuing office within *(RA to insert number of days)* *{Insert Deliverable #}*.

1.6.3.3 Contract Termination or Cancellation: Upon termination or cancellation of this contract, the Contractor shall collect all outstanding installation access passes and return them to the issuing office within *(Insert number of days) ({Insert Deliverable #})*.

1.6.3.4 Common Access Cards (CAC) and CAC Log: *(If required for performance of services and as applicable)* The Contractor shall provide the following information: Last, First and Middle Names, government issued personal identifier (e.g. Social Security Number, Federal Identification Number, or Tax Identification Number), date of birth, primary email address (this email address will be used to contact the individual) and any other necessary information required to obtain a CAC or installation access card, to the COR with *(insert number of days) after award (unless circumstances require otherwise and as directed by the Contracting Officer) ({Insert Deliverable #})*. The Contractor shall ensure safeguarding of Personally Identifiable Information (PII) and comply with requirements under 1.22.5.

The Contractor shall provide a CAC log within the *(Insert number of days - first 30 calendar days is frequently used)* after contract award and within five (5) days after changes have been made *({Insert Deliverable #})* (unless circumstances require otherwise and as directed by the Contracting Officer). The COR will provide format and content for the log during the post award meeting. Note - CACs are Government property and must be accounted for.

1.6.4 Background Checks: *(Applicable to CONUS and OCONUS requirements, the RA shall consult with the responsible Security Office and Activity Manager applicable to location(s) associated with this PWS and identify the level of background check, supported by the applicable regulation(s).)*

1.6.4.1 U.S. Citizen: Contractors that work with or teach youth under the age of 18 years are subject to U.S *(and host nation if OCONUS)* background checks. The Requiring Activity Manager will determine the extent of background checks required. The Contractor employee may begin performance of the contract after receiving a favorable local background check. The Contractor agrees to replace the employee should results of the background check, if required, be unfavorable as determined by the Requiring Activity Manager. The Contractor's replacement of the employee with the unfavorable background check shall be within a timeframe provided by the Requiring Activity Manager. The Contractor shall also replace employees whose background check, during their tenure of employment, renders them with an unfavorable local or stateside background check, as determined by the Requiring Activity Manager. The Contractor shall forward a copy to the Contracting Officer via the COR and the Requiring Activity Manager of each favorable background check within *(Insert number of days)* of receipt by the Contractor, identifying such with the appropriate contract number *({Insert Deliverable #})*. The Contractor shall forward a copy to the Contracting Officer via the COR and the Requiring Activity Manager of each unfavorable background check within *(Insert number of hours or days)* of receipt by the Contractor, identifying such with the appropriate contract number *({Insert Deliverable #})*. When the Government awards a non-personal services contract directly to an individual, the failure of the individual to provide a favorable background check would be grounds for termination.

1.6.4.2 Local Nationals and Third Country Nationals: *(For locations and work performed OCONUS, RA shall consult with the responsible Security Office and Activity Manager applicable to location(s) associated with this PWS.)* Local national and third country national Contractors that work with or teach youths under the age of 18 years are subject to background checks as determined by the Requiring Activity Manager. As a minimum prior to beginning performance, Contractors employing local national and third country nationals shall furnish the Contracting Officer via the COR and the Requiring Activity Manager current documents required for working on a US installation, no later than *(Insert number of days – for example, “no later than five (5) days after contract award ... or ... during the post-award meeting, etc.”)* *(Insert Deliverable #)*. Forwarding correspondence from the Contractors shall identify the associated contract number. *(Sample OCONUS wording for work performed in Germany, edit as appropriate for applicable country/countries – “The Requiring Activity Manager will determine the favorability of the Polizeiliche Fuehrungszeugnis and notify the Contractor. The Contractor shall forward a copy of unfavorable Polizeiliche Fuehrungszeugnis to the Contracting Officer via the COR and the Requiring Activity Manager within (Insert number of hours or days) of receipt, identifying such with the appropriate contract number. Local nationals and third country nationals agree to the same employee termination provisions as stated for U.S. Citizens (see paragraph 1.6.4.1 above, in particular, same requirements to replace the employee (and within timeframe noted) when results of background check are unfavorable”).*

1.6.5 Physical Security: The Contractor shall safeguard all Government equipment, information, and property provided for Contractor use. *(If performing in a Government facility, the RA shall insert the following sentence: “At the close of each work period, Government facilities, equipment, and materials shall be secured IAW the Army Physical Security Program (AR 190-13.”)*

1.6.6 Operations Security (OPSEC) Requirements: Contractor personnel shall adhere to facility security policies and restrictions. The Contractor shall immediately report suspicious activities to security personnel. *(If applicable the following language may be tailored as needed and added to this paragraph- “Government issued access badges shall not be worn outside designated facilities where visible to the general public”).*

1.7 Key Control: *(If applicable)* The Contractor shall establish and implement methods of making sure all keys issued to the Contractor by the Government are not lost or misplaced and are not used by unauthorized persons. NOTE: All references to keys include key cards. No keys issued to the Contractor by the Government shall be duplicated. The Contractor shall develop procedures covering key control that shall be included in the Contractor's Security Plan *(If applicable)*, *{Insert Deliverable #}* and the Quality Control Plan. Such procedures shall include turn-in of any issued keys by personnel who no longer require access to locked areas. The Contractor shall immediately report any incidents of lost or duplicate keys to the Contracting Officer. In the event keys, other than master keys, are lost or duplicated, the Contractor shall, upon direction of the Contracting Officer, re-key or replace the affected lock or locks; however, the Government, at its option, may replace the affected lock or locks or perform re-keying. When the replacement of locks or re-keying is performed by the Government, the total cost of re-keying or the replacement of the lock or locks shall be

deducted from payment due to the Contractor. In the event a master key is lost or duplicated, all locks and keys for that system shall be replaced by the Government and the total cost deducted from the payment due to the Contractor. The Contractor shall prohibit the use of Government issued keys by any persons other than the Contractor's employees. The Contractor shall prohibit the opening of locked areas by Contractor employees to permit entrance of persons other than Contractor employees engaged in the performance of assigned work in those areas, or personnel authorized entrance by the Contracting Officer. The Contractor shall establish and implement methods of ensuring that all lock combinations are not revealed to unauthorized persons. The Contractor shall ensure that lock combinations are changed when personnel having access to the combinations no longer have a need to know such combinations. These procedures shall be included in the Quality Control Plan.

1.8 Post Award Conference/Periodic Progress Meetings: The Contractor shall attend any post award conference convened by the contracting activity or contract administration office in accordance with FAR Subpart 42.5. The Contracting Officer, COR, and other Government personnel, as appropriate, may meet periodically with the Contractor to review the Contractor's performance. At these meetings the Contracting Officer will apprise the Contractor of how the Government views the Contractor's performance and the Contractor shall apprise the Government of problems, if any, being experienced. Appropriate action shall be taken to resolve outstanding issues. These meetings shall be at no additional cost to the Government.

1.8.1 The Contractor shall attend, participate in, and furnish input to scheduled and unscheduled meetings, conferences, and briefings that relate to the functions and services herein as required by the Government to provide effective communication and impart necessary information. The Contract Manager or designated representative shall attend meetings as requested by the Government. Meeting attendees shall at times include Contractor managerial, supervisory, and other personnel knowledgeable of the subject matter. Meetings may start or end outside of regular duty hours.

1.9 Contracting Officer's Representative (COR): Refer to Part 2 of this PWS for the definition of a COR. As determined by the Contracting Officer, a COR will be appointed and identified by letter of designation, a copy of which will be provided to the Contractor by the Contracting Officer. The designation letter states the responsibilities and limitations of the COR, especially with regard to changes in cost or price, estimates, or changes in delivery dates. The COR is not authorized to change any of the terms and conditions of the resulting order. The COR monitors all technical aspects of the contract and assists in contract administration. The COR is not authorized to obligate the Government. If the work is not written in the contract, the COR is not authorized to request new work. The COR is authorized to perform the following functions: assure that the Contractor performs the technical requirements of the contract, perform inspections necessary in connection with contract performance, maintain written and oral communications with the Contractor concerning technical aspects of the contract, issue written interpretations of technical requirements, including Government drawings, designs, specifications, monitor Contractor's performance and notifies both the Contracting Officer and Contractor of any deficiencies, coordinate availability of Government property, and coordinate site entry of Contractor personnel.

1.10 Key Personnel: The following personnel are considered key personnel by the Government: *{Insert the titles of the Contractor's key personnel i.e., Program/Contract Manager/Alternate Program/Contract Manager, Quality Control Manager, Systems Administrator, etc.}* The Contractor shall provide a Program/Contract Manager who shall be responsible for the performance of the work. The name of this person and an Alternate Program/Contract Manager, who shall act for the Contractor when the Program/Contract Manager is absent, along with a Curriculum Vitae (CV) for each of these individuals, shall be provided in writing to the Contracting Officer no later than *{Insert number of days – for example, “no later than five (5) days after contract award ... or ... during the post-award meeting, etc.”}* (*{Insert Deliverable #}*). *(Acceptance of the CV by the Contracting Officer is required before these individuals are permitted to perform any task on this contract.)* The Contract Manager and Alternate Contract Manager shall have full authority to act for the Contractor on all contract matters relating to daily operation of this contract. The Contract Manager or Alternate Contract Manager shall be available between *{Insert the applicable hours, days, etc. that have been identified in paragraph 1.6.4}*. Qualifications for all key personnel are listed below:

a. Contract Manager and Alternate Contract Manager: *{Insert the qualifications for all key personnel}* For example, “although not intended to be language specifically for the RA to use, the following serves as a launch pad to assist in writing the requirement, “Contract Manager and Alternate Contract Manager: The CV provided by the Contract Manager and Alternate Contract Manager must demonstrate successful completion of 24 semester hours in mathematical, engineering, and quantitative analysis courses; 15 or more years cost analysis experience; and familiarity with Defense Department Data Sources (e.g. cost and software data reporting, Earned Value Management (EVM), etc....” or “...must demonstrate a minimum of 5 years’ experience within the past 10, working as a Program Manager...”

b. Quality Control Manager: *{Insert the qualifications for all key personnel}* Another example, although not intended to be language specifically for the RA to use, the following serves as a launch pad to assist in writing the requirement “Quality Control Manager. The Quality Control Manager must demonstrate a minimum of 5 years’ experience, within the past 10, working as a Quality Control Manager...”

c. Systems Administrator: *{Insert the qualifications for all key personnel}* Another example, although not intended to be language specifically for the RA to use, the following serves as a launch pad to assist in writing the requirement “Systems Administrator. The Systems Administrator must demonstrate a minimum of 5 years’ experience, within the past 10, working as a Systems Administrator...”

d. Special Qualifications: *{Insert any special certification or licensing requirements}* (For example, although not intended to be language specifically for the RA to use, the following serves as a launch pad to assist in writing the requirement, “The Contractor shall ensure all employees possess and maintain current Information Assurance Technician (IAT) Level I professional certification during the execution of this contract.”)

1.11 Identification of Contractor Employees: All Contractor personnel attending meetings, answering Government telephones, and working in other situations where their Contractor status is not obvious to third parties must identify themselves, to include proper marking of signature blocks in correspondence, to avoid creating an impression in the minds of members of the public that they are Government officials. The Contractor shall ensure that all documents or reports, produced by Contractors are suitably marked as Contractor products or that Contractor participation is appropriately disclosed.

1.12.1 (If applicable) Contractor workspace (staging site, on-site office, desk or work area, etc.) shall contain a sign signifying the space is occupied by Contractor employee(s) to ensure that Government employees and the public know that they are not Government employees. The proposed sign shall be submitted to the Contracting Officer via the COR for review and acceptance *{Insert number of days and specify whether they are calendar or workdays (recommend (10) calendar days)}* after contract award (*{Insert Deliverable ###}*). Workspace sign location shall be coordinated with the COR. Contractor employees shall identify themselves by name and company affiliation when answering the telephone, presenting briefings, conducting or attending meetings, and seminars. All Contractor correspondence (written, facsimile, and email display) shall include their company name. Requirements for Contractor vehicles is addressed under Part 4 paragraph 4.4.

1.12.2 Contractor Identification Badges: Contractor personnel shall be easily identifiable through the display of badges IAW Contractor Identification (AE Reg. 27-715). (For services at Child, Youth, and School Services where children are present, recommend personnel wear identification when children are present.) *(For example, although not intended to be language specifically for the RA to use, the following serves as a launch pad to assist in writing stricter requirements for identification badges, "The Contractor (to include subcontractors) shall provide each of their employees an easily readable identification badge. The badge must include the employee's name, the contractor's company name, the functional area of assignment, and a recent color photograph of the employee. Companies with U.S. Government contracts will require their employees to wear these badges visibly when performing work at Government workplaces unless this would be impractical because of mission or safety considerations. The Contractor shall collect all ID Badges upon completion of the contract or termination of employee. A listing of issued ID cards shall be furnished to the Contracting Officer prior to the contract performance date and updated as needed to reflect Contractor personnel changes. ({Insert Deliverable ###})")*

1.13 Contractor Travel: *(If applicable) (For example, "The Contractor may be required to travel {insert travel locations this may include specific locations CONUS and/or OCONUS} during the performance of this contract to attend meetings, conferences, and training. The Contractor may be required to travel to off-site training locations and to ship training aids to these locations in support of this PWS.") (If travel is required, the following must also be included)* The Contractor may be authorized travel expenses at rates no higher than the substantive provisions of the Joint Travel Regulation (JTR), IAW FAR Part 31.205-46, and the limitation of funds specified in this contract. All travel requires Government approval and authorization *{Insert number of days}* prior to scheduled travel. *{Insert any other travel requirements}* *(For proposal purposes, a not to exceed amount for travel can be established*

or the RA include in the Independent Government Cost Estimate (IGCE) and the workload summary, a projected listing of travel locations to include frequency and number of persons required to travel so the offerors can provide pricing.)

1.14 Other Direct Costs (ODCs): *(If applicable on non-commercial contracts) {Insert other direct costs (ODCs)} For example, “This category includes travel (outlined in 1.13), printing and shipping expenses associated with training activities and visits to Contractor facilities.” – Please note that this could also entail the renting of suitable training venues. Inclusion of ODCs in this PWS must be preapproved by the Contracting Officer.*

1.15 Data Rights: *(Dependent on requirement, recommend coordination with local legal or Intellectual Property (IP) attorneys is made, ensuring Government rights are appropriately protected and addressed by PWS narrative and included in this paragraph)* The Government has unlimited rights to all documents and materials produced under this contract. All documents and materials, to include the source codes of software, produced under this contract shall be Government owned and are the property of the Government with all rights and privileges of ownership and copyright belonging exclusively to the Government. These documents and materials may not be used or sold by the Contractor without written permission from the Contracting Officer. All materials supplied to the Government shall be the sole property of the Government and may not be used for any other purpose. This right does not abrogate any other Government rights.

1.16 Non-Disclosure Requirements: *(Insert if applicable)* Performance under this contract may require the Contractor to access data and information proprietary to a Government agency, another Government Contractor, or of such nature that its dissemination or use other than as specified in this work statement would be adverse to the interests of the Government or others. The Contractor and Contractor personnel, shall not divulge or release data or information developed, or obtained under performance of this PWS, except to authorized Government personnel or upon written approval of the Contracting Officer. The Contractor shall not use, disclose, or reproduce proprietary data, which bears a restrictive legend, other than as specified in this PWS. All documentation showing individual names or other personal information shall be controlled and protected under the provisions of the Privacy Act of 1974, Public Law 93-579, 5 United States Code (U.S.C.) Section 552a.

1.17 Protection of Government and Contract Information: Per Public Use Notice of Limitations stated by Defense imagery Management operations Center and contained at www.dimoc.mil/resources/limitations/, the Contractor shall not cite any information (e.g., contract information, pictures, locations, etc.) obtained through this contract on any hard copy or digital marketing tools to include its company website.

1.18 Non-Disclosure Statements: *(If applicable)* The Contractor shall provide signed non-disclosure agreements to the Government no later than *{Insert number of days} {Insert Deliverable #}* prior to commencement of work under the contract. Disclosure of information by Contractor personnel may result in removal of Contractor personnel from performance under this contract.

1.19 Organizational Conflict of Interest (OCI): Contractor and subcontractor personnel performing work under this contract may receive, have access to or participate in the development of proprietary or source selection information (e.g., cost or pricing information, budget information or analyses, specifications or work statements, etc.) or perform evaluation services which may create a current or subsequent OCI as defined in FAR Subpart 9.5. The Contractor shall notify the Contracting Officer immediately whenever it becomes aware that such access or participation may result in any actual or potential OCI and shall promptly submit a plan to the Contracting Officer to avoid or mitigate any such OCI (*{Insert Deliverable #}*). The Contractor's OCI Mitigation Plan will be determined to be acceptable solely at the discretion of the Contracting Officer. In the event the Contracting Officer unilaterally determines that any such OCI cannot be satisfactorily avoided or mitigated, the Contracting Officer may affect other remedies as he or she deems necessary, including prohibiting the Contractor from participation in subsequent contracted requirements which may be affected by the OCI.

1.20 Phase In /Phase Out Period: (*If applicable*) To minimize decreases in productivity and to prevent possible negative impacts on additional services, the Contractor shall have personnel on board, during the *{Insert the time period, i.e., sixty (60) day, thirty (30) day, etc.}* phase in/ phase out periods. During the phase in period, the Contractor shall become familiar with performance requirements in order to commence full performance of services on the contract start date.

1.21 Safety: The following provides information pertaining to Safety and Accident Prevention: (*For CONUS and OCONUS locations, RA shall consult with the responsible Safety Officer and Activity manager assigned to performance location(s) – Sample narrative provided below may be used and edited as applicable. Some content is applicable and specific to GERMANY and ITALY construction contracts, repair and maintenance contracts, and all installation/base maintenance solicitations and contracts that include a repair and maintenance feature.*)

1.21.1 (OCONUS - Host Nation) Safety Laws and Regulations: The Contractor shall comply with FAR 52.236-13, Accident Prevention (November 1991), the references contained therein (e.g. U.S. Army Corps of Engineers Safety and Health Requirements Manual (EM 385-1-1)), *and applicable Host Nation Safety Laws and Regulations.*

The requirements under FAR 52.236-13 and specifically of the EM 385-1-1 include, but are not limited to the following:

(a) Before initiation of work at the job site, an Accident Prevention Plan, written by the Contractor for the specific work and hazards of the contract and implementing in detail the pertinent requirements of EM 385-1-1; will be reviewed for acceptance by designated Government personnel (*{Insert Deliverable #}*). Specific requirements for development of the Accident Prevention Plan are found in 01.A and Appendix A of EM 385-1-1. EM 385-1-1 is available online at www.usace.army.mil.

(b) Before beginning each activity involving a type of work presenting hazards not experienced in previous project operations or where a new work crew or subcontractor is to

perform work, activity hazard analysis (AHA) shall be prepared by the Contractor performing the work activity (See paragraph 01.a.09 of EM 385-1-1);

(c) The Contractor shall require subcontractors to submit their plan of operations showing methods they propose to use in accomplishing major phases of work;

(d) The Contractor shall discuss the plans in conferences convened by the Contracting Officer prior to starting work on each major phase of operation. Plans shall include all pertinent information such as layout of haul roads, access roads, storage areas, electrical distribution lines, methods of providing minimum exposure to overhead loads, and methods of access to work areas. The plan for accomplishing the initial work phase shall be submitted within fifteen (15) calendar days after award of the contract. Plans for subsequent major phases of work shall be submitted no later than fifteen (15) calendar days prior to initiation of work on each major phase; and

(e) In all areas where construction, demolition, alteration, building, or similar related activities take place, the Contractor shall have the following minimum personal protective clothing and equipment requirements in place for any person working on or visiting the site:

- (i) Short sleeve shirt;
- (ii) Long trousers;
- (iii) Steel-toed safety boots; and
- (iv) Hard hat.

1.21.1.1 In addition to other requirements for accident prevention specified in this contract, the Contractor shall comply with all Federal and State requirements governing safety and health protection on construction sites and other applicable occupational safety codes.

Sample OCONUS-Germany language "In particular, within the requirements of the German Safety and Health Protection Regulation for Construction Sites, Baustellenverordnung (BaustellV) (current version in effect), the Contractor shall coordinate all work at the site, including development of plans and providing advance notices."

The Contractor shall indicate its plan for compliance considering conditions of the work described by the design, technical proposal, operational activities of the Government or others in the area of the work, identification of the coordinator, and implementation of all other accident prevention provisions of this contract. *OCONUS Narrative and may be edited for CONUS use -For the compliance with host nation laws and regulations, the Contractor shall comply with the non-exclusive list of duties described in this paragraph. If the Contractor determines that additional activities are required to fully comply, the Contractor shall ensure that compliance with the laws is complete. The duties include:*

(a) Conditions of construction and operational activities to be considered include but are not limited to:

(i) For all construction activities meeting the following criteria: the work is scheduled to last longer than 30 working days and more than 20 workers are occupied simultaneously, or the volume of work is scheduled to exceed 500 person days, or the work presents particular tasks, e.g. excavations deeper than 5 meters, falls from a height of greater than 7 meters, exposures to hazardous chemical or biological substances, work at less than 5 meters from high voltage lines, underground earth works or tunnels, danger of drowning, diving, use of compressed air, work with ionizing radiation, explosives, or work involving assembly or dismantling of heavy prefabricated components (10 tons or greater).

(b) If the Contractor determines that the BaustellV, dated 10 June 1998, applies, the Contractor shall prepare a Safety and Health Protection Plan (SIGE) as required under that regulation. The SIGE shall be submitted two weeks prior to mobilization. In addition, the Contractor shall appoint a qualified Safety Coordinator who will ensure that safety measures are implemented during construction. The Safety Coordinator must meet minimum training and experience requirements required under Host Nation laws.

(c) The SIGE will be written in a comprehensive form and explained in language the workers understand and shall contain the following minimum information:

(i) Maintenance of tools and equipment.

(ii) Provisions for the storage and disposal of materials and waste, particular hazardous materials and substances.

(iii) Modifying performance periods for such work, taking into consideration the site conditions.

(iv) Organizing cooperation between different employers and Contractors without employees.

(v) Interaction between work at the site and other operational activities in the area, on which or near which the first identified work will be performed, and taking into consideration the instructions and advice of the coordinator as well as safety and health plans.

1.21.1.2 The Contractor shall complete and provide safety notifications required *(by host nation authorities)* and will provide documented proof to the Contracting Officer via the COR, no later than {Insert number of days} ({Insert Deliverable #}) that such notifications were made.

1.21.1.3 (OCNUS-Italy language - In addition to the language above, the following is also required for Italy when a fixed-price construction contract, or a fixed-price repair and maintenance contract, or a Base maintenance contract is anticipated that includes a repair and maintenance feature.) "This project falls under the provisions of Italian Safety Law DLGS 528/99. The Contractor shall comply with all requirements enforced by this Safety Law, and in particular, but not limited to, before any work can start, and no later than ten (10) days from

Notice of Award, Contractor shall provide the documentation listed in: art. 8 a) and b) and the "Operational Safety Plan" (Piano Operativo di Sicurezza) set forth in art. 2 f-ter) of DLGS 528/99 ({Insert Deliverable #}).

1.22 Environmental Compliance: The following provides information on Environmental Compliance.

1.22.1 Environmental Compliance Plan and Program: *{Insert environmental compliance plan and program requirements. As applicable, may need to insert deliverable number} (Recommend consultation with RA/Garrison Environmental Office to ensure environmental compliance for location of services to be provided is adequately addressed. In addition, please note that there may be deliverables required within the sample language provided below. The RA must ensure that those are captured and included in the Deliverables Section of the PWS. The same applies to publications that would require inclusion in Part 6)*

CONUS narrative may be adapted from the following OCONUS GERMANY example, USAG Wiesbaden requires the following text:

"The Contractor shall ensure that all of its operations and activities conform to the USAG Wiesbaden's environmental policy requirements. The Contractor shall ensure that all contract personnel have received appropriate levels of training in the handling, use, storage, and disposal of hazardous material. In addition, the Contractor shall ensure that all Contractor controlled activities on USAG Wiesbaden installations are conducted in accordance with the USAG Wiesbaden Spill Prevention and Response Plan, Solid Waste Policy, Final Governing Standards-Germany, and applicable German environmental laws/standards.

"If contract requires the use of hazardous materials/substances, the Contractor shall, prior to mobilization, inform the Contracting Officer (KO)/Contracting Officer Representative (COR) of the types and amount of hazardous materials needed to be brought onto the Garrison in order to fulfill their contractual requirements. Contractor shall also provide the Safety Data Sheets, storage requirements and proposed storage locations for the hazardous material. The KO/COR shall provide a copy of this information to the Garrison Fire Department and the Environmental Division.

"Prior to contract completion, the Contractor shall remove all hazardous materials and dispose of all hazardous waste (HW) generated in accordance with Final Governing Standards Germany and applicable German environmental laws/standards. A copy of the HW disposal documents must be forwarded to the HW program manager at the Department of Public Works (DPW) Environmental Division.

"The Contractor shall clean up at its own expense any contamination, including soil and ground water contamination caused by hazardous materials/substances brought onto the garrison, or by his activities. The Contractor must immediately report any hazardous substance spills to the Garrison Fire Department at CIV 0611-705-117.

"The Contractor shall contact the COR or the USAG Wiesbaden Directorate of Public Works-Environmental Division (DPW-ED), DSN 548-4092, CIV 0611143-548-4092, Bldg. 1059, Clay

Kaserne for a copy of the Garrison Environmental Policy, Spill Prevention and Response Red Plan, Garrison Solid Waste Policy and German Final Governing Standards.

“Current Environmental Policy (Garrison policy Number 22) is available at the Garrison website: <http://www.wiesbaden.army.mil/policies/22EnvironmentalManagementSystem.pdf>

“Current Prohibited Refuse Disposal Practices Policy (Garrison policy Number 27) is available at the Garrison website: http://www.wiesbaden.army.mil/policies/27Prohibited_Refuse_Disposal_Practices.pdf

1.23 Required Training: The following provides information on training requirements.

1.23.1 Anti-Terrorism (AT) Level I Training: *(As required on the Anti Terrorism / Operations Security Review (AT/OPSEC) Cover Sheet)* All Contractor employees, including subcontractor employees, who are employed under the contract, shall complete AT Level I Training within *{Insert number of days as required on the AT/OPSEC Cover Sheet}* (*{Insert Deliverable #}*) after contract start date or effective date of incorporation of this requirement into the contract, whichever applies, or *{Insert number of days}* after employment of new personnel. Contractor personnel travelling overseas shall complete area of responsibility (AOR) specific AT awareness training for U.S. based Contractor employees and associated subcontractor employees. The Contractor shall submit certificates of completion (*{Insert Deliverable #}*) for each affected Contractor employee and subcontractor employee to the COR (or to the Contracting Officer, if a COR is not assigned) within *{Insert number of days}* after completion of this training by all employees and subcontractor personnel. AT Level I awareness training is available at <https://jkodirect.jten.mil>. Contractor personnel shall complete refresher training (*{Insert Deliverable #}*) every twelve (12) months except AOR specific AT Level I training which shall be completed as required by local AT policies

If training cannot be conducted on the website, the Contractor shall coordinate with the COR who will contact the local AT Officer at their assigned location for classroom training. Contractor personnel completing training in the classroom will receive a certificate or the training attendance roster signed by the AT Officer. Verification of the training shall be provided to the COR within *{Insert number of days}* after completion of the training (*{Insert Deliverable #}*).

1.23.2 OPSEC Training: *(As required on the AT/OPSEC Cover Sheet)* All Contractor employees, including subcontractors, shall complete Level I OPSEC training within *{Insert number of days}* of employment under this contract (*{Insert Deliverable #}*). Verification of the training shall be provided to the COR within *{Insert number of days}* after completion of the training (*{Insert Deliverable #}*). OPSEC Level I training is available at <http://www.cdse.edu/catalog/elearning/GS130.html>. Contractor personnel must complete refresher training every 12 months (*{Insert Deliverable ###}*). Verification of the training shall be provided to the COR within *{Insert number of days}* after completion of the training (*{Insert Deliverable #}*).

If training cannot be conducted on the website, the Contractor shall coordinate with the COR, who will contact the local OPSEC Officer at their assigned location for classroom training. Contractor personnel completing training in the classroom will receive a certificate or the training attendance roster signed by the OPSEC Officer. Verification of the training shall be provided to the COR within *{Insert number of days}* after completion of the training (*{Insert Deliverable #}*).

1.23.3 iWATCH Training: *(As required on the AT/OPSEC Cover Sheet)* The Contractor and all associated subcontractors shall brief all employees on the local iWATCH program (training standards provided by the requiring activity ATO). This locally developed training will be used to inform employees of the types of behavior to watch for and instruct employees to report suspicious activity to the COR. This training shall be completed within *{Insert number of days}* after the contract is awarded and within *{Insert number of days}* after new employees commence contract performance, with the results reported to the COR within *{Insert number of days}* after the contract is awarded and within *{Insert number of days}* after new employees commence contract performance (*{Insert Deliverable #}*). Verification of the training shall be provided to the COR within *{Insert number of days}* after completion of the training (*{Insert Deliverable #}*). Training slides can be found on the Army OneSource website: <http://www.myarmyonesource.com/familyprogramsandservices/iwatchprogram/default.aspx>

1.23.4 Information Assurance (IA) Training *(As required on the AT/OPSEC Cover Sheet)*

1.23.4.1 All Contractor employees, including subcontractors, requiring access to Government information systems shall complete the DoD IA Cyber Awareness Training within *{Insert number of days as required on the AT/OPSEC Cover Sheet}* *{Insert Deliverable #}* after contract start date or effective date of incorporation of this requirement into the contract, whichever applies, or *{Insert number of days}* after employment of new personnel. Verification of the training shall be provided to the COR within *{Insert number of days}* after completion of the training (*{Insert Deliverable #}*).

1.23.4.2 All Contractor employees, including subcontractors, working information technology (IT)/IA functions shall comply with DoD and Army training requirements per Information Assurance Training Certification and Workforce Management DoD Directive (DoDD) 8570.01, Information Assurance Workforce Improvement Program DoD 8570.01-M, and Information Assurance AR 25-2 within thirty (30) calendar days of employment. Training is available at <https://ia.signal.army.mil/DoDIAA/default.asp>.

1.23.4.3 All Contractor employees, including subcontractors, performing services under this contract with access to a Government information system must be registered in the Army Training Certification Tracking System (ATCTS), the web address is p (requires CAC to access). Verification of registration shall be provided to the COR within *{Insert number of days}* after registration. (*{Insert Deliverable #}*). Contractor personnel must complete refresher training every twelve (12) months (*{Insert Deliverable #}*). Verification of the training shall be provided to the COR within *{Insert number of days}* after completion of the training (*{Insert Deliverable #}*).

1.23.5 Personally Identifiable Information (PII): *(If applicable)* Contractor employees, including subcontractors, performing services under this contract with access to PII and Government information shall complete "Identifying and Safeguarding PII" within 30 calendar days of employment. Contractor personnel shall complete refresher training every twelve (12) months from initial completion. The Contractor shall provide the COR a copy of the training certificates for its employees no later than five (5) days after completion (*{Insert Deliverable #}*). Training is available at <http://iatraining.disa.mil/eta/piiv2/launchPage.html>

1.24 Authorization to Perform Services in Germany *(Customize as applicable to country of performance)*

1.24.1 Contractors performing services in the Federal Republic of Germany (FRG) shall comply with German law. The Contractor shall determine whether performance requires registration with German authorities or authorization to do business in Germany and, if so, shall comply with all requirements. Whether or not registration or authorization to do business is required, the Contractor shall determine what documents or authorization its employees and any subcontractor employees must possess to work in Germany. The Contractor shall ensure affirmatively that its employees and subcontractor employees possess such documents or authorizations.

1.24.2 Contractor employees who: (a) are not nationals of Germany or other European Union countries; (b) are not members of the force, the civilian component or their dependents; or c) do not have assimilated status under Articles 71, 72, or 73 of the Supplementary Agreement to the North Atlantic Treaty Organisation Status of Forces Agreement shall possess work and residence permits.

1.24.3 By acceptance of and performance under this contract, the Contractor affirms that it has complied with the requirements above. Compliance with this requirement and German law is a material contract requirement. Noncompliance by the Contractor or subcontractor at any tier shall be grounds for issuing a negative past performance evaluation and terminating this contract for default.

1.25 Notice to Proceed: *(If applicable)* the notice to proceed will be provided as indicated below. *(Contracting Office must identify one)*

- ☐ *The effective date of contract will constitute the date of notice to proceed*
☐ *A notice to proceed letter will be issued*
☐ *The date of the letter transmitting the contract will constitute the date of the notice to proceed*

1.26 Electromagnetic Compatibility Directive: *(OCONUS – May be applicable to requirements performed in Germany and other countries, edit as appropriate)* The Contractor certifies that all electrical and electronic equipment and appliances furnished are in compliance with the Electromagnetic Compatibility Directive 2014/30/EU. For radio transmitting and telecommunication devices furnished in the FRG, the Contractor certifies that all such items have been approved by the Bundesamt fuer Zulassungen. Any penalties for

noncompliance imposed by the Government of the European country where the equipment or appliances are delivered or product liability claims caused by interference generated by furnished appliances or equipment are solely the responsibility of the Contractor.

1.27 Government Property and Services: *(If applicable)* Refer to Part 3 of this PWS for Government property (GP) for this contract. For all issued GP for this contract, the Contractor shall submit a Property Management Plan to the Contracting Officer and the Property Administrator via the COR within *{Insert number of days}* after date of contract award (*{Insert Deliverable #}*). The plan shall address the requirements as listed in *(the Requiring Activity shall consult with the appropriate garrison or installation property administrator for guidance associated with this requirement and to ensure the appropriate language is included in the PWS.)*

1.28 Conventional Forces Europe (CFE) Treaty Verification Inspection: *(OCNUS – May be applicable to requirements performed in Germany and other countries, edit and identify guidance or restrictions as appropriate)* Contractor-owned or controlled structures and containers located on U.S. Government installations are subject to short-notice inspections by CFE treaty inspection teams. The Government will endeavor to provide the Contractor as much notice as possible in the event of such inspections. The contractor shall provide access to such structures and containers at the request of the Government. The Contractor shall report such inspections to the KO through the COR in writing within ten (10) calendar days of completion of the inspection. Contractor-owned or controlled structures and/or containers on U.S. installations may have to be inspected to comply with the CFE treaty even if Contractor personnel are unavailable to provide access. Any costs borne by the Contractor or any impact on contract performance as a result of the inspection will be a matter of negotiation between the Contractor and the KO.

PART 2 DEFINITIONS & ACRONYMS

(This section includes many of the terms and phrases used in this PWS. The RA shall ensure that if a definition or acronym is added, that it is clear and concise, not ambiguous. Carefully consider each definition because they will be binding for the duration of this contract, unless modified. In addition, include a complete listing of all acronyms and words or phrases they represent.)

REMINDER - DELETE ALL RED INSTRUCTIONAL INFORMATION AND SAMPLE LANGUAGE PRIOR TO FINALIZING THE PWS

2. Definitions and Acronyms

2.1 Definitions: Although not inclusive of every term used within this PWS, the following provides a list of definitions used throughout this PWS and commonly used in the acquisition field. *(List definitions used in the PWS and what they represent. At a minimum, insert the definitions provided below.)*

Contracting Officer – means a person with the authority to enter into, administer, and/or terminate contracts and make related determinations and findings on behalf of the Government. Note: The only individual who can legally bind the Government.

Contracting Officer's Representative (COR) – As defined in DFARS 202.101, means an individual designated and authorized in writing by the Contracting Officer to perform specific technical or administrative functions. DoD Instruction (DoDI) 5000.72, Part II Definitions states the following when defining a COR: “Defined in subpart 202.101 of Reference (f). Any individual delegated responsibilities pursuant to subpart 1.602-2 of Reference (e), regardless of local terminology, must be certified in accordance with this instruction. For example, local terminology can be COR, Contracting Officer’s technical representative, technical point of contact, technical representative, alternate COR, administrative COR, assistant COR, line item manager, task order manager, quality assurance personnel, quality assurance evaluator, or COR management.” In addition, Army Regulation 70-13, Chapter 2, paragraph 2-2g, states, in part, the following when providing other surveillance support personnel to assist the COR when needed, “...These other surveillance support personnel may serve as on-site representatives of the COR in performance of actual contract surveillance if they meet all COR requirements and have been appointed by the Contracting Officer as alternate CORs.”

Contractor – means a supplier or vendor awarded a contract to provide specific supplies or service to the Government. The term used in this contract refers to the prime.

Contractor-acquired Property - means property acquired, fabricated, or otherwise provided by the Contractor for performing a contract and to which the Government has title.

Day – means, unless otherwise specified, a calendar day.

Defective Service – means a service output that does not meet the standard of performance associated with the Performance Work Statement.

Deliverable – means anything that can be physically delivered, but may include non-manufactured things such as meeting minutes or reports.

Government-furnished Property – As reflected in FAR 52.245-1, Government-furnished Property “means property in the possession of, or directly acquired by, the Government and subsequently furnished to the Contractor for performance of a contract. Government-furnished property includes, but is not limited to, spares and property furnished for repair, maintenance, overhaul, or modification. Government-furnished property also includes contractor-acquired property if the contractor-acquired property is a deliverable under a cost contract when accepted by the Government for continued use under the contract

Government Property - means all property owned or leased by the Government. Government property includes both Government-furnished and Contractor-acquired property. Government property includes material, equipment, special tooling, special test equipment, and real property. Government property does not include intellectual property and software.

Property Administrator - means an authorized representative of the Contracting Officer appointed in accordance with agency procedures, responsible for administering the contract requirements and obligations relating to Government property in the possession of a Contractor.

High Level Objective (HLO) – means a key overarching result-based objective for a project necessary to achieve the project’s vision. HLOs are similar to Level 2 in a Work Breakdown Structure. Each HLO may contain several statements to flesh out the areas necessary to meet the objective.

Physical Security – means that part of security concerned with physical measures designed to safeguard personnel; to prevent unauthorized access to equipment, installations, material, and documents; and to safeguard against espionage, sabotage, damage, and theft.

Quality Assurance – (or Government contract quality assurance) means the various functions, including, inspection, performed by the Government to determine whether a Contractor has fulfilled the contract obligations pertaining to quality and quantity.

Quality Assurance Surveillance Plan (QASP) – means the key Government-developed surveillance process document, and is applied to Performance-Based Service Contracting (PBSC). The QASP is used for managing Contractor performance assessment by ensuring that systematic quality assurance methods validate that Contractor quality control efforts are timely, effective, and are delivering the results specified in the contract or task order. The QASP directly corresponds to the performance objectives and standards (i.e., quality, quantity, timeliness) specified in the Performance Work Statement (PWS). It provides specific details on how the Government will survey, observe, test, sample, evaluate, and document Contractor performance results to determine if the Contractor has met the required standards for each

objective in the PWS. The QASP, with very few if any exceptions, is an internal to Government document.

Quality Control – means all necessary measures taken by the Contractor to assure that the quality of an end product or service shall meet contract requirements.

Statement – means the specific results-based activities required to satisfy HLOs. A statement contains a result, the context of the statement, and the required action(s). Statements focus on “what” is to be accomplished; however they are not prescriptive in describing “how” the outcome is to be achieved. Each HLO may have several statements to flesh out the areas necessary to meet the objective. Statements are similar to Level 3 in a Work Breakdown Structure.

Subcontractor – means one that enters into a contract with a prime Contractor. The Government does not have privity of contract with the subcontractor.

Work Day - The number of hours per day the Contractor provides services in accordance with the contract.

Work Week - Monday through Friday, unless otherwise specified.

2.2 Acronyms: Although not inclusive of every term used within this PWS, or that may be included in an acquisition, the following provides a list of acronyms commonly used in the acquisition field. *(Edit to include any additional acronyms used in the PWS and what they represent. At a minimum, suggest inserting the acronyms provided below.)*

ACOR	Alternate Contracting Officer's Representative
AE	Army in Europe
AFARS	Army Federal Acquisition Regulation Supplement
AHA	Activity Hazard Analysis
AOR	Area of Responsibility
AR	Army Regulation
AT	Anti-terrorism
ATCTS	Army Training Certification Tracking System
CAC	Common Access Card
CCE	Contracting Center of Excellence
CFE	Conventional Forces Europe
CFR	Code of Federal Regulations
CONUS	Continental United States (excludes Alaska and Hawaii)
COR	Contracting Officer's Representative
COTS	Commercial-Off-the-Shelf
DA	Department of the Army
DD250	Department of Defense Form 250 (Receiving Report)
DD254	Department of Defense Contract Security Requirement List
DFARS	Defense Federal Acquisition Regulation Supplement
DMDC	Defense Manpower Data Center

DoD	Department of Defense
FAR	Federal Acquisition Regulation
FRG	Federal Republic of Germany
GFP	Government Furnished Property
HLO	High Level Objective
HIPAA	Health Insurance Portability and Accountability Act of 1996
IA	Information Awareness
IAC	Installation Access Control
IACO	Installation Access Control Office
ID	Identification
IGCE	Independent Government Cost Estimate
IT	Information Technology
JTR	Joint Travel Regulation
JPAS	Joint Personnel Adjudication System
KO	Contracting Officer
OCI	Organizational Conflict of Interest
OCONUS	Outside Continental United States (includes Alaska and Hawaii)
ODC	Other Direct Costs
OPSEC	Operations Security
PA	Property Administrator
PII	Personally Identifiable Information
PIPO	Phase In/Phase Out
POC	Point of Contact
PRS	Performance Requirements Summary
PWS	Performance Work Statement
QA	Quality Assurance
QAP	Quality Assurance Program
QASP	Quality Assurance Surveillance Plan
QC	Quality Control
QCP	Quality Control Program
RA	Requiring Activity
RCO	Regional Contracting Office
SIGE	Safety and Health Protection Plan
TE	Technical Exhibit
USAG	United States Army Garrison
USAREUR	United States Army Europe
UOM	Unit of Measure

PART 3 GOVERNMENT PROPERTY (GP) AND SERVICES

This section should identify those items such as property, information, and/or services that will be provided for the Contractor's use (without cost to the Contractor) to allow them to provide the required services, such as materials, facilities, training, etc. Examples provided below. (If applicable, Requiring Activity, in consultation with the garrison or installation Property Administrator, shall list GP in Part 7 of this PWS.

REMINDER - DELETE ALL RED INSTRUCTIONAL INFORMATION AND SAMPLE LANGUAGE PRIOR TO FINALIZING THE PWS

3. Government Property and Services

3.1 Services: *(If applicable) The Government will provide {Insert the services that will be provided, e.g. may include personnel to assist with production set-up}.*

3.2 Facilities: *(If applicable - Please see FAR Part 45.000 to determine if the Government Property is incidental. Recommend consultation with garrison and or installation Property Administrator for further assistance and guidance.)* The Government will provide {Insert what facilities will be provided, e.g. necessary workspace, desk space for the Contractor to provide the support outlined in the PWS to include desk space, storage rooms, etc.} *(Recommend consultation with KO to determine whether insertion of clause FAR 52.237-2 is in order. The clause states, "The Contractor shall use reasonable care to avoid damaging existing buildings, equipment, and vegetation on the Government installation. If the Contractor's failure to use reasonable care causes damage to any of this property, the Contractor shall replace or repair the damage at no expense to the Government as the Contracting Officer directs. If the Contractor fails or refuses to make such repair or replacement, the Contractor shall be liable for the cost, which may be deducted from the contract price.")*

3.3 Utilities: *(If applicable) The Government will provide {Insert what utilities will be provided, e.g. all utilities in the facility will be available for the Contractor's use in performance of the tasks outlined in the PWS, etc.} (If utilities are furnished, the following is required)* The Contractor shall instruct employees in utilities conservation practices. The Contractor shall operate under conditions that preclude the waste of utilities, which include turning off the water faucets or valves, light switches, etc. after using the required amount to accomplish tasks requiring the use of the utilities.

3.4 Equipment: *(If applicable - Please see FAR Part 45.000 to determine if the Government Property is incidental. Recommend consultation with garrison and or installation Property Administrator for further assistance and guidance.)* The Government will provide {Insert what equipment will be provided and what the Contractor will have access to, e.g. telephones, computers, scanners, fax machines, printers, shipping crates, lighting, sound, etc.}

3.5 Special Tooling and Test Equipment: *(If applicable - Please see FAR Part 45.000 to determine if the Government Property is incidental. Recommend consultation with garrison or installation Property Administrator for further assistance and guidance.)* Refer to Part 7 of this PWS for GP for this contract. Refer to GP FAR Clause 52.245-1.

3.6 Materials: *(If applicable)* The Government will provide *{Insert what materials will be provided, i.e., Standard Operating Procedures (SOPs), Local Instructions, Policies, etc.}*

3.7 Training: *(If applicable)* The Government will provide the following training: *{Insert what training will be provided, e.g. AT Level 1 Awareness, OPSEC, iWATCH, etc.}*

3.8 Common Access Cards (CAC): *(If and as applicable)* The Government will provide Common Access Cards (CAC) via the Trusted Associate Sponsorship System (TASS) (Web site <https://www.dmdc.osd.mil/tass/>).

DRAFT

PART 4 CONTRACTOR FURNISHED ITEMS AND SERVICES

(This section is used to identify Contractor furnished items, materials, equipment, and services. Examples provided below.)

REMINDER - DELETE ALL RED INSTRUCTIONAL INFORMATION AND SAMPLE LANGUAGE PRIOR TO FINALIZING THE PWS

4. Contractor Furnished Property and Services

4.1 General: *(If applicable) The Contractor shall furnish (For example, “all personnel, equipment, supplies, facilities, transportation, tools, materials, supervision, and other items necessary to perform services as described in the PWS and associated contract documents, except for those items specified in Part 3 Government Property and Services.”).*

4.2 Secret Facility Clearance: *(If applicable) The Contractor shall possess and maintain a {insert clearance level} facility clearance from the Defense Security Service IAW DoD 5220.22-M, National Industrial Security Program Operating Manual (NISPOM) and AR 380-49, Industrial Security Program. The Contractor’s employees, performing work in support of this contract shall have been granted a {insert clearance level} from the Defense Industrial Security Clearance Office. The Facility Security Clearance must match the highest security clearance required for personnel. The DoD Contract Security Classification Specification (DD 254) is provided as an attachment in the basic contract.*

4.3 Materials: *(As applicable –in addition, if contract acquired property is anticipated, consultation with garrison or installation Property Administrator is required to ensure compliance with FAR 52.245-1) The Contractor shall provide {Insert known and contract-specific materials to be provided by the Contractor. For example (although it must be noted this example is not all inclusive, the RA must ensure addressing their specific requirements), “...Personal Protective Equipment, PPE, Office supplies and materials such as, paper, printer cartridges, and all other office supplies and materials needed in the performance of this contract; automated data processing equipment (ADPE) such as computers, copy, printer, and fax machines. All ADPE connecting to the Government network shall be reviewed and approved by the Government prior to purchase by the Contractor; office furniture; cellular and desktop telephones, etc. The Contractor may request a letter of authorization from the Contracting Officer to utilize Government supply sources such as Government Services Administration (GSA), UNICOR, etc.”}*

4.4 Vehicles and Equipment: *(As applicable) The Contractor shall {Insert known and contract-specific vehicles or equipment to be provided by the Contractor. For example, “...provide all necessary vehicles (no GSA vehicles provided to Contractor for use on this contract) and equipment to perform the work described in this PWS. All Contractor provided vehicles and equipment shall have the company name prominently displayed on both sides of the vehicle or equipment and present a neat, professional appearance. Contractor’s vehicles and equipment used in the performance of this contract shall meet all local and Host Nation*

traffic, safety, and environmental requirements. Vehicles and equipment found to be unsafe shall be removed from the installation and replaced. The Contractor shall not use any Government-owned tools, materials, or parts to maintain Contractor vehicles and equipment without prior written approval of the Contracting Officer. The COR may inspect the Contractor's vehicles and equipment at any time.”}

4.5 Background Checks): *(Insert if applicable)* The Contractor shall provide Background Checks in accordance with this PWS and as determined by the Government.

DRAFT

PART 5 SPECIFIC TASKS

(This section is the heart and substance of the PWS. All of the services to be performed under the contract should be described in sufficient detail here. This includes all general tasks required by the Government.)

5.1 Basic Services: The Contractor shall provide a technical solution that incorporates all Government requirements. Basic services required may include, but is not limited to, software installation, cloud connection, certification and accreditation, testing, infrastructure procurement, infrastructure installation, infrastructure configuration and deployment, systems engineering, training, emergency break/fix, and all supporting technical services. System Integration Testing (SIT) and System Acceptance Testing (SAT) will be conducted to validate the solution meets the government requirements outlined below in section 5.2. The solution will provide enhanced sensitivity labeling, SharePoint Online management and records management capabilities that integrate with the existing army environment in order to provide greater management and reporting capabilities as outlined below in section 5.2.

5.2 Tasks: Tasks consist of the following items, each with a Standard (STD) and Acceptable Quality Level (AQL):

5.2.1 Enterprise Governance and Administration

5.2.1.1 Support for Delegated Administration: The solution shall provide for different levels of access to administrators with different roles to support a delegated administrative model.

(a) STD: The solution provides distinct roles (e.g., Major Command Lead Administrator, Command Hub Administrator) where permissions can be delineated in terms of which actions can be taken and which reports can be viewed.

AQL: Solution provides this capability.

(b) STD: Administrator permissions can be scoped to a specific command's data estate, limiting reports and actions to only those files, users, and workspaces belonging to their area of responsibility.

AQL: Solution provides this capability.

(c) STD: The solution shall provide reporting on resource allocation, such as the number of hub sites and storage used per command.

AQL: Solution provides this capability.

(d) STD: The solution shall enforce hierarchical, command aligned Role Based Access Control (RBAC) scoping across SharePoint sites, Teams (including private and shared channels), and OneDrive, with the ability to recompute and update scopes automatically when a site or Team is re-aligned to a different hub/command, without re-permissioning content.

AQL: 100% of scoped actions and reports are limited to the role's assigned MACOM/command/hub/scope; re alignment scope updates take effect within 24 hours.

(e) STD: Provide bulk, auditable re-alignment operations (e.g., site to hub, team to hub, owner changes) with pre-validation and user visible warnings for disruptive actions (e.g., archive, delete).

AQL: 100% of bulk jobs are pre-validated; 0% of disruptive jobs proceed without warnings.

5.2.1.2 Auditing and Reporting: The solution shall provide comprehensive auditing and reporting capabilities for administrative oversight. Logging will be enabled to primarily support internal (Army) administrative actions and cybersecurity monitoring.

(a) STD: All administrative and automated actions must be logged and exportable to a security information and event management (SIEM) system.

AQL: 100% of defined events are logged.

(b) STD: SIEM export shall be near real time (≤ 15 minutes) and tamper evident, using a consistent schema (tenant, MACOM, command, hub, site/team/channel/item, actor, target, correlation ID, before/after values) for: permission changes, share link creations, external sharing invitations, label applications/removals, lifecycle decisions (renew/expire/archive), bulk jobs, and owner attestations.

AQL: $\geq 99\%$ of events delivered to SIEM within 15 minutes; logs retained ≥ 1 year in solution and ≥ 3 years in exportable archives.

(c) STD: The solution provides administrators with dashboards that give a comprehensive view of labeled data, policy alerts, and Data Loss Prevention (DLP) actions within their data estate.

AQL: Solution provides this capability.

(d) STD: The system shall generate alerts based on policy violations, pre-defined thresholds, and anomalous user behavior (User and Entity Behavior Analytics - UEBA).

AQL: Solution provides this capability.

(e) STD: Provide RBAC scoped dashboards and action queues for exceptions, including ownerless Teams/Groups, disabled or orphaned accounts with residual permissions, sites not registered in the master repository, and anomalies in private/shared channel sites.

AQL: 100% of exceptions appear in the appropriate scope's queue within 24 hours of detection.

5.2.1.3 Delegated Administration for Power Platform Assets

(a) STD: Provide RBAC scoped visibility and lifecycle control over Power Apps, Power Automate flows, and Power BI artifacts (environment lifecycle rules, owner recertification, metadata enforcement), limited to the role's MACOM/command scope.

AQL: Role can list, report, and action Power Platform assets only within its scope; 100% of changes are audit logged.

5.2.1.4 Metadata & Taxonomy Management

(a) STD: The solution shall provide automated management, auditing, and reporting of hierarchical metadata (term groups/term sets) at tenant, MACOM/command, hub, and site levels, including delegated control to MACOMs and hubs and prevention of duplicate/invalid terms; changes must be logged with owner, scope, and before/after values.

AQL: 100% of configured term groups/sets are discoverable and reportable by scope; ≥95% of metadata changes are logged within 15 minutes; term set drift (duplicates/invalid entries) remediated within 7 days.

5.2.1.5 Permission Auditing & Remediation: The capability shall enable automated audits and bulk remediation by authorized administrators.

(a) STD: The solution shall perform automated, periodic audits of SharePoint/Teams permissions to detect by name grants, permission sprawl, excessive external sharing, and orphaned/deactivated accounts; provide bulk remediation (e.g., convert by name to group based, revoke non compliant shares) and the ability to automatically revert out of policy changes.

AQL: Audits execute at least monthly; ≥95% of detected violations remediated or reverted within 7 days; full audit trail retained ≥1 year.

5.2.1.6 Custom Solution Governance (SPFx & Power Platform):

(a) STD: The solution shall enforce governance for custom solutions (SPFx web parts/extensions; Power Apps; Power Automate flows) including approval workflows, peer/code review, security review, deployment tracking, and delegated App Catalog management (tenant/site collection) with audit trails for each step.

AQL: 100% of custom solutions pass documented review gates prior to deployment; 100% of deployments logged with approver, scope, version, and rollback path.

5.2.1.7 Oversight Dashboards & Metrics: Capability will provide customizable dashboard for activity oversight and metric reporting.

(a) STD: Provide multi level governance dashboards (tenant, MACOM/command, hub, site/team) that surface key metrics and actionable insights for delegated administration, permission/compliance posture, and lifecycle status, scoped by RBAC.

AQL: Dashboards render current state within 24 hours of changes; exportable reports provided on demand for CRB/NETCOM review.

5.2.1.8 RBAC Delegation & Self Service Role Provisioning

(a) STD: The solution shall implement an RBAC delegation model in which customer provisions and manages access only at the Major Command Lead Administrator (MCLA) level; MCLAs shall be empowered, via controlled workflows, to provision and manage Command Hub Administrators (CHAs) and CHAs (by default) provision and manage LSCAs for their command; MCLAs may directly appoint LSCAs where command policy authorizes. Self service

role provisioning shall include: identity verification, appointment memo capture, scope assignment (MACOM/command/hub/site), least privilege defaults, and automatic audit logging.

AQL: 100% of CHA/LSCA role assignments and removals are initiated and completed by the MCLA (or their delegated approvers) without Customer involvement; 100% of role changes include an associated appointment memo and audit record; ≥95% of provisioning requests are fulfilled within 2 business days.

5.2.1.9 Chain of Authority Validation & Role Registry

(a) STD: The solution shall maintain a centralized, auditable role registry that records the chain of authority for each administrative assignment (issuer, assignee, role, scope, effective/expiry dates, supporting documentation). When a role assignment is requested, the system shall validate eligibility against the chain of authority (e.g., MCLA can appoint CHA; CHA can appoint LSCA where policy allows) and block requests that do not meet policy.

AQL: 100% of administrative role assignments validated against chain of authority prior to activation; 0 unauthorized role activations; registry reflects current state within 15 minutes of changes.

5.2.1.10 Role Lifecycle, Recertification & Auto Expiry

(a) STD: The solution shall provide configurable role lifecycle controls for MCLA/CHA/LSCA assignments, including start/end dates, periodic recertification (e.g., quarterly), and auto expiry for temporary or project based roles. Non recertified roles shall be automatically suspended with notice and escalation to the MCLA.

AQL: ≥95% of roles complete recertification within their window; 100% of temporary roles auto expire on schedule; 0 active roles beyond configured expiry without documented exception.

5.2.1.11 Delegated Group & Access Management

(a) STD: The solution shall allow MCLAs (and their designated approvers) to create, manage, and attest membership of command scoped administrative groups (e.g., CHA/LSCA groups) and to assign those groups to SharePoint/Teams administrative scopes. Customer shall retain ownership only of tenant level groups and policies; all command level group membership changes shall be initiated and approved within the command.

AQL: 100% of command level group membership changes are initiated and approved by command personnel; 0 Customer initiated changes at the CHA/LSCA level except emergency actions; complete audit trails retained for ≥1 year.

5.2.1.12 Emergency Revocation & Exception Handling

(a) STD: Provide a customer “kill switch” capability to immediately revoke any administrative assignment (MCLA/CHA/LSCA) or disable a command level group in emergency or security incidents, with automated notification to the affected MACOM and a required post action attestation by the MCLA. The solution shall support documented

exceptions (e.g., cross command support agreements) with limited time scopes and mandatory expiry.

AQL: Emergency revocations take effect within 15 minutes of Customer action; 100% of emergency actions generate notifications and post action attestations; 0 active exceptions beyond their configured expiry.

5.2.1.13 Scope Bound Administration & Least Privilege Defaults: Administrative actions and reports available will be limited to MACOM/command/hub/site level for each user, as defined by global (NETCOM) administrators.

(a) STD: Administrative tools and reports presented to MCLAs/CHAs/LSCAs shall be automatically scope bound to their MACOM/command/hub/site area of responsibility by default. The solution shall enforce least privilege for all delegated roles (only the minimum required actions and objects exposed).

AQL: 100% of delegated admin sessions are scope bound; 0 out of scope actions executed without documented approval.

5.2.1.14 Workflows & Evidence for Role Onboarding/Offboarding: The solution provides onboarding/offboarding workflows.

(a) STD: Provide standardized workflows for onboarding/offboarding of CHA/LSCA roles, including collection of appointment memos (if required), command policy acknowledgements, mandatory training completion acknowledgement, and confirmation of removal from prior incompatible roles/groups (e.g. scope/authority creep). Offboarding shall remove administrative access, revoke group memberships, reassign ownership as needed, and record evidence of completion in the role registry.

AQL: ≥95% of onboarding/offboarding events include complete evidence packages; 100% of offboarded roles have administrative access removed within 24 hours and ownership reassigned where applicable.

5.2.1.15 Delegated Attestation & Compliance Reporting: The solution provides for compliance and attestation reporting.

(a) STD: Enable MCLAs to run and submit periodic attestation reports covering: current CHA/LSCA rosters, appointment memo currency, training completion, scope accuracy, and recent administrative actions. The system shall automatically flag missing evidence, roles out of scope, and expired assignments, and route them to the command's action queue for remediation.

AQL: Attestation reports submitted on schedule for ≥95% of commands; identified issues remediated within 14 days; audit trails retained ≥1 year.

5.2.2 Data Sensitivity and Security

5.2.2.1 Sensitivity Labeling Integration: The solution shall integrate with and enhance the sensitivity labeling capability in the A365 (NIPR) tenant.

(a) STD: The solution uses the same set of labels and Sensitive Information Types (SITs) as defined in existing sensitivity labeling capability.

AQL: 100% Compliant.

5.2.2.2 Automated Labeling: The solution shall apply sensitivity labels to files at rest in an automated fashion and provide mechanism to identify and remediate file mis-labeling.

(a) STD: The solution automatically applies sensitivity labels to files at rest (in SharePoint, Teams, and OneDrive) based on administrator-configured policies and the detection of sensitive content within files.

AQL: Solution provides this capability.

(b) STD: The solution provides a mechanism for authorized personnel to identify and remediate incorrectly labeled files.

AQL: Solution provides this capability.

5.2.2.3 Data Protection and Policy Enforcement: The solution shall enforce data protection policies based on applied sensitivity labels.

(a) STD: The solution shall identify and report on high-risk interactions with Artificial Intelligence (AI) systems. A dashboard highlights all defined high-risk interactions with AI systems. These interactions include: file uploads to unauthorized AI system and uploads of files to an approved AI system where the file sensitivity exceeds approved levels.

AQL: High-risk interactions are logged and reported within 15 minutes.

(b) STD: The solution shall identify and report overshared and high-risk items and enables administrators to initiate remediation actions, such as reduction or revocation of file access permissions.

AQL: Solution provides this capability.

5.2.2.4 Container Defaults & Overrides

(a) STD: Support default sensitivity and/or retention labels at site, library, Team, and channel levels which automatically apply to all hosted, label-supported, and previously unlabeled assets; any manual override by end users requires justification captured in the audit log.

AQL: 100% of overrides include justification; default labels enforced on new content within 5 minutes.

(b) STD: Detect and report oversharing by link type (anonymous, tenant wide “Anyone in organization”, “Specific people”) and by distribution group size thresholds; enable discovery and one click remediation, within the complete RBAC hierarchy, to least privilege alternatives and policy based link expirations.

AQL: ≥95% of flagged oversharing cases remediated within 72 hours of detection; command scoped trend dashboards provided.

5.2.2.5 Disabled/Orphaned Account Remediation

(a) STD: Detect disabled/orphaned Entra ID accounts with residual permissions to SPO/Teams content; initiate automated reassignment of ownership and/or permission removal per Customer policy, integrated with Mover/Leaver workflows.

AQL: ≥95% of cases remediated within 7 days of detection; full audit trail maintained.

5.2.2.6 Tenant Wide Label Consistency & Consensus Recommendation

(a) STD: The solution shall identify sensitivity label mismatches among duplicate or derivative copies of a file across the tenant and compute a “consensus label” recommendation based on file plan rules, business metadata, declared record status, and majority label assignment across authoritative locations; the recommendation shall include a risk score and one click remediation to align non conforming copies.

AQL: ≥95% of label mismatches detected within 24 hours; consensus recommendations generated for ≥95% of cases; ≥90% of remediations complete within 7 days with full audit logging.

5.2.3 Records Management

5.2.3.1 File Plan and Retention Label Management: The solution shall manage retention labels and file plans in compliance with Army and National Archives and Records Administration (NARA) standards. Files to be retained include SharePoint Online, Teams, OneDrive and Exchange locations.

(a) STD: Solution enables Authorized Enterprise Records Management (ERM) personnel to apply retention labels to files and workspaces.

AQL: Solution provides this capability.

(b) STD: The solution supports the Army's hierarchical file plan structure, allowing disposition rules and labels to be inherited from parent categories.

AQL: Solution provides this capability.

(c) STD: ERM authorized label additions/edits/deletions shall sync within 24 hours; the solution shall expose label catalogs, usage analytics, and scope aware views for MACOM/command roles.

AQL: 100% of label catalog changes reflected within 24 hours.

5.2.3.2 Records Lifecycle and Disposition: The solution shall manage the data lifecycle.

(a) STD: A formal, automated workflow is established for requesting and approving the application of records management labels to SharePoint sites, including notifications and escalations.

AQL: Solution provides this capability.

(b) STD: The solution provides disposition reports for records scheduled for destruction or transfer and allows for the export of content and metadata in a NARA acceptable format.

AQL: Solution provides this capability.

(c) STD: The solution provides reports identifying files under legal hold.

AQL: 100% of files under legal hold are accurately reported.

(d) STD: Support document finalization with approval/escalation. Upon approval the item is declared a record and locked (no label removal or content edits except by authorized RM processes and personnel).

AQL: 100% of finalized records locked; 0 unauthorized label removals.

(e) STD: Support event based retention per file plan, triggering label application and retention start when business events occur (e.g., document completion).

AQL: 100% of configured events apply labels within 24 hours of event capture.

(f) STD: Disposition queues shall automatically exclude items on legal hold; exports for transfer/destruction shall meet NARA format including all mandated metadata (label, retention, owner, chain of custody, audit).

AQL: 100% conformance; 0 disposals of held items.

5.2.3.3 Automated Records Declaration & Retroactive Labeling

(a) STD: The solution shall support policy driven automated records declaration and automated labeling based on content/metadata/business rules, including bulk and retroactive application to existing content, with escalation and approvals as required.

AQL: ≥95% of eligible items labeled/declared within 24 hours of rule match; bulk/retroactive runs complete with 100% auditability and 0 retention conflicts.

5.2.3.4 Pre Export NARA Metadata Validation

(a) STD: Prior to disposition/transfer, the solution shall automatically validate NARA compliance, including metadata completeness and correctness (labels, retention, provenance, chain of custody), blocking export until deficiencies are resolved.

AQL: 100% of exports pass validation; 0 exports with missing mandatory NARA metadata.

5.2.3.5 Records Management Dashboards & Rollups

(a) STD: Provide interactive, RBAC scoped Records Management (RM) dashboards and rollup reports showing records status, label application coverage, pending approvals, disposition windows, and legal holds across MACOM/command/hub/site scopes.

AQL: Dashboards update within 24 hours; pending actions and compliance metrics are filterable by scope and exportable.

5.2.3.6 File Plan & Taxonomy Integration

(a) STD: The solution shall integrate with the Army file plan and hierarchical taxonomy, ensuring inheritance of retention/disposition rules from parent terms/labels and alignment of site/library metadata to file plan categories.

AQL: 100% of configured file plan categories map to valid term sets/labels; inheritance verified during audit with 0 drift exceptions.

5.2.3.7 Delegated Records Management RBAC

(a) STD: Enforce delegated, scope limited records management: MACOMs/command designated personnel can manage file plans, labels, approvals, changes and reports only for their data estate, with no cross command visibility except for authorized enterprise RM roles.

AQL: 100% of RM actions/reports restricted to role scope; 0 unauthorized cross command access events.

5.2.3.8 Non Record Copy Annotation & Attestation

(a) STD: The solution shall support annotation and owner attestation for non record copies, automatically adding metadata that indicates whether a record copy already exists and is labeled (e.g., "RecordCopyReference," "RecordStatus," "RecordDeclaredDate"). Owners of non record copies shall receive actionable tasks to attest the non record status or initiate relocation/cleanup in accordance with policy.

AQL: 100% of non record copies associated with a declared record are automatically annotated within 24 hours; ≥95% of attestation tasks completed within 14 days; 0 attested non record copies retain conflicting record level labels.

5.2.3.9 Version Pruning Prior to Record Lock

(a) STD: Before locking a document as a record, the solution shall enforce removal of non required prior versions in accordance with records policy, either by automatically pruning those versions or by recommending to the owner to initiate pruning. Non required prior versions shall be determined per the file plan and RM policy, and pruning shall be consistent with the version pruning controls in 5.2.5.2. The pruning shall proceed only after concurrence/approval by designated records management personnel (e.g., RA/RM). All pruning actions must respect legal holds and retention labels and be fully audit logged (who, what, when, before/after).

AQL: 100% of record locks are preceded by version pruning or a user prompt and proceed only with documented RM concurrence; 0 pruning operations violate legal holds or retention labels; 0 record locked items retain non required prior versions; audit records present for 100% of pruning and lock events.

5.2.4 SharePoint and MS Teams Management

5.2.4.1 Self-Service Workspace Creation: Solution enables End Users to request new SharePoint Online Sites or Microsoft Teams in accordance with organizational policy.

(a) STD: Users can request a new site or Team and select from a list of command-approved templates.

AQL: Solution provides this capability.

(b) STD: An approval workflow is automatically initiated, and the request is routed to the correct command administrator.

AQL: Solution provides this capability.

(c) STD: Administrators can configure which templates require approval and which templates are automatically approved.

AQL: Solution provides this capability.

(d) STD: Once approved, workspace creation is executed automatically, and ownership is associated with an Army Major Command (MACOM) based on the requestor's affiliation.

AQL: Solution provides this capability.

5.2.4.2 Workspace Lifecycle Management: The solution shall automate the lifecycle of SharePoint sites and Teams.

(a) STD: The solution provides an automated process for workspace renewal, expiration, and archival based on administrator-defined policies.

AQL: Solution provides this capability.

(b) STD: A master repository of all SharePoint sites and Teams is maintained and audited against the live environment to ensure full accountability.

AQL: Solution provides this capability.

(c) STD: Enforce mandatory hub association for all SPO sites; prevent hub creation beyond MACOM quota reservations; detect/report unregistered sites or sites not associated to any hub and initiate remediation.

AQL: 100% enforcement; 100% drift exceptions reported within 24 hours.

5.2.4.3 Teams Private/Shared Channel Governance

(a) STD: Discover and manage SharePoint sites created by Teams private/shared channels as first class workspaces, applying sensitivity/retention, oversharing and Redundant, Obsolete, Trivial (ROT) file detection, lifecycle (renew/expire/archive), and full audit logging.

AQL: 100% of private/shared channel sites included in governance scans and dashboards.

5.2.4.4 Owner Attestation & External Sharing Recertification

(a) STD: Automate owner attestation of membership, permissions, external links, and guest users at configurable intervals (e.g., 90/180/365 days) with escalation; renewals shall be blocked until attestation is complete.

AQL: ≥95% of scoped workspaces complete attestation within their window.

5.2.4.5 Data Quality & Ownership Enforcement

(a) STD: The solution shall run automated data quality checks to detect unowned workspaces/content, incomplete mandatory metadata, and unclassified sensitive items; initiate owner assignment enforcement and remediation workflows.

AQL: ≥95% of quality exceptions addressed (owner assigned/metadata completed) within 14 days; all actions audited.

5.2.4.6 Policy Driven Lifecycle Automation (All Workspace Types)

(a) STD: Provide configurable, policy driven lifecycle workflows (renewal, expiration, archival, deletion) with notifications, owner attestation, and escalations for SharePoint sites, Teams (including private/shared channels), and Groups.

AQL: ≥95% of workspaces follow configured lifecycle policy; escalations triggered within 3 business days for non responsive owners.

5.2.5 Storage Management

5.2.5.1 Identification of Redundant, Obsolete, Trivial (ROT) files: Solution identifies files that are completely or substantially identical to other files, identifies duplicate copies and excessive versions of files. ROT is identified in SharePoint, Teams and OneDrive workspaces.

(a) STD: ROT files are identified and reported to Army Administrators. Recommended remediation actions will be provided for administrator review.

AQL: Solution provides this capability.

(b) STD: Administrators can take remediation actions against ROT files in a manner that does not conflict with records management requirements.

AQL: Solution provides this capability.

5.2.5.2 Version Control & Records Safe Actions

(a) STD: Identify ROT by age/inactivity, duplication, and excessive versions; support policy driven version pruning (e.g., retain last N versions) across SharePoint/Teams content; all actions shall respect retention labels and legal holds.

AQL: 0 compliance violations from ROT actions; ≥90% reduction of targeted ROT (including version counts) within 90 days.

5.2.5.3 ROT Tasking to LSCAs and Local Records Coordination

(a) STD: ROT identification and remediation shall be actionable at all levels of the RBAC hierarchy and records management roles. When ROT is identified at any higher scope, the solution shall enable the MCLA or CHA to issue scoped taskings to the responsible LSCAs to initiate ROT remediation for the identified assets. The LSCA shall coordinate through the solution with the site's designated records personnel (RC/RM/RA, as applicable) to confirm

records constraints prior to executing actions. The solution shall route, track, and close taskings; provide the LSCA with pre validated action options (archive, delete, relocate) that respect retention, legal hold, and file plan rules; and require documented concurrence from the designated local records personnel before execution. If local concurrence is not received within the configured window, the solution shall escalate the tasking to the CHA/MCLA and the next higher records role per policy.

AQL: ≥95% of ROT taskings are delivered to the correct LSCAs within 24 hours of identification; ≥95% of actions include documented concurrence from designated local records personnel; ≥95% of completed taskings meet configured SLAs; 0 actions violate retention/hold or file plan policies; complete audit records are present for 100% of taskings, concurrences, escalations, and actions.

5.2.5.4 ROT & Record Copy Determination Criteria

(a) STD: The solution shall determine ROT and record copy status using a defined decision model that includes: content hash and fingerprinting to detect duplicates, authoritative repository/location per file plan, declared record status and retention label presence, business metadata completeness, and usage/activity signals. An item is treated as the record copy if it is declared a record or resides in the designated record repository with the correct retention label; when multiple candidates exist, the earliest finalized and certified record shall be authoritative, with conflicts routed to RM personnel for resolution.

AQL: ≥99% classification accuracy for ROT vs record copy determinations verified in sampling; <1% false positive rate for record copy classification; 100% of conflicts escalated and resolved within 14 days.

5.2.6 End User Empowerment

5.2.6.1 End User file management: End users are empowered to easily self manage their own files. This permission is controlled in accordance with organizational policy and in a manner that does not conflict with records management requirements.

(a) STD: User level file sharing reports allow end-users to identify status of files they have shared.

AQL: Solution provides this capability.

(b) STD: Users can easily update and remove sharing permissions on files they own.

AQL: Solution provides this capability.

(c) STD: End user permission changes shall be policy checked: block changes that would violate sensitivity or retention policies, require justification for expanding access, and enforce auto expiry for ad hoc shares by default.

AQL: 0 policy violations from end user actions; 100% of ad hoc shares expire within 30 days unless a policy exception is approved.

5.2.7 Cloud Backup and Restore Functionality

5.2.7.1 Continuous backup for O365 applications: Provides automated, continuous backup of Exchange, SharePoint, OneDrive and Teams.

(a) STD: Provides backup and restoral beyond the Microsoft default 92 day maximum of the built in recycle bin.

AQL: Backups enable restoral of data and settings from up to [180] days with 100% accuracy.

(b) STD: Backup scope shall include all records and additional identified SharePoint sites (hub/site metadata, permissions, content types, labels), Teams (channels, private/shared channel sites, posts/messages, files, tabs/app configurations), OneDrive and Exchange; restores must preserve sensitivity/retention labels and permissions and not bypass legal holds. Manual backup selection and scheduling decisions shall be administered at the MACOM and Customer levels

AQL: Item level, site level, and team/channel level restores succeed with 100% metadata/permission/label fidelity; 0 restores that violate legal holds.

5.2.8 Technical Support

5.2.8.1 Installation and Break/Fix Support: Contractor provides support for installation of software and break/fix actions.

(a) STD: All contractor Installation and/or Cloud Service Connection actions are completed in a timely manner.

AQL: Actions are completed within [7] of days with no deviations greater than 7 days and deviations in no more than [5%] of instances.

(b) STD: Urgent Break/Fix actions are completed in a rapid manner.

AQL: All urgent break fix actions, such as those tied to backup and restoral functionality, are completed within 4 hours of notification from the government.

(c) STD: Non-Urgent break/fix actions are completed in a timely manner.

AQL: Non-urgent break/fix actions are completed within 7 calendar days for at least 95% of all break/fix actions.

5.2.8.2 Training: Contractor provides software training to administrators.

(a) STD: Initial software training is provided to administrators.

AQL: Initial training provided to administrators within 30 days of software install.

(b) STD: Additional administrator training.

AQL: Administrator training is provided up-to once quarterly, as requested, within 30 days of notice.

(c) STD: Provide role based training and enduring training content, mapped to Army roles (e.g., MCLA, CHA, LSCA, Site Owner, ERM, RA, RM, RC), covering security posturing, metadata & file plan usage, owner attestation & external sharing recertification, and Power Platform governance.

AQL: Role based training content delivered within 30 days of initial operating capability; ≥95% of requested quarterly sessions delivered on time; post training assessment content approved by Customer with ≥80% pass rate.

5.2.9 Scale & Performance: The solution shall scale to the Army NIPR environment and process files at sufficient throughput to provide near real time coverage.

(a) STD: The solution shall sustain continuous classification/oversharing/ROT scans across ≥2 billion items at Army scale, with a minimum effective throughput of ≥20 million items/day (or vendor stated, PoC validated metric) and near real time coverage for new content.

AQL: ≥95% of daily deltas scanned within 24 hours; dashboards reflect state within 24 hours.

(b) STD: The solution shall operate without degradation across ~30K SharePoint sites, ~300K groups/teams, and diverse MACOM/subordinate commands, supporting hierarchical RBAC, hub enforcement, and SIEM export SLAs.

AQL: Demonstrated during testing and PoC; no sustained backlog of >48 hours in any governance processing queue.

5.3 Service Contract Reporting

5.3.1 System for Award Management (SAM) Service Contract Report (SCR): The Contractor shall report ALL Contractor labor hours (including subcontractor labor hours) required for performance of services provided under this contract for the *{Insert Component's Name}* via a secure data collection site. The Contractor is required to completely fill in all required data fields through the following web address: www.sam.gov. Reporting inputs will be for the labor executed during the period of performance during each Government FY, which runs from October 1 through September 30. While inputs may be reported any time during the FY, all data shall be reported no later than October 31 of each calendar year. Contractors may direct questions to the help desk by clicking "View Assistance for SAM.gov" which is located at the top of the SAM.gov website. From there, you can select "Contact Our Service Desk" which will allow you to contact SAM.gov directly. If contract period of performance ends prior to September 30, the Contractor has 30 calendar days from end date of the contract to complete the SAM SCR requirement.

Steps for Submitting a Service Contract Report (SCR)

1. Go to www.sam.gov and log in.
2. Select Entity Registrations and then select Service Contract Reporting.
3. SAM displays your entities which have service contracts and meet the reporting criteria. Select View by entity to see the service contracts for each entity.

4. Next, select Add for the service contract against which you want to create a Service Contract Report. Each service contract which meets the FAR Subpart 4.1703 reporting thresholds is displayed.
5. You will be taken to the Complete Service Contract Report page. SAM displays the contract details and allows you to report. You are required to enter the following information:
 - **Total Amount Invoiced:** Total dollar amount invoiced for services performed during the previous Government fiscal year under the contract (this amount should include the prime and any subcontract amount).
 - **Prime Contractor Hours Expended:** Prime contractor direct labor hours expended on the services performed during the previous Government fiscal year. The amount you enter is automatically divided by 2,080 hours to calculate a Full Time Employee (FTE) equivalent, displayed under the Prime Contractor Hours Expended as Prime Contractor FTEs.
6. Report any required Tier 1 subcontractor information by selecting the Add Tier 1 Subcontract Information button.
7. When you are ready to submit the report, select Submit. This saves your report and returns you to the Select Service Contract page where you can create other SCRs or edit an existing SCR.

Steps for Editing a Submitted Report

1. Follow steps 1-4 above. Any previously submitted SCR will have a View/Edit button instead of an Add button.
2. Select View/Edit. You will be able to view the current SCR, edit available fields, and resubmit the record. You can also delete previously entered information altogether.

STD: All information provided by the Contractor shall be accurate, complete, and not exceed suspense dates noted in corresponding paragraph above.

AQL: 100% Compliant

{Insert Deliverable #}

PART 6 APPLICABLE PUBLICATIONS

(In this section list any publications, manuals, and/or regulations listed in this PWS in sequential order as they are referenced. See example provided below.)

REMINDER - DELETE ALL RED INSTRUCTIONAL INFORMATION AND SAMPLE LANGUAGE PRIOR TO FINALIZING THE PWS

6. Applicable Publications (Current Editions): The following publications, manuals, regulations, etc. are mentioned in this PWS and are listed below.

- 6.1.1 Department Of Defense Contract Security Classification Specification (DD Form 254)
- 6.1.2 Department of Defense Security Agreement (DD Form 441)
- 6.1.3 National Industrial Security Program Operating Manual (DoD 5220.22-M)
- 6.1.4 Installation Access Control (AE Reg 190-16)
- 6.1.5 The Army Physical Security Program (AR 190-13)
- 6.1.6 Contractor Identification (AE Reg 27-715)
- 6.1.7 U.S. Army Corps of Engineers Safety and Health Requirements Manual (EM 385-1-1)
- 6.1.8 Information Assurance Workforce Improvement Program (DoD 8570-M)
- 6.1.9 Information Assurance Training Certification and Workforce Management Directive (DoDD 8570.01)
- 6.1.10 Information Assurance (AR 25-2)
- 6.1.11 Electromagnetic Compatibility Directive (2004/108/EC)
- 6.1.12 Policies and Procedures for Property Accountability (AR 735-5)
- 6.1.13 *{Continue inserting all regulations, publications, manuals, etc. in sequential order as they are referenced in this PWS}*

PART 7 ATTACHMENT AND TECHNICAL EXHIBIT LISTING

(Under this section list all attachments and technical exhibits referenced within this PWS and any others that will be useful for the Contractor to submit an appropriate proposal. Most documents that accompany the PWS are an Attachment. An Exhibit is used instead of a long list of sub-CLINs. Exhibits will generally be developed in conjunction with the Contracting Officer for supply type requirements or services that have many sub-CLINs. If the document is an Attachment, the attachment will be given sequential number name; i.e., Attachment 1, Attachment, 2, etc. If the document is an exhibit, the exhibit is given sequential alpha names; i.e., Exhibit A. (Reference DFARS PGI 204.7105)

REMINDER - DELETE ALL RED INSTRUCTIONAL INFORMATION AND SAMPLE LANGUAGE PRIOR TO FINALIZING THE PWS

7. Attachment and Technical Exhibit List

7.1 Technical Exhibit A – Performance Requirements Summary *(This document is required for every PWS. See attached example for format.)*

7.2 Technical Exhibit B – Deliverables Schedule *(This document is required for every PWS. See attached example for format.)*

7.3 Attachment 1 – Estimated Workload Data *(The Requiring Activity shall provide Estimated Workload Data if historical data exists. See attached example for format.)*

7.4 Attachment 2 – *(If applicable)* Historical Workload Data *(The Requiring Activity shall provide Historical Workload Data if such data exists.)*

7.5 Attachment 3 – *(If applicable)* Government Property (GP) *(The Requiring Activity shall consult with the Property Administrator when providing GP.)*

7.6 Attachment 4 OR Technical Exhibit C, etc. - *{Continue inserting attachments/technical exhibits in sequential order as they are referenced in this PWS}*

TECHNICAL EXHIBIT A

Performance Requirements Summary (PRS)

(The Contractor service requirements are summarized into performance objectives that relate directly to mission essential items. The performance threshold briefly describes the minimum acceptable levels of service required for each requirement. NOTE – PWS Part 5 Specific Tasks will require the RA to capture and briefly summarize the salient elements of the requirement that they want included in the solicitation. It bears noting that even if not all tasks from Part 5 are captured in the PRS, it does not relieve the Contractor from complying with those tasks and it does not preclude the Government from performing surveillance of those tasks.

REMINDER - DELETE ALL RED INSTRUCTIONAL INFORMATION AND SAMPLE LANGUAGE PRIOR TO FINALIZING THE PWS

PERFORMANCE OBJECTIVE	STANDARD	PERFORMANCE THRESHOLD ACCEPTABLE QUALITY LEVELS (AQLs)	METHOD OF SURVEILLANCE
PRS#1 - PWS para (xx) <i>Insert Contractor shall tasks that are considered critical tasks of the service.</i> <i>Does not have to be ALL contractor shall tasks, only those that are considered “high risk” or “critical” to the performance of the service.</i> <i>Verbiage should be copy/pasted directly from PWS here.</i> <i>Add additional PRS rows to the table as necessary.</i>	<i>Standard should be pulled from the same paragraph (do not make up standards here).</i> <i>Standard should relate to the timeliness, quantity, or quality that the service is to be performed at.</i> <i>Ex. Custodial Svs are performed Mon, Wed, and Fri between hours of 0900-1100.</i>	<i>From 100%, what is considered to be an acceptable deviation to still be satisfactory performance? Examples include:</i> <i>100% Compliance</i> <i>Zero Deviation from standard</i> <i>95% Compliance; no more than xx discrepancies found per month, etc.</i> <i>Ex. No more than 1 complaint per month.</i> <i>Custodial svs are performed on the</i>	<i>There are 4 surveillance methods:</i> <i>100% Inspection</i> <i>Periodic Inspection</i> <i>Random Sampling</i> <i>Customer Feedback</i> <i>Ex. Periodic Inspection</i>

<i>Ex. The Contractor shall perform custodial services in building XX.</i>		<i>required days without deviation from standard.</i>	
PRS#2 - PWS para (xx) The contractor shall....			
PRS#3 - PWS para (xx) The contractor shall...			
PRS#4 - PWS para (xx) The contractor shall...			
PRS #X - Service Contract Reporting (SCR) PWS 5.3 and CLIN XXXX	The Contractor shall completely fill in all the information in the format using the following web address www.sam.gov The contractor shall provide the estimated total cost (if any) incurred to comply with this reporting requirement. Reporting period shall be the period of performance not to exceed 12 months ending September 30 of each government fiscal year and must be reported by 31 October of each calendar year. If contract period of	Zero Deviation from Standard	100% Inspection

	performance ends prior to September 30, the contractor has 30 days from end date of the contract to complete the SCR requirement.		

THE FOLLOWING LIST IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY AND SHALL BE DELETED PRIOR TO FINALIZING THE PWS

The following listing provides various types of Surveillance as examples to select from and should not be included on the final document:

Random Sampling: *Appropriate for frequently recurring tasks. Evaluate randomly selected samples of the lot to determine the acceptability of the entire lot.*

Random Inspection Guide, Method of surveillance, Lot size, Sample size, Performance requirement, Sampling procedure, Inspection procedure.

100 Percent Inspection: *Appropriate for tasks that occur infrequently. Inspect and evaluate performance each time task is performed.*

Periodic Surveillance: *Evaluation of samples selected on other than 100% or statistically random basis. (i.e., monthly, quarterly, semi-annually etc.)*

Validated Customer Complaint: *Complaints must be validated.*

NOTE: YOU MAY ALSO IDENTIFY ANY SURVEILLANCE METHOD USED IN THE COMMERCIAL MARKET TO SURVEY THE REQUIRED SERVICE. (THIS WILL BE DISCOVERED WHEN MARKET RESEARCH IS CONDUCTED).

TECHNICAL EXHIBIT B

DELIVERABLES SCHEDULE

Requiring Activity shall list here any report or documentation that is required as a deliverable, in sequential order of its appearance in the PWS. This includes identifying the deliverable #, deliverable title, the associated paragraph in the PWS, frequency, and number of copies, medium/format, and who /where it is to be submitted. A deliverable is anything that can be physically delivered but may include non-physical things such as meeting minutes. Note: All PWS deliverables should be included in this exhibit.

REMINDER – DELETE ALL INSTRUCTIONAL INFORMATION PRIOR TO FINALIZING THE PWS.

<u>Deliverable</u>	<u>Frequency</u>	<u># of Copies</u>	<u>Medium/Format</u>	<u>Submit To</u>
<i>{Insert the deliverable number in sequential order of appearance in the PWS, the title of the deliverable, and the paragraph where the deliverable requirement is first identified – For example, A.001 Quality Control Plan (paragraph 1.6.1)}</i>	<i>{Insert the frequency requirement – For example, Once within 10 days after contract award and no later than 30 days prior to any anticipated changes.}</i>	<i>{Insert the number of copies – For example, One each to the Contracting Officer}</i>	<i>{Insert the medium/format – For example, Electronic delivery via email using Microsoft Office Word or Power Point 2013}</i>	<i>{Identify the recipient of the deliverable – For example, To the Contracting Officer through the Contracting Officer's Representative (COR)}</i>
<i>{Continue inserting the deliverables in accordance with (IAW) the example provided above.}</i>	<i>{Continue inserting the frequency IAW the example provided above.}</i>	<i>{Continue inserting the number of copies IAW the example provided above.}</i>	<i>{Continue inserting the medium/format IAW the example provided above.}</i>	<i>{Continue identifying the recipient IAW the example provided above.}</i>

ATTACHMENT 1
ESTIMATED WORKLOAD DATA

Requiring Activity shall list here the estimated workload for this PWS by labor category. If available, this workload data may be used by the RA to prepare the Independent Government Cost Estimate (IGCE). NOTE: Based on the PWS, estimated workload data can be provided in other formats or units of measure (UOM), i.e., the volume of task orders anticipated on an annual basis or over a five (5) year period, the number of users by locations requiring Information Technology Support, etc.

REMINDER - DELETE ALL RED INSTRUCTIONAL INFORMATION AND SAMPLE LANGUAGE PRIOR TO FINALIZING THE PWS.

ITEM	NAME	ESTIMATED QUANTITY	
1	<i>{For example, insert the Labor Category, i.e., Contract Manager, etc.}</i>	<i>{Insert unit of measurement (UOM)}</i>	<i>{Insert the number (i.e. the quantity of UOM)}</i>
2	<i>{Continue inserting Workload Data}</i>	<i>{Continue inserting UOM}</i>	<i>{Continue inserting the number (i.e. the quantity of UOM)}</i>

**ATTACHMENT 2
HISTORICAL WORKLOAD DATA**

Requiring Activity shall list here applicable historical workload data available, e.g., hours previously performed under the PWS by labor category. If available, this workload data may be used by the RA to prepare the Independent Government Cost Estimate (IGCE). NOTE: Based on the PWS, historical workload data can be provided in other formats or units of measure (UOM), i.e., the volume of task orders historically required on an annual basis or over a five (5) year period, the number of users by locations requiring Information Technology Support, etc.

REMINDER - DELETE ALL RED INSTRUCTIONAL INFORMATION AND SAMPLE LANGUAGE PRIOR TO FINALIZING THE PWS

ITEM	NAME	ESTIMATED QUANTITY	
	<i>{For example, insert the Labor Category, i.e., Contract Manager, etc.}</i>	<i>{Insert unit of measurement (UOM)}</i>	<i>{Insert the number (i.e. the quantity of UOM)}</i>
	<i>{Continue inserting Workload Data}</i>	<i>{Continue inserting UOM}</i>	<i>{Continue inserting the number (i.e. the quantity of UOM)}</i>

ATTACHMENT 3 GOVERNMENT FURNISHED PROPERTY (GFP)

(If applicable, Requiring Activity, in consultation with the garrison or installation Property Administrator, shall list GFP here.)

REMINDER - DELETE ALL RED INSTRUCTIONAL INFORMATION AND SAMPLE LANGUAGE PRIOR TO FINALIZING THE PWS.

Please remember that by identifying the property in this section, this does not fulfill the requirement outlined in PGI 245.103-72 Government-furnished property attachments to solicitations and awards.

(a) When Government-furnished property (GFP) is anticipated, include the fillable electronic “Requisitioned Government Furnished Property” and/or “Scheduled Government Furnished Property” formats provided at the URLs listed in paragraphs (b) and (c) in solicitations and awards to—

(i) Specify the required GFP data elements; and

(ii) Accomplish the electronic transmission of requisitioned GFP lists and/or scheduled GFP lists.

(b) Requisitioned Government-furnished property. This format is a listing of Government Property to be authorized for Contractor requisition from DoD supply sources in accordance with the clause at FAR 52.251-1. The fillable PDF format for this attachment is available at the DoD Procurement Toolbox

<http://dodprocurementtoolbox.org/site/detail/id/26> In accordance with PGI 204.7105(b) (5), enter a numerical sequence number for the attachment.

(c) Scheduled Government-furnished property. This format is a listing of the Government property to be provided, including when major end items are being provided under a modification or upgrade contract; or when reparable are being provided under a repair, modification, or overhaul contract. The fillable .mil format for this attachment is available at the DoD Procurement Toolbox <http://dodprocurementtoolbox.org/site/detail/id/26>. In accordance with PGI 204.7105(b)(5), enter a numerical sequence number for the attachment.

LIST OF OCONUS USAREUR HOLIDAYS

(OCONUS – A list of European holidays for use by the drafter to select from, for the region(s) associated with this PWS is/are provided below. The drafter shall select the applicable holidays and insert them into paragraph 1.6.3.2 of this PWS. Please note that OCONUS Host Nation and local holidays occur in the region/state where contract performance takes place and may vary per region. Not all local holidays apply to all regions and there may be other countries and holidays which may not be listed below which will require addition by the RA.

REMINDER - DELETE ALL RED INSTRUCTIONAL INFORMATION AND SAMPLE LANGUAGE PRIOR TO FINALIZING THE PWS

German national and local holidays are:

New Year's Day January 1st
Good Friday Varies
Labor Day May 1st
Whit Monday Varies
Assumption Day August 15th
All Saints' Day November 1st
2nd Christmas December 26th

Epiphany January 6th
Easter Monday Varies
Ascension Day Varies
Corpus Christ Varies
Day of German Unity October 3rd
1st Christmas December 25th

Netherlands holidays are:

New Year's Day January 1st
Easter Monday Varies
Ascension Day Varies
Christmas Day December 25th

Good Friday Varies
The Queen's Birthday April 30th
Whit Monday Varies
Boxing Day December 26th

Belgium holidays are:

New Year's Day January 1st
Labor Day May 1st
Bank Holiday Varies
National Independence Day July 21st
All Saints' Day November 1st
Dynasty Day Varies
Boxing Day December 26th

Easter Monday Varies
Ascension Day Varies
Whit Monday Varies
Assumption August 15th
Armistice Day November 11th
Christmas Day December 25th

Luxembourg holidays are:

New Year's Day January 1st
Easter Monday Varies
Ascension Day Varies
National Holiday June 23rd
All Souls' Day November 2nd
2nd Christmas Day December 26th

Carnival Monday Varies
May Holiday May 1st
Whit Monday Varies
Assumption November 1st
Christmas Day December 25th