

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 4710-00-451-5183 X2	PIPE,METALLIC	20250821120100	9G293260020007
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
MILITARY SPECIFICATION		MIL-P-24338,1.000NPS,SCH80	G

1.0 SCOPE

THIS IRPOD SATISFIES THE REQUIREMENTS FOR

* LEVEL I *

ORDERING DATA

THIS IRPOD PROVIDES THE REQUIREMENTS FOR A REPAIR PART CONSISTING
OF ONE PIECE.

2.0 LIST OF APPLICABLE DOCUMENTS

IF A SUPPLIER QUOTES TO A LATER REVISION OF THE DRAWING (OR CATALOG ITEM) THAN SPECIFIED BELOW, SUBMITTAL OF QUOTE SHALL INCLUDE TWO (2) COPIES OF THE REVISED DOCUMENT AND AN EVALUATION OF THE INTERCHANGEABILITY. THE FOLLOWING DOCUMENTS AND CHANGE DATA ARE APPLICABLE TO THE EXTENT SPECIFIED IN THIS IRPOD, THE DRAWINGS, OR OTHER DOCUMENTS INVOKED BY THIS IRPOD. CONTRACTING AGENCY APPROVAL IS REQUIRED TO USE EARLIER SPECIFICATION VERSIONS THAN THOSE LISTED HEREIN, EXCEPT AS IDENTIFIED BELOW. IF NO DOCUMENT VERSION IS LISTED, THEN ANY VERSION OF THE DOCUMENT MAY BE USED.

RAW MATERIAL REQUIRED HEREIN MAY HAVE BEEN PROCESSED OR TESTED (FOR EXAMPLE, HEAT TREATED OR ULTRASONICALLY TESTED) AS REQUIRED BY THE RAW MATERIAL SPECIFICATION PRIOR TO RECEIPT OF THIS ORDER USING PREVIOUS VERSIONS OF PROCESSING OR TESTING SPECIFICATIONS. THIS PROCESSING AND TESTING NEED NOT BE REPEATED IF:

1.IT COMPLIED WITH THE APPLICABLE REQUIREMENTS OF THE
PROCESSING/TESTING SPECIFICATION VERSIONS IN EFFECT AT THE TIME OF
THE ACTUAL PROCESSING OR TESTING AND;

2.ALL REQUIREMENTS OF THE RAW MATERIAL SPECIFICATION VERSION LISTED
HEREIN HAVE BEEN SATISFIED.

SECTION 6.0 IDENTIFIES SPECIAL REQUIREMENTS FOR SUBMITTAL OF THE PROCEDURES USED FOR COMPLETED PROCESSING AND TESTING. ALL PROCESSING AND TESTING PERFORMED AFTER RECEIPT OF THIS ORDER SHALL CONFORM TO THE PROCESSING/TESTING SPECIFICATION VERSIONS LISTED HEREIN.

DOCUMENT NUMBER	VERSION	TITLE
-----------------	---------	-------

MILITARY SPECIFICATIONS

+ MIL-P-24338	A AM. 1	PIPE, CARBON STEEL, SEAMLESS
MIL-I-45208	A	INSPECTION SYSTEM REQUIREMENTS
AM 1	07/24/81	INSPECTION SYSTEM REQUIREMENTS

MILITARY STANDARDS

+ MIL-STD-129	MARKING FOR SHIPMENT AND STORAGE
---------------	----------------------------------

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 4710-00-451-5183 X2	PIPE,METALLIC	20250821120100	9G293260020007
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
MILITARY SPECIFICATION		MIL-P-24338,1.000NPS,SCH80	G

+ MIL-STD-2132	F	NONDESTRUCTIVE EXAMINATION REQUIREMENTS FOR
(NOFORN)		SPECIAL APPLICATIONS

PUBLICATIONS

STR-ISO 9000 SUPP C	4	SUPPLEMENT C REVISION 4 TO ISO 9000 (ANSI/ISO/ASQ Q9000) QUALITY SYSTEMS FOR BASIC PROCUREMENTS AND COMPLEX PROCUREMENTS.
---------------------	---	---

% STR-ISO 9000 SUPP C	1	SUPPLEMENT TO ISO 9000 (ANSI/ISO/ASQC Q9000) QUALITY SYSTEMS FOR BASIC PROCUREMENTS (9003) AND COMPLEX PROCUREMENTS (9001/9002)
-----------------------	---	---

*+ STR-505	3	SUPPLEMENTARY TECHNICAL REQUIREMENTS; MATERIAL IDENTIFICATION AND CONTROL REQUIREMENTS FOR MANUFACTURERS OF LEVEL I MATERIAL
------------	---	---

OTHERS

ANSI/ASQC Q9001	1994	QUALITY SYSTEMS - MODEL FOR QUALITY ASSURANCE IN DESIGN, DEVELOPMENT, PRODUCTION, INSTALLATION, AND SERVICING
-----------------	------	---

OR

QUALITY MANAGEMENT SYSTEM
REQUIREMENTS-ANSI/ISO/ASQ Q9001
VERSION 2000 OR 2008

ANSI/ISO/ASQ Q9002	1994	QUALITY SYSTEMS - MODEL FOR QUALITY ASSURANCE IN PRODUCTION, INSTALLATION, AND SERVICING
--------------------	------	--

ANSI/ISO/ASQ Q9003	1994	QUALITY SYSTEMS - MODEL FOR QUALITY ASSURANCE IN FINAL INSPECTION AND TEST
--------------------	------	--

* DOCUMENTS IDENTIFIED BY THIS SYMBOL MAY BE OBTAINED
FROM CONTRACT ISSUING AGENCY.

+ LATER VERSIONS (IE: REVISIONS, AMENDMENTS, CHANGE NOTICES
AND/OR INTERIM CHANGES) OF DOCUMENTS IDENTIFIED BY THIS SYMBOL
MAY BE USED IN THE PERFORMANCE OF THE CONTRACT. WHICHEVER
VERSION IS USED MUST BE USED IN ITS ENTIRETY. THE LATER
VERSION MAY BE IDENTIFIED AS "MIL-DTL-" OR "MIL-PRE-" AS
APPLICABLE, WHICH IS EQUIVALENT TO "MIL-#-" (WHERE # IS AN
ALPHA CHARACTER).

% DOCUMENTS IDENTIFIED BY THIS SYMBOL ARE ATTACHED TO THIS IRPOD.

3.0 TECHNICAL REQUIREMENTS

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 4710-00-451-5183 X2	PIPE,METALLIC	20250821120100	9G293260020007
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
MILITARY SPECIFICATION		MIL-P-24338,1.000NPS,SCH80	G

3.1 MATERIAL REQUIREMENTS

PIPE,METALLIC MIL-P-24338.1.000NPS.SCH80

MATERIAL IDENTIFICATION AND CONTROL REQUIREMENTS: FOR SPECIAL QUALITY CONTROL, IDENTIFICATION AND MARKING REQUIREMENTS, SEE STR-505. THESE REQUIREMENTS APPLY TO THE ITEM(S) IDENTIFIED BELOW.

LEVEL I	ITEM NUMBER	MATERIAL	MATERIAL
ITEM	IDENTIFICATION	SPECIFICATION	DESIGNATOR
-----	-----	-----	-----

PIPE, SEAMLESS	MIL-P-24338	CSUD
----------------	-------------	------

THE SEAMLESS PIPE SHALL BE 1" NPS SCHEDULE 80 STL IN ACCORDANCE WITH MIL-P-24338.

3.2 MANUFACTURING AND PROCESS REQUIREMENTS

PIPE,METALLIC MIL-P-24338.1.000NPS.SCH80

CLEANLINESS REQUIREMENTS:

PART(S) SHALL BE CLEANED BY ANY PROCESS OR COMBINATION OF PROCESSES WHICH WILL ACCOMPLISH THOROUGH CLEANING WITHOUT DAMAGE TO THE PART(S). SURFACES SHALL BE EXAMINED VISUALLY TO DETERMINE FREEDOM FROM DIRT, CORROSION, OIL, GREASE OR FOREIGN RESIDUE. PRESERVATIVES SHALL NOT BE USED ON PART(S) WHICH ARE VULNERABLE TO DAMAGE BY CONTACT PRESERVATIVES.

MERCURY CONTAMINATION:THIS ITEM SHALL NOT CONTAIN AND SHALL NOT BE CONTAMINATED BY MERCURY OR MERCURY COMPOUNDS. THIS REQUIREMENT MUST BE PASSED ON TO ALL SUBCONTRACTORS. (FOR PROCURING ACTIVITY USE ONLY,INCLUDE MERCURY CONTROL CLAUSE FROM NAVSEAINST 5100.3 (SERIES)).

4.0 QUALITY ASSURANCE PROVISIONS

PIPE,METALLIC MIL-P-24338.1.000NPS.SCH80

AS A MINIMUM THE SUPPLIER SHALL PROVIDE AND MAINTAIN AN INSPECTION SYSTEM WHICH MEETS THE REQUIREMENTS OF ONE OF THE FOLLOWING:

- (A) ISO 9003 (ANSI/ISO/ASQ Q9003) WITH STR-ISO 9000 SUPPLEMENT C. SUPPLEMENTS B OR A ARE ALSO ACCEPTABLE.
- (B) ISO 9002 (ANSI/ISO/ASQ Q9002) WITH STR-ISO 9000 SUPPLEMENT C. SUPPLEMENTS B OR A ARE ALSO ACCEPTABLE.
- (C) ISO 9001 (ANSI/ISO/ASQ Q9001) WITH STR-ISO 9000 SUPPLEMENT C. SUPPLEMENTS B OR A ARE ALSO ACCEPTABLE.
- (D) MIL-I-45208
- (E) EXISTING INSPECTION SYSTEMS MEETING THE MORE STRINGENT REQUIREMENTS OF STR-ISO 9000 SUPPLEMENTS A OR B ARE ACCEPTABLE IN LIEU OF SUPPLEMENT C FOR LINES (A), (B) AND (C) ABOVE.

5.0 PREPARATION FOR DELIVERY

PIPE,METALLIC MIL-P-24338.1.000NPS.SCH80

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 4710-00-451-5183 X2	PIPE,METALLIC	20250821120100	9G293260020007
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
MILITARY SPECIFICATION		MIL-P-24338,1.000NPS,SCH80	G

MARKING REQUIREMENTS:

MARKING AND LABELING SHALL BE IN ACCORDANCE WITH MIL-STD-129.
BAR CODE MARKING SUITABLE FOR HAND SCANNING IS REQUIRED.
IN ADDITION TO THE STANDARD MARKING REQUIREMENTS OF MIL-STD-129,
THE SELLER SHALL INCLUDE THE MANUFACTURER'S COMMERCIAL AND
GOVERNMENT ENTITY (CAGE) CODE AND THE MANUFACTURER'S REFERENCE/
PART NUMBER (MFR/PN) ON INTERMEDIATE AND UNIT PACKS.

PACKAGING AND PACKING REQUIREMENTS:PACKAGING CODES FOR MIL-STD-2073-1 SHALL BE AS
SPECIFIED ELSEWHERE IN THE CONTRACT.

6.0 CONTRACT DATA REQUIREMENTS

THE SELLER MUST PROVIDE THE CONTRACTING AGENCY WITH ALL OF THE
SUBMITTALS LISTED BELOW. SUBMITTALS WHICH ARE REQUIRED BY A
SPECIFICATION, BUT WHICH ARE NOT LISTED BELOW, NEED NOT BE
SUBMITTED. ONLY THOSE SUBMITTALS LISTED BELOW ARE REQUIRED.

HOWEVER, IF THE SELLER CONSIDERS A REQUIRED SUBMITTAL INAPPLICABLE
TO THIS PROCUREMENT, THE SELLER MUST SUBMIT A STATEMENT JUSTIFYING
THE EXCLUSION OF THE REQUIRED SUBMITTAL.

REQUESTS FOR APPROVAL OF PROCEDURES USED PRIOR TO RECEIPT OF THIS
ORDER SHALL IDENTIFY THE PROCESSING/TESTING SPECIFICATION VERSION
APPLICABLE AND STATE THAT THE PROCESSING AND/OR TESTING WAS
PERFORMED PRIOR TO RECEIPT OF THE ORDER. IF THE PROCEDURE THAT WAS
USED IS NOT COMPLETE, TEST REPORTS, HEAT TREATMENT RECORDS, OR
OTHER DOCUMENTATION SHALL BE SUBMITTED WITH THE PROCEDURES TO
SUBSTANTIATE THAT ALL SPECIFICATION REQUIREMENTS WERE MET.

6.1 PROCEDURES AND REPORTS

THE SELLER SHALL PROVIDE THE FOLLOWING PROCEDURE(S) AND REPORT(S) TO THE PROCURING
ACTIVITY. CONTRACTOR PROCEDURE SUBMITTALS REQUIRED BY MATERIAL AND PROCESS
SPECIFICATIONS NEED NOT BE RESUBMITTED FOR APPROVAL EACH TIME AN ORDER IS PLACED
FOR THE SAME IRPOD ITEM TO THE SAME VERSION (I.E., REVISION, AMENDMENT, CHANGE
NOTICE OR INTERIM CHANGE) OF THE SPECIFICATION OR STANDARD INVOKED. THE SELLER
NEED ONLY SUBMIT PROOF OF THE PRIOR APPROVAL FOR THAT ITEM AND SPECIFICATION
REVISION. ACCEPTABLE PROOF OF PRIOR APPROVAL WILL CONSIST OF A COORDINATED
PROCEDURE REVIEW SYSTEM (CPRS) APPROVAL LETTER. CPRS APPROVAL DOES NOT RELIEVE
THE SELLER OF THE RESPONSIBILITY TO COMPLY WITH ALL REQUIREMENTS IMPOSED ON ANY
CURRENT AND FUTURE PURCHASE ORDERS.

IF FIRST-TIER MANUFACTURER RETESTING OF MATERIAL IS NECESSARY, USE OF BUYER
APPROVED PROCEDURES APPLICABLE TO THE SAME VERSION OF THE SPECIFICATION OR
STANDARD INVOKED ON THE IRPOD IS ACCEPTABLE IN LIEU OF OBTAINING THE RAW MATERIAL
MANUFACTURER OR MATERIAL INSPECTION AND TEST PROCEDURES FOR APPROVAL.

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 4710-00-451-5183 X2	PIPE,METALLIC	20250821120100	9G293260020007
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
MILITARY SPECIFICATION		MIL-P-24338,1.000NPS,SCH80	G

WHERE ALTERNATIVE SPECIFICATIONS ARE SHOWN FOR A GIVEN ITEM, ONLY THE DATA FOR THE SPECIFICATION USED IS REQUIRED. THE SELLER SHALL SPECIFY THE FOLLOWING ON PROCEDURE(S)/REPORT(S) REQUIRING SUBMITTAL, AS APPLICABLE, IN ORDER THAT THE PROCEDURE/REPORT CAN BE READILY REVIEWED AGAINST THE APPROPRIATE ACCEPTANCE CRITERIA: SPECIFICATION AND REVISION, INCLUDING AMENDMENTS, NOTICES, ETC., APPLICABLE PARAGRAPH OF THE SPECIFICATION, THE NAME OF THE SUBMITTAL, THE MATERIAL CONDITIONS (I.E., MATERIAL GRADE, CLASS, TYPE, SIZE, COMPOSITION, ETC.).

6.1.1 PRIOR TO MANUFACTURE, FOR APPROVAL:

PIPE,METALLIC MIL-P-24338.1.000NPS.SCH80
MIL-STD-2132

ULTRASONIC TESTING PROCEDURE

6.1.3 PER CONTRACT DELIVERY SCHEDULE:

PIPE,METALLIC MIL-P-24338.1.000NPS.SCH80
MIL-P-24338

STR-505

CHEMICAL REQUIREMENTS

MECHANICAL PROPERTIES

6.2 OTHER CONTRACT DATA REQUIREMENTS

INTENTIONALLY LEFT BLANK