

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE J		PAGE 1 OF 8 PAGES	
2. AMENDMENT/MODIFICATION NUMBER 0001		3. EFFECTIVE DATE 04 MAY 2026		4. REQUISITION/PURCHASE REQUISITION NUMBER		5. PROJECT NUMBER (If applicable)	
6. ISSUED BY W6QK ACC-RI ACC ROCK ISLAND BLDG 60, 3055 RODMAN AVE ROCK ISLAND, IL 61299-0000 UNITED STATES LYNN BAKER, EMAIL: LYNN.D.BAKER8.CIV@ARMY.MIL TELEPHONE: 520-693-0412		CODE W519TC		7. ADMINISTERED BY (If other than Item 6) SCD: PAS:		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (Number, street, county, State and ZIP Code)				☒ (X)		9A. AMENDMENT OF SOLICITATION NUMBER W519TC26QA132	
				☒ (X)		9B. DATED (SEE ITEM 11) 28 APR 2026	
				☐		10A. MODIFICATION OF CONTRACT/ORDER NUMBER	
				☐		10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE					

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☒ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers ☐ is extended. ☒ is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing items 8 and 15, and returning 1 copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or electronic communication which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by letter or electronic communication, provided each letter or electronic communication makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

SEE CONTINUATION

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NUMBER AS DESCRIBED IN ITEM 14.

CHECK ONE	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NUMBER IN ITEM 10A.
☐	
☐	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation data, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
☐	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
☐	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor ☐ is not ☐ is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

See Schedule

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) SOPHIA L. MUCKENFUSS	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA  (Signature of Contracting Officer)	16C. DATE SIGNED 04 MAY 2026
(Signature of person authorized to sign)			

Previous edition unusable

SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

Block 14 (Description of Amendment/Modification): REVISE CLIN DESCRIPTION TO:

MACHINE SPINDLE GROS-ITE

MDL: 6P6-304-1C01

SPINDLE FEATURES:

SPINDLE TYPE: MOTORIZED, DEEP HOLE GRINDING SPINDLES

RPM: 5,500 MAX

FRONT BARREL EXTENSION: 2.25"DIA X 23.00"LG TO THE FRONT SLINGER

MOTOR HOUSING: 5.9055/5.9050 DIA X 14.0"LG, FOR PRECISION MOUNTING OF SPINDLE

SPINDLE LENGTH: 39.94 FROM THE REAR END CAP TO THE END OF TAPER

TOOL MOUNT: 3.000"TPF, .625"HL TAPER THAT HAS AN INTERNAL THREADED HOLE (.250-20 RH THREAD)

BEARINGS: 3 DUPLEX, SUPER PRECISION PAIRS IN THE FRONT, 1 DUPLEX SUPER PRECISION PAIR IN THE CENTER, 1 RADIAL BEARING, SUPPORTING THE END OF THE SHAFT. THE BEARINGS WILL BE PERMANENTLY GREASE PACKED.

SPINDLE SHAFT: 4150 ALLOY STEEL HARDENED TO 52-56 RC

SPINDLE ROTATION: CCW, WHEN LOOKING INTO THE SPINDLE NOSE

SPINDLE OPERATION: HORIZONTAL PLANE

PRECISION BALANCED: ALL ROTATING COMPONENTS WILL BE PRECISION BALANCED

MOTOR SPECIFICATIONS: 472-7.75 FRAM - 4 POLE - PH-TENV-INTERMITTENT DUTY, HP 2.8 /5.6/5.6, RRM: 1,800/3,600/5,500, VOLTAGE 230/460/460V, HZ 60/120/183, FLA: 8.2

FOR INTERNAL USE ONLY: EH26MRI878EHM51

Solicitation/Contract Form Continuation

The following changes have been made:

Miscellaneous text in this section has been modified to:

SOLICITATION AMENDMENT 1 NARRATIVE:

The purpose of this Solicitation Amendment 1 is to:

1. Revise the CLIN description.
2. All other terms and conditions remain unchanged.

1. The Army Contracting Command - Rock Island (ACC-RI) hereby issues the solicitation W519TC26QA132, for the procurement of Machine Spindles at Rock Island Arsenal, Joint Manufacturing and Technology Center (RIA-JMTC). This solicitation is issued in accordance with Federal Regulation (FAR) Part 12, Acquisition of Commercial Products and Services.

2. Quotes must be submitted via email to the Contract Specialist listed below in the Points of Contact paragraph and received prior to the closing date and time to be considered for award. The offeror is responsible for assuring the quote is received by the Government on time, prior to the closing date and time, to be considered. It is the government's intent to award without discussions (except for clarifications as described by FAR 15.306(a)). Therefore, the Contractor's quote should be complete and contain the contractor's best price and delivery terms. A complete quote submission includes (but not limited to) the contractor's best term (price and delivery and all required fill-ins under this RFQ). IAW FAR clause 52.212-2, included in this RFQ, the Government reserves the right to conduct discussions if determined necessary by the Contracting Officer.

Quotes shall be prepared and authorized by a person(s) regularly employed by the contractor. The quote shall state the name of each person(s) contributing to the authorship of the quote, the person(s) position/title, phone number, and an email address for the person who should be contacted if an award is to be made. The quote should be prepared in a clear, legible, practical manner. In addition, the quote shall be written in English and should be specific and complete.

Pricing should be IAW the information on the CLIN and any attachments to this solicitation and should be documented directly on the SF1449 form, including a unit price on each CLIN, a total CLIN amount, and a grand total for the entire solicitation (including shipping FOB destination to Rock Island, IL to be paid by the contractor), all clauses that require fill ins should be completed, and the authorized preparer shall sign and date prior to submission. The solicitation should be emailed to the POCs listed below.

3. Use of Artificial Intelligence (AI) tools in Proposal Evaluation

a. Use of AI tools in Support of Evaluations: The Government will employ AI as a tool to assist in the analysis and review of offeror proposals. AI tools may be used to support tasks such as summarizing proposal content, identifying compliance with request for task order proposal /solicitation requirements, and highlighting areas of potential strength, weakness, or risk.

b. Maintaining Inherently Governmental Functions: Notwithstanding the use of AI tools to support the evaluation process, all final evaluation judgements, including the assignment of assessment of adjectival ratings, best value determination, and source selection decisions, will be made exclusively by duly appointed Government personnel. The Government retains the sole responsibility for all inherently governmental functions and will not delegate decision making authority to any AI tool.

c. Offeror Confidentiality and Data Protection: The AI tools utilized by the Government will be employed in a manner consistent with the applicable regulations that govern the protection of proprietary and source selection sensitive information. The AI tool will be an output-only system. Any generated report data is not saved.

4. The Government intends to award one firm fixed price purchase order (without discussions, except clarifications as described in FAR 15.306(a)) to the Offeror determined to be responsible (in accordance with (IAW) the Federal Acquisition Regulation (FAR) subpart 9.1) whose quote conforms with the RFQ requirements and is determined to be the lowest total evaluated (fair and reasonable) priced quote.

5. Delivery for this item is specified on the CLIN(s), however early and incremental delivery is authorized and encouraged with no additional cost to the Government. All quotes shall be quoted as FOB Destination Rock Island, IL, see FAR 52.247-34, therefore, all shipping charges should be included in the quote.

On time delivery is critical. Therefore, contractor must adhere to the delivery requirements indicated in the resulting award. Failure to comply with the contractual delivery schedule after award may result in termination of the award or require consideration if the Government elects to extend your delivery schedule. The Government is not obligated to extend your delivery if you encounter delays. The non-availability of raw materials, subcontractor issues, scheduling conflicts, etc., are not considered acceptable delays/excuses for the failing to meet the contractual delivery schedule. If there is going to be a delay in delivery, the contractor is required to notify the Contracting Officer designated in the award at least 10 days prior to being late. Such notification shall include the contractor's reasons for delay, proposed revised schedule, and the contractor's offered consideration for the delay should the Government elect to extend.

It is the responsibility of the contractor to ensure that they provide quality products that conform to the award terms and conditions as well as meet the required delivery schedule. Delivery of non-conforming products results in delivery/acceptance delays and ultimately increased costs to the Government.

All deliveries shall be shipped to the following address:

ROCK ISLAND ARSENAL

JOINT MANUFACTURING AND TECHNOLOGY CENTER (RIA-JMTC)

TRANSPORTATION OFFICER, W52H1C

EAST END, RECG DOOR 16A

ROCK ISLAND, IL 61299-5000

****Contractor shall package all shipments to RIA-JMTC IAW standard commercial guidelines.
NOTE RECEIVING HOURS OF OPERATION Monday-Friday, 6:30am to 2:00pm Central Time.**

Deliveries before or after the above stated hours will be turned away. Appointments are not necessary. For directions call: (309)782-8539 (Automated).

6. **WARRANTY:** A one year parts and labor warranty is required for all CLINs. Warranties shall be provided for the item and all required tooling. All warranties will begin upon final acceptance by the Government. Contractor shall provide the product warranty information to the Contracting Officer upon award.

7. **PAYMENT:** Payment will be via Defense Finance and Accounting System (DFAS) via the Wide Area Workflow (WAWF) System. Only electronic invoices submitted through WAWF will be accepted. All other formats will be rejected. See DFARS 252.232-7003 and 252.232-7006 for additional invoicing guidance.

8. Offeror is cautioned to ensure their proposal is fully complete, including all fill-ins and blanks in the solicitation. Contractor agrees by submission that their proposal and the prices contained therein will be valid for 90 days after date of the quote submission.

9. Point of Contacts for this RFQ are as follows:

Contract Specialist: Lynn Baker, Email: lynn.d.baker8.civ@army.mil

Contracting Officer: Sophia Muckenfuss, Email: Sophia.I.muckenfuss.civ@army.mil

10. INSTALLATION ACCESS INFO

Rock Island Arsenal (RIA) Visitor Access Passes are issued to individuals, not companies or groups. All visitors, to include transportation and freight services, official and unofficial, are highly suggested to pre-register at least three (3) business days prior to their visit. Pre-registration of visitors allows for the national Crime Information Center NCIC-III background check to be conducted prior to the individual arriving at RIA, reducing their wait time upon arrival.

It is the responsibility of the prime contractor to ensure that this information is passed along to any subcontractor or transportation provider used during the performance of this purchase order. DRIVERS WHO DO NOT MEET THE INSTALLATION ACCESS REQUIREMENTS WILL NOT BE ALLOWED ON THE INSTALLATION AND WILL BE TURNED AWAY.

The Visitor Access Form, instructions, and "How Do I Get On Post?" flowchart can be found at <https://home.army.mil/ria/about/visitory-information>, click on Pass Request Information (missile right), to Visitor Access Form.

All visitors must process through the Moline Visitor Center Gate (I-74) off of River Drive in Moline, IL. Visitors (to include transportation and freight providers) will be required proper identification to access RIA. POC for this Policy is RIA Visitor Center, email usarmy.ria.imcom.mbx.usag-access-request@army.mil. Their phone number is (309)782-1337.

RECEIVING HOURS OF OPERATIONS:

Monday-Friday, 6:30am to 2:00pm CST - Excluding Holidays

Deliveries before or after the above stated hours will be turned away.

Appointments are not necessary.

Continuation of Supplies or Services and Prices/Costs

The following CLIN(s) / SLIN(s) / ELIN(s) were modified:

0001

INFORMATION	FROM	TO
Description	MACHINE SPINDLE GROS-ITE Model: 6P6-304-1C01 SPINDLE FEATURES: SPINDLE TYPE: MOTORIZED, DEEP HOLE GRINDING SPINDLES	MACHINE SPINDLE GROS-ITE MDL: 6P6-304-1C01 SPINDLE FEATURES: SPINDLE TYPE: MOTORIZED, DEEP HOLE GRINDING SPINDLES RPM: 5,500 MAX

RPM: 5,500 MAX
FOR INTERNAL USE ONLY:
EH26MRI878EHM51

FRONT BARREL EXTENSION:
2.25"DIA X 23.00"LG TO THE
FRONT SLINGER
MOTOR HOUSING: 5.9055/5.9050
DIA X 14.0"LG, FOR PRECISION
MOUNTING OF SPINDLE
SPINDLE LENGTH: 39.94 FROM
THE REAR END CAP TO THE END
OF TAPER
TOOL MOUNT: 3.000"TPF, .625"HL
TAPER THAT HAS AN INTERNAL
THREADED HOLE (.250-20 RH
THREAD)
BEARINGS: 3 DUPLEX, SUPER
PRECISION PAIRS IN THE
FRONT, 1 DUPLEX SUPER
PRECISION PAIR IN THE
CENTER, 1 RADIAL BEARING,
SUPPORTING THE END OF THE
SHAFT. THE BEARINGS WILL BE
PERMANENTLY GREASE
PACKED.
SPINDLE SHAFT: 4150 ALLOY
STEEL HARDENED TO 52-56 RC
SPINDLE ROTATION: CCW,
WHEN LOOKING INTO THE
SPINDLE NOSE
SPINDLE OPERATION:
HORIZONTAL PLANE
PRECISION BALANCED: ALL
ROTATING COMPONENTS WILL
BE PRECISION BALANCED
MOTOR SPECIFICATIONS: 472-
7.75 FRAM - 4 POLE - PH-TENV-
INTERMITTENT DUTY, HP 2.8/5.6
/5.6, RRM: 1,800/3,600/5,500,
VOLTAGE 230/460/460V, HZ 60/120

		/183, FLA: 8.2 FOR INTERNAL USE ONLY: EH26MRI878EHM51
--	--	---

Continuation of Description

The Requirements text has been modified to:

MACHINE SPINDLE GROS-ITE
MDL: 6P6-304-1C01