

**Performance Work Statement
(Includes associated Performance Requirements Summary (PRS))**

**UT&C HVAC Biannual Maintenance Services
Fort Bliss, Texas**

1 June 2026

**Part 1
General Information**

1. General: This is a non-personal service contract under which the personnel rendering the services are not subject, either by the contract's terms or by the manner of its administration, to the supervision and control usually prevailing in relationships between the Government and its employees. The United States (U.S.) Government shall not exercise supervision or control over the Contractor's employees performing the tasks herein. Such contract employees shall be accountable solely to the Contractor who, in turn shall be responsible to the U.S. Government.

1.1 Description of Services/Introduction: This is a non-personal service(s) contract to provide all personnel, equipment, supplies, facilities, transportation, tools, materials, supervision, and other items and non-personal services necessary to perform the required biannual HVAC system maintenance services, HVAC system repairs, and electrical repairs at the listed UT&C buildings throughout the McGregor Range in Chaparral New Mexico as defined in this PWS except for those items specified as government furnished property (GFP) and government furnished services (GFS). The contractor shall perform to the standards in this contract.

1.2 Background: The Japanese Forces are funding to perform the biannual HVAC system maintenance services. These services are required and essential to improve the performance of the Annual Service Practice (ASP) and improve the communication between the Japanese and United States Governments.

1.3 Scope: The Contractor shall perform the following HVAC Preventive Maintenance Services. Preventive Maintenance Service includes a comprehensive inspection, cleaning, and maintenance of the system's core components.

1.3.1 Period of Performance: Please refer to the contract schedule for the contract's period of performance.

Base Year 1: 1 June 2026 to 31 May 2027
Option Year 1: 1 June 2027 to 31 May 2028
Option Year 2: 1 June 2028 to 31 May 2029
Option Year 3: 1 June 2029 to 31 May 2030

1.4 Objectives: To provide HVAC systems biannual maintenance services, HVAC system repairs, and electrical repairs for the UT&C buildings throughout the McGregor Range in Chaparral New Mexico within the Period of Performance. The contractor shall ensure all work specified in this PWS is performed in accordance with (IAW) all applicable federal, state, and local laws, regulations, and directives, to include but not limited to, the publications listed in Section 7.0 Related Documents. The Contractor shall warrant all work, tendered to the Government for acceptance, conforms to the measurable performance standards of quality, timeliness, and quantity specified in the PWS of this contract. Without additional expense to the Government, the Contractor and its subcontractors shall obtain all licenses and permits required to perform the work under this contract

1.5 General Information:

1.5.1 Quality Control Plan (QCP): The Contractor shall develop and maintain a QCP to ensure services are performed in accordance with (IAW) this PWS. The Contractor shall develop and implement procedures to identify, prevent, and ensure non-recurrence of defective services. The Contractor's QCP is the means by which it assures that the work provided complies with the requirements of the contract.

The Contractor's Proposed QCP shall be submitted to the Contracting Officer (KO) through the Contracting Officer's Representative (COR) for review within ten (10) days after date of contract award.

The Government will review and either notify the Contractor in writing of acceptance of the plan or return their comments to the Contractor within five (5) business days. If the Government has provided comments, the Contractor shall then have five (5) business days to submit a Final QCP. After receipt of the Final QCP, the Contractor may receive the Contracting Officer's acceptance in writing. Any proposed changes to the accepted QCP are required to be resubmitted for acceptance by the Contracting Officer no later than five (5) business days prior to the anticipated change and before implementation by the Contractor. The timeline noted above will apply for review and acceptance for proposed changes. At a minimum, the QCP must include and answer the following to be acceptable:

(a) A chart showing the organizational structure and lines of authority, the names, qualifications, duties, responsibilities, and classification of each member of the Contractor's Quality Control Team;

(b) How the Contractor will monitor work to ensure performance complies with all deliverables (etc. timelines, deadlines, and goals);

(c) How the Contractor will monitor work to ensure performance complies with all specifications and requirements of the contract, including the contract's clauses;

(d) How the Contractor will monitor and ensure staff qualifications remain current and valid including Department of Defense (DoD) Contractor Personnel Office (DOCPER) processes/approvals throughout contract performance;

(e) How the Contractor will ensure all keys issued will remain controlled items (Paragraph 1.7 Key Control);

(f) How the Contractor will inventory and track maintenance of all Government Provided Equipment / Materials;

(g) How the Contractor will identify, investigate, and correct any non-conforming performance and prevent similar deficiencies in the future; and

(h) How the Contractor will file and save all Quality Control related documents for the life of the contract plus 5 years.

1.5.1.1 The Contractor shall inform the COR of issues or potential issues that might affect the performance within Two (2) hours of identifying those issues. Verbal reports shall be followed up by written reports within one (1) business day.

1.5.2 Quality Assurance: The Government will evaluate the Contractor's performance under this contract in accordance with the Quality Assurance Surveillance Plan (QASP). This plan is primarily focused on what the Government must do to ensure that the Contractor has performed in accordance with the performance standards. It defines how the performance standards will be applied, the frequency of surveillance, and the acceptable quality levels (performance thresholds). The QASP is a government only document.

1.5.3 Recognized Holidays: The following provides information on recognized holidays for the purpose of the PWS. If submittal of any documentation (e.g. deliverables, submittals, etc.) deadlines fall on a holiday, the closest work day prior to the holiday will apply as the deadline for submittal.

1.5.3.1 U.S. Holidays: Work shall not be performed on U.S. federally recognized holidays occurring during the normal workweek unless otherwise directed by the Contracting Officer. When a U.S. holiday occurs on a Saturday or a Sunday, the holiday is observed on the preceding Friday or following Monday, respectively.

New Year's Day January 1st
Presidents Day 3rd Monday in February
Juneteenth June 19th
Labor Day 1st Monday in September
Veteran's Day November 11th
Christmas Day December 25th

M. L. King Memorial Day 3rd Monday in Jan
Memorial Day last Monday in May
Independence Day July 4th
Columbus Day 2nd Monday in October
Thanksgiving Day 4th Thursday in November

1.5.4 Operating Hours: The Government facility office hours, facility operating hours, and the Contractor support hour requirements often coincide, however, they may differ. Please refer to the following:

1.5.4.1 Government Facility Office Hours: The Government facility office hours are 8:30 am - 2:30 pm, and days Monday through Friday except U.S. Holidays identified in paragraph 1.5.3.1 above or when the Government facility is closed due to local or national emergencies, administrative closings, or similar Government directed facility closings.

1.5.4.2 Government Facility Operating Hours: The Government facility operating hours occur between the hours of 8:30 am - 2:30 pm, and days Monday through Friday . The Government facility is closed during local or national emergencies, administrative closings, or similar Government directed facility closings. For example, "The Government facility is open for operations during the recognized U.S. Holidays identified in paragraph 1.5.3.1 above. The Government facility may close due to local or national emergencies, administrative closings, or similar Government directed facility closings and will be communicated by the Contracting Officer to the Contractor."

1.5.4.3 Contractor Support Hours: The Contractor shall provide support between the hours of 8:30 am - 2:30 pm, and days Monday through Friday during days the facilities are open. The Contractor shall maintain an adequate workforce at all times, for the uninterrupted performance of all tasks defined within this PWS when the Government facility is not closed for the above reasons. When hiring personnel, the Contractor shall keep in mind that the stability and continuity of the workforce is essential. For other than firm fixed price contracts, the Contractor will not be reimbursed when the Government facility is closed for the above reasons".

1.5.4.3.1 Contractor Work Plan: The Contractor shall prepare and maintain a Work Plan. The plan, as a minimum, shall identify regularly scheduled work (to include location, work to be completed, timeline, etc.). The Contractor's proposed Work Plan shall be submitted to the Contracting Officer via the COR for review within ten (10) business days after date of contract award. The Government will review and either accept or return their comments to the Contractor within ten (10) business days. The Contractor shall then have three (3) business days to submit a Final Work Plan. Any proposed change to the accepted Final Work Plan is required to be resubmitted via the COR for review and acceptance by the Contracting Officer at a minimum thirty (30) days prior to implementation. The timeline noted above shall apply for review and acceptance for proposed changes.

1.5.5 Training Holidays: Historically military personnel are granted training holidays as compensation for time that they spent in field training. These are typically combined with regular holiday leave schedules (for example, Christmas half days or day on day off schedules). Training holidays may affect access to military operated facilities. If scheduled work or access to facilities is required, coordination with occupants will be necessary or the work in affected facilities shall be rescheduled after the training holiday. However, announced training holidays or exodus of military personnel may provide the Contractor with an opportunity for unrestricted access to facilities and areas. The Contractor shall take full advantage of such opportunities by planning maintenance or actions that are better accomplished when such areas are vacant.

1.5.6 Place of Performance: The work to be performed under this contract will be performed the Buildings at UT&C Locations located on McGregor Range.

- a. Location IFC 15
- b. Location IFC 17
- c. Location IFC 19
- d. Location IFC 22
- e. Location IFC 23
- f. Location TAC 18
- g. Location TAC 24
- h. Location TAC 16
- i. Location Hawk 6
- j. Location Hawk 8
- k. Location Chu-Sam Park

1.6 Security Requirements: The following information is provided on security related matters:

1.6.1 Security Program: "Not Applicable".

1.6.2 Personnel Security Clearance Requirements: "Not Applicable".

1.6.3 Access and general protection/security policy and procedures: Contractor and all associated subcontractor employees shall provide all information required for background checks to meet installation access requirements to be accomplished by installation Provost Marshal Office, Director of Emergency Services or Security Office. Contractor workforce must comply with all personal identity verification requirements (FAR clause 52.204-9, Personal Identity Verification of Contractor Personnel) as directed by DOD, HQDA and/or local policy. In addition to the changes otherwise authorized by the changes clause of this contract, should the Force Protection Condition (FPCON) at any individual facility or installation change, the Government may require changes in contractor security matters or processes.

1.6.3.1 Escorts: The Contractor and all associated sub-contractor employees performing services under this contract shall be escorted at all times by host nation security personnel or by an individual designated by the Contracting Officer Representative (COR) while accessing U.S. facilities or activities.

1.6.3.2 Installation Pass Log: In addition, the Contractor shall provide the Contracting Officer, via the COR, an Initial Installation Pass Log within five (5) calendar days after contract award (Exhibit09).. The log must at a minimum contain the following information Employee's name, Employees Contact Phone Number, Starting date, and End date (if employee departs prior to end of contract). The log shall be updated as employees are added or removed. The Updated Installation Pass Log shall be current and available at any time upon request by the Government and submitted to the COR within five (5) days after any changes to the log (ExhibitTE09).

1.6.3.3 Individual Termination or Expiration of Employment: The Contractor shall collect the installation access passes the same day employment of an individual has expired or has been terminated and shall return them to the issuing office within one (1) business day (TE09Exhibit)

1.6.3.4 Contract Termination or Cancellation: Upon termination or cancellation of this contract, the Contractor shall collect all outstanding installation access passes and return them to the issuing office within five (5) business days. (ExhibitTE09)

1.6.3.5 Common Access Cards (CAC) and CAC Log: Reserved

1.6.4 Personnel Security Clearance Requirements: Not Applicable

1.6.4.1: The contractor shall follow DOD Federal Acquisition Regulation Supplement (DFARS) clause 252.223-7004, Drug-free Work Force. The contractor shall conduct drug tests, ensuring all contractor employees, subcontractor and subcontractor employees performing services under this contract are tested at least once per year, each year of the contract, as well as when there is a reasonable suspicion that an employee uses illegal drugs. The drug testing shall be at the contractor's expense. Positive drug test results shall be made available to both the KO and COR within 24 hours of known test results. Records of drug testing shall be made available to the COR.

1.6.5 Background Checks: The Contractor shall ensure contractor employees and subcontractor employees performing services under this contract have passed a security check conducted by the State Police Department of their U.S. residence. Security checks that have been completed as part of a personnel security clearance background investigation, or a previous background check that was a condition of employment, meet this requirement. Documentation of these checks will be made available to the KO or COR upon request. The Government retains the right to exclude any employee from performance of duties under this contract if a background security check reveals an employee is a security risk. The exclusion of an employee for security reasons will not relieve the Contractor from performance of services required under this contract. If the Government determines additional background checks are required, at a minimum, and upon request from the Government, the Contractor shall provide to the KO or COR, the following information on any contractor or subcontractor employee performing services under this contract:

- Full birth name
- Married name (if applicable)
- SSN or local equivalent (ID card number)
- Date of birth
- Place of birth (city, country)

1.6.5.1 Background Check Notification Requirements: If a background check on any employee or subcontractor employee performing services under this contract, whether the check was conducted as a condition of employment or as part of the contract with the Government, reveals any information from any source (including host country law

enforcement) of criminal activity by Contractor employees, subcontractors, or subcontractor employees, the Contractor shall immediately notify the KO and COR of that information. The Contractor shall make notification of:

(1) Traffic violations, other than parking, will be reported to the KO or COR only if the contract is for drivers for the Government;

(2) Any suspicious activity by Contractor employees, subcontractors, or subcontractor employees the Contractor believes may pose a risk to U.S. or host nation national security or imminent risk of deadly bodily harm to any person; and

(3) Any actions taken against Contractor employees, subcontractors, or subcontractor employees pursuant to this requirement.

1.6.5.2 Remedies. In addition to other remedies available to the Government, the Contractor's failure to comply with the requirements of this paragraph may result in requiring the Contractor to remove a contractor employee or employees from the performance of the contract.

1.6.5.3 Subcontracts. The Contractor shall include the substance of this paragraph and the preceding paragraph in all subcontracts.

1.6.6 Uncleared Contractor Common Access Card (CAC) Credentialing and Access Procedures

1.6.6.1 Contractor Common Access Card (CAC) Eligible Requirements: Before CAC issuance, the Contractor employee requires, at a minimum, a favorably adjudicated National Agency Check with Inquiries (NACI) or an equivalent or higher investigation in accordance with Army Directive 2014-05. The Contractor employee will be issued a CAC only if duties involve one of the following: (1) Both physical access to a DOD facility and access, via logon, to DOD networks on-site or remotely; (2) Remote access, via logon, to a DOD network using DOD-approved remote access procedures; or (3) Physical access to multiple DOD facilities or multiple non-DOD federally controlled facilities on behalf of the DOD on a recurring basis for a period of 6 months or more. At the discretion of the sponsoring activity, an initial CAC may be issued based on a favorable review of the FBI fingerprint check and a successfully scheduled NACI at the Office of Personnel Management. Contractor personnel shall return CAC to appropriate U.S. Government authorities within five (5) days of the end of their contractual duties.

1.6.6.1.1 Federal Installation/Facility Access: Contractor and all associated subcontractor employees shall comply with applicable installation, facility and area commander installation/facility access and local security policies and procedures (provided by government representative). The employee performing services under this contract shall also provide all information required for background checks to meet installation access requirements to be accomplished by installation Provost Marshal Office, Director of Emergency Services, Security Office or the host nation equivalent.

1.6.6.2. Contractor Non CAC Eligible Requirements for DOD Facility and Installation

Access : Contractor and all associated subcontractors employees shall comply with adjudication standards and procedures using the National Crime Information Center Interstate Identification Index (NCIC-III) and Terrorist Screening Database (TSDB) (Army Directive 2014-05/AR 190-13), applicable installation, facility and area commander installation/facility access and local security policies and procedures (provided by government representative), or, at OCONUS locations, in accordance with status of forces agreements and other theater regulations.

1.6.7 Access to Government Information Systems: All Contractor employees and subcontractor employees performing services under this contract who have access to a government information system must be registered in the Account Validation System (AVS) at commencement of services and must successfully completed the DoD Information Assurance Awareness training prior to access to the information system and then annually thereafter.

1.6.8 Physical Security: The Contractor shall safeguard all Government equipment, information, and property provided for Contractor use. At the close of each work period, Government facilities, equipment, and materials shall be secured IAW the Army Physical Security Program (AR 190-13.)

1.6.9 Operations Security (OPSEC) Requirements: Contractor personnel shall adhere to facility security policies and restrictions. The Contractor shall immediately report suspicious activities to security personnel.

1.6.9.1 Operations Security (OPSEC) SOP/Plan Requirements: The Contractor shall implement and maintain an OPSEC program for preventing the disclosure of critical information or sensitive information which could jeopardize the Government's ability to execute its mission or to adequately protect its personnel and/or equipment. The Contractor shall develop an OPSEC Standing Operating Procedure (SOP)/plan within 90 calendar days of contract award to the Contracting Officer Representative (COR) or Contracting Officer (KO) to be reviewed and approved by the Government OPSEC Officer on the supporting installation. The SOP must contain a training plan that includes an initial OPSEC brief, continuous awareness, and annual OPSEC training. This plan will include a process to identify critical information, where it is located, who is responsible for it, how to protect it and why it needs to be protected. The contractor shall implement OPSEC measures as ordered by the commander. Awareness/training shall includes, but not be limited to information disclosure via letters, conversations, photographs, resumes, electronic mail (e-mail), Social social media/networking sites, dissemination of information and documents disposal. OPSEC Program shall fully comply with the provisions of AR 530-1, Operations Security shall have an identified certified Level II OPSEC coordinator.

1.7 Key Control: The Contractor shall establish and implement methods of making sure all keys issued to the Contractor by the Government are not lost or misplaced and are not used by unauthorized persons. NOTE: All references to keys include key cards. No keys issued to the Contractor by the Government shall be duplicated. The Contractor shall develop procedures covering key control that shall be included in the Contractor's Security Plan and

the Quality Control Plan. Such procedures shall include turn-in of any issued keys by personnel who no longer require access to locked areas. The Contractor shall immediately report any incidents of lost or duplicate keys to the Contracting Officer. In the event keys, other than master keys, are lost or duplicated, the Contractor shall, upon direction of the Contracting Officer, re-key or replace the affected lock or locks; however, the Government, at its option, may replace the affected lock or locks or perform re-keying. When the replacement of locks or re-keying is performed by the Government, the total cost of re-keying or the replacement of the lock or locks shall be deducted from payment due to the Contractor. In the event a master key is lost or duplicated, all locks and keys for that system shall be replaced by the Government and the total cost deducted from the payment due to the Contractor. The Contractor shall prohibit the use of Government issued keys by any persons other than the Contractor's employees. The Contractor shall prohibit the opening of locked areas by Contractor employees to permit entrance of persons other than Contractor employees engaged in the performance of assigned work in those areas, or personnel authorized entrance by the Contracting Officer. The Contractor shall establish and implement methods of ensuring that all lock combinations are not revealed to unauthorized persons. The Contractor shall ensure that lock combinations are changed when personnel having access to the combinations no longer have a need to know such combinations. These procedures shall be included in the Quality Control Plan.

1.8 Post Award Conference/Periodic Progress Meetings: The Contractor shall attend post award conference convened by the contracting activity or contract administration office in accordance with FAR Subpart 42.5. The Contracting Officer, COR, and other Government personnel, as appropriate, may meet periodically with the Contractor to review the Contractor's performance. At these meetings the Contracting Officer will apprise the Contractor of how the Government views the Contractor's performance and the Contractor shall apprise the Government of problems, if any, being experienced. Appropriate action shall be taken to resolve outstanding issues. These meetings shall be at no additional cost to the Government.

1.8.1 The Contractor shall attend, participate in, and furnish input to scheduled and unscheduled meetings, conferences, and briefings that relate to the functions and services herein as required by the Government to provide effective communication and impart necessary information. The Contract Manager or designated representative shall attend meetings as requested by the Government. Meeting attendees shall at times include Contractor managerial, supervisory, and other personnel knowledgeable of the subject matter. Meetings may start or end outside of regular duty hours.

1.9 Service Contract Reporting: The Contractor shall completely fill in all the information in the format at the following web address <http://sam.gov> . The contractor shall provide the estimated total cost (if any) incurred to comply with this reporting requirement. Reporting period shall be the period of performance not to exceed 12 months ending September 30 of each government fiscal year and must be reported by 31 October of each calendar year. If contract period of performance ends prior to September 30, the contractor has 30 day from end date of the contract to complete the SCR requirement. (as applicable)

1.10 Contracting Officer's Representative (COR): Refer to Part 2 of this PWS for the definition of a COR. As determined by the Contracting Officer, a COR will be appointed and

identified by letter of designation, a copy of which will be provided to the Contractor by the Contracting Officer. The designation letter states the responsibilities and limitations of the COR, especially with regard to changes in cost or price, estimates, or changes in delivery dates. The COR is not authorized to change any of the terms and conditions of the resulting order. The COR monitors all technical aspects of the contract and assists in contract administration. The COR is not authorized to obligate the Government. If the work is not written in the contract, the COR is not authorized to request new work. The COR is authorized to perform the following functions: assure that the Contractor performs the technical requirements of the contract, perform inspections necessary in connection with contract performance, maintain written and oral communications with the Contractor concerning technical aspects of the contract, issue written interpretations of technical requirements, including Government drawings, designs, specifications, monitor Contractor's performance and notifies both the Contracting Officer and Contractor of any deficiencies, coordinate availability of Government property, and coordinate site entry of Contractor personnel.

1.11 Key Personnel: The following personnel are considered key personnel by the Government: Team Lead/ Area Supervisor, Area manager, Team member/Associates, Program/Contract Manager/Alternate Program/Contract Manager, Quality Control Manager, Systems Administrator, etc. The Contractor shall provide a Program/Contract Manager who shall be responsible for the performance of the work. The name of this person and an Alternate Program/Contract Manager, who shall act for the Contractor when the Program/Contract Manager is absent, along with a Curriculum Vitae (CV) for each of these individuals, shall be provided in writing to the Contracting Officer no later than five (5) days after contract award. (Acceptance of the CV by the Contracting Officer is required before these individuals are permitted to perform any task on this contract.) The Contract Manager and Alternate Contract Manager shall have full authority to act for the Contractor on all contract matters relating to daily operation of this contract. The Contract Manager or Alternate Contract Manager shall be available between 0700-1600 Monday to Friday that have been identified in paragraph 1.6.4}. Qualifications for all key personnel are listed below:

1.12 Identification of Contractor Employees: All Contractor personnel attending meetings, answering Government telephones, and working in other situations where their Contractor status is not obvious to third parties must identify themselves, to include proper marking of signature blocks in correspondence, to avoid creating an impression in the minds of members of the public that they are Government officials. The Contractor shall ensure that all documents or reports, produced by Contractors are suitably marked as Contractor products or that Contractor participation is appropriately disclosed.

1.12.1 Contractor workspace (staging site, on-site office, desk or work area, etc.) shall contain a sign signifying the space is occupied by Contractor employee(s) to ensure that Government employees and the public know that they are not Government employees. The proposed sign shall be submitted to the Contracting Officer via the COR for review and acceptance within five (5) calendar days) after contract award. Workspace sign location shall be coordinated with the COR. Contractor employees shall identify themselves by name and company affiliation when answering the telephone, presenting briefings, conducting or attending meetings, and seminars. All Contractor correspondence (written, facsimile, and email display) shall include

their company name. Requirements for Contractor vehicles is addressed under Part 4 paragraph 4.4.

1.12.2 Contractor Identification Badges: Contractor personnel shall be easily identifiable through the display of badges IAW Contractor Identification (AE Reg. 27-715). (For services at Child, Youth, and School Services where children are present, recommend personnel wear identification when children are present.)): If required by the Government, contract personnel and all associated subcontractor's employees accessing U.S. facilities or activities, shall present a valid picture ID provided by the Government while accessing Government owned or contracted facilities and shall adhere to facility security policies and restrictions. If applicable, Government issued access badges will not be worn outside designated facility where visible to the general public. Contractor personnel shall return all U.S. Government issued identification to appropriate U.S. Government authorities within five (5) days of the end of their contractual duties. The Contractor (to include subcontractors) shall provide each of their employees an easily readable identification badge. The badge must include the employee's name, the contractor's company name, and a recent color photograph of the employee. Companies with U.S. Government contracts will require their employees to wear these badges visibly when performing work at Government workplaces unless this would be impractical because of mission or safety considerations. The Contractor shall collect all ID Badges upon completion of the contract or termination of employee. A listing of issued ID cards shall be furnished to the Contracting Officer prior to the contract performance date and updated as needed to reflect Contractor personnel changes. (TE 11)

1.12.3 Uniform: The Contractor shall provide a standard uniform for all Contractor and subcontractor employees performing services under this contract, and ensure they wear the uniform during appointed duty hours. The uniform may consist of the same type and color shirt and slacks for all workers. Company logo is optional.

1.13 Contractor Travel: Reserved

1.14 Other Direct Costs (ODCs): This category includes travel (outlined in 1.12), printing and shipping expenses associated with training activities and visits to Contractor facilities." – Please note that this could also entail the renting of suitable training venues. Inclusion of ODCs in this PWS must be preapproved by the Contracting Officer.

1.15 Data Rights: The Government has unlimited rights to all documents and materials produced under this contract. All documents and materials, to include the source codes of software, produced under this contract shall be Government owned and are the property of the Government with all rights and privileges of ownership and copyright belonging exclusively to the Government. These documents and materials may not be used or sold by the Contractor without written permission from the Contracting Officer. All materials supplied to the Government shall be the sole property of the Government and may not be used for any other purpose. This right does not abrogate any other Government rights.

1.16 Non-Disclosure Requirements: Performance under this contract may require the Contractor to access data and information proprietary to a Government agency, another

Government Contractor, or of such nature that its dissemination or use other than as specified in this work statement would be adverse to the interests of the Government or others. The Contractor and Contractor personnel, shall not divulge or release data or information developed, or obtained under performance of this PWS, except to authorized Government personnel or upon written approval of the Contracting Officer. The Contractor shall not use, disclose, or reproduce proprietary data, which bears a restrictive legend, other than as specified in this PWS. All documentation showing individual names or other personal information shall be controlled and protected under the provisions of the Privacy Act of 1974, Public Law 93-579, 5 United States Code (U.S.C.) Section 552a.

1.17 Protection of Government and Contract Information: Per Public Use Notice of Limitations stated by Defense imagery Management operations Center and contained at www.dimoc.mil/resources/limitations/, the Contractor shall not cite any information (e.g., contract information, pictures, locations, etc.) obtained through this contract on any hard copy or digital marketing tools to include its company website.

1.18 Non-Disclosure Statements: Contractor employees, including subcontractor employees, who are employed under the contract, shall complete and provide their signed non-disclosure agreements from each employee to the Government no later than five (5) business days prior to commencement of work under the contract. Disclosure of information by Contractor personnel may result in removal of Contractor personnel from performance under this contract.

1.19 Advertisement and Social Media: The Contractor shall NOT post information to public website or social media locations, personal or professional, that in any way disclose names, locations, hotel data, participants, discussions, pictures, etc. before, during or after the contract period of performance without the express consent of the Government. The use of propaganda violates DOD Commercial Use of Imagery Guidelines stated at (<http://www.defenseimagery.mil/products/DODimagery/commercialuse.html>). The Contractor shall not cite any information (e.g., contract information, pictures, locations, etc.) obtained through this contract on any marketing tools to include its company website.

1.20 Information Assurance: At no time shall the Contractor or associated sub-contractor employees transmit government documents or information over using methods that do not meet the security requirements specified in the National Institute of Standards and Technology (NIST) Special Publication (SP) 800-171, "Protecting Controlled Unclassified Information (CUI) in Nonfederal Information Systems and Organizations" such as personal electronic mail accounts, public digital data storage sites (cloud storage), social media platforms or instant messaging. Approved government sites such as DoD SAFE at <https://safe.apps.mil>, or All Partners Access Network (APAN) at <https://community.apan.org/>, or other transmission means determined by the government must be used.

1.21 Organizational Conflict of Interest (OCI): Contractor and subcontractor personnel performing work under this contract may receive, have access to or participate in the development of proprietary or source selection information (e.g., cost or pricing information, budget information or analyses, specifications or work statements, etc.) or perform evaluation

services which may create a current or subsequent OCI as defined in FAR Subpart 9.5. The Contractor shall notify the Contracting Officer immediately whenever it becomes aware that such access or participation may result in any actual or potential OCI and shall promptly submit a plan to the Contracting Officer to avoid or mitigate any such OCI. The Contractor's OCI Mitigation Plan will be determined to be acceptable solely at the discretion of the Contracting Officer. In the event the Contracting Officer unilaterally determines that any such OCI cannot be satisfactorily avoided or mitigated, the Contracting Officer may affect other remedies as he or she deems necessary, including prohibiting the Contractor from participation in subsequent contracted requirements which may be affected by the OCI.

1.22 Phase In /Phase Out Period: "Not Applicable"

1.23 Safety: The following provides information pertaining to Safety and Accident Prevention:

1.23.1 Safety Laws and Regulations: The Contractor shall comply with FAR 52.236-13, Accident Prevention (November 1991), the references contained therein (e.g. U.S. Army Corps of Engineers Safety and Health Requirements Manual (EM 385-1-1)), and applicable Host Nation Safety Laws and Regulations.

The requirements under FAR 52.236-13 and specifically of the EM 385-1-1 include, but are not limited to the following:

(a) Before initiation of work at the job site, an Accident Prevention Plan, written by the Contractor for the specific work and hazards of the contract and implementing in detail the pertinent requirements of EM 385-1-1; will be reviewed for acceptance by designated Government personnel. Specific requirements for development of the Accident Prevention Plan are found in 01.A and Appendix A of EM 385-1-1. EM 385-1-1 is available online at www.usace.army.mil.

(b) Before beginning each activity involving a type of work presenting hazards not experienced in previous project operations or where a new work crew or subcontractor is to perform work, activity hazard analysis (AHA) shall be prepared by the Contractor performing the work activity (See paragraph 01.a.09 of EM 385-1-1);

(c) The Contractor shall require subcontractors to submit their plan of operations showing methods they propose to use in accomplishing major phases of work;

(d) The Contractor shall discuss the plans in conferences convened by the Contracting Officer prior to starting work on each major phase of operation. Plans shall include all pertinent information such as layout of haul roads, access roads, storage areas, electrical distribution lines, methods of providing minimum exposure to overhead loads, and methods of access to work areas. The plan for accomplishing the initial work phase shall be submitted within fifteen (15) calendar days after award of the contract. Plans for subsequent major phases of work shall be submitted no later than fifteen (15) calendar days prior to initiation of work on each major phase; and

(e) In all areas where construction, demolition, alteration, building, or similar related activities take place, the Contractor shall have the following minimum personal protective clothing and equipment requirements in place for any person working on or visiting the site:

- (i) Short sleeve shirt;
- (ii) Long trousers;
- (iii) Steel-toed safety boots; and
- (iv) Hard hat.

1.23.1.1 In addition to other requirements for accident prevention specified in this contract, the Contractor shall comply with all Federal and State requirements governing safety and health protection on construction sites and other applicable occupational safety codes. The Contractor shall indicate its plan for compliance considering conditions of the work described by the design, technical proposal, operational activities of the Government or others in the area of the work, identification of the coordinator, and implementation of all other accident prevention provisions of this contract.

1.24 Environmental Compliance: The following provides information on Environmental Compliance.

1.24.1 Environmental Compliance Plan and Program:

CONUS narrative may be adapted from the following OCONUS example:
The Contractor shall ensure that all of its operations and activities conform to the USAG Ft. Bliss' environmental policy requirements. The Contractor shall ensure that all contract personnel have received appropriate levels of training in the handling, use, storage, and disposal of hazardous material. In addition, the Contractor shall ensure that all Contractor controlled activities on USAG Ft. Bliss' installations are conducted in accordance with the USAG Ft. Bliss' Spill Prevention and Response Plan, Solid Waste Policy, Final Governing Standards, and applicable environmental laws/standards.

The Contractor shall, prior to mobilization, inform the Contracting Officer (KO)/Contracting Officer Representative (COR) of the types and amount of hazardous materials needed to be brought onto the Garrison in order to fulfill their contractual requirements. Contractor shall also provide the Safety Data Sheets, storage requirements and proposed storage locations for the hazardous material. The KO/COR shall provide a copy of this information to the Garrison Fire Department and the Environmental Division.

Prior to contract completion, the Contractor shall remove all hazardous materials and dispose of all hazardous waste (HW) generated in accordance with Final Governing Standards and applicable environmental laws/standards. A copy of the HW disposal documents must be forwarded to the HW program manager at the Department of Public Works (DPW) Environmental Division.

The Contractor shall clean up at its own expense any contamination, including soil and ground water contamination caused by hazardous materials/substances brought onto the garrison, or

by his activities. The Contractor must immediately report any hazardous substance spills to the DPW Service Order Desk at 915-642-4577. (TE 06a & TE06b)

1.25 Required Training: The following provides information on training requirements

1.25.1 Anti-Terrorism (AT) Level I Training: All Contractor employees, including subcontractor employees, who are employed under the contract, shall complete AT Level I Training within fifteen (15) days after contract start date or effective date of incorporation of this requirement into the contract, whichever applies, or fifteen (15) days after employment of new personnel. Contractor personnel travelling overseas shall complete area of responsibility (AOR) specific AT awareness training for U.S. based Contractor employees and associated subcontractor employees. The Contractor shall submit certificates of completion for each affected Contractor employee and subcontractor employee to the COR (or to the Contracting Officer, if a COR is not assigned) within five (5) days after completion of this training by all employees and subcontractor personnel. AT Level I awareness training is available at <https://jkodirect.jten.mil>. Contractor personnel shall complete refresher training every twelve (12) months except AOR specific AT Level I training which shall be completed as required by local AT policies.

1.25.1.1 If training cannot be conducted on the website, the Contractor shall coordinate with the COR who will contact the local AT Officer at their assigned location for classroom training. Contractor personnel completing training in the classroom will receive a certificate or the training attendance roster signed by the AT Officer. Verification of the training shall be provided to the COR within seven (7) days after completion of the training.

1.25.2 OPSEC Training: All Contractor employees, including subcontractors, shall complete Level I OPSEC training within fifteen (15) days of employment under this contract. Verification of the training shall be provided to the COR within five (5) days after completion of the training. OPSEC Level I training is available at <http://www.cdse.edu/catalog/elearning/GS130.html>. Contractor personnel must complete refresher training every 12 months. Verification of the training shall be provided to the COR within five (5) days after completion of the training.

1.25.2.1 If training cannot be conducted on the website, the Contractor shall coordinate with the COR, who will contact the local OPSEC Officer at their assigned location for classroom training. Contractor personnel completing training in the classroom will receive a certificate or the training attendance roster signed by the OPSEC Officer. Verification of the training shall be provided to the COR within five (5) days after completion of the training.

1.25.3 iWATCH Training: The Contractor and all associated subcontractors shall brief all employees on the local iWATCH program (training standards provided by the requiring activity ATO). This locally developed training will be used to inform employees of the types of behavior to watch for and instruct employees to report suspicious activity to the COR. This training shall be completed within fifteen (15) days after the contract is awarded and within fifteen (15) days after new employees commence contract performance, with the results reported to the COR within fifteen (15) days after the contract is awarded and within fifteen (15) days after

new employees commence contract performance. Verification of the training shall be provided to the COR within five (5) days after completion of the training.

1.25.4 Information Assurance (IA) / Information Technology (IT) Training Reserved

1.25.5 Personally Identifiable Information (PII): Contractor employees, including subcontractors, performing services under this contract with access to PII and Government information shall complete "Identifying and Safeguarding PII" within 30 calendar days of employment. Contractor personnel shall complete refresher training every twelve (12) months from initial completion. The Contractor shall provide the COR a copy of the training certificates for its employees no later than five (5) days after completion. Training is available at <http://iatraining.disa.mil/eta/piiv2/launchPage.html>

1.25.6 Threat Awareness Reporting Program (TARP Training): Not Applicable

1.26 Government Property and Services: Reserved

1.27 Safety Requirements: (As determined by Ft. Bliss Safety Review) –

1.27.1 The Contractor shall comply with all OSHA, State, U.S. Army, U.S. Army Ft. Bliss, and other applicable industry safety standards.

1.27.2 The Contractor shall observe and comply with all local policies and procedures concerning fire, safety, environmental protection, sanitation, security, and possession of firearms or other lethal or illegal weapons or substance.

1.27.3 The Contractor shall report all accidents and occupational illnesses immediately to the Safety Office through the Contracting Officer's Representative (COR).

1.28 Environmental Requirements: (As determined by Ft. Bliss Safety Review)

The contractor shall comply with all applicable Federal, State, Local Laws and regulations and utilize standard industry practices for avoiding adverse environmental impacts. These requirements include, but are not limited to, 32 CFR Part 651 (Environmental Analysis of Army Actions) and the local Environmental Handbook for the Requiring Activity Workforce. The Contractor shall ensure that all activities performed by its personnel, subcontractors and suppliers are executed in accordance with such authorities. The Contractor shall obtain all permits, licenses, approvals, and/or certificates required or necessary to accomplish environmental work. When the work to be performed requires facility clearances, such as digging or drilling permits, the Contractor shall obtain such clearances and/or permits in accordance with all local and installation requirements and with the assistance of the installation point(s) of contact, prior to any such work being initiated. All spills should be reported to (enter phone number). The contractor shall develop and submit an Environmental Protection Plan (EPP) to the KO and COR for review and approval within 30 calendar days after contractor award. Best Management Practices where applicable shall be identified and implemented to offset adverse environmental impacts. (TE 06a & TE 06b)

PART 2 DEFINITIONS & ACRONYMS

2. Definitions and Acronyms

2.1 Definitions: Although not inclusive of every term used within this PWS, the following provides a list of definitions used throughout this PWS and commonly used in the acquisition field.

Contracting Officer – means a person with the authority to enter into, administer, and/or terminate contracts and make related determinations and findings on behalf of the Government. Note: The only individual who can legally bind the Government.

Contracting Officer's Representative (COR) – As defined in DFARS 202.101, means an individual designated and authorized in writing by the Contracting Officer to perform specific technical or administrative functions. DoD Instruction (DoDI) 5000.72, Part II Definitions states the following when defining a COR: “Defined in subpart 202.101 of Reference (f). Any individual delegated responsibilities pursuant to subpart 1.602-2 of Reference (e), regardless of local terminology, must be certified in accordance with this instruction. For example, local terminology can be COR, Contracting Officer’s technical representative, technical point of contact, technical representative, alternate COR, administrative COR, assistant COR, line item manager, task order manager, quality assurance personnel, quality assurance evaluator, or COR management.” In addition, Army Regulation 70-13, Chapter 2, paragraph 2-2g, states, in part, the following when providing other surveillance support personnel to assist the COR when needed, “...These other surveillance support personnel may serve as on-site representatives of the COR in performance of actual contract surveillance if they meet all COR requirements and have been appointed by the Contracting Officer as alternate CORs.”

Contractor – means a supplier or vendor awarded a contract to provide specific supplies or service to the Government. The term used in this contract refers to the prime.

Contractor-acquired Property - means property acquired, fabricated, or otherwise provided by the Contractor for performing a contract and to which the Government has title.

Day – means, unless otherwise specified, a calendar day.

Defective Service – means a service output that does not meet the standard of performance associated with the Performance Work Statement.

Deliverable – means anything that can be physically delivered, but may include non-manufactured things such as meeting minutes or reports.

Government-furnished Property – As reflected in FAR 52.245-1, Government-furnished Property “means property in the possession of, or directly acquired by, the Government and subsequently furnished to the Contractor for performance of a contract. Government-furnished

property includes, but is not limited to, spares and property furnished for repair, maintenance, overhaul, or modification. Government-furnished property also includes contractor-acquired property if the contractor-acquired property is a deliverable under a cost contract when accepted by the Government for continued use under the contract

Government Property - means all property owned or leased by the Government. Government property includes both Government-furnished and Contractor-acquired property. Government property includes material, equipment, special tooling, special test equipment, and real property. Government property does not include intellectual property and software.

Property Administrator - means an authorized representative of the Contracting Officer appointed in accordance with agency procedures, responsible for administering the contract requirements and obligations relating to Government property in the possession of a Contractor.

High Level Objective (HLO) – means a key overarching result-based objective for a project necessary to achieve the project's vision. HLOs are similar to Level 2 in a Work Breakdown Structure. Each HLO may contain several statements to flesh out the areas necessary to meet the objective.

Physical Security – means that part of security concerned with physical measures designed to safeguard personnel; to prevent unauthorized access to equipment, installations, material, and documents; and to safeguard against espionage, sabotage, damage, and theft.

Quality Assurance – (or Government contract quality assurance) means the various functions, including, inspection, performed by the Government to determine whether a Contractor has fulfilled the contract obligations pertaining to quality and quantity.

Quality Assurance Surveillance Plan (QASP) – means the key Government-developed surveillance process document, and is applied to Performance-Based Service Contracting (PBSC). The QASP is used for managing Contractor performance assessment by ensuring that systematic quality assurance methods validate that Contractor quality control efforts are timely, effective, and are delivering the results specified in the contract or task order. The QASP directly corresponds to the performance objectives and standards (i.e., quality, quantity, timeliness) specified in the Performance Work Statement (PWS). It provides specific details on how the Government will survey, observe, test, sample, evaluate, and document Contractor performance results to determine if the Contractor has met the required standards for each objective in the PWS. The QASP, with very few if any exceptions, is an internal to Government document.

Quality Control – means all necessary measures taken by the Contractor to assure that the quality of an end product or service shall meet contract requirements.

Statement – means the specific results-based activities required to satisfy HLOs. A statement contains a result, the context of the statement, and the required action(s). Statements focus on “what” is to be accomplished; however they are not prescriptive in describing “how” the

outcome is to be achieved. Each HLO may have several statements to flesh out the areas necessary to meet the objective. Statements are similar to Level 3 in a Work Breakdown Structure.

Subcontractor – means one that enters into a contract with a prime Contractor. The Government does not have privity of contract with the subcontractor.

Work Day - The number of hours per day the Contractor provides services in accordance with the contract.

Work Week - Monday through Friday, unless otherwise specified.

2.2 Acronyms: Although not inclusive of every term used within this PWS, or that may be included in an acquisition, the following provides a list of acronyms commonly used in the acquisition field.

ACOR	Alternate Contracting Officer's Representative
AFARS	Army Federal Acquisition Regulation Supplement
AHA	Activity Hazard Analysis
AOR	Area of Responsibility
AR	Army Regulation
AT	Anti-terrorism
ATCTS	Army Training Certification Tracking System
CAC	Common Access Card
CCE	Contracting Center of Excellence
CFR	Code of Federal Regulations
CONUS	Continental United States (excludes Alaska and Hawaii)
COR	Contracting Officer's Representative
COTS	Commercial-Off-the-Shelf
DA	Department of the Army
DD250	Department of Defense Form 250 (Receiving Report)
DD254	Department of Defense Contract Security Requirement List
DFARS	Defense Federal Acquisition Regulation Supplement
DMDC	Defense Manpower Data Center
DoD	Department of Defense
FAR	Federal Acquisition Regulation
GFP	Government Furnished Property
HLO	High Level Objective
HIPAA	Health Insurance Portability and Accountability Act of 1996
IA	Information Awareness
IAC	Installation Access Control
IACO	Installation Access Control Office
ID	Identification
IGCE	Independent Government Cost Estimate
IT	Information Technology
JTR	Joint Travel Regulation

JPAS	Joint Personnel Adjudication System
KO	Contracting Officer
OCI	Organizational Conflict of Interest
OCONUS	Outside Continental United States (includes Alaska and Hawaii)
ODC	Other Direct Costs
OPSEC	Operations Security
PA	Property Administrator
PII	Personally Identifiable Information
PIPO	Phase In/Phase Out
POC	Point of Contact
PRS	Performance Requirements Summary
PWS	Performance Work Statement
QA	Quality Assurance
QAP	Quality Assurance Program
QASP	Quality Assurance Surveillance Plan
QC	Quality Control
QCP	Quality Control Program
RA	Requiring Activity
TE	Technical Exhibit
USAG	United States Army Garrison
UOM	Unit of Measure

PART 3
GOVERNMENT PROPERTY (GP) AND SERVICES

3. Government Furnished Property

3.1.1 Property Management System (PMS) Not Applicable

3.2 Emergency and Rescue

3.2.1 The Government will furnish emergency medical and rescue services to prevent loss of life, limb, or undue suffering within the areas serviced by the applicable installation emergency services provider. The Government will seek reimbursement for medical services rendered, as appropriate.

3.2.2 The Government will provide installation fire services to include firefighting, fire prevention inspections and investigations; Installation security services; confined space rescue; and Hazardous Material (HAZMAT) first response.

3.3 Telecommunications/Utilities “Reserved”

3.4 Government Owned “Reserved”

3.5 GFE Tools, Hand Tools, Equipment; Test, Measurement and Diagnostic Equipment (TDME) Calibration Services “Reserved”

3.6 Government Furnished Facilities and Real Property “Reserved”

3.7 Government Furnished Services “Reserved”

PART 4

CONTRACTOR FURNISHED ITEMS AND SERVICES

4. Contractor Furnished Property and Services

4.1 General: The Contractor shall furnish all personnel, equipment, supplies, facilities, transportation, tools, materials, supervision, and other items necessary to perform services as described in the PWS and associated contract documents, except for those items specified in Part 3 Government Property and Services.

4.2 Secret Facility Clearance: Not Applicable

4.3 Materials: The Contractor shall provide the required cleaning supplies, tools, personal protective equipment, and equipment to perform services listed within PWS. Brooms, mops, vacuum, rags, buckets, etc.

4.4 Vehicles and Equipment: The Contractor shall provide all necessary vehicles (no GSA vehicles provided to Contractor for use on this contract) and equipment to perform the work described in this PWS. All Contractor provided vehicles and equipment shall have the company name prominently displayed on both sides of the vehicle or equipment and present a neat, professional appearance. Contractor's vehicles and equipment used in the performance of this contract shall meet all local and Host Nation traffic, safety, and environmental requirements. Vehicles and equipment found to be unsafe shall be removed from the installation and replaced. The Contractor shall not use any Government-owned tools, materials, or parts to maintain Contractor vehicles and equipment without prior written approval of the Contracting Officer. The COR may inspect the Contractor's vehicles and equipment at any time.

4.5 Background Checks): The Contractor shall provide Background Checks in accordance with this PWS and as determined by the Government.

PART 5 SPECIFIC TASKS

5. Specific Tasks: The contractor shall perform the following HVAC Preventive Maintenance Services. Preventive Maintenance Service includes a comprehensive inspection, cleaning, and maintenance of the system's core components.

Scope and capabilities

This PWS outlines the requirements for the contractor who shall perform the following HVAC preventive maintenance services and unscheduled maintenance, HVAC repairs and electrical repairs (as needed).

5.1 General Requirements (Common Levels of Support - CLS)

The contractor is responsible for everything needed to complete the work: management, personnel, certified cleaning supplies, specialized equipment, and adhering to all contract terms.

- a. The contractor shall perform the following HVAC Preventive Maintenance Services, Preventive Maintenance Service includes a comprehensive inspection, cleaning, and maintenance of the system's core components.

5.2 HVAC Preventive Maintenance services will occur one time for each unit during the months of June - July and again during the months of February - March. The services shall include:

- a. Change filters
- b. Clean coils
- c. Check and refill refrigerant levels
- d. Inspect electrical connections
- e. Lubricate moving parts
- f. Test the thermostat
- g. Upgrade and replace of circuit breakers supporting HVAC system (when required to maintain operations of the unit).

5.2.1 The contractor shall perform the above services to locations throughout the McGregor range not listed as Ft. Bliss Real Property.

- a. Location IFC 15 (4 units total)
 - a. IFC 15 Building A – 2 Wall units (Bard W30A2-A00)
 - b. IFC 15 Building B – 1 Ground mounted unit (BAUA-F060AB)
 - c. IFC 15 Building C – 1 Wall Unit (Bard W30A2-A00)
- b. Location IFC 17 (1 unit total)
 - a. 1 Ground mounted unit (RHEEM RLKA-A060JK 000)

- c. Location IFC 19 (5 units total)
 - a. IFC 19 Building A – 2 wall units (Bard W30A2-A00)
 - b. IFC 19 Building B – 2 wall units (Bard W30A2-A00)
 - c. Commo hut – 1 Window Unit (Comfort Air)
- d. Location IFC 22 (2 Units Total)
 - a. IFC 22 Building A – 1 Wall Unit (Bard W30A2-A00)
 - b. IFC 22 Building B – 1 Wall Unit (Bard W30A2-A00)
- e. Location IFC 23 (3 Units total)
 - a. IFC 23 Building A – 1 Wall Unit (Bard W30A2-A00)
 - b. IFC 23 Building B – 1 Wall Unit (Bard W30A2-A00)
 - c. IFC 23 Building C – 1 Wall Unit (Bard W30A2-A00)
- f. Location TAC 18 (3 Units Total)
 - a. TAC 18 Building A – 1 Wall Unit (Bard W30A2-A00)
 - b. TAC 18 Building B – 2 Wall Unit (Bard W30A2-A00)
- g. Location TAC 24 (5 Units total)
 - a. TAC 24 Building A (Safety) – 1 Wall Unit (Bard W30A2-A00)
 - b. TAC 24 Building B (JASDF) – 1 Wall Unit (Bard W30A2-A00)
 - c. TAC 24 Building C (Crew) – 1 Window Unit
 - d. TAC 24 Building D (Conference) – 1 Wall Unit (Bard W30A2-A00)
 - e. TAC 24 Platform Building – Ground mounted Unit (TRANE 4WCC4060E1000AA)
- h. Location TAC 16(1 unit total)
 - a. 1 Gound mounted unit (Trane WSC036E1RAA0M9L)
- i. Location Hawk 6 (7 Units)
 - a. Safety Building – 4 Wall units (Bard W30A2-A00)
 - b. JGSDF Building – 3 Wall units (Bard W30A2-A00)
- j. Location Hawk 8 (7 Units)
 - a. Safety Building – 4 Wall units (Bard W30A2-A00)
 - b. JGSDF Building – 3 Wall units (Bard W30A2-A00)
- k. Location Chu-Sam Park (4 Units)
 - a. Building A – 2 wall units
 - b. Building B – 2 wall units

5.3 OWO Requests

5.3.1 Unscheduled Maintenance, HVAC Repairs and Eleetrical Repairs (As-Needed Basis)

General HVAC repairs to restore units, as well as electrical services to maintain power and lighting, and other unscheduled maintenance may be required on an as-needed basis throughout the Period of Performance, including all option years. These services are not guaranteed and will be requested by the Government only when necessary. The Contractor shall provide these services outside the established frequencies for custodial services as directed by the KO.

The COR will notify the Contractor of the requirements as soon as they are known. Upon receiving notice, the Contractor shall acknowledge the notification and provide an estimated response and repair plan within two (2) business days.

5.3.2 Unscheduled Maintenance, HVAC Repairs, Electrical Repairs

When unscheduled maintenance, unscheduled HVAC repairs, or unscheduled electrical repairs or installations are required, the Contractor shall respond to Government notification within two (2) business days. "Respond" means acknowledging the service call and providing an estimated response and repair plan. The Contractor shall identify the issue and complete repairs to restore the unit to full operation within fourteen (14) business days of initial contact, unless otherwise approved by the KO.

5.3.3 Invoicing Requirements

For any unscheduled maintenance, HVAC repairs, or electrical repairs or installations performed under this contract, the contractor shall provide a detailed invoice to the COR that includes the reason for the repair, itemized costs for materials and parts, labor hours and associated costs, and the projected and actual timeline for completing the repair. The projected repair timeline must be approved by the KO before the Contractor proceeds with the work.

5.4 Joint Inspections

The Contractor shall participate in a joint inspection of the facilities/units with the COR or designated UT&C representative prior to the commencement of and after completion of services.

PART 6 APPLICABLE PUBLICATIONS

6. Applicable Publications (Current Editions): The following publications, manuals, regulations, etc. are mentioned in this PWS and are listed below.

- 6.1.1 Department Of Defense Contract Security Classification Specification (DD Form 254)
- 6.1.2 Department of Defense Security Agreement (DD Form 441)
- 6.1.3 National Industrial Security Program Operating Manual (DoD 5220.22-M)
- 6.1.4 Installation Access Control (AE Reg 190-16)
- 6.1.5 The Army Physical Security Program (AR 190-13)
- 6.1.6 Contractor Identification (AE Reg 27-715)
- 6.1.7 U.S. Army Corps of Engineers Safety and Health Requirements Manual (EM 385-1-1)
- 6.1.8 Information Assurance Workforce Improvement Program (DoD 8570-M)
- 6.1.9 Information Assurance Training Certification and Workforce Management Directive (DoDD 8570.01)
- 6.1.10 Information Assurance (AR 25-2)
- 6.1.11 Electromagnetic Compatibility Directive (2004/108/EC)
- 6.1.12 Policies and Procedures for Property Accountability (AR 735-5)

PART 7
ATTACHMENT AND TECHNICAL EXHIBIT LISTING

7. Attachment and Technical Exhibit List

- 7.1 Technical Exhibit A – Performance Requirements Summary
- 7.2 Technical Exhibit B – Deliverables Schedule
- 7.3 Technical Exhibit 02 – McGregor Site Map
- 7.4 Technical Exhibit 03 – Executive Order 13990 Protecting Public Health and the environment and Restoring
- 7.5 Technical Exhibit 04 – Integrated Cultural RMP for Historical Buildings
- 7.6 Technical Exhibit 05 – Contractor base access information
- 7.7 Technical Exhibit 06a – Ft. Bliss Hazardous Waste Management
- 7.8 Technical Exhibit 06b – Army Regulation 200-1 Environmental Protection and Compliance
- 7.9 Technical Exhibit 07 – Recyclable Items (Environmental Compliance)
- 7.10 Technical Exhibit 09 – Personnel Listing and DES Badge Log

TECHNICAL EXHIBIT A
PERFORMANCE REQUIREMENTS SUMMARY (PRS)

Performance Objective (The Service required— usually a shall statement)	Standard	Performance Threshold (THIS IS THE MAXIMUM ERROR RATE. IT COULD POSSIBLY BE “ZERO DEVIATION FROM STANDARD”)	Incentive (Positive and/or Negative)
1. Combating Trafficking in Persons FAR 52.222-50 c	The Contractor shall Notify its employees of a. The United States Government's zero tolerance policy described in paragraph (b) of this clause The actions that will be taken against employees for violations of this policy. Such actions may include, but are not limited to, removal from the contract, reduction in benefits, or termination of employment.	100% Compliance	First failure will result in the issuance of a Contractor Action Request (CAR) Continuance of not meeting performance standard (2 or more) a corrective action plan will be developed at the discretion of the KO.
2. Service Contract Reporting PWS para. 1.9 and CLIN XXXX	The Contractor shall completely fill in all the information in the format at the following web address http://sam.gov . The contractor shall provide the estimated total cost (if any) incurred to comply with this reporting requirement. Reporting period shall be the period of performance not to exceed 12 months ending September 30 of each government fiscal year and must be reported by 31 October of each calendar year. If contract period of performance ends prior to September 30, the contractor has 30 day from end date of the contract to complete the SCR requirement. (as applicable)	100% Compliance	First failure will result in the issuance of a Contractor Action Request (CAR) Continuance of not meeting performance standard (2 or more) a corrective action plan will be developed at the discretion of the KO.

PRS#1 Federal Holidays, PWS 1.5.3.1	The Contractor shall reschedule the regularly scheduled work the day prior or after the holiday to comply with the performance standards in paragraph 1.5.3.1.	Zero Deviation from performance standard	First failure will result in the issuance of a Contractor Action Request (CAR) Continuance of not meeting performance standard (2 or more) a corrective action plan will be developed at the discretion of the KO.
PRS#2 Rescheduled services, PWS 1.5.3.1	In the event of any of the above scenarios are encountered, the Contractor shall reschedule the work for the next business day.	Zero Deviation from performance standard	First failure will result in the issuance of a Contractor Action Request (CAR) Continuance of not meeting performance standard (2 or more) a corrective action plan will be developed at the discretion of the KO.
PRS #3 Customer Comments, PWS 1.5.1.1	The Contractor shall respond address any substantiated customer comments IAW with established timeframe of para 2.4.6	No More Than (NMT) 2 substantiated complaints per month	First failure will result in the issuance of a Contractor Action Request (CAR) Continuance of not meeting performance standard (2 or more) a corrective action plan will be developed at the discretion of the KO.
PRS #4 Training, PWS 1.24 + subsections	The Contractor shall complete all training and certification requirements.	Zero Deviation from performance standard	First failure will result in the issuance of a Contractor Action Request (CAR) Continuance of not meeting performance standard (2 or more) a corrective action plan will be developed at the discretion of the KO.
PRS #5 Preventive Maintenance and Repairs, PWS 5.2	The Contractor shall provide services IAW PWS, para. 5.0 and all its subsections.	Zero Deviation from performance standard	First failure will result in the issuance of a Contractor Action Request (CAR) Continuance of not meeting performance standard (2 or more) a corrective action plan will be developed at the discretion of the KO.
PRS #6 OWO Requests PWS 5.6	The Contractor shall provide services IAW PWS, para. 5.10 and all its subsections.	Zero Deviation from performance standard	First failure will result in the issuance of a Contractor Action Request (CAR) Continuance of not meeting performance standard (2 or more) a corrective action plan will be developed at the discretion of the KO.

TECHNICAL EXHIBIT B
DELIVERABLES SCHEDULE

<u>Deliverable</u>	<u>Frequency</u>	<u># of Copies</u>	<u>Medium/Format</u>	<u>Submit To</u>
Quality Control Plan	Once within 10 days after contract award and no later than 30 days prior to any anticipated changes.	One each to the Contracting Officer	Electronic delivery via email using Microsoft Office Word or Power Point 2013	To the Contracting Officer through the Contracting Officer's Representative (COR)}
Anti-Terrorism (AT) Level I Training	Once within 15 days after contract award or within 15 days of new personnel.	One each to the Contracting Officer	Electronic delivery via email using Microsoft Office Word or Power Point 2013	To the Contracting Officer through the Contracting Officer's Representative (COR)
OPSEC Training	Once within 15 days after contract award or within 15 days of new personnel.	One each to the Contracting Officer	Electronic delivery via email using Microsoft Office Word or Power Point 2013	To the Contracting Officer through the Contracting Officer's Representative (COR)
iWATCH Training	Once within 15 days after contract award or within 15 days of new personnel.	One each to the Contracting Officer	Electronic delivery via email using Microsoft Office Word or Power Point 2013	To the Contracting Officer through the Contracting Officer's Representative (COR)
Anti-Terrorism (AT) Level I Training	Once within 15 days after contract award or within 15 days of new personnel.	One each to the Contracting Officer	Electronic delivery via email using Microsoft Office Word or Power Point 2013	To the Contracting Officer through the Contracting Officer's Representative (COR)

<u>Deliverable</u>	<u>Frequency</u>	<u># of Copies</u>	<u>Medium/Format</u>	<u>Submit To</u>
Personally Identifiable Information (PII)	Once within 30 days and every 12 months until the end of contract.	One each to the Contracting Officer	Electronic delivery via email using Microsoft Office Word or Power Point 2013	To the Contracting Officer through the Contracting Officer's Representative (COR)
Personnel Listing and Installation Pass Log (TE09)	Once within 5 days after contract award or within 5 days of new personnel.	One each	Electronic delivery via email using Microsoft Office Word or Power Point 2013	To the Contracting Officer representative.
Contractor Workspace Signing	Once within 5 days after contract award	One each	Electronic delivery via email using Microsoft Office Word or Power Point 2013	To the Contracting Officer representative.
Contractor Work Plan	Once within 10 days after contract award	One each	Electronic delivery via email using Microsoft Office Word or Power Point 2013	To the Contracting Officer representative.
Quality Control Plan (QCP):	Once within 10 days after contract award	One each	Electronic delivery via email using Microsoft Office Word or Power Point 2013	To the Contracting Officer representative.

**ATTACHMENT 1
ESTIMATED WORKLOAD DATA**

ITEM	NAME	ESTIMATED QUANTITY	
1	Preventive Maintenance services	Work Hours	3 Work Hours per unit
2			
3			