



DEFENSE LOGISTICS AGENCY
AVIATION AT OKLAHOMA CITY
3001 STAFF DRIVE, SUITE 2B95
TINKER AIR FORCE BASE, OKLAHOMA 73145-3015

03 July 2025

MEMORANDUM FOR: Honeywell Limited

FROM: DLA Aviation - AOBA
3001 Staff Dr., 2B95
Tinker AFB, OK 73145

SUBJECT: Letter Solicitation SPRTA1-25-R-0289

This solicitation is issued to acquire the supplies identified below. Please provide your best price and delivery proposal for the part number based on the quantity listed. This correspondence constitutes a letter solicitation as this item is intended to be ordered as a firm fixed price contract against Basic Ordering Agreement SPE4A1-22-G-0014 (FAR part 15) or SPE4A1-22-G-0015 (FAR part 12).

CLIN	P/N	NSN	Noun	BEQ (Best Estimated Quantity)
0001	624864-3-1	1660-01-280-3132	CONTROL BOX, ELECTRI	20 EA

Quantities: The current required quantity is **20 ea**. However, the required quantity may change therefore contractor shall provide proposed prices to the following ranges. If the quantity ranges provided in this solicitation do not provide the best pricing option then the contractor shall submit quantity ranges that yield the best prices to the Government based on the Min quantity of **5 ea** and Max quantity of **30 ea**. See Clause 52.207-4. The quantity of this solicitation will be re-evaluated upon receipt of the contractor's proposal.

Ranges: 5 – 13
14 – 22
23 – 30

IUID APPLIES: DFARS 252.211.7003

Inspection: Origin

Acceptance: Origin

TAC: FRS2

Inspection/Acceptance Report: Receiving Report Required.

Quality Assurance: Standard Inspection FAR 52.246-2, -3, -4, -5 or -6 as applicable to contract

Buy American Act/balance of Payments Program

Requested Delivery: 20 each On or Before 18 JAN 2027

Ship to:

SW3211

Please provide a proposal no later than 4:00 PM CST on 04 Aug 2025. Please forward your proposal and direct all questions to Scott Rountree at scott.rountree.1@us.af.mil.

Sincerely,

//SIGNED//

Scott Rountree

Contracting Officer

Attachments

Packaging

Transportation Data

IUID Report

IUID Engineering Order

PACKAGING REQUIREMENTS																		
PURCHASE INSTRUMENT NUMBER: FD20302500690-00											VERSION: 1							
MIL-STD 129 REVISION: R											MIL-STD 2073-1 REVISION: E							
THE FOLLOWING STATEMENT IS IN COMPLIANCE WITH THE UNITED NATIONS-IMPLEMENTED RESTRICTIONS ON WOOD PACKAGING MATERIAL (WPM). THIS REQUIREMENT IS SPECIFICALLY CONCERNED WITH INVASIVE SPECIES SUCH AS THE PINWOOD NEMATODE. WPM IS DEFINED AS WOOD PALLETS, SKIDS, LOAD BOARDS, PALLET COLLARS, WOODEN BOXES, REELS, DUNNAGE, CRATES, FRAMES, AND CLEATS. THE STATEMENT BELOW CITES THE REQUIREMENTS IN DETAIL AND COVERS LUMBER FOR BUILDING CONTAINERS AND PALLETS USED FOR DELIVERIES RESULTING IN SHIPMENTS WORLDWIDE (DIRECT, OR THROUGH AIR LOGISTICS CENTERS (ALC), CONTAINER CONSOLIDATION POINTS (CCP), OR OTHER BASES). WOODEN LUMBER, WOODEN PALLET AND PACKAGING/CONTAINER STATEMENT: ALL WOODEN LUMBER, WOODEN PALLET'S, AND WOODEN CONTAINERS PRODUCED ENTIRELY OR IN PART OF WOOD PACKING MATERIAL (WPM) SHALL BE CONSTRUCTED FROM DEBARKED WOOD IN ADDITION TO THE APPLICATION OF HEAT-TREATED (HT) MATERIAL (HT TO 56 DEGREES CENTIGRADE OR 133 DEGREES FAHRENHEIT FOR 30 MINUTES). CERTIFICATION/MARKING IS REQUIRED BY AN ACCREDITED AGENCY RECOGNIZED BY THE AMERICAN LUMBER STANDARDS COMMITTEE (ALSC). FOR REFERENCE DOCUMENTATION, SEE LATEST REVISION OF "INTERNATIONAL STANDARDS FOR PHYTOSANITARY MEASURES" (ISPM)NO.15), "REGULATION OF WOOD PACKAGING MATERIAL IN INTERNATIONAL TRADE."																		
PACRN:		PACKAGING REQUIREMENT:						PRESERVATION LEVEL:		PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAA		MIL Long Line Packaging						MIL		B								
ITEM(S): 1660012803132																		
CODED DATA:																		
QUP		ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
1		000	41	1	00	EA	NA	A	NR	00	B	17	10.50	14.5	14.5	16.5	2.007	M
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																		
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																		
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																		
ORGANIZATION / OFFICE SYMBOL:		PACKAGING SPECIALIST:				PHONE NUMBER:				SIGNATURE:				DATE:				
406 SCMS / GULAA		Cox, Sean R				405-582-1901 / 852-1901				//SIGNED//Cox, Sean R				25121 - 01 MAY 2025				

TRANSPORTATION DATA FOR SOLICITATIONS		PURCHASE INSTRUMENT NUMBER: FD20302500690-00		DATE INITIATED: 01 MAY 2025	
COMMODITY: See Continuation		STOCK NUMBER: See Continuation			
F.O.B. TERMS RECOMMENDED AS BEST SUITED FOR THIS PROCUREMENT					
☒ ORIGIN		☐ DESTINATION		☐ OTHER (<i>Specify</i>)	
☐ DATA / FIRST ARTICLE F.O.B. DESTINATION					
TRANSPORTATION PROVISIONS / CLAUSES				FAR CITATION	
F.O.B. Origin				52.247-29	
Freight Classification Description				52.247-53	
Marking of Shipments				47.305-10	
Contact DCMA Transportation Contact DCMA Transportation on ALL "DCMA Administered" contracts prior to shipment for shipping instructions using the DCMA Shipment Instruction Request (SIR) eTool System, at http://www.dema.mil < http://www.dema.mil > for ALL FOB: Origin, Foreign Military Sales (FMS), and FOB: Destination OCONUS/Export movements to obtain the appropriate DOD regulatory clearances, shipping documentation and instructions from your cognizant DCMA Transportation Office. If you are new to DCMA, and do not already have a SIR eTool account, you will first need to request an account via DCMA External Web Access Management (EWAM) application which can be accessed at http://www.dema.mil . If you need additional assistance, email DCMA Transportation Group at: Transportation.Division@dema.mil . Do not move any freight to a water or aerial port prior to contacting DCMA or it will become frustrated. Failure to contact the responsible DCMA may result in vendor incurring additional expenditures.				Vendor Transportation Instructions	
TACRN: AAA					
TRANSPORTATION FUNDS INFORMATION: Purchase Instrument Line LOA: 97X4930.FC04 645 47GT 15328Z 01N000 00000 GGGTTT 503000 F03000 FSR: 013352 PSR: K38835 First Destination Transportation Account Code: FRS2 Miscellaneous Obligation / Reimbursement Document: Second Destination Transportation Account Code: FMS LOA: Additional Funding Information:					
ITEM / SHIP TO(s):					
NSN / Pseudo NSN: 1660012803132 Purchase Instrument Line Item Number: 0001 Ship to (DoDAAC / MAPAC): SW3211 Mark For: Acct 09 Ship To (Address): DLA DISTRIBUTION DEPOT OKLAHOMA 3301 F AVE CEN REC BLDG 506 DR 22 TINKER AFB OK 73145-8000 73145 - 8000 USA WPOD: APOD: BBP / CCP: RIC: 1 Ship To (Remarks):			Requisition Number: Supplemental Address: FMS Case:		
EVALUATION OF PORT BID OR PROPOSAL:					
SOLICITATION DATA NOTES:					
OTHER TRANSPORTATION DATA:					
NAME	ORGANIZATION / OFFICE SYMBOL	COMMERCIAL / DSN PHONE	SIGNATURE	DATE	
Etters, Mickie J	406 SCMS / GULAA	478-222-0125 / 472-0125	//SIGNED//Etters, Mickie J	01 MAY 2025	

ITEM UNIQUE IDENTIFICATION (IUID) CHECKLIST

I. IUID DETAILS: DFARS 252.211.7003

SECTION (c) (1) (ii) APPLIES TO THE FOLLOWING:

ITEM REQUIRING IUID MARKING

NSN	VERSION NUMBER
1660012803132	2

NOUN
CONTROL BOX,ELECTRI

INITIATOR	ORGANIZATION CODE / OFFICE SYMBOL
Frazier, Joseph H	422 SCMS / GUEA

COMMERCIAL PHONE	DSN PHONE
405-582-5344	852-5344

CAGE / REFERENCE NUMBER

MARKING IS TO BE PERFORMED IN ACCORDANCE WITH THE LATEST VERSION OF MIL-STD-130

MARKING GUIDANCE	ENGINEERING DRAWING / ECP / ECO NUMBER
Engineering Drawing / ECP / ECO	2011C1412-T

MARKING TYPE	MARKING METHOD
--------------	----------------

DESCRIPTION / LOCATION

REMARKS	
NAME: Hendry, Brian J	DATE: 24 SEP 2015
ECO 2011C1412-T against drawing 624864 in Tinker JEDMICS outlines an approved IUDI marking. Contractor is encouraged to use this method on production contract.	

ATTACHMENT(S)

II. EMBEDDED ITEMS

SECTION (c) (1) (iii) APPLIES TO THE FOLLOWING:

NSN	NOUN
-----	------

CAGE / REFERENCE NUMBER

ITEM IS AN EMBEDDED ITEM FOR NSN / PSEUDO NSN: 1660012803132

MARKING GUIDANCE	ENGINEERING DRAWING / ECP / ECO NUMBER
------------------	--

MARKING TYPE	MARKING METHOD
--------------	----------------

DESCRIPTION / LOCATION

REMARKS

ATTACHMENT(S)

ENGINEERING ORDER					1. ENGINEERING ORDER NO. 2011C1412-T								
					DATE: 20111018	PAGE 1 OF 3 PAGES							
2. DWG TITLE CONTROLLER, FLOW TEMPERATURE				3. DWG CAGE CODE 07217		4. DWG NO. 624864							
5. NEXT ASSY		6. USED ON F-15 Aircraft		7. OPR CAGE CODE 98748		DWG SIZE E	DWG SHEET(S) 0001	LATEST DWG REV LTR D					
8. TYPE OF ENGINEERING ORDER		9. REASONS FOR CHANGE		11. DOCUMENTS AFFECTED (TO/TCTO/SPEC/OTHER) 15A8-5-86-3			14. CORROSION CONT. MON.		SYMBOL	DATE			
☒	ADVANCE CHANGE		ERROR CORRECTION				15. NDI		SYMBOL	DATE			
	DEVIATION AUTHORIZED		DESIGN CHANGE										
	CHANGE NOTICE		DRAWING CLARIFICATION										
	INFORMATION	☒	UPDATE DRAWING	12. EO PREPARED/REQUESTED BY Brian Hendry		SYMBOL 422 SCMS	DATE	16.		SYMBOL	DATE		
10. DISPOSITION OF SPARES		OTHER COMMENTS		HENDRY.BRIA N.J.1231299587		PHONE (405) 734-8277		17. DWG CHANGED BY		SYMBOL	DATE		
	REWORK	This EO adds Item Unique Identification (IUID) requirements to the drawing DRC Contract		13. ENGINEERING APPROVAL ELDEN.MA RK.E.JR.12 28787902		SYMBOL 422SCMS		DATE 5-Dec-2011	18. CHANGE CHECKED BY		SYMBOL	DATE	
	MODIFY												
	SCRAP												
	REPLACE												
				Date: 2011.12.05 14:10:41 -06'00'		PHONE 884-8274		19. EO/DWG RELEASED BY ELDEN.MARK.E.J R.1228787902		SYMBOL 422 SCMS	DATE 5-Dec-2011		
20. DESCRIPTION OF CHANGES/REMARKS													
- F-15 Aircraft Cabin Circuit Air Flow/Temperature Controller (PN 624864-3-1) shall be marked with a Unique Item Identifier (UII). (REF: MIL-STD-130) - If no UID label is present, fabricate new UID label (200945085-005A) and attach to the end item, adjacent to the existing identification plate/label (PN 1026454-3), - New UID label will be located on the end item as shown in sketch/photo on page 2, AF form 3926.													

ENGINEERING ORDER

(Continuation Sheet)

1. ENGINEERING ORDER NO.
2011C1412-T

DATE: 20111018

PAGE 2 OF 3 PAGES

2. DWG TITLE

CONTROLLER, FLOW TEMPERATURE


3. DWG CAGE CODE

07217

4. DWG NO.

624864

5. DESCRIPTION OF CHANGES/REMARKS



ENGINEERING ORDER - PARTS LIST CHANGES		1. ENGINEERING ORDER NO. 2011C1412-T	
		DATE: 20111018	PAGE 3 OF 3 PAGES
2. DWG TITLE CONTROLLER, FLOW TEMPERATURE	3. DWG CAGE CODE 07217	4. DWG NO. 624864	

624864

CONTROLLER, FLOW TEMPERATURE

07217

PARTS LIST CHANGE	
-------------------	--

[illegible]