

US Department of Agriculture (USDA)



Statement of Work
1167759

Contents

Project..... 2

General Information 2

 1.0 Scope of Work..... 2

 2.0 Background..... 2

Contractor Requirements 2

 3.0 Technical Requirements / Tasks 2

 4.0 Government Furnished Equipment 3

 5.0 Deliverables / Schedule..... 3

 6.0 Travel..... 3

 7.0 Security Requirements 4

 8.0 Data Rights..... 4

 9.0 Section 508 – Electronic and Information Technology Standards..... 4

Attachment..... 4

Project

Law Enforcement snowmobiles to purchase

ENs: (3 ea.) 6492 6491 6403 - Snowmobiles

EN 6492

Region 13 Subregion 4 Law Enforcement
857 S. South Jordan Parkway,
South Jordan Utah, 84095
POC: Tawny Myers
PH: 435-671-1686
Email: tawnylynn.myers@usda.gov

EN 6491

Region 13 Subregion 4 Law Enforcement
355 N Vernal Ave.
Vernal Utah 84078
POC: Scott Watson
PH: 435-260-2738
Email: scott.watson@usda.gov

EN 6403

Region 13 Subregion 4 Law Enforcement
370 American Ave
Jerome Idaho 83338
POC: Jade Sumsion
PH: 208-861-1162
Email: steven.sumsion@usda.gov

General Information

1.0 Scope of Work

The USDA Forest Service (FS) Washington Office Law Enforcement Region 13 Subregion 4 has a requirement to secure a qualified vendor who can provide (3) snowmobiles. All labor, parts and products installed must meet manufacturer's specifications, this includes all non-OEM aftermarket items which may be necessary to meet specifications. These will be used on all types of terrain in the forest. The assets will be delivered to the location listed on the schedule of items.

2.0 Background

The USDA Forest Service (FS) Washington Office Law Enforcement Region 13 Subregion 4 is requesting purchase procurement to include: Acquisition of (3) Snowmobiles

Contractor Requirements

3.0 Technical Requirements / Tasks

Snowmobile

- Model: Snowmobile
- Engine, Drivetrain and Specs:

- Engine & Drivetrain
 - Rotax 850 E-TEC, liquid-cooled, 2-stroke, eRAVE with E-TEC direct injection
 - Horsepower: 165 hp, Displacement: 849 cc, 2-cylinder
 - Bore x Stroke: 82 mm × 80.4 mm (3.2 in × 3.2 in)
 - Fuel: Premium unleaded 91 octane, Fuel System: E-TEC DI with booster injectors
 - Clutch: pDrive with clickers (drive) / QRS Vent Plus (driven)
 - Starter: SHOT system (standard)
 - Reverse: RER electronic reverse
- Dimensions & Suspension
 - Platform: REV Gen4 or Gen5 (varies by model year)
 - Dry Weight: ~448–449 lbs (203.7 kg)
 - Overall Length: 3,299 mm (129.9 in)
 - Track: PowderMax X-Light with FlexEdge
 - 165 in length, – 16 in width, – 3.0 in lug height
 - Front Suspension: RAS 3, 207–215 mm (8.1–8.5 in) travel
 - Rear Suspension: tMotion or tMotion X, 239–264 mm (9.4–10.4 in) travel
 - Shocks: KYB 36 HPG-type, Ski Stance: 864 mm (34 in), adjustable
- Features
 - Deep-snow compact seat
 - Pilot DS 3 skis
 - Tapered handlebars with J-hooks and grab handle
 - 4.5-inch digital gauge
 - Premium high-performance LED headlight
 - Handlebars: Tapered with J-hooks and a grab handle.
 - Gauges: 4.5 in. digital display.
 - Headlight: Premium high-performance LED.

4.0 Government Furnished Equipment

5.0 Deliverables / Schedule

Delivery is required for any snowmobiles where the final Government delivery location is more than 50 miles from the selected vendor's facility. If delivery/shipping is required, the vendor's quote must include all associated shipping, freight, handling, and transportation costs.

- All COV Titles and documents produced by vendor in original form will be completed scanned and emailed to rene.vandenheuvel@usda.gov and named and mailed to:

ATTN:
Rene VanDenHeuvel R13 Fleet Office
USDA FS Region 13 Law Enforcement
5162 Valleypointe Pkwy, Roanoke VA, 24019

6.0 Travel

N/A

7.0 Security Requirements

N/A

8.0 Data Rights

If data is to be produced, furnished, acquired, or used in meeting contract requirements, delineate the respective rights and obligations of the government and the contractor regarding the use, production, and disclosure of that data.

N/A

9.0 Section 508 – Electronic and Information Technology Standards

When information technology is to be acquired, include language describing Section 508 requirements.

N/A

Attachment

N/A