

STATEMENT OF WORK

1. Objective/Requirements

This requirement is for the acquisition of the Schneider PLC Hardware for NASA Glenn Research Center (GRC). The information listed below is required to complete this purchase.

2. Characteristics, Scope, and Specs

Hardware purchased must be identical to the make and model of equipment currently in use (listed below), is new (never used) in the original packaging and not refurbished. Schneider Electric only sells PLC automation hardware through authorized distributors who can guarantee the source, condition, safety, security and warranty of the PLC automation hardware.

The vendor shall be Authorized/Certified through the Schneider Electric Alliance Industrial Automation Distributor (IAD) program. Verification in SE's IAD and verification as an authorized distributor can be confirmed at <https://www.se.com/us/en/partners/distributors/industrial-automation/>.

QTY	PART #	DESCRIPTION
1	BMEXBP1002	SQD BMEXBP1002 RACK X80 - 10 SLOTS - REDUNDANT PS - ETHERNET BACKPLANE Label: Control Unit/CPU
2	BMXCPS4002	SQD BMXCPS4002 POWER SUPPLY MODULE X80 - 100..240 V AC Label: Control Unit/CPU
1	BMENUA0100	SQD BMENUA0100 X80 OPC UA MODULE M580
1	BMENOC0302	SQD BMENOC0302 M580 HIGH PERFORMANCE ETHERNET MODULE Label: Control Unit/CPU
2	BMXNOM0200	SQD BMXNOM0200 SERIAL LINK MODULE WITH 2 RS-485/232 PORTS IN MODBUS AND CHARACTER MODE Label: Control Unit/CPU
1	BMEXBP1002	SQD BMEXBP1002 RACK X80 - 10 SLOTS - REDUNDANT PS - ETHERNET BACKPLANE

		Label: Control Unit/Rack 2
2	BMXCPS4002	SQD BMXCPS4002 POWER SUPPLY MODULE X80 - 100..240 V AC Label: Control Unit/Rack 2
1	BMECRA31210	SQD BMECRA31210 MODICON X80 EIO DROP ADAPTER WITH ETHERNET BACKPLANE Label: Control Unit/Rack 2
5	BMXDDI1602	SQD BMXDDI1602 DIG 16I 24 VDC SINK Label: Control Unit/Rack 2
6	BMXFTB2000	SQD BMXFTB2000 20-PIN REMOVABLE CAGED TERMINAL BLOCKS -1 X 0.34..1 MM2 Label: Control Unit/Rack 2
1	BMXEHC0200	SQD BMXEHC0200 HIGH SPEED COUNTER 2 CH Label: Control Unit/Rack 2
1	BMXXTSHSC20	SQD BMXXTSHSC20 HSC CONNECTOR KIT Label: Control Unit/Rack 2
1	BMXDDO1602	SQD BMXDDO1602 DISCRETE OUTPUT MODULE X80 - 16 OUTPUTS - SOLID STATE - 24 V DC POSITIVE Label: Control Unit/Rack 2
1	BMEXBP1002	SQD BMEXBP1002 RACK X80 - 10 SLOTS - REDUNDANT PS - ETHERNET BACKPLANE Label: Control Unit/Rack 3
2	BMXCPS4002	SQD BMXCPS4002 POWER SUPPLY MODULE X80 - 100..240 V AC Label: Control Unit/Rack 3
1	BMECRA31210	SQD BMECRA31210 MODICON X80 EIO DROP ADAPTER WITH ETHERNET BACKPLANE Label: Control Unit/Rack 3
9	BMXDDO1602	SQD BMXDDO1602 DISCRETE OUTPUT MODULE X80 - 16 OUTPUTS - SOLID STATE - 24 V DC POSITIVE Label: Control Unit/Rack 3
9	BMXFTB2000	SQD BMXFTB2000 20-PIN REMOVABLE CAGED TERMINAL

		BLOCKS -1 X 0.34..1 MM2 Label: Control Unit/Rack 3
1	BMEXBP1002	SQD BMEXBP1002 RACK X80 - 10 SLOTS - REDUNDANT PS - ETHERNET BACKPLANE Label: Control Unit/Rack 4
2	BMXCPS4002	SQD BMXCPS4002 POWER SUPPLY MODULE X80 - 100..240 V AC Label: Control Unit/Rack 4
1	BMECRA31210	SQD BMECRA31210 MODICON X80 EIO DROP ADAPTER WITH ETHERNET BACKPLANE Label: Control Unit/Rack 4
2	BMXAMO0802	SQD BMXAMO0802 ANALOG OUTPUT MODULE X80 - 8 OUTPUTS Label: Control Unit/Rack 4
6	BMXFTB2000	SQD BMXFTB2000 20-PIN REMOVABLE CAGED TERMINAL BLOCKS -1 X 0.34..1 MM2 Label: Control Unit/Rack 4
4	BMXAMO0410	SQD BMXAMO0410 ISOLATED ANALOG OUTPUT MODULE X80 - 4 OUTPUTS Label: Control Unit/Rack 4
1	BMEXBP1002	SQD BMEXBP1002 RACK X80 - 10 SLOTS - REDUNDANT PS - ETHERNET BACKPLANE Label: Control Unit/Rack 5
2	BMXCPS4002	SQD BMXCPS4002 POWER SUPPLY MODULE X80 - 100..240 V AC Label: Control Unit/Rack 5
1	BMECRA31210	SQD BMECRA31210 MODICON X80 EIO DROP ADAPTER WITH ETHERNET BACKPLANE Label: Control Unit/Rack 5
4	BMXAMI0810	SQD BMXAMI0810 ISOLATED ANALOG INPUT MODULE X80 - 8 INPUTS - HIGH SPEED Label: Control Unit/Rack 5
4	BMXFTB2800	SQD BMXFTB2800 28-PIN REMOVABLE CAGED TERMINAL BLOCKS - 1 X 0.34..1 MM2 Label: Control Unit/Rack 5

5	BMXART0814	SQD BMXART0814 ANALOG INPUT MODULE X80 - 8 INPUTS - TEMPERATURE Label: Control Unit/Rack 5
10	BMXFCA152	SQD BMXFCA152 CORD SET - 40-WAY TERMINAL - SUB-D25 CONNECTOR - FOR X80 I/O - 1.5 M Label: Control Unit/Rack 5
10	ABE7CPA412	SQD ABE7CPA412 CONNECTION SUB-BASE ABE7 - FOR DISTRIBUTION OF 4 THERMOCOUPLES Label: Control Unit/Rack 5

3. Place of Performance

Glenn Research Center (GRC)
21000 Brookpark RD
Building 334
Cleveland, OH 44135

4. Period of Performance

30 days ARO