

**SNOW REMOVAL FLEET SERVICE  
PERFORMANCE WORK STATEMENT (PWS)  
16 APRIL 2026**

**1. GENERAL SCOPE:** This service contract involves a wet audit/inspection and a complete annual service of 15 MB Broom and Oshkosh snow removal equipment assigned to the 509th Logistics Readiness Squadron Vehicle Management flight.

The contractor will perform a visual and functional inspection of each vehicle in its entirety and identify any deficiencies or areas of concerns in systems inspected. The systems to be inspected at a minimum will include the main engine, auxiliary engine and starting motors and mounted components such as belts and hoses for condition, leaks and any concerns. Transmission operation, hose and fluid condition, leaks and any concerns. Power take-off for proper operation and leaks. Hydraulic system pumps operation, hoses, fluid level and condition, leaks and other concerns. Cooling system pumps operation, hoses and fan drives, fluid level and condition, leaks and other concerns. Differential/axle, operation, fluid level and condition, leaks and other concerns. Wheels and tires, condition, wear and tire pressures, Battery and charging system condition and proper operation. Windshield wiper/washer operation and condition of blades. Vehicle lighting operation. Heater and air-conditioning operation and proper heating/cooling ability of systems. All wiring for chaffing, wear and exposed copper wire. Parking brake and main brake system operation and wear of any components. Air system operation to include compressor and governor and condition of all hoses/lines.

Other safety items to inspect will include seat belt operation and condition, horn and back up alarm. Inspect functionality and condition of the broom or blower attachment in its entirety which includes proper operation of all cab controls. The contractor will also provide a parts list and quote for the deficiencies found upon inspection and cost to complete these repairs. During the inspection fluid samples will be taken and sent for analysis to determine if there are any contaminants or signs concerning a breakdown of fluids or components in the engine, cooling system, hydraulic system or transmission systems. Further the contractor will also provide a filter kit to perform an annual service on the equipment to change fluids and filters as well as lubrication of chassis components and attachment. Finally, the contractor will be responsible for completing a full inspection and systems function check to ensure proper operation of equipment.

Serial numbers for the equipment are located in Attachment 5, MB Oshkosh Equipment Serial Numbers.

Requirement completion date of 1 Aug 2026.

**1.2 OBJECTIVES:** The contractor will inspect, identify deficiencies, and perform annual service on 15 pieces of snow removal equipment and attachments. The contractor is also required to furnish and provide all necessary parts for the service.

**1.2.1 SERVICES:**

- Inspect equipment, provide list of parts/cost for additional repairs found during inspection and test all fluids for service life
- Perform annual services
- Perform final function test equipment.
- Acquire own travel and lodging arrangements.

**1.2.2 PARTS:**

See attached Addendum 1 – Parts.

**1.3 PLACE OF PERFORMANCE:** The contractor will perform all services within this performance work statement at the Vehicle Maintenance facilities Building 136 on Whiteman AFB Mo.

**1.4 CONTRACTOR'S RESPONSIBILITIES:** The contractor at a minimum is responsible for:

- Performing and meeting all requirements within the scope of this PWS.
- All costs for parts and freight.
- Acquire own travel and lodging arrangements
- Correcting any deficiencies that do not meet the quality assurance inspection from Whiteman Vehicle Maintenance personnel, SSgt Joshua Mullin or TSgt Jerid Drouare, for work that was accomplished within the scope of the PWS.

**1.5 HOURS OF OPERATION:** Whiteman AFB Vehicle Maintenance hours of operation are 07:00 – 16:00 Monday thru Friday except Federal holidays or when the Government facility is closed due to local or national emergencies, administrative closings, or similar Government directed facility closings.

**2. SPECIAL CONTRACT REQUIREMENTS**

**2.1 HEALTH AND SAFETY ON GOVERNMENT INSTALLATIONS**

In performing work under this contract on a Government installation, the contractor shall:

1. Take all reasonable steps and precautions to prevent accidents and preserve the health and safety of contractor and Government personnel performing or in any way coming in contact with the performance of this contract; and

1. Take such additional immediate precautions as the contracting officer may reasonably require for health and safety purposes.

2. The contracting officer may, by written order, direct Department of the Air Force Occupational Safety and Health (AFOSH) Standards and/or health/safety standards as may be required in the performance of this contract and any adjustments resulting from such direction will be in accordance with the Changes clause of this contract.

3. Any violation of these health and safety rules and requirements, unless promptly corrected as directed by the contracting officer, shall be grounds for termination of this contract in accordance with the Default clause of this contract.

**2.2 CONTRACTOR ACCESS TO DEPARTMENT OF THE AIR FORCE INSTALLATIONS**

The contractor shall obtain base identification and vehicle passes, if required, for all contractor personnel who make frequent visits to or perform work on the Department of the Air Force installation(s) cited in the contract. Contractor personnel are required to wear or prominently display installation identification badges or contractor-furnished, contractor identification badges while visiting or performing work on the installation.

The contractor shall submit a written request on company letterhead to the contracting officer listing the following: contract number, location of work site, start and stop dates, and names of employees and subcontractor employees needing access to the base. The letter will also specify the individual(s) authorized to sign for a request for base identification credentials or vehicle passes. The contracting officer will endorse the request and forward it to the issuing base pass and registration office or Security Forces for processing. When reporting to the registration office, the authorized contractor individual(s) should provide a valid driver's license, current vehicle registration, and valid vehicle insurance certificate to obtain a vehicle pass.

During performance of the contract, the contractor shall be responsible for obtaining required identification for newly assigned personnel and for prompt return of credentials and vehicle passes for any employee who no longer requires access to the work site.

## Attachment 1 - PWS

When work under this contract requires unescorted entry to controlled or restricted areas, the contractor shall comply with all local base regulations.

Upon completion or termination of the contract or expiration of the identification passes, the prime contractor shall ensure that all base identification passes issued to employees and subcontractor employees are returned to the issuing office.

The contractor shall provide an after-hours contact number or after-hours email in the Emergency Mass Notification System (EMNS) for each of their personnel, whose normal place of duty is on a DoD installation or within a DoD facility. The contractor shall comply with any additional requirements in DAFMAN 10-206 for emergency operational reporting. Foreign Nationals may participate and may remove themselves from the Emergency Mass Notification System at any time. To update information, personnel can access the globe icon on their system desktop screens and choose the "Access Self-Service" option.

Failure to comply with these requirements may result in withholding of final payment.

### **2.3 OMBUDSMAN**

1. An ombudsman has been appointed to hear and facilitate the resolution of concerns from offerors, potential offerors, and others for this acquisition. When requested, the ombudsman will maintain strict confidentiality as to the source of the concern. The existence of the ombudsman does not affect the authority of the program manager, contracting officer, or source selection official. Further, the ombudsman does not participate in the evaluation of proposals, the source selection process, or the adjudication of protests or formal contract disputes. The ombudsman may refer the interested party to another official who can resolve the concern.
2. Before consulting with an ombudsman, interested parties must first address their concerns, issues, disagreements, and/or recommendations to the contracting officer for resolution. Consulting an ombudsman does not alter or postpone the timelines for any other processes (e.g., agency level bid protests, GAO bid protests, requests for debriefings, employee-employer actions, contests of OMB Circular A-76 competition performance decisions).
3. If resolution cannot be made by the contracting officer, the interested party may contact the ombudsman. For AFGSC (Air Force Global Strike Command) acquisitions please contact the Director of Contracts, Air Force Installation Contracting Center, Operating Location -Global Strike (AFICC/KG OL-GSC) via the following e-mail workflow address: [ig.afica\\_kg.workflow@us.af.mil](mailto:ig.afica_kg.workflow@us.af.mil) . Concerns, issues, disagreements, and recommendations that cannot be resolved at the Center/MAJCOM/FLDCOM/DRU ombudsman level, may be brought by the interested party for further consideration to the Department of the Air Force ombudsman, Associate Deputy Assistant Secretary (ADAS) (Contracting), SAF/AQC, 1060 Air Force Pentagon, Washington DC 20330-1060, phone number (571) 256-2395, facsimile number (571) 256-2431.
4. The ombudsman has no authority to render a decision that binds the agency.
5. Do not contact the ombudsman to request copies of the solicitation, verify offer due date, or clarify technical requirements. Such inquiries shall be directed to the contracting officer.

Attachment 1 - PWS

ADDENDUM 1 – PARTS

| Part Number | Description                        | Quantity | Vehicle Serial Number                                                   |
|-------------|------------------------------------|----------|-------------------------------------------------------------------------|
| 1426835     | ORING 4.359X0.139 NBR,70           | 5 Ea     | 789537<br>789538<br>801031<br>801140<br>814091                          |
| 1426840     | GASKET                             | 3 Ea     | 90200<br>116063<br>131366                                               |
| 1454844     | FILTER, ELEM, VENT, CRANKCASE      | 1 Ea     | 739894                                                                  |
| 1534908     | FILTER, OIL                        | 1 Ea     | 739894                                                                  |
| 2001140     | FILTER, ELEMENT, RETURN            | 2 Ea     | 83872<br>89345                                                          |
| 2427893     | FILTER, HYD, L, 71GPM, 25 PSI      | 2 Ea     | 774585<br>814091                                                        |
| 2548683     | FILTER, ELEMENT, HYDR, 10MIC, 25GP | 13 Ea    | 739894 (x3)<br>789537 (x3)<br>789538 (x3)<br>801031 (x2)<br>801140 (x2) |
| 2879620     | FILTER, COOLANT, EXT LIFE          | 2 Ea     | 739894<br>774585                                                        |
| 3009701     | FILTER, ELEM, OIL, CRTG W-ORING    | 5 Ea     | 789537<br>789538<br>801031<br>801140<br>814091                          |
| 3009704     | ORING 5.236X.139                   | 7 Ea     | 789537 (x2)<br>789538 (x2)<br>801031 (x1)<br>801140 (x1)<br>814091 (x1) |
| 3009706     | ORING 4.609X.139                   | 7 Ea     | 789537 (x2)<br>789538 (x2)<br>801031 (x1)<br>801140 (x1)<br>814091 (x1) |
| 3009708     | FILTER, REDUCTANT PUMP, W-ORING    | 7 Ea     | 789537 (x2)<br>789538 (x2)<br>801031 (x1)<br>801140 (x1)<br>814091 (x1) |
| 3009710     | FILTER KIT, FUEL                   | 7 Ea     | 789537 (x2)<br>789538 (x2)<br>801031 (x1)<br>801140 (x1)<br>814091 (x1) |
| 3009711     | FILTER, ELEM, OIL, PAPER INSERT    | 7 Ea     | 789537 (x2)<br>789538 (x2)<br>801031 (x1)<br>801140 (x1)                |

## Attachment 1 - PWS

|         |                                       |       |                                                                         |
|---------|---------------------------------------|-------|-------------------------------------------------------------------------|
|         |                                       |       | 814091 (x1)                                                             |
| 3009935 | FILTER, ELEM, AIR, PRI,<br>RADIALSEAL | 2 Ea  | 801031<br>801140                                                        |
| 3009937 | ELEMENT, AIR, SECONDARY               | 2 Ea  | 801031<br>801140                                                        |
| 3093790 | ORING 11.0X3.0, FKM                   | 7 Ea  | 789537 (x2)<br>789538 (x2)<br>801031 (x1)<br>801140 (x1)<br>814091 (x1) |
| 3093791 | SEAL RING 24X36X4MM ST, FKM           | 7 Ea  | 789537 (x2)<br>789538 (x2)<br>801031 (x1)<br>801140 (x1)<br>814091 (x1) |
| 3117689 | FILTER, FUEL, STAGE II                | 1 Ea  | 739894                                                                  |
| 3293288 | FILTER, ELEM, FUEL-WATER, 10<br>MIC   | 7 Ea  | 789537 (x2)<br>789538 (x2)<br>801031 (x1)<br>801140 (x1)<br>814091 (x1) |
| 3342952 | ORING 4.484C0.139 NBR, 70             | 3 Ea  | 739894<br>801031<br>801140                                              |
| 3342956 | ORING 2.609X0.139 NBR 70              | 13 Ea | 739894 (x3)<br>789537 (x3)<br>789538 (x3)<br>801031 (x2)<br>801140 (x2) |
| 3592395 | FILTER,CAB AIR 8X15X1                 | 7 Ea  | 739894<br>774585<br>789537<br>789538<br>801031<br>801140<br>814091      |
| 3626277 | FILTER,HYD,L,26LPM,60MIC              | 3 Ea  | 789537<br>789538<br>814091                                              |
| 3670922 | FILTER,OIL,SPIN-ON,CAT '07            | 1 Ea  | 131366                                                                  |
| 3765713 | ELEMENT,FUEL,3250,10MIC,SPAR          | 1 Ea  | 131366                                                                  |
| 3770240 | FOAM,RECIRC FILTER                    | 7 Ea  | 739894<br>774585<br>789537<br>789538<br>801031<br>801140<br>814091      |
| 3900653 | ELEMENT,FUEL,3150,MIC,SPARE           | 4 Ea  | 739894 (x2)<br>774585 (x2)                                              |
| 3981583 | FILTER,HYD<br>RETURN,SPARE,LOOSE      | 1 Ea  | 814091                                                                  |
| 4056964 | ELEMENT,AIR<br>CLNR,PRIMARY,QSX       | 2 Ea  | 739894 (x2)                                                             |

## Attachment 1 - PWS

|              |                                                                                                                          |       |                                                                                                                |
|--------------|--------------------------------------------------------------------------------------------------------------------------|-------|----------------------------------------------------------------------------------------------------------------|
| 4056966      | ELEMENT,AIR<br>CLNR,SECONDARY,QSX                                                                                        | 2 Ea  | 739894 (x2)                                                                                                    |
| 278-161476-1 | DESICCANT CARTRIDGE,<br>BENDIX AD-IS AIR DRYER                                                                           | 5 Ea  | 789537<br>789538<br>801031<br>801140<br>814091                                                                 |
| 4343430      | ELEMENT,AIR<br>CLNR,SECONDARY                                                                                            | 1 Ea  | 814091                                                                                                         |
| 4343432      | ELEMENT,AIR CLNR,PRIMARY                                                                                                 | 1 Ea  | 814091                                                                                                         |
| 4454604      | FILTER,HYD,25 MICRON,10<br>GPM,ST                                                                                        | 2 Ea  | 789537<br>789538                                                                                               |
| 4537776      | FILTER,OIL,ENG,SPARE,DC16                                                                                                | 2 Ea  | 789537<br>789538                                                                                               |
| 209-122829   | FILTER FUEL SCNDRY 1R-0749<br>C9.3B/C13B/C18/C12/C10/3196                                                                | 2 Ea  | 15-0358<br>15-0510                                                                                             |
| 209-142825   | FILTER, ENG OIL CAT 1R-1808<br>C11/C13/C18                                                                               | 4 Ea  | 08-102<br>15-0510<br>15-0842<br>15-0973                                                                        |
| 209-119291   | FILTER, SPARE 5 MICRON FOR<br>209-119290                                                                                 | 10 Ea | 15-0358 (x1)<br>15-0510 (x1)<br>15-0842 (x1)<br>15-0973 (x1)<br>15-1298 (x3)<br>15-1780 (x3)                   |
| 209-122828   | FILTER F/W SEPARATOR CAT<br>133-5673<br>3126/C7/C9/C10/C11/C12/C13/C18<br>ALT DONALDSON P550748,<br>P551075, RACOR R120T | 3 Ea  | 08-0457<br>15-1298<br>15-1780                                                                                  |
| 209-130972   | FILTER ENG OIL BYPASS CAT<br>C10/C11/C12/C13                                                                             | 11 Ea | 08-0457<br>15-1298<br>15-1780<br>83872<br>90200<br>89345<br>116063<br>08-0102<br>15-0510<br>15-0842<br>15-0973 |
| 209-142069-1 | ELEMENT, FILTER 10 MICRON<br>FOR 209-142069                                                                              | 2 Ea  | 16-0136<br>16-0137                                                                                             |
| 209-142701-1 | ELEMENT, PRIMARY AIR FILTER<br>(Shared Whse)                                                                             | 4 Ea  | 08-102<br>08-0457<br>15-1298<br>15-1780                                                                        |
| 209-142701-2 | ELEMENT, SAFETY AIR FILTER                                                                                               | 4 Ea  | 08-102<br>08-0457<br>15-1298<br>15-1780                                                                        |
| 209-142825   | FILTER, ENG OIL CAT 1R-1808<br>C11/C13/C18                                                                               | 3 Ea  | 08-0457<br>15-1298<br>15-1780                                                                                  |

## Attachment 1 - PWS

|              |                                                        |       |                                                                                                                              |
|--------------|--------------------------------------------------------|-------|------------------------------------------------------------------------------------------------------------------------------|
| 209-142826   | FILTER FUEL SECONDARY CAT<br>C11/C13/C9 EXPT<br>SN 08- | 6 Ea  | 08-0102<br>15-0842<br>15-0973<br>08-0457<br>15-1298<br>15-1780                                                               |
| 209-142846-1 | ELEMENT FILTER 25 MICRON<br>FOR 209-142846             | 4 Ea  | 08-0102<br>08-0457<br>16-0136<br>16-0137                                                                                     |
| 209-92144    | FILTER, 10 MICRON FOR 209-<br>92138                    | 12 Ea | 08-0102 (x1)<br>08-0457 (x1)<br>15-0358 (x1)<br>15-0510 (x1)<br>15-0842 (x1)<br>15-0973 (x1)<br>15-1298 (x3)<br>15-1780 (x3) |
| 27KP540      | CRANKCASE BREATHER KIT                                 | 2 Ea  | 739894<br>774585                                                                                                             |
| 27KP541      | FILTER,FUEL,F COMB                                     | 2 Ea  | 739894<br>774585                                                                                                             |
| 2CB135       | GASKET KIT                                             | 1 Ea  | 774585                                                                                                                       |
| 2EH573       | ELEMENT                                                | 7 Ea  | 83872<br>90200<br>89345<br>116063<br>131366<br>739894<br>774585                                                              |
| 2HE758       | KIT,AIR DRYER DESICCANT                                | 3 Ea  | 89345<br>739894<br>774585                                                                                                    |
| 2HG928       | O-RING                                                 | 7 Ea  | 83872 (x2)<br>90200 (x2)<br>89345 (x1)<br>116063 (x2)                                                                        |
| 2KP886       | FILTER,HYD PUMP, 130 and 180CC                         | 2 Ea  | 789537<br>789538                                                                                                             |
| 3981583      | FILTER,HYD<br>RETURN,SPARE,LOOSE                       | 6 Ea  | 739894<br>774585<br>789537<br>789538<br>801031<br>801140                                                                     |
| 3TM258       | FILTER,FUEL,SECONDARY,CAT                              | 5 Ea  | 83872<br>90200<br>89345<br>116063<br>131366                                                                                  |
| 3TM420       | ELEMENT,COOLING COND<br>FILTER                         | 4 Ea  | 83872<br>90200<br>89345<br>116063                                                                                            |

Attachment 1 - PWS

|              |                                                                          |       |                                                                                               |
|--------------|--------------------------------------------------------------------------|-------|-----------------------------------------------------------------------------------------------|
| 4HD878       | O-RING                                                                   | 2 Ea  | 83872<br>89345                                                                                |
| 4HS865       | GASKET                                                                   | 2 Ea  | 83872<br>89345                                                                                |
| 209-130972   | FILTER ENG OIL BYPASS CAT<br>C10/C11/C12/C13                             | 4 Ea  | 83872<br>90200<br>89345<br>116063                                                             |
| 501-161603-1 | ALLISON RDS4000 TRANS, HIGH<br>CAPACITY FILTER KIT                       | 2 Ea  | 08-102<br>08-0457                                                                             |
| 5HA614       | FILTER KIT,ALLISON XMSN                                                  | 10 Ea | 83872<br>90200<br>89345<br>116063<br>131366<br>739894<br>774585<br>789537<br>789538<br>814091 |
| 5HR440       | FILTER,AD-IP AIR DRYER                                                   | 4 Ea  | 83872<br>90200<br>116063<br>131366                                                            |
| 5MB543       | FILTER ELEMENT, AWS<br>MANIFOLD                                          | 7 Ea  | 739894<br>774585<br>789537<br>789538<br>801031<br>801140<br>814091                            |
| 6HB37        | OIL FILTER                                                               | 2 Ea  | 739894<br>774585                                                                              |
| 6MB168       | FILTER,FUEL,SPARE                                                        | 4 Ea  | 83872<br>90200<br>89345<br>116063                                                             |
| 1HA609       | FILTER,FABCO 1R0716                                                      | 1 Ea  | 15-0358                                                                                       |
| 209-171234   | FILTER SPIN ON COOLANT SCA 4<br>UNIT                                     | 1 Ea  | 08-0102                                                                                       |
| 4343432      | ELEMENT,AIR CLNR,PRIMARY                                                 | 4 Ea  | 789537<br>789538<br>801031<br>801140                                                          |
| 209-128983   | FILTER ELEMENT COOLANT<br>CONDITIONER FOR CAT 3126 C7<br>C10 C11 C12 C13 | 4 Ea  | 15-0358<br>15-0510<br>15-0842<br>19-0973                                                      |
| 209-142701-1 | ELEMENT, PRIMARY AIR FILTER<br>(Shared Whse)                             | 2 Ea  | 15-0842<br>15-0973                                                                            |
| 209-142701-2 | ELEMENT, SAFETY AIR FILTER                                               | 2 Ea  | 15-0842<br>15-0973                                                                            |



Attachment 1 - PWS

|              |                                                                                                                          |      |                                                     |
|--------------|--------------------------------------------------------------------------------------------------------------------------|------|-----------------------------------------------------|
| 209-122828   | FILTER F/W SEPARATOR CAT<br>133-5673<br>3126/C7/C9/C10/C11/C12/C13/C18<br>ALT DONALDSON P550748,<br>P551075, RACOR R120T | 5 Ea | 08-0102<br>15-0358<br>15-0510<br>15-0842<br>15-0973 |
| 209-92196    | ELEMENT, SAFETY FOR 209-<br>92152                                                                                        | 1 Ea | 15-0358                                             |
| 209-92195    | ELEMENT, PRIMARY FOR 209-<br>92152                                                                                       | 1 Ea |                                                     |
| 209-142701-1 | ELEMENT, PRIMARY AIR FILTER<br>(Shared Whse)                                                                             | 1 Ea |                                                     |