

Performance Work Statement
for
Repair of Blower Assembly
Purchase Request: FD2060-27-00008
08 Oct 2025

1.0 Description of Services: This Performance-Based Work Statement (PWS) is for the repair of Blower Assembly, National Stock Number (NSN) 4920-01-111-6824RN, Part Number (P/N) 89162-204. The Blower Assembly is part of several models of Air Force and Navy diesel engine powered Pressurized Cabin Leakage Testers. The contractor shall perform all actions necessary to return reparable items to a serviceable condition. The contractor shall repair, test, and return each item in a serviceable condition within Turnaround Time while also providing quality repair with low to no Product Quality Deficiency Reports (PQDR). On time delivery is a pertinent requirement due to critical mission operations. If or when deficiencies occur, which should be low to none the contractor shall expedite all efforts to rectify the errors with minimal delay or compromise of quality outcome. The contractor shall punctually deliver correct data submittals and mishap notification and reporting.

1.1 Objective(s): The repair is required to provide a serviceable component part that can efficiently serve its intended purpose. The TT&E and repair will be conducted in accordance with (IAW) applicable Original Component Manufacturer (OCM) standards. Contractor personnel will perform maintenance IAW applicable OCM standards and directives.

1.2 Benefit to United States Air Force (USAF): The repair of this item will benefit the USAF and USN by providing the mandatory repair needed to keep the Pressurized Cabin Leakage Tester in serviceable condition.

1.3 Background: The Blower Assembly P/N 89162-204 is a subassembly of the Pressurized Cabin Leakage Tester.

2.0 Services Summary: (SS)

Performance Objective	PWS Reference	Performance Threshold
Quality of repair	9.2	Repaired assets shall pass DCMA inspection with no more than one failure per contract year. At a minimum, 95% of repaired assets shall pass initial inspection. The remaining 5% (or less) of failed assets shall pass on the second attempt. This metric will be calculated monthly. There shall be no

		more than one PQDRs and/or QDRs per year.
Adherence to QMS	13.7.1	100% compliance with the Quality Control Plan/QMS is required. There shall be no more than one problem/defect not identified by the contractor's QMS per year.

2.1 Contracting Officer's Representative (COR): IAW DAFFARS MP5301.602-2(d) Designation, Assignment, and Responsibilities of a COR, the assignment of a COR is not necessary when the CO delegates surveillance to DCMA. Surveillance is delegated to DCMA for this effort.

3.0 Government Property

3.0.1 Government Property: Other than assets for repair, government property (including material, equipment, information and etc) is not authorized IAW this PWS. The contractor shall furnish all material and parts necessary for the performance of these services. The Government will provide Contractor personnel access to CAV-AF to perform tasks under the contract/order. Upon completion/termination of the contract/order or transfer/termination of Contractor personnel, the system account(s) will be closed.

3.0.2 Government Property to be Provided: Government property to be provided IAW contract attachment, SGFP Data Input Spreadsheet.

3.1 Reporting of Government Property: The Contractor shall have a system of internal controls to manage (control, use, preserve, protect, repair, and maintain) Government property in its possession IAW FAR 52.245-1, and its property management system shall be adequate to satisfy the requirements of this clause. The contractor shall record receipt and return of all Government Furnished Property (GFP), as well as the reporting of shipment, consumption, disposal, or transfer to another contract, in the GFP Module in Procurement Integrated Enterprise Environment (PIEE), <https://piee.eb.mil>, as stipulated by DFARS 252.245-7005. This reporting requirement does not change any liability provisions or other reporting requirements that may exist under the contract. GFP training and guidance is located at the DoD Procurement Toolbox at <https://dodprocurementtoolbox.com/>.

3.2 Contractor Responsibility: The Contractor shall be responsible for Government property IAW the Federal Acquisition Regulation (FAR) www.acquisition.gov and as specified in the contract/order.

4.0 Loss of Government Property

4.1 Definition of Loss of Government Property: “Loss of Government property” means unintended loss of or damage to Government property including property that cannot be found after a reasonable search, loss due to inadequate storage, loss due to lack of security, theft, damage requiring repair to restore the item to usable condition, or damage that renders the property useless for its intended purpose or Beyond Economical Repair (BER). Loss of Government property does not include manufacturing defects, obsolescence, normal wear and tear, or purposeful destructive testing. Unless otherwise stated in the contract/order, loss of Government property does not include normal and reasonable inventory adjustments, i.e., losses of low priority consumable material, such as common hardware, as agreed to by the Contractor and the Government Property Administrator.

4.2 Reporting Loss of Government Property: The Contractor shall report loss of Government property in the GFP Module located in PIEE, <https://piee.eb.mil/piece-landing/>.

4.3 Return or Retention of Government Property: All property provided by the Government remains the property of the Government and shall be returned to the Government as directed, but no later than completion of the contract/order, unless the Procuring Contracting Officer (PCO) directs the Contractor to retain the property for continued use under a successor contract. All Government property shall be returned to the Government in the condition provided unless approved in advance by the PCO. All material generated under the contract/order becomes the property of the Government and shall be returned to the Government as directed, but no later than completion of the contract/order, unless the PCO directs the Contractor to retain the material for continued use under a successor contract.

4.4 Technical Requirements: Contractor personnel shall inspect, service test, check, and perform maintenance/repair IAW OCM technical manuals and instructions.

4.5 Materials: Contractor furnished materials and/or parts used for replacement shall equal or exceed the quality of those specified in the OCM manuals. The materials and/or parts shall be entirely suitable for restoration of the component part for its intended purposes, and shall be completely interchangeable without alteration of government furnished asset(s). The standard parts approval procedures through Defense Electronic Supply Center (DESC) or the Defense Industrial Supply Center (DISC) shall be followed. If a part is disapproved by DESC or DISC, the assigned 410th SCMS/GUEA engineer has approval authority.

5.0 Period and Place of Performance

5.1 Contract/Order Period of Performance: The period of performance for the contract/order will extend 12 months from award for basic and four 12 month ordering periods

5.2 Place of Performance: These services will be performed at a Contractor’s Facility

5.3 Contract Data Requirements List(s) (CDRL)

Document Identifier Base Year	Option Year 1	Option Year 2	Option Year 3	Option Year 4	DID	Title	PWS Reference(s)
A001	B001	C001	D001	E001	DI-MGMT-81838 Not 1	Commercial Asset Visibility (CAV) Reporting	8.5
A002	B002	C002	D002	E002	DI-PSSS-81995A	Contract Depot Maintenance (CDM) Production Report	8.5
A003	B003	C003	D003	E003	DI-MGMT-80441D	Government Property Annual Inventory Report	8.5

5.4 Quality of CDRL Deliverable: There shall be no more than one rejection of any single deliverable. There shall be no more than one total rejection(s) of deliverables per quarter. The Government will reject a deliverable if any technical errors or one or more minor errors are found within the deliverable. A technical error is defined as the format not being IAW the CDRL or the content not being accurate and complete IAW the CDRL, PWS or contract. A minor error is exemplified by a typographical error, a grammatical error, etc. The rejected deliverable shall be corrected and resubmitted within five business days of notification of Government rejection.

5.5 Receipt of CDRL Deliverable: CDRL deliverables shall be submitted via Procurement Integrated Enterprise Environment (PIEE) / Wide Area WorkFlow (WAWF) and submitted directly to the MFT member identified on the CDRL. There shall be no more than one late submission(s) of deliverables per quarter. The Contractor shall notify the Government if the delivery of any data/document will not meet the scheduled delivery date and negotiate a revised delivery date. The data/document shall be delivered by the revised delivery date acceptable to the Government.

6.0 Repair

6.1 Item Unique Identification (IUID)

6.2 The IUID Program requires each qualifying Air Force (AF) asset to be uniquely identified with a permanent marking that can sustain its information throughout the life of the asset. The program addresses two categories of assets—those already in the AF inventory and those currently under contract but not currently in the AF inventory. For assets under contract, IUID requirements are specified in Defense Federal Acquisition Regulation Supplement (DFARS) 252-211.7003, Item Identification and Valuation and Department of Defense (DoD) 4100.39-M, Federal Logistics Information System (FLIS). All assets subject to marking must be recorded in the DoD IUID Registry.

6.3 Marking Requirement: Unique Item Identification is required for all items to be delivered to the Department of Defense (DoD) that meet the criteria established by the FAR.

7.0 Reporting in IUID Registry

7.1 IUID Marking Plan: The Contractor's IUID Marking Plan has been reviewed by 410th SCMS/GUEA Engineer and is fully acceptable. All repaired assets will be marked accordingly.

7.2 Transmission of Government property must be recorded in the IUID Registry. The Government is required to record the transfer of GFP to the Contractor. The Contractor is required to record the receipt of GFP from the Government. The Contractor is required to record the return of GFP to the Government.

7.3 The Government or contractor/subcontractor personnel responsible for causing a "life cycle event" (i.e., abandoned, consumed, destroyed by accident, destroyed by combat, donated, exchanged – repair, exchanged – sold, exchanged – warranty, expended – experimental/target, expended – normal use, leased, loaned, lost, reintroduced, retired, scrapped, sold – foreign government, sold – historic, sold – nongovernment, sold – other federal, sold – state/local, and stolen) will update the item record in the IUID Registry.

8.0 Packaging

8.1 The Contractor shall package and mark end items and components IAW the contract (basic or order, as applicable) Air Force Materiel Command (AFMC) Form 158, Packaging Requirements; MIL-STD-129P, Department of Defense Standard Practice / Military Marking for Shipment and Storage; MIL-STD-130N, Department of Defense Standard Practice / Identification Marking of U.S. Military Property; and MIL-STD-2073-1D, Standard Practice for Military Packaging. The Contractor shall ensure that classified material is packaged, marked and delivered IAW Department of Defense (DoD) 5220-31, National Industrial Security Program Operating Manual (NISPOM) The Contractor shall package and mark material IAW other applicable Government regulations including, but not limited to, those regarding security, safety and environmental concerns.

8.2 The Contractor will package and mark material for movement, shipment, receipt and storage in a manner that ensures the protection and preservation of the material for shipment to and storage at the destination.

8.3 IAW MIL-STD-2073-1E, shipping containers received, which meet the requirements of the AFMC Form 158 and are suitable for return shipment of serviceable assets, will be reclaimed and stored for reutilization. Unsuitable shipping containers will be disposed of and replaced with new containers that meet the requirements of the AFMC Form 158.

8.4 Government-Industry Data Exchange Program (GIDEP):

8.4.1 Government-Industry Data Exchange Program (GIDEP): The Contractor shall participate in GIDEP in accordance GIDEP Operations Manual S0300-BT-PRO-010, Government-Industry Data Exchange Program.

8.5 Commercial Asset Visibility-Air Force (CAV-AF): The Contractor is required to comply with all CAVAF requirements identified in the CDRLs and attachments to the contract, and shall report production in CAV-AF. Additionally, upon completion of the repair, the contractor is required to print the DD1348-1 (in triplicate) from CAVAF. One copy is to be placed inside the box with the returnable repair asset, one outside the box and one copy will be electronically uploaded to WAWF as part of the Receiving Report (DD250). The Contractor shall provide data on the actions conducted for each unit and report as actions occur. The following metrics will be monitored: GFM In-Transit, Repairable GFM Accountability and Asset Not on Contract. If CAV-AF training is required, Contactor personnel may send an email to: 406scms.cav.af.ar@robins.af.mil.

(CDRL A001, DI-MGMT-81838 Not 1, Commercial Asset Visibility (CAV) Report)

(CDRL A002, DI-PSSS-81995A, Contract Depot Maintenance (CDM) Production Report)

(CDRL A003, DI-MGMT-80441D, Annual Government Property Inventory Report)

The Contractor shall conduct production reporting on a daily or as transactions occur basis. The Contractor shall obtain a valid DOD PKI certificate to log into CAV-AF Each user shall be required to have an IDENTITY Certificate only; an encryption certificate is not required. Data reported as stipulated on the DD1423 and corrective actions are taken within seven calendar days of motigation of error by the Supply Planner.

8.6 Supply Chain Risk Management:

8.6.1 Contractor must provide a comprehensive Supply Chain Risk Management (SCRM) Plan IAW the instructions to offeror prior to award. This plan must be maintained during performance of this contract, will be incorporated into the contract at award, and must illustrate executable processes for identifying supply chain risks as early as possible. The SCRM plan will address the broad spectrum of supply chain risks that have the potential to jeopardize the integrity of products, services, people, and technologies; compromise intellectual property; disrupt the flow of product, materiel, information, and finances needed for continued Air Force operations; and/or drive materiel cost increases to the program. The plan and processes apply to the Contractor and their suppliers, subcontractors, associated integrators, and vendors, spanning the entirety of the supply chain from raw material stage to delivery of a finished product.

8.6.2. The SCRM plan must clearly address the following:

(a) Continuity of Operations (COOP) – Contractor will develop and/or update a Continuity of Operations Procedure/Plan (COOP), which outlines the processes and actions to prepare for, and respond to, planned/unplanned supply chain challenges.

(b) Foreign Influence – The Contractor will disclose any Foreign Ownership, Control, or Influence (FOCI) for the purpose of initial or continued facility clearance eligibility. A Standard

Form 328 Certificate Pertaining to Foreign Interest must be submitted to the Government cognizant security office.

(c) Cybersecurity -The Contractor will implement a cybersecurity protection of supply chain information plan and provide a copy to the U. S. Government. As part of this process, the Contractor will conduct early and continuous monitoring throughout the life of the agreement to prevent or reduce impacts of cyber vulnerabilities where adversaries are able to exploit, steal, alter, manipulate, interrupt, or destroy system functionality, information, or technology. The plan must:

(i) Include a description of how the Contractor and any of the Contractor's subcontractors will provide to the government a system security plan (or extract thereof) IAW the NIST Special Publication (SP) 800-171, "Protecting Controlled Unclassified Information in Nonfederal Systems and Organizations" in effect at the time the solicitation is issued or as authorized by the contracting officer, to describe the Contractor's unclassified information system(s)/network(s) where covered defense information associated with the execution and performance of this contract is processed, is stored, or transmits.

(ii) Include a description of how Contractor will protect the supply chain from exploitation due to the insertion of counterfeits/malware, unauthorized production, tampering, theft, insertion of malicious software and hardware, functionality alteration, and any other elements that would allow adversaries to gain unauthorized access to data, alter data, interrupt communications, or otherwise disrupt operations.

Inform the U. S. Government of any instances of unauthorized access and/or compromise, such as those listed in item "b" to the Contractor's digital information and parts and components.

9.0 Specific Technical Requirements

9.1 The information contained in this section is not intended to be all inclusive or to detract from procedures outlined in the specifications, technical orders, and other directives listed in this workstatement, except where specifically noted herein

9.2 The contractor shall repair asset that are equal to or superior to, OCM components, which meet applicable drawings, handbooks, manuals, and/or specification established by OCM. Original design of the reparable item and parts thereof, or the design functional capabilities of the item, shall not be changed, modified or altered unless such changes are documented, reported and approved by the Government. The contractor shall certify that these items are tested and inspected to the OCM. At a minimum, 95% of repaired assets shall pass DCMA initial inspection the Remaining 5% (or less) of failed assets shall pass on the second attempt. There shall be no more than one PQDRs and/or QDRs per year deemed to be the fault of the contractor following the PQDR and/or QDR investigation.

9.3 NFF (No Fault Found): Any item found to be serviceable on initial evaluation and deemed by the Contractor as a serviceable item shall be reported to the PCO immediately for disposition. Billing for assets determined as No Fault Found/RETOK will only incur fees for TT&E."

9.4 Over and Above CLIN: Repair of an item that is beyond normal repair issues and requires additional funding will be placed on an "Over & Above" contract line item.

9.5 Beyond Economic Repair (BER): The contractor shall not repair any items where the cost of parts exceed(s) 75% of the unit cost; this is considered to be Beyond Economic Repair (BER). If a Tuthill Blower assembly P/N 75-4012GH9-466 is discovered during TT&E phase, this blower assembly will be condemned, and Appendix B Document will be submitted with appropriate information. Condemnation shall be coordinated through the Government Logistics Manager and Contracting Officer. The Contractor shall not condemn any end item until approval is received from the Government Logistics Manager and PCO. The Government will coordinate disposition instructions on assets that are determined to be BER. The Contractor has the authority to salvage piece parts from the condemned assets. DoD condemned and scrapped end items shall be disposed of through the use of plant clearance procedures and coordinated with the (DCMA) Quality Assurance Representative (QAR). Once determination that the items are BER and to be destroyed, the contractor shall demilitarize the item IAW DoD 4160.21-V3, Defense Material Disposition: Reutilization, Transfer, and Sale of Property. This action is to be witnessed and verified by the Company's Quality Control and the Government QAR assigned to your company. The Government QAR shall sign the government provided BER form for evidence demil has been accomplished. The signed BER form Appendix B shall be returned to the Logistics Manager, SP and PCO for file maintenance actions. This shall be reported on the contract CAVAF Report as an asset destroyed in place.

10.0 Delivering repaired assets on time

10.1 The Contractor shall complete production and ship serviceable assets IAW the delivery turnaround time (TAT) established in the contract. The Contractor shall complete repair, production and ship serviceable assets as follows: Delivery of repaired assets shall be within 30 calendars days after receipt of repair delivery order. There shall be zero late delivery (ies) per contract year. The Contractor shall notify the Government if the repair of any asset will not meet the scheduled delivery date and negotiate a revised delivery date. The late asset shall be delivered by the revised delivery date acceptable to the Government. The Contractor shall forward any production problems (including delays in Repairs and Delivery) through the Administrative Contracting Officer (ACO), AFSC/PZAAC Procurement Contracting Officer (PCO) and 410 SCMS/GULB Supply Planner, (SP).

11.0 General Information

11.1 Continuation of Mission-Essential Services During a Crisis

11.1.1 Continuation of Mission-Essential Services During a Crisis: The Functional Commander or civilian equivalent has determined these services are not mission-essential and will not continue in the event of a crisis.

12.0 Security Requirements

12.1 Security Regulations: The Contractor shall ensure personnel, information, system, property, facility and, if applicable, international security requirements are met. The Contractor shall comply with all applicable security regulations and clauses listed in the contract.

12.2 Operations Security (OPSEC): The purpose of OPSEC is to reduce the vulnerability of USAF missions to adversary collection and exploitation of critical information. DoDD 5205.02E and DoD Manual 5205.02 require contractors supporting DoD activities use OPSEC to protect critical information for specified contracts, sub contracts, and information used in the performance of duties in support of Air Force requirements/missions.

12.3 Security Clearance: It is not expected contractor/subcontractor personnel will require security clearances for proper accomplishment of contract/order requirements. Contractor/subcontractor personnel shall not be authorized access to classified information and/or Controlled Unclassified Information (CUI) and classified items or be permitted to work on classified projects and/or programs without an appropriate security clearance and a need-to-know.

12.4 Security Incident or Violation: The Contractor shall immediately notify the Government Security Office of any potential or actual security incident or violation.

12.5 Access to Government System(s): The Government will provide contractor/subcontractor personnel access to system(s) necessary to perform tasks under the contract/order. The Contractor shall ensure contractor/subcontractor personnel who require access to an unclassified or classified Government Automated Information System (AIS) have the respective background check or security investigation conducted. At a minimum, the Contractor shall ensure contractor/subcontractor personnel who require access to an unclassified AIS have a National Agency Check with Inquiries (NACI) conducted. Upon completion/termination of the contract/order or transfer/termination of contractor/subcontractor personnel, the Contractor shall ensure the system account(s) are closed.

12.6 Environmental Management System (EMS): These services shall not be performed at a Government facility; therefore, the EMS requirement does not apply.

12.7 Agency Affirmative Procurement Programs: This acquisition does not require the purchase of Environmental Protection Agency (EPA)-designated products or United States Department of Agriculture (USDA)-designated products; therefore, the requirement does not apply.

13.0 Safety Requirements

13.1 Contractor Environmental, Safety, and Occupational Health Compliance: The Contractor shall comply with Government Safety and Health regulations including, but not limited to, Public Law 91-596, *Occupational Safety and Health Act* (OSHA), and DoD Directive 4715.01E, *Environmental, Safety, and Occupational Health* (ESOH). The Contractor shall establish and maintain a safety and health program detailed in a written Contractor's Safety and Health Plan (SHP). The Contractor shall require all subcontractors to comply with required safety, health and fire standards.

13.2 Mishap Notification/Investigation: Notification/Investigation: IAW DAFI 91-204, *Safety Investigations and Reports*, the Contractor shall report mishaps involving damage or injury to USAF assets/interests. The Contractor shall ensure the USAF is notified of mishaps. The Contractor shall contact the Contracting Officer (CO) or the Contracting Officer's Representative (COR), if available, or another MFT member by telephone within eight (8) hours of any damage to government property where the dollar value exceeds \$600,000.00, and within two workdays for any damage to government property less than \$600,000.00 during the execution of the contract. Mishap notifications shall contain, as a minimum, the following information:

- a. Contract, contract number, name and title of person(s) reporting
- b. Date, time and exact location of accident/incident
- c. Brief narrative of accident/incident (events leading to accident/incident)
- d. Cause of accident/incident, if known
- e. Estimated cost of accident/incident (material and labor to repair/replace)
- f. Nomenclature of equipment and personnel involved in accident/incident
- g. Corrective actions (taken or proposed)
- h. Other pertinent information

If requested by the designated CO or COR, the Contractor shall immediately secure the mishap scene (and damaged property) and impound pertinent maintenance and training records until released by the Government's safety office. Such release shall be accomplished through the Contracting Officer. The Contractor shall cooperate and assist Government personnel in the investigation of the mishap and submit an Accident/Incident Report within 48 hours of the mishap

13.3 Voluntary Protection Program (VPP): The USAF is a participant in the OSHA VPP. Additional information regarding VPP is available at the site below.
<http://www.osha.gov/dcsp/vpp/index.html>

13.4 Inspection of Services: IAW the Inspection of Supply/Services clause(s) identified in the contract/order, the Government reserves the right to inspect Contractor performance.

13.5 Service Contract Reporting (SCR): The contract does not meet the DoD Contract Reporting criteria or reporting dollar threshold; therefore, SCR does not apply.

13.6 Department of Labor (DoL) Inspection of Contractor Operations. The Contractor is subject to DoL inspections and enforcement by OSHA health and safety officials while performing work on a Government installation. OSHA health and safety officials may access workplaces on Government installations at any time, scheduled or unscheduled, during regular work hours. OSHA health and safety officials must meet security requirements to enter restricted or classified areas. The Contractor shall immediately notify the COR and the contracting unit's Safety Office upon notification of a visit.

13.7 Quality

13.7.1 Contractor's Quality Program: The Contractor's Quality Management System (QMS) shall meet the requirements of AS9100, Quality Management Systems Requirements for Aviation, Space, and Defense Organizations, which is based on the standards of ISO 9001. The contractor must establish an AS9100 compliant quality management system, ensure its functionality and compliance through internal auditing, and undergo a certification audit conducted by an external registrar. The Contractor shall allow the Government access to the records and data collected to demonstrate the suitability and effectiveness of the quality management system. The Government reserves the right to request corrective action if the quality system fails to meet objectives. The Contractor shall permit the program office or its designated representative to periodically review its quality program.

13.8 Invoicing/Payment and Receipt/Acceptance: The Contractor shall submit/process payment requests and receipt/acceptance documents via WAWF.

13.9 Trafficking in Persons: The Contractor shall comply IAW the FAR and applicable supplements and shall be in compliance with all applicable guidance and clauses listed in the contract as it relates to Trafficking in Persons. Additional information about Trafficking in Persons is available at the site for the Department of State's Office to Monitor and Combat Trafficking in Persons. <http://www.state.gov/j/tip>

14.0 Appendices

14.1 Appendix A, Reference (s)

14.2 Appendix B BER Template

Publication	Title of Publication	Date of Publication	Section(s) that Apply
DAFFARS MP5301.602-2(d)	Designation, Assignment, and Responsibilities of a Contracting Officer's Representative (COR)	2019 version, effective July 7, 2023	Entire
DFARS 252-245.7002	Reporting Loss of Government Property	January 2021	Entire
DFARS) 252-211.7003	Item Identification and Valuation	January 2023	Entire
MIL-STD-129R	Military Marking for Shipment and Storage	25 February 2023	Entire
MIL-STD-130N	DoD Standard Practice Identification Marking of US Military Property	Change 1 16 November 2012	Entire
MIL-STD-2073-1E	Standard Practice for Military Packaging	22 April 2019	Entire
DODI 5220-31	National Industrial Security Program	May 9, 2023	Entire
S0300-BT-PRO-010	GIDEP Operations Manual S0300-BT-PRO-010, Government-Industry Data Exchange Program		Entire
DoD 4160.21-V3	IAW DoD 4160.21-V3, Defense Material Disposition: Reutilization, Transfer, and Sale of Property	October 22, 2015	Entire
DoDD 5205.02E	DoD Operations Security (OPSEC) Program	August 20, 2020	Entire
DoD Manual 5205.02	DoD Operations Security (OPSEC) Program Manual	October 29, 2020	Entire
OSHA Public Law 91-596	Occupational Safety and Health Act (OSHA) of 1970	1 Jan 04	Entire
DoD Directive 4715.1E	Environmental, Safety, and Occupational Health (ESOH)	December 30, 2019	Entire
DAFI 91-204	DAFI 91-204, Safety Investigations and Reports,	10 March 2021	Entire

**14.2 Appendix B – Beyond Physical Repair (BPR)/Beyond Economical Repair (BER)
Template**

**Appendix B
BER TEMPLATE**

CONTRACT

NUMBER: CLIN:

TRACKING #:

NSN:

PART NUMBER:

SERIAL NUMBER:

CONTRACT REPAIR UNIT PRICE:

DESCRIPTION:

EST TO REPAIR:

ACTION

REQUESTED

SIGNATURES:

CUSTOMER RESPONSE (APPROVE/DISAPPROVE)

DISPOSITION INSTRUCTIONS: (SCRAP, RETURN ETC)

XXXXXX_____ DATE: _____

CONTRACTS AUTHORIZATION _____ DATE: _____