

80KSC026R0017

NASA Fire Services Contract (NFSC) II

ATTACHMENT J-01

PERFORMANCE WORK STATEMENT (PWS)

TABLE OF CONTENTS

DATA REQUIREMENTS LIST	3
ANNEXES	3
APPENDICES	3
INTRODUCTION AND OVERVIEW	4
1. GENERAL CONTRACT REQUIREMENTS.....	5
1.1. PROGRAM MANAGEMENT	5
1.2. BUSINESS MANAGEMENT	8
1.3. SAFETY AND HEALTH PROGRAM.....	9
1.4. QUALITY PLAN	10
1.5. ENVIRONMENTAL MANAGEMENT	11
1.6. INFORMATION TECHNOLOGY (IT)	12
1.7. WORK MANAGEMENT	14
1.8. RECORDS MANAGEMENT	15
1.9. VEHICLE MANAGEMENT	16
2. FIRE SERVICES	17
2.1. FIRE OPERATIONS AND FIRE FIGHTING	17
2.2. EMERGENCY MEDICAL SERVICES	21
2.3. FIRE OPERATIONS SAFETY	21
2.4. FIRE SERVICES TRAINING	22
2.5. FIRE PREVENTION.....	23
2.6. FIRE PROTECTION PROGRAM	25
2.7. FIRE INVESTIGATION	26
2.8. FIRE SERVICES PERSONNEL QUALIFICATIONS (see annexes).....	27
3. NASA FIRE SERVICES PHYSICAL FITNESS REQUIREMENTS.....	27

DATA REQUIREMENTS LIST

DRD TBD Performance Metrics and Workload Indicator Report
DRD TBD Monthly Program Management Status Review
DRD TBD Advanced Notification of Workforce Reductions Report.
DRD TBD Quarterly Summary of 3rd Step Labor Grievances and Arbitrations Report
DRD TBD Replacement of Government Furnished Equipment Report
DRD TBD Safety and Health Plan
DRD TBD Safety Statistics and Mishap Reporting
DRD TBD Hazardous Items Procurement Report
DRD TBD Emergency Response Program Plan
DRD TBD Quality Management Plan
DRD TBD Security Requirements for Unclassified IT Resources
DRD TBD Records Management Program Plan
DRD TBD File Plan
DRD TBD Contract Records Close-Out Plan
DRD TBD Vehicle Utilization Plan

ANNEXES

J-01.A Ames Research Center Annex
J-01.K Kennedy Space Center Annex
J-01.S Stennis Space Center Annex
J-01.W Wallops Flight Facility Annex

APPENDICES

Appendix TBD Deduction Schedule for Non-Conforming Services
Appendix TBD Performance Standards
Appendix TBD Fire Services Qualifications
Appendix TBD Compliance Document List
Appendix TBD Uniform and Grooming Requirements
Appendix TBD Firefighter Medical Screening Standards
Appendix TBD Vehicle Standards for Contractor-provided and GSA Fire-Fighting Vehicles

INTRODUCTION AND OVERVIEW

National Aeronautics and Space Administration (NASA) requires comprehensive and effective fire services to protect the people, property, and environmental resources necessary for the NASA mission.

This Performance Work Statement (PWS) addresses the scope and requirements for fire services in the following areas:

- Firefighting
- Fire Prevention
- Fire Protection
- Aircraft Rescue and Firefighting (ARFF)
- Advanced Life Support (ALS) ambulance services
- Hazardous Materials Response
- Technical Rescue
- Fire Training

The NFSC II supports the following NASA Centers and component facilities: Kennedy Space Center (KSC), Ames Research Center (ARC), Wallops Flight Facility (WFF), and Stennis Space Center (SSC).

1. GENERAL CONTRACT REQUIREMENTS

The requirements outlined below are applicable to all functions identified in this PWS.

The NFSC shall support surges of activities and tasks that are considered normal workload fluctuations. Special circumstances (e.g., launch and landing support for aerospace vehicles, mutual aid to surrounding community, emergency assistance to other NASA locations) may necessitate the issuance of task orders, as determined by the Contracting Officer (CO).

The Contractor shall work with Government counterparts to ensure requirements are clearly communicated, mutually understood, and satisfied. The Contractor shall ensure timely, accurate, and thorough responses to the Government's requests for information. The Contractor shall work cooperatively with other NASA location contractors to ensure timely and effective execution of Program mission requirements.

All services are required as written in this PWS and Annexes. Attached to each Task Order is the Center Annex and Ordering Matrix, which provide specific, unique, and/or additional requirements beyond those listed in this document. Any additional PWS requirements will be identified in the appropriate line item within the annex.

The Government considers the actions, activities and behaviors described in Appendix TBD, Deduction Schedule for Non-Conforming Services, as serious non-conformances requiring immediate corrective action by the Contractor and evaluation by the Government.

1.1. PROGRAM MANAGEMENT

The Contractor is responsible for performing the overall and day-to-day operations of the fire services requirements in the PWS and Annexes. The Contractor shall provide all labor, personnel, uniforms, materials, tools and equipment, , transportation (including shipping expenses), management, training, examinations, testing, and certifications, and any other items necessary to successfully perform the requirements and task associated with this PWS, at the frequency and hours specified for NASA on a 24-hour, 7 days per week basis, unless otherwise specified or indicated as Government Furnished in this PWS or Annexes. The Contractor shall comply with the Performance Standards set forth in Appendix TBD, Performance Standards.

The Contractor shall:

- A. Appoint a full-time, onsite, Program Manager (PM), dedicated to this contract, who must be physically/geographically located at KSC, and who must be responsible for the overall and day-to-day operations of the Contractor (to include subcontractors). Subject to the requirement in paragraph E. of this section, the PM, or alternate, shall be the primary representative and have full autonomous authority to act on matters pertaining to the services under this contract and Annexes, across all functions. The PM shall act as primary interface between the Contractor, the CO, and Contracting Officer's Representative (COR), and shall not also serve as the Site Manager.

- B. The PM may permit a Site Manager (SM) to act in their absence (for a period not to exceed 30 consecutive days and no more than TBD days in a calendar year). The PM and SMs shall be available by phone, 24 hours a day, 7 days a week.
- C. Appoint a full-time onsite, (SM), dedicated to each Annex, who must be physically/geographically work at the respective Annex Center, and who must be responsible for the overall and day-to-day operations of the Contractor at Annex, (to include subcontractors). The SM shall serve as the respective location's Fire Chief, unless otherwise approved by the Annex CO. The SM shall be the primary representative and have full autonomous authority to act on matters pertaining to the services under this contract and annex, across all functions, and act as primary interface with the Annex CO and Annex COR.
- D. Participate in meetings to discuss contract and business management as it relates to their annexes and other contract related meetings when directed by the Annex CO and Annex COR.
- E. In the event the PM or the SM is absent for any reason, submit a Letter of Delegation to the COR or Annex COR identifying the designated authority. The PM may authorize an SM to act in their absence for a period not to exceed 30 consecutive days and no more than TBD days in a calendar year. If the chosen delegate is not an SM and does not possess all the qualifications for "Fire Chief" as specified in Appendix TBD, Personnel Qualifications Table, the Contractor shall obtain concurrence from the Annex COR/Authority Having Jurisdiction (AHJ) (see NASA Procedural Requirement (NPR) 8715.1) prior to delegation.
- F. Contractors must submit a written plan to fill any vacancy to the site Contracting Officer's Representative (COR) and Contracting Officer (CO) for approval before hiring.
- G. Provide all program management including technical and business functions to plan, implement, track, report, and deliver the required products and services described in this PWS.
- H. Ensure timely submission of Data Requirement Descriptions (DRDs) listed in Attachment TBD, Data Requirements List (DRL).
- I. Develop and maintain performance data in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.
- J. Present a Monthly Program Management Status Review to the COR and CO in accordance with DRD TBD, Monthly Program Management Status Review.
- K. Provide ongoing assessment and evaluation to identify fire service weaknesses and vulnerabilities and recommend appropriate corrective action(s).
- L. Adhere to existing work processes at contract start and subsequently review all processes monthly for continued applicability unless otherwise specified elsewhere in

the PWS. Update and maintain these processes or, where warranted, develop and maintain new processes for improved effectiveness and efficiency. Coordinate with the Government on any content changes or new processes.

- M. Maintain cognizance of current fire services issues, trends, and technologies. Monitor proposed and implemented changes to all compliance documents including all applicable laws, regulations, policies, and directives. Identify and notify the Annex COR of any impacts to Contractor requirements, processes, and practices, along with any impacts to Government policies. Provide trade-off recommendations to the Government for new or changing requirements to avoid cost impacts.
- N. Ensure all Contractor personnel data including name, title, phone numbers, supervisor, mail code, fax number, location, regular work week, work start time/work end time, any special needs, launch/landing assignments/locations, team leads, and employee delegates are maintained in NASA's Identity and Access Management (IdMAX) database.
- O. Ensure Contractor deliverables and all associated data only use markings authorized by the contract. "Proprietary" is not an authorized marking for delivered technical data under the contract.
- P. The Contractor shall possess and maintain a Secret facility clearance from the Defense Counterintelligence and Security Agency (DCSA). Employees performing work under this contract shall have been granted personnel security clearance commensurate with Attachment TBD, DD Form 254. Interim clearances shall be obtained prior to working the position, and final clearances obtained within 180 days of appointment, unless otherwise approved in writing by the Annex COR.
- Q. Ensure compliance with Agency Standards in accordance with the following Appendices:
 - 1. TBD – Firefighter Medical Screening Standards
 - 2. TBD –Uniform and Grooming Standards
 - 3. TBD –Vehicle Standards
- R. Provide the Government, or authorized Government representatives, immediate access to the sites or areas where work under this contract is being performed in order to conduct audits, assessments, surveillance, and inspection activities.
- S. Provide resumes of any essential personnel being proposed to fill a vacancy that meets Program Manager and Site Manager qualifications.
 - 1. For initial placement of the PM and SMs: Submit resumes 30 calendar days prior to the personnel action for review and concurrence by the Annex COR, CO, and Annex CO. Resumes shall not exceed three pages, Times New Roman 12 type font.

2. Annex COR may waive time limit at their discretion.

1.2. BUSINESS MANAGEMENT

The Contractor shall:

- A. Notify the Annex CO and Annex COR of any situations that may adversely impact performance of the contract (e.g., the timely delivery of quality services under this contract).
- B. Provide notice to the Government in accordance with DRD TBD, Advanced Notification of Workforce Reductions Report.
- C. Provide the following reports: Quarterly Summary of 3rd Step Labor Grievances and Arbitrations Report, in accordance with DRD TBD.
- D. Ensure the proper control, use, and maintenance of Government-furnished property (GFP). GFP includes equipment owned by the Government and delivered to or made available to the contractor.
- E. Provide a list of all equipment items and submit in accordance with DRD TBD, Replacement of Government Furnished Equipment Report.
- F. Provide, at no cost to employees, Personal Protective Equipment (PPE), protective ensembles, ensemble elements and protective equipment designed to provide protection against the types of hazards to which employees may be exposed.
- G. Serve as the property custodian for all GFP provided or acquired under this contract. The Contractor's custodial responsibilities are defined in the location property requirements and NASA Procedural Requirements (NPR) 4200.1, NASA Equipment Management Procedural Requirements, and NPR 4500.1, Administration of Property in the Custody of Contractors.
- H. Request facility services, maintenance, and repairs from the Annex facility operations and maintenance contractor and track work orders to completion. Notify the Annex COR when a work order is placed for a work area assigned to the Contractor.
- I. Estimate travel costs, coordinate, and obtain Annex COR approval for Government-directed travel. All Government-directed travel shall meet the Government rates for per diem and travel. All authorized travel shall be conducted and reimbursed in accordance with the Federal Travel Regulations (FTR), 41 CFR Chapters 300-304.
- J. Provide property management and fleet vehicle management to ensure contract requirements are met.
- K. Ensure all requirements for initiating employee clearances/background investigations are submitted to the Government within 15 days after employee's appointment.

- L. Ensure employees are medically cleared through the location Medical Officer for any medical absences of more than four consecutive working days.
- M. The Contractor shall upload initial and revised documentation (e.g., DRDs, plans, standard operating procedures) to the Government-provided electronic site (e.g., website, SharePoint) that will serve as the collaboration platform for the review and resolution of comments. Once the review process is complete and a document is finalized (e.g., accepted, approved), the Contractor shall upload the document to the KSC Business World (TechDoc) which will be the official repository for all approved documents.

1.3. SAFETY AND HEALTH PROGRAM

The Contractor shall:

- A. Establish and maintain a comprehensive safety and health program throughout the entirety of the Contract, including subcontractors. This program shall comply with applicable federal, state, local, NASA, and location safety and health laws, regulations, policies, and directives as well as applicable industry standards and American National Standards Institute (ANSI) standards, and maintain cognizance of proposed and implemented changes to the same. Provide timely notification to employees of any changes or modifications to policies, procedures, or systems used to control exposure to safety and health hazards.
- B. Ensure all employees operating or utilizing vehicles shall have the proper training or licensing for operating each vehicle type.
- C. Develop and implement a process to identify, track, report, and mitigate risks (schedule, safety, and technical performance) and assess and manage hazards in accordance with the location safety requirements defined in location/Center Annex.
- D. Provide the Government, or authorized Government representatives, immediate access to personnel and sites or areas where work under this contract is being performed to complete safety, health, and mission assurance audit, assessment, surveillance, inspection, and investigation activities. Provide all audit, assessment, surveillance, inspection, and investigation records to the Government/Government representatives upon request.
- E. Prepare for and participate in internal or external audits as requested by the Government/Government Representative (e.g., Institutional Safety Program Audit [ISPA], Quality Audit, Assessment, and Review [QAAR], and Occupational Safety and Health Administration's (OSHA) Voluntary Protection Program [VPP]).
- F. Comply with NPR 8621.1, NASA Procedural Requirements for Mishap and Close Call Reporting, Investigating, and Recordkeeping; and applicable location requirements as defined in location Annexes in the event that any activity during the performance of this contract results in a NASA mishap or close call.

- G. Attend and Support location safety and health meetings and participate in working groups and panels, as indicated in location Annexes.
- H. Develop, submit, and maintain a Safety and Health Plan in accordance with DRD TBD, Safety and Health Plan.
- I. Submit Safety Statistics and Mishap Reporting in accordance with DRD TBD, Safety Statistics and Mishap Reporting.
- J. Appoint, in writing to the Contract COR, at least one safety and health representative for each Annex to support location requirements.
- K. Develop and distribute fire and firefighting health and safety information for the education of fire department members at least quarterly.
- L. Develop recommendations arising from the investigation of accidents, injuries, occupational deaths, illnesses, exposures, and the observation of incident scene activities to eliminate or reduce future occurrences. Submit recommendations to the COR and Annex COR.
- M. Maintain a Critical Incident Stress Management Program and Employee Assistance Program and make available to the Contractor workforce.
- N. Provide reporting of Hazardous Items purchased in accordance with DRD TBD, Hazardous Items Procurement Report.
- O. Develop a written Emergency Response Program (ERP) Plan in accordance with DRD TBD, ERP Plan.

1.4. QUALITY PLAN

The Contractor Shall:

- A. Implement a Quality Management System (QMS) that is compliant with the American National Standards Institute/ International Organization for Standardization (ISO)/American Society for Quality 9001-2015, QMS – Requirements, and develop a Quality Management Plan in accordance with DRD TBD.
- B. If suspect or counterfeit parts are furnished under this agreement and are found on the site, such items shall be impounded by the site.
- C. Notify NASA Protective Services Office and S&MA personnel of nonconforming products or failures that affect safety, reliability, or functionality.
- D. Identify a point-of-contact to support the location Government-Industry Data Exchange Program (GIDEP) Coordinator who shall:
 - 1. Participate in the GIDEP in accordance with:

- a. SO300-BT-PRO-010, GIDEP Operations Manual
 - b. SO300-BU-GYD-010, GIDEP Requirement Guide
2. Review and disposition GIDEP Notices and NASA Advisories in the NASA Advisories, Notices, and Alerts Distribution and Response Tracking System (NANADARTS) to determine if they affect the Contractor's products or services provided to the Government.
3. Respond by documenting whether or not GIDEP Notices and NASA Advisories affect the Contractor's products and services provided to the Government. For GIDEP Notices and NASA Advisories that affect the Contractor's products and services provided to the Government, the Contractor shall take action to eliminate or mitigate any negative effect and inform the Government of such actions to ensure GIDEP Notices and NASA Advisories adhere to closed-loop reporting.
4. Be responsible for stating whether or not GIDEP Notices and NASA Advisories affect the subcontractor's products and services provided to the Government. For GIDEP Notices and NASA Advisories that affect the subcontractor's products and services provided to the Government, the Contractor shall take action to eliminate or mitigate any negative effect and inform the Government of such actions to ensure GIDEP Notices and NASA Advisories adhere to closed-loop reporting.
5. Generate GIDEP Notices in accordance with the GIDEP Operations Manual and GIDEP Requirements Guide whenever failed or nonconforming items, available to other buyers, are discovered.

1.5. ENVIRONMENTAL MANAGEMENT

The Contractor shall:

- A. Ensure that all contract operations, activities, and assigned systems, facilities, and equipment are in compliance with Federal, state, and local environmental laws, regulations, ordinances, executive orders, permits, and licenses as well as all NASA environmental policy, plans, and requirements documents including the most recent versions.
 1. NPD 8500.1, NASA Environmental Management
 2. NPR 8510.1, NASA Cultural Resources Management
 3. NPR 8530.1, NASA Sustainable Acquisition
 4. NPR 8553.1, NASA Environmental Management System
 5. NPR 8570.1, NASA Energy Management Program

6. NPR 8580.1, Implementing the National Environmental Policy Act and Executive Order 12114
 7. NASA Aqueous Film Forming Foam (AFFF) Policy Memorandum (dated March 17, 2021).
- B. Appoint, in writing to the Annex COR, at least one environmental representative for each Annex to support location requirements.
 - C. Participate in regulatory agency inspections and NASA internal inspections, audits, and Environmental and Energy Functional Reviews when requested by the Government. Provide Government personnel or authorized Contractor representatives access to Contractor sites and work areas to conduct surveillance activities and to ensure compliance with environmental laws, regulations, and permits. Implement corrective actions to findings and deficiencies identified by the Government. Submit written corrective action plans and finding closure documentation when requested by the Government.
 - D. Ensure that environmental regulatory agency interactions or correspondence relating to NASA activities or contract activities are performed by or coordinated through the location Environmental Office.
 - E. Respond to environmental data calls regarding contract operations and activities, and Contractor assigned systems, facilities, and equipment when requested by the Government. Submit responses in the format outlined in the data call. Examples include, but are not limited to, environmental compliance records, regulatory agency requests for information, hazardous and controlled waste site information, waste management training records, air emission source inventories, storage tank inventories, and chemical usage and storage records.
 - F. Comply with location-specific environmental requirements.
 - G. Comply with location-specific NASA environmental regulatory requirements regarding AFFF.

1.6. INFORMATION TECHNOLOGY (IT)

The Contractor shall:

- A. Obtain all IT products and services from NASA needed to process NASA data.
- B. Comply with the information security requirements of NPD 2810.1, NASA Information Security Policy; NPR 2810.1, Security of Information and Information Systems; and the IT Security Handbooks identified in the Appendix TBD, Compliance Documents List.
- C. Comply with information protection requirements in accordance with NPD 1382.17, NASA Privacy Policy; NPR 1382.1, NASA Privacy Procedural Requirements; and the

IT Security Handbooks. Assess all information collections to ensure compliance with Federal regulations and privacy protection requirements using the NASA-provided assessment tool, Risk, Information Security Compliance System (RISCS). Access to RISCS may be granted through a NASA Access Management System (NAMS) request.

- D. Manage information security and implement security controls in accordance with NPR 2810.1, and DRD TBD, Security Requirements for Unclassified IT Resources.
- E. Ensure successful completion of all mandatory annual IT Security Training for all Contractor personnel as defined in the IT Security Handbooks.
 - 1. NASA Information Security Awareness and Privacy Training.
 - 2. Other IT Security Training, as required by the Government and provided in the System for Administration, Training, and Educational Resources for NASA (SATERN).
- F. Provide support to NASA IT Security Offices for Contractor IT security incidents or investigations.
 - 1. Notifications: Upon discovery of an incident involving Sensitive But Unclassified (SBU)/Controlled Unclassified Information (CUI), Personally Identifiable Information (PII), or Export Control information, within one hour notify the Security Operations location (SOC) followed by the Chief Information Security Officer (CISO).
 - 2. Response:
 - a. Submit an encrypted email to the SOC and CISO with the initial assessment of event impacts and plan for mitigation within eight hours after acknowledgement of the notification.
 - b. Provide continued support and status to the SOC and CISO until the incident is resolved.
- G. Protect all sensitive information in accordance with NPR 2810.7, Controlled Unclassified Information.
- H. Encrypt sensitive information (e.g., CUI, PII, Export Control) at the file and electronic mail levels using a Government-approved solution.
- I. Obtain all desktop and workstations used for office automation from the current NASA-approved IT service providers. The Contractor shall request through the CO the OCIO's approval of any exemption from the use of the NASA-provided IT products and services.
- J. Comply with NPR 2810.2, Possession and Use of NASA Information and Information Systems Outside of the United States, by getting OCIO approval before taking any

electronic devices outside the U.S. and Territories, including any personal devices that includes NASA data.

- K. Comply with NPD 2540.1, Acceptable use of Government Furnished Information Technology Equipment, Services and Resources.

1.7. WORK MANAGEMENT

The Contractor shall:

- A. Provide a work control system to track and report all contract work activity, including subcontracts.
- B. Develop, maintain, and update Standard Operating Procedures (SOPs) for location specific operations and overall contract operations conducted under the NFSC contract.
- C. Provide support to address evolving requirements resulting from NASA-specific threats and from the implementation of new Federal mandates related to counterterrorism and homeland security. The Contractor shall provide analytical support, independent study, and analysis on an as-needed basis.
- D. Maintain readiness to increase and enhance safeguards and countermeasures in the event of an increased security threat based on the Department of Homeland Security National Threat Advisory or other credible threat indicators.
- E. Perform work in such a manner that causes minimal or no interruption to or interference with execution of Government business.
- F. Perform all services in compliance with applicable Federal and state laws, and NASA regulations and policies.
- G. Submit its Standards of Conduct policy to maintain professional employee conduct, ethics, and integrity (reference FAR 3.1002).
- H. Implement and enforce a standard dress code policy that complements the requirements in Appendix TBD, Uniform and Grooming Requirements, to ensure that contract employees wear either appropriate civilian attire or the prescribed duty uniform while on duty. Examples of improper appearance include but are not limited to unclean, ill-fitting, or unpresented clothing; dirty or unshined shoes; incomplete or improperly worn uniforms.
- I. Manage the total work effort associated with the Fire Services required to ensure adequate and timely completion of services. Included in this function is the full range of management and administrative duties including program management, scheduling, report preparation, risk management, establishing and maintaining records, and quality control.

- J. Prohibit the display of corporate logos, trademarks, badges, patches, decals, or other wording, or any distinctive corporate markings on any credential, duty uniform, or part thereof, or security vehicle or part thereof, or security post, or document, other than standard internal management documents and records, which would identify the Contractor's company affiliation.
- K. Obtain, track, maintain, and provide inventory accountability of all Government-furnished property and Contractor acquired property and equipment.
- L. Provide support (with personnel used to execute daily work requirements) for emergencies (e.g., natural disasters, other emergencies) to other NASA locations when directed by the Contracting Officer or Contracting Officer's Representative.
- M. Note: Misuse of Government Property, theft, unreasonable delays or failure to carry out assigned tasks, conducting personal affairs during duty hours, violation of security protocols or intentional deception, manipulation of security measures to prevent their intended use and refusing to render assistance or cooperate in upholding the intent of worksite security or failure to cooperate in quality assurance and safety inspections or other investigations conducted by the Government, shall be grounds for removal of the employee(s) from the site.
- N. Report (including self-reporting) any security violation or derogatory information of an employee to the Contractor Facility Security Officer (FSO) and to the location Chief of Protective Services within 24 hours of being notified of the violations. (Security Violations or derogatory information as defined in the National Industrial Security Program Operating Manual [NISPOM]).

1.8. RECORDS MANAGEMENT

The Contractor shall:

- A. Ensure accurate and complete records of Government business are maintained in accordance with NPR 1441.1, NASA Records Management Program Requirements. Information includes electronic and paper records, including but not limited to legacy records inherited from previous contracts. Records of Government business shall be segregated from company-owned records and from non-record materials. Provide the Government access to Government records in accordance with FAR Subpart 4.7, Contractor Records Retention. The Government reserves the right to inspect, audit, and copy record holdings.

Note: Ensure all records are managed in an electronic format to the fullest extent possible.

- B. Develop, implement, and maintain a Records Management Program Plan in accordance with the following DRDs:
 - 1. DRD TBD, Records Management Program Plan

2. DRD TBD, File Plan
 3. DRD TBD, Contract Records Close-Out Plan
- C. Establish a Record Manager liaison with each Annex location's Record Manager.

1.9. VEHICLE MANAGEMENT

The Contractor shall:

- A. Perform vehicle management functions in accordance with NPR 6200.1D, NASA Transportation and General Traffic Management; location requirements; NASA Official Fleet Management Handbook; EO 13693, Planning for Federal Sustainability in the Next Decade; and EO 13834, Efficient Federal Operations, as it relates to greenhouse effects.
- B. Operate and perform all inspection, testing, and preventative maintenance of Government vehicles, in accordance with applicable standards including NFPA 1910. All GSA-leased and NASA-provided vehicles are considered Government vehicles (see Attachment TBD, Government Property). There are no Government-furnished facilities for maintaining Contractor-provided vehicles. Notify the Annex COR within one hour of any Government vehicle (to include fire-fighting apparatus) that has been damaged or placed out of service for any reason. The Contractor is responsible for any contractor-incurred damage to contract or Government vehicles.
- C. Ensure that all drivers have proper state licenses with applicable endorsements for equipment they operate.
- D. Provide the required fleet data for the Federal Automotive Statistical Tool (FAST) for any GSA leased and Government-furnished vehicles annually, as scheduled by the NASA Agency Transportation Manager.
- E. Comply with the vehicle manufacturer's normal service schedule for all Government-furnished vehicles.
- F. Provide an Vehicle Utilization Plan in accordance with DRD TBD, Vehicle Utilization Plan.
- G. Provide properly marked vehicles outfitted in accordance with Appendix TBD, Vehicle Standards for Contractor-provided and GSA Fire-Fighting Vehicles. All vehicles must meet location-specific requirements (e.g., location initials, emergency phone numbers). No Government vehicles or Contractor-provided fire vehicles are permitted off NASA property unless actively involved in an authorized emergency response or with prior approval from the Annex COR.

2. FIRE SERVICES

The Contractor shall:

- A. Provide a comprehensive fire rescue services program that complies with NASA-STD-8719.11, NASA Safety Standard for Fire Protection and Life Safety; NFPA codes, standards, and guides; International Building Code; Federal and state standards and regulations as applicable; and NPR 8715.1, NASA Safety and Health Programs. Where requirements are conflicting, the most stringent shall apply.

2.1. FIRE OPERATIONS AND FIRE FIGHTING

The Contractor shall:

- A. Provide qualified Fire Services Operations personnel 24 hours a day, 7 days a week (i.e., 24/7), 365 days per year, and respond to all emergencies.
- B. Provide rescue services to include, but not be limited to, the following: interior structural, high and low angle, confined space, aircraft, launch services, trench, structural collapse, hazardous material releases, water (best effort response), removal of injured personnel from an active law enforcement incident. These types of incidents require a higher degree of training and specialized equipment to conduct safe operations.
- C. Provide special operations teams, as directed by the Government, to respond to technical rescues that are more complex and dangerous than routinely encountered.
- D. Operate Fire Stations.
- E. Meet, at a minimum, the following staffing requirement on a fire engine:
 - 1. Firefighter/Fire Officer
 - 2. Firefighter/Driver
 - 3. Firefighter
 - 4. Firefighter
- F. Meet, at a minimum, the following staffing requirement, on an aerial ladder:
 - 1. Firefighter/Officer
 - 2. Firefighter/Driver
 - 3. Firefighter
 - 4. Firefighter

- G. Meet, at a minimum, the following staffing requirement on an ambulance:
 - 1. Firefighter/Paramedic
 - 2. Firefighter/Paramedic
- H. Ensure, at a minimum, two qualified personnel are available to employ the following cross-staffed vehicles:
 - 1. Aircraft Rescue and Fire Fighting (ARFF)
 - 2. Squad (staff with Technical Rescue Team members)
 - 3. HAZMAT Vehicles (staff with HAZMAT Team members)
- I. Ensure a minimum of two fire personnel per shift are available to comprise a HAZMAT team certified to the Technician Level, and ensure that the HAZMAT team remains certified and fully capable. See Site Annexes for staffing levels. Document all levels of HAZMAT responses in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.
- J. Ensure a minimum of two fire personnel per shift are available to comprise a Technical Rescue function trained and certified to Level II in rope rescue, confined space, and vehicle and machinery rescue, and to the Awareness Level for structural collapse and trench rescue. Ensure that these personnel remain certified and fully capable when the stations are manned. (See Site Annexes for specific technical rescue team requirements/certifications).
- K. Ensure a minimum of two fire personnel per shift are trained and available to support a Rescue Task Force (RTF) function. The RTF shall be capable of responding and training with Security Police personnel during a mass casualty incident. Fire personnel shall be provided access to ballistic helmets and a Level IIIa ballistic vest at a minimum.
- L. Perform time distance drills semiannually, and provide results to location's Authority Having Jurisdiction (AHJ), in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.
- M. Meet the time distance standard for emergency responses in accordance with location's Annex Fire Station Response Time Areas.
- N. Conduct daily operational inspections of all fire apparatus, emergency response vehicles, and equipment, including personal protective clothing and equipment, to ensure that all emergency response elements are functional.
- O. Conduct formalized shift turnover meetings from off-going shift to oncoming shift to ensure that all on-duty personnel are informed of activities scheduled for their shift,

including special scheduled work details, training requirements, and any special activities.

- P. Submit a Daily Activity Report to the Annex COR/AHJ detailing all emergency responses, training activities, all off-normal actions or activities, and vehicle status (all emergency response vehicle inventory). Identify vehicles that are not serviceable and follow the location protocols for repairs.
- Q. Manage all emergency responses and daily communications through the Protective Services Communications Center (PSCC).
- R. Coordinate with Protective Services/Dispatch to collect and provide response data and reports per 2020 NFPA 1710, 4.1.2 response data. This information shall be available to the COR/AHJ monthly, and a report shall be presented annually.
- S. Provide and maintain all protective clothing (e.g. turn-out gear, helmets, HAZMAT suits, and uniforms) and positive pressure self-contained breathing apparatus to applicable NFPA standards, NASA regulations, and OSHA and NIOSH requirements.
- T. Provide performance testing and operational readiness checks in accordance with manufacturer's recommendations and NFPA Standards for all fire-fighting vehicles and equipment. The following are examples of equipment (not an exhaustive list):
 - 1. Fire apparatus pumps
 - 2. Aerial ladders
 - 3. Ground ladders
 - 4. Powered rescue equipment
 - 5. Fire hose
 - 6. Self-contained breathing apparatus
 - 7. ARFF foam producing equipment shall be tested in accordance with NFPA and NASA requirements.

Note: ARFF, Purple K, ABC Dry Chemicals and other fire suppression agents shall be documented in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.

- U. Ensure all Government-furnished fire vehicles and equipment are in proper working order; all maintenance records are made available to the Government upon request; and all inspections are documented in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.
- V. Replace firefighting agents to maintain sufficient quantities and avoid expiration.

- W. Participate in approved NASA mutual aid agreements with the Federal, state, county, and local city emergency response agencies. Requests for mutual aid notifications and responses will be governed by location's Annex. Document mutual aid and off-site responses in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.
- X. Obtain approval for nonemergency responses from the Annex AHJ/COR prior to sending fire vehicles and firefighters to offsite location for static displays, briefings, air shows, or other community activities.
- Y. Respond to and mitigate all hazardous material spills or releases. Document responses in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.

Note: Hazardous material spills on bodies of water will be a best effort response. See Annex.
- Z. Maintain safety data sheets, an emergency response guidebook, and a hazardous materials management system for hazardous materials.
- AA. Manage all emergency operations in accordance with the National Incident Management System (NIMS).
- BB. Perform fire hydrant flow test on all fire hydrants every two years. Maintain documentation on available flows from Location fire hydrants and report any maintenance deficiencies to the location's AHJ.
- CC. Ensure fire stations and associated furnishings and appliances are kept clean.
- DD. Establish and implement an Immediately Dangerous to Life or Health (IDLH) rescue Program in accordance with OSHA 29 CFR and location's annex.
- EE. Support all stand-by requirements through an "In-District" response readiness posture.
- FF. Verify that firefighting personnel pass annual physical examinations in compliance with NPR 1800.1C, NASA Occupational Health Program Procedures....
- GG. In accordance with DRD TBD, Performance Metrics and Workload Indicator Report, develop and update pre-fire plans annually or as necessary for alterations or modifications for:
 - 1. Occupied Structures (with 10 or more occupants)
 - 2. High value high hazard structures
 - 3. Aircraft
 - 4. Mission critical, infrastructure, high value equipment, and vehicles

- HH. Maintain current pre-fire plans electronically and hard copy on all first response and command vehicles and document number of fire plans developed in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.

2.2. EMERGENCY MEDICAL SERVICES

The Contractor shall:

- A. Provide an Advanced Life Support (ALS) Emergency Medical Services Program and respond to all emergency medical dispatches. This program is responsible for but not limited to treatment and transport of patients to local hospitals (patients are defined as all visitors, contractors, tenants, partners, and Government employees). (Refer to location annex). Document all ambulance runs in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.
- B. Ensure that the Emergency Medical Services (EMS) program is managed by an individual with the applicable state paramedic licenses and other required certifications (see Appendix TBD, Fire Services Qualifications).
- C. Develop an EMS Program and ensure coordination with the site Medical Services Officer or non-NASA medical authority as determined by the Annex COR.
- D. Operate under the authority and direction of the site Medical Services Officer or non-NASA medical authority as appropriate by location when performing EMS services and interacting with patients. (See site Annex).
- E. Ensure all assigned EMS personnel maintain a current applicable state license, remain certified, and are fully capable to carry out the functions of an EMS provider. See Annexes for state requirements.
- F. Ensure that all ALS ambulances are certified by the applicable State and local authority. This ALS certification shall remain current. (See location annex)
- G. Implement an OSHA-compliant Fire Services Infection Control Program. Ensure that the Fire Services Infection Control Program meets the requirements of OSHA.
- H. Support special events (e.g., Human Space flight launches, open houses, VIP visits) and other events as directed by the COR.

2.3. FIRE OPERATIONS SAFETY

The Contractor shall:

- A. Develop a Fire Operations Safety Program. This program shall be managed by a Fire Officer. The operations safety program is responsible for but not limited to providing Fire safety oversight of all operations.
- B. Ensure the incident safety officer is integrated within the NIMS as a command staff member for all moderate to large emergency responses.

- C. Ensure that the fire department's personnel accountability system is utilized for all responses to IDLH environments.
- D. Ensure that rapid intervention teams are established for all responses to IDLH environments.
- E. Develop an incident risk management plan that is incorporated into the fire department's Incident Management System.

2.4. FIRE SERVICES TRAINING

The Contractor shall:

- A. Develop and maintain a Fire Protection Training Program. Provide education and training to personnel in accordance with each Center's Annex, and document training in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.
- B. Provide a quarterly matrix identifying current training levels for all fire services personnel, in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.
- C. Ensure all fire department members with an emergency response function meet annual training requirements in accordance with NFPA and industry standards including:
 - 1. SCBA
 - 2. Live ARFF fire
 - 3. Driver
 - 4. Hazmat
 - 5. ARFF
 - 6. Safety
 - 7. Fire prevention
 - 8. Technical Rescue
 - 9. EMS
 - 10. Active Shooter/Hostile Events Response (ASHER)
- D. Ensure all firefighters are trained as well as certified in ARFF within one year of hire and remain certified and fully capable at all times.
- E. Conduct at least two (one day and one night) live fire ARFF training drills per year.

Note: The Contractor shall bring an approved ARFF trainer onsite to meet the training requirements.

- F. Conduct a minimum of two (one day and one night) structural training drills per year and document responses in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.
- G. Coordinate with the Protective Services instructors to support development of the Casualty Task Force (Rescue Task Force) training course, which combines law enforcement and fire/rescue personnel into a task force to enter a mass casualty event such as a mass casualty shooting after the threat has been neutralized or contained. The fire personnel should be trained to perform rapid triage, CPR, and tourniquets, as well as occlusive dressings.
- H. Participate in at least two Active Shooter/Hostile Events Response (ASHER) training exercises per year to include the Rescue Task Force (RTF) with security personnel.
- I. At a minimum, firefighters should be trained in accordance with NFPA and industry standards in:
 - 1. High-Hazard Occupancy firefighting
 - 2. Transportation vehicles firefighting and extrication
 - 3. Rural and urban interface firefighting
 - 4. Rope rescue (Awareness Level)
 - 5. Confined space (Awareness Level)
 - 6. Trench rescue (Awareness Level)
 - 7. Structural collapse (Awareness Level)
 - 8. Chemical, Biological, Radiological, and Nuclear (CBRN) (Awareness Level)
 - 9. First Aid
 - 10. Hazardous materials response (Technician Level)

2.5. FIRE PREVENTION

The Contractor shall:

- A. Develop and maintain a Fire Prevention Program that complies with NASA-STD-8719.11 and NFPA Codes and Standards. This program is responsible for fire prevention activities on the location including but not limited to facility fire safety inspections, identification of fire hazards, identifying fire safety deficiencies, and issuing hot work permits. Document number of fire hazards reported and the number resolved in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.
- B. Provide annual refresher training to all fire inspectors by certified instructors.
- C. Participate in facility or pre-hazardous operational walk downs.

- D. Perform fire inspections for all facilities; identify fire hazards and discrepancies; provide and process reports and corrective actions in accordance with NASA-STD-8719.11 and NFPA Codes and Standards, and retain reports electronically.
- E. Resolve issues involving the identification of fire hazards with facility managers. Issues that cannot be resolved by the inspector shall be brought to the attention of the site AHJ for resolution, to include impairment plans and effective communication to building occupants, the fire department, and other relevant personnel.
- F. Track all fire hazards and discrepancies until closure.
- G. Notify the Center AHJ of all fire discrepancies not corrected.
- H. Issue hot work permits, space heater permits, and flammable/combustible liquid storage, small appliance permits at all work sites, utilizing applicable codes and standards. Document number of permits in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.
- I. Test, inspect, maintain, install, and purchase replacement portable fire extinguishers for all NASA operated facilities and areas in accordance with Center policies, where applicable. Document number of fire extinguishers purchased, replaced, associated costs, number inspected and tested in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.
- J. Ensure fire safety education training is provided every two months to aid the fire protection workforce in recognizing and eliminating fire hazards and reporting fire or emergency situations. See DRD TBD, Performance Metrics and Workload Indicator Report.
- K. Conduct an annual presentation focused on fire prevention as part of fire prevention week. Fire Prevention Week is observed on the Sunday through Saturday period in which October 9th falls.
- L. Provide a minimum expenditure of \$4,000 per year at each location for educational materials and promotional merchandise in support of Fire Prevention Week. All material must be approved by the location AHJ.
- M. Develop and publish quarterly briefs focused on fire prevention as part of the public education fire safety program.
- N. Conduct at a minimum, annual fire evacuation drills on all facilities occupied with ten or more occupants and maintain documentation of each drill. Document evacuation drills in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.
- O. Conduct monthly evacuation drills for the Child Development location.

2.6. FIRE PROTECTION PROGRAM

The Contractor shall:

- A. Develop, implement, and maintain a Fire Protection Program. This program is responsible for but is not limited to matters relating to fire protection including type of construction, occupancy classification, facility separation, water supplies, fire alarm detection systems, standpipe systems, suppression systems, and life safety requirements.
- B. Provide code compliance review/interpretation services.
- C. Provide fire risk analyses and fire protection surveys for mission essential and hazardous operations facilities annually. Document number of surveys conducted in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.
- D. Review utility and infrastructure outage impacts (gas, electric, water, traffic, etc.) and identify life, safety and fire protection concerns. Document number of outages in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.
- E. Review and submit comments for compliance of design deliverables on all new, refurbishment, and modification facility projects. Reviews are typically held at the 30, 60, and 90 percent stages of a facility project. Document the number of design reviews, site requests, constructions shop drawings in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.
- F. Review and provide support to facility projects site plan approval requests.
- G. Review and submit comments for construction shop drawings.
- H. Review and submit comments for equipment installation in hazardous locations.
- I. Witness all final acceptance tests of fire protection systems to ensure compliance with approved design documents and applicable codes and standards. Document the number of acceptance tests in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.
- J. Perform fire hydrant flow tests for new or modified fire suppression systems, and 2.6 (K) in accordance with DRD TBD, Performance Metrics and Workload Indicator Report.
- K. Review fire operations flow test results to determine any hydraulic gradient issues and report discrepancies to the Center's AHJ.
- L. Provide a minimum of one Fire Protection representative to attend the annual NASA Fire Coordinators Meeting (see travel requirements in PWS Section 1.1).

- M. Provide a minimum of one Fire Protection representative to attend the annual NFPA Conference and Expo (see travel requirements in PWS Section 1.1).
- N. Provide access to current editions of the following resources at each NFSC II location:
 - 1. NFPA 1, Fire Code
 - 2. NFPA 13, Standard for the Installation of Sprinkler Systems
 - 3. NFPA 20, Standard for Installation of Stationary Pumps for Fire Protection
 - 4. NFPA 30, Flammable and Combustible Liquids Code
 - 5. NFPA 70, National Electrical Code
 - 6. NFPA 72, National Fire Alarm and Signaling Code
 - 7. NFPA 101, Life Safety Code
 - 8. NASA STD 8719.11, NASA Standard for Fire Protection and Life Safety
 - 9. International building code

2.7. FIRE INVESTIGATION

The Contractor shall:

- A. Provide a Fire Investigation Program in accordance with NFPA 1033, Standards for Professional Qualifications for Fire Investigators. This program is responsible for but is not limited to investigating fire/explosion origin and cause.
- B. Provide a Fire Investigator at ARC and KSC as a collateral duty within Section 2.6, Fire Prevention. The Contractor may be required to travel (Government funded) to support other NASA locations when directed by the Annex COR and Annex CO.
- C. Investigate all fires using a qualified fire investigator and submit findings to location's AHJ.
- D. Provide tools and equipment necessary to perform fire/explosion origin and cause investigation.
- E. Provide annual refresher training by attending, at a minimum, the International Association of Arson Investigators, "International Training Conference," or equivalent (travel IDIQ).

2.8. FIRE SERVICES PERSONNEL QUALIFICATIONS (SEE ANNEXES)

The Contractor shall:

- A. Provide fire services personnel who meet or exceed the minimum requirements of the position being filled, as prescribed in Appendix TBD, Fire Services Personnel Qualifications. Refer to the applicable Center's tab in Appendix TBD for additional qualifications.
- B. Ensure all personnel filling a temporary position of greater responsibility meet or exceed the minimum requirements of the position being filled. Refer to the location Annexes for additional qualifications.

3. NASA FIRE SERVICES PHYSICAL FITNESS REQUIREMENTS

The Contractor shall:

- A. Ensure all operational personnel are physically fit and physically capable of performing firefighting duties, in accordance with Appendix TBD, Firefighter Medical Screening Standards, and as described herein.

Note: Operations personnel include all fire personnel who would participate in firefighting efforts (e.g., Fire Officers and firefighters/EMT/paramedics. Administrative personnel are exempt from this requirement.)

- B. Ensure all fire department personnel receive an annual medical physical based upon an ergonomic review of the critical physical attributes required for emergency service operations and are compliant with the requirements of NPR 1800.1, appendix C, section A3 (G). To ensure personnel wellness, the fire department shall have physical fitness exercise requirements evaluation, which will be known as the Combat Task Test (CTT). Refer to Appendix TBD, Firefighter Medical Screening Standards.
- C. Ensure all operational personnel participate in an individualized physical fitness program (e.g., weight-lifting, high-intensity cardio) while on duty status on each scheduled workday (shift). Team sports such as basketball or volleyball are not eligible to meet the entire requirement.
- D. Barring department operational requirements, and if the senior shift fire officer deems permissible, allow operational personnel approximately 1.5 hours each shift to complete physical fitness requirements. NFSC-issued physical fitness uniforms shall be worn while exercising in accordance with Appendix TBD, Uniform and Grooming Requirements for Firefighter Personnel.
- E. Document all operational personnel physical fitness activities on a Physical Fitness Training Roster. Forms shall be forwarded to the Fire Services Administrative Office at the end of each month. Completed forms shall be kept on file for a period of 12 calendar months and shall be available upon the Government's request.

- F. Ensure operational personnel participate in each of the three specific disciplines during physical fitness periods:
1. Flexibility
 2. Strength
 3. Aerobics
- G. Ensure operational personnel take the CTT in successive order listed below:
1. Operational personnel shall wear the following protective clothing while completing the CTT.
 - a. Full structural firefighting bunker gear (coat and pants).
 - b. NFPA approved structural firefighting boots.
 - c. SCBA with a composite bottle, used by the Fire Department. Personnel shall wear the facemask, maintain an adequate respiratory seal and breathe SCBA bottled air while performing the CTT.
 2. Ascend and descend 75 feet of stairway while carrying a 14-pound simulated high-rise pack.
 3. Hoist a 50 feet roll of 1-3/4-inch hose with nozzle, using a 1/2-inch to 5/8-inch rope to a height of 50 feet.
 4. Simulate forcible entry by hitting 150-pound beam with 9-pound sledgehammer to move the beam a distance of 5 feet (Keiser Force Machine). Firefighters must keep both hands below a tape-marked line on the sledgehammer, which is 1 foot down from the head of the sledgehammer, and only contact the beam with the head of the sledgehammer.
 5. Lift, drag, or carry a 170-pound mannequin a distance of 85 feet.
- H. Administer the CTT annually and require operational personnel to complete the CTT within seven minutes. Employees who fail to pass the CTT shall be considered unfit for duty. Employees who fail the CTT will have two additional attempts to pass within the 45 days. Any injury or medical condition during an attempt resulting in the employee not completing the course constitutes a failure; however, see paragraph J.
- Note: The CTT results of incumbent personnel who have passed the CTT within six months prior to full performance of location start are acceptable.
- I. Employees must pass the CTT, be medically and physically cleared by the Location Medical Officer (CMO) to be considered fit for duty.

- J. Employees who are unable to complete the CTT due to a medical condition shall be evaluated by their attending physician to determine any limitations affecting their ability to perform essential job functions. The attending physician shall provide a written report to the location Medical Officer. The Medical Officer will review the report, assess the employee's assigned job tasks (including CTT requirements), and determine whether additional medical information, testing, or a further evaluation is necessary. Based on this assessment, the Medical Officer shall determine the employee's fitness for duty. Once the employee is medically cleared, they must pass the CTT within 45 calendar days and within remaining available attempts.
- K. Employees' failure to meet the requirements of the CTT will result in the employee no longer being certified to perform as operational personnel.
- L. Employees not able to take the CTT due to an absence during the Contractor's testing cycle shall pass the CTT prior to returning duty.
- M. Employees who return from hospitalization or surgical procedures (as defined by the Contractor) shall be medically and physically cleared by the CMO. Within 45 days of concurrence from the CMO, the employee must pass the CTT to be considered fit for duty.