

STATEMENT OF WORK FOR SOLICITATION

INDUSTRIAL GASES AND TANK/EQUIPMENT RENTAL AND MAINTENANCE

1. Scope

1.1. General Description: Puget Sound Naval Shipyard (PSNS) detachment in Naval Air Station North Island, San Diego CA and Submarine Base Point Loma requires a broad range of bottled gases, bulk gases, and tank/equipment rentals delivered Just-in-Time, from the Contractor's distribution center(s) to multiple sites within NASNI and Point Loma. The products and tank/equipment rentals will be utilized in the NASNI Depot Maintenance Facility (DMF) operations, CNO availabilities and Continuous Maintenance.

1.2. Contract Type: The contract shall be for one-year base period and (4) one-year option periods and shall be Firm Fixed Price Indefinite Delivery Indefinite Quantity Type Contract (IDIQ). Ordering will be made through issuance of written delivery orders, unless otherwise authorized by a warranted Contracting officer.

2. References (Applicable Standards and Certificate of Analysis (COA) Requirements: The Contractor is required to comply with all standards and specification of all items listed below. Per paragraphs 3.3, 4.6 and 4.7, Contractor shall provide COA for gases detailed in section 2.4 and 2.5, at no additional cost to the Government, as follows:
Double (**) indicates upon delivery of each fill of gas delivered
Single (*) indicates upon initial delivery of a lot for mixed weld gas and argon or when requested by the Government

Bulk Gases in Liquid Form: The vessel in which the gas is originated from, delivered in, or to, at the Government's direction shall be treated as follows:

- Quarantine: The vessel will be quarantined by the Government, the Contractor will be notified of the need for a COA, the Contractor will have 2 (two) business days to analyze and provide the COA.
- Transfer of Custody: The vessel will be quarantined by the Government, the Contractor will be notified of the need for a COA, the Contractor will have 2 (two) business days to take custody of the vessel, and an additional 2 (two) days to analyze and provide the COA. In this circumstance, the Contractor will use a "Chain of Custody" form for proper tracking.

High-Pressure Cylinder in Gaseous Form: When required by paragraph 3.3 and 4.8 a COA shall be provided within two (2) business days, when requested, as follows:

- Industrial Gas (Para. 2.4): COA for High-Pressure Cylinder Industrial Gases shall reference the original bulk supply COA.
- Mixed Welding Gas (Para. 2.5) and Argon (Para. 2.4): Per paragraph 3.3, the Government expects each lot of High-Pressure Cylinder Welding Gas will have 1 (one) cylinder tested and used as the basis for the COA for the entire lot.
- When a new lot is provide to the Government, the Contractor shall provide proper COA for that lot upon delivery of the gas.

NOTE: Any lot of Mixed Welding or Argon gas delivered to the government shall not be authorized for use if a proper COA for that lot is not on file with the government (as in that lot has not been delivered previously).

2.1. MIL-STD 1411C, Inspection and Maintenance, Cylinders

2.2. MIL-STD 101C, Paint

2.3. ANSI/ASQ Z1.4, Sampling for Test and Inspection

- 2.4. Industrial Gas:** Gases per this contract shall be of a commercially available grade with the exception of those listed below, which shall comply with and meet all of the physical and quality assurance requirements of the cited specifications. Failure of any one container constitutes failure of the entire lot.

- 2.4.1. BB-A-106D Grade B, Technical, Dissolved, Dated 12-27-10, **Acetylene- Gaseous***
- 2.4.2. MIL-A-18455C, Technical, Dated 12-23-86, **Argon- Liquid ** and Gaseous***
- 2.4.3. BB-H-1168D Grade A, Technical, Dated 11-15-10, **Helium-Gaseous***
- 2.4.4. Federal Spec BB-H-886E, 2-24-11, **Hydrogen- Gaseous***
- 2.4.5. CID A-A-59155, Grade A, Dated 03-05-03, **Nitrogen- Liquid** and Gaseous***
- 2.4.6. CGA G-10.1-2016, Grade L, **Nitrogen- Liquid** and Gaseous***
- 2.4.7. BB-0-925A Type 1, **Oxygen- Gaseous***

- 2.5. Mixed Welding Gas:** All Mixed Gases shall be per AWS A5.32 and shall meet the mixture tolerance of Table 3 and the purity, dew point, moisture and nitrogen content of Table 4. If the gas mixture requested is not listed in AWS A5.32 for gas mixtures, the applicable military or Federal Specification for single component gases may be used with the tolerance of mixture, purity, dew point, moisture, and nitrogen requirements of Table 3 and Table 4 of AWS A5.32. Note: Mixed gases in paragraph 2.5.1, 2.5.2, 2.5.3, 2.5.6 and 2.5.7 require testing for nitrogen as specified in AWS A5.32, Table 4, note a.

- 2.5.1. 75% Argon/25% CO2 Mixture*
- 2.5.2. 90% Argon/10% CO2 Mixture*
- 2.5.3. 95% Argon/5% CO2 Mixture*
- 2.5.4. 75% Argon/25% Helium Mixture*
- 2.5.5. 95% Argon/5% Helium Mixture*
- 2.5.6. 95% Argon/5% Hydrogen Mixture*
- 2.5.7. 98% Argon/2% Oxygen Mixture*

3. Objective Quality Evidence (Reports)

- 3.1. Certificate of Conformance (COC) - Bulk or Micro Bulk Storage Tanks** (COC- A form that states the product or item conforms to the requirements of a specification). Contractor shall establish and maintain COCs for each contractor owned tank they supply, control or maintain for this contract for the duration of the contract.

- 3.1.1. The COC shall be established by the contractor to validate the tank is certified for storage of a particular gas type, when the tank is inducted into use for this contract.
- 3.1.2. The contractor shall establish a new COC when a tank currently in use for storage of a specific gas type is changed to storage of another gas type.
- 3.1.3. Contractor shall provide COC for tanks when requested by the government within 2 (two) business days.

- 3.2. Certificate of Conformance (COC) - Gases:** Contactor shall provide, at no additional cost to the Government, COC's verifying that all lots of gas conform to all gas specifications, both liquid and gaseous, as referenced in paragraphs 2.4 and 2.5. The COCs shall be provided to the Contacting Officer (KO) and the Contacting Officer's Representative (COR) within five (5) business days of contract award and within five (5) business days of renewal/exercise of any contract option year, and within two (2) business days as changes occur, or when otherwise requested by the Government.

- 3.2.1. Contractor format is acceptable and at a minimum the gas COC shall be signed by qualified Contractor Personnel and shall include the wording "The (GAS TYPE) supplied to PSNS Detachment San Diego under (CONTRACT #) meets the requirements of (SPECIFICATION NUMBER/TITLE)."
- 3.2.2. Contractor may also provide supplemental COCs provided to the Contractor from an authorized official of a subcontractor or manufacturer.

- 3.2.3. Contractor shall immediately notify the KO and COR in the event the Contractor becomes unable to provide gases per specifications referenced in paragraphs 2.4 and 2.5.
- 3.2.4. Furnishing of the COC by the Contractor shall not limit or restrict the Government's right of inspection under the inspection provisions of the contract.

3.3. Certificate of Analysis (COA) – An authenticated document issued by the Contractor's Quality Assurance Group that establishes that a regulated product has met its product specifications and quality. Prior to final award of the contract the contractor shall supply information related to how testing of gases is accomplished (i.e. equipment, testing procedures, standards, etc.) and provide an example of a COA for validation by the shipyard to ensure the contractors testing and reporting meet contract requirements. The contractor shall:

- 3.3.1. Perform chemical test/analysis of each gaseous and liquid lot (as defined below) of gas supplied in performance of this contract per specifications referenced in paragraphs 2.4 and 2.5. Lot test records shall be traceable from the lot vessel markings to the COA and shall be retained for the duration of the contract.
- 3.3.2. Produce written COAs that include test data/chemical analysis break out showing elements tested for and that indicate conformance to specifications based on actual chemical tests performed for each lot.
- 3.3.3. Provide COAs to the COR at no additional cost to the Government as indicated in paragraphs 2.4 and 2.5. See paragraph 2 for periodicity.
- 3.3.4. Contractor format is acceptable and at a minimum the COAs shall be signed by qualified Contractor personnel and shall include the following:
 - Government Contract Number
 - Lot Number
 - Gas Type
 - Vessel Marking/Serial Number (if cylinder)
 - Analytical Results (include all required results per specification from paragraph 2.4 or 2.5 dependent of product being tested).
 - The Statement: "The (GAS TYPE) supplied to PSNS Detachment San Diego under (CONTRACT #) meets the requirements of (SPECIFICATION NUMBER/TITLE)."
- 3.3.5. For COC and COA Quality Assurance and Testing requirements a "Lot" shall be defined by the specifications referenced in paragraphs 2.4 and 2.5.
- 3.3.6. Lot definition exception: For the purposes of quality conformance for paragraphs 2.4 and 2.5 or where no specification exists, or where no clear definition of a lot exists, the following shall apply:
 - Bulk Gas: The entire amount of gas generated as the original bulk supply in one shipping container shall constitute a lot.
 - High Pressure Cylinders in Gaseous Form for Welding Gases of para. 2.5: Every cylinder filled from the same source on the same day shall constitute a lot.

3.4. Reports: Contractor shall prepare and submit the following reports to the KO and the COR within the specified time frame listed for each report, at no additional cost to the Government. In addition to specific report data fields, all reports shall include:

- Contractor's Name and address
- Contract number
- Report Title
- Date of Report
- Reporting Period
- Name of preparer and telephone number

3.4.1. Yearly Reporting Requirement

- a. **Certificate of Conformance (Gas)** – See paragraph 3.2
- b. **POCs for Notification and Technical Assistance** – See paragraph 4.4.10
Data Fields:
 - During business hours POC
 - After business hours POC

To be submitted upon contract award and upon each option year exercised, and at any time changes occur.

3.4.2. Quarterly Reporting Requirement

a. Quarterly Contractor Owned Equipment Rental Report

The following data fields shall be included in report

- Delivery Order #
- CLIN
- Quarterly beginning balance
- Quantity ordered during reporting quarter
- Quantity returned during reporting period

- b. To be submitted with the 1st quarter as the start of the contract base year or exercised option year. For example: Q1=May-July, Q2=Aug-Oct, Q3= Nov-Jan, Q4= Feb-Apr

3.4.3. Monthly Reporting Requirement

a. Monthly Contractor Owned Cylinder Rental Report

The following data fields shall be included in report

- Delivery Order #
- Monthly rental balance for Gaseous cylinder rental.

- b. To be submitted by the 5th of every month for the previous month at the start of the contract base year or exercised option year.

4. Requirements- All requirements herein to be performed at no additional cost to the Government.

- 4.1. Government Oversight:** The Government shall perform periodic product testing and periodic (at least annually) audits of the Contractor's compliance to this contract. The Contractor shall make available all Quality Assurance and Quality Control records, and shall provide access to their facilities for the audits. The assigned COR will perform random surveillances on deliveries, monitor contractor's performances, and review/approve reports and invoices.

- 4.2. Contractor Responsibility:** The Contractor is responsible, either through its own resources or subcontractor, for the full range of logistic and customer-support processes including: product, tank (a vessel that holds liquid gas), cylinder (a vessel that holds gaseous gas), equipment pick-up and delivery, inventory management, certification and maintenance, warehousing, transportation, supplier relationships, technical compliance, quality assurance, customer service, order receipt and fulfillment, return processing, invoicing within 30 days of delivery, data collection and reporting. High pressure cylinders shall be pressurized IAW commercial standards for cylinder types and sizes.

- 4.3. Qualified Personnel:** The Contractor shall ensure all Contractor Personnel have qualifications specific to their duties, which shall be supported by licenses, permits, tests, statements of competency, or other documentation. Contractor shall retain records of those qualifications and provide when requested by the Government within 5 (five) business days.

- 4.4. Contractor Owned Equipment:** All work detailed within paragraph 4.4 shall be done in such a manner as to minimize disruption of ongoing Government work. The Contractor shall:

- 4.4.1. Certify, install, maintain and keep all equipment used in performance of this contract in good operating condition:** In accordance with applicable standards, rules, regulations and good commercial practices. Contractor shall retain records of those activities for the duration of the contract and provide when requested by the Government within 5 (five) business days.

- 4.4.2. Perform repair:** For equipment needing non-emergent repair, as determined by either the Contractor or the Government, the contractor shall have 8 (eight) business hours to notify/acknowledge the need and respond to the Government (by telephone allowed), 2 (two) business days to provide (at minimum) remote technical assistance and 5 (five) business days to have a qualified Contractor Technician at the Government site to satisfactorily remedy the issue.

4.4.3. Perform emergent maintenance/repair: For equipment requiring immediate attention due to safety or critical Government work evolutions, as determined by either the contractor or the government, the Contractor shall provide same day service to satisfactorily remedy the issue.

4.4.4. Replace or relocate equipment- Contractor determined:

- a. If the Contractor determines that its equipment needs to be replaced or relocated for safety, maintenance, or need of access the Contractor shall immediately notify the KO and the COR.
- b. A site for equipment needing relocated shall be coordinated between the Contractor and the COR.
- c. Equipment relocated to perform maintenance shall be returned to its original location, unless otherwise agreed to by the COR.

4.4.5. Replace or relocate equipment- Government determined:

- a. If the Government determines the Contractor's equipment needs replaced, the contractor shall have 8 (eight) business hours to acknowledge the need and respond to the Government (by telephone allowed), and 5 (five) business days for non-emergent replacement or 24 (twenty-four) hours for emergent replacement, unless otherwise agreed to by the COR. Replacement equipment shall be of the same type and capacity as that being replaced, unless otherwise agreed to by the KO for contract modification.
- b. If the Government determines that the Contractor owned cryogenic micro-bulk tanks need relocating, the government shall provide courtesy notice to the Contractor of such movement. Movement of the tanks shall be performed by the Government with technical guidance provided by the contractor.

4.4.6. Notification of Work: Contractor shall provide a formal written report to the COR at least 60 (sixty) days prior to desired start date of work that will significantly disrupt the Government. The report shall describe the extent of work to be done, time to complete, personnel needed, and equipment required.

4.4.7. Temporary Services: Contractor shall provide temporary services during the removal, installation and/or prolonged maintenance of gas tanks.

4.4.8. Designated Technical Personnel: The Contractor shall provide the Government with point of contacts for notification purposes and technical assistance for regular business hours and after business hours.

4.5. Damage/Loss of Equipment: If the Contractor discovers damage to or loss of Contractor's equipment, contractor shall notify the KO and the COR, in writing, of the damage or loss and shall provide all relevant details to include cost of repair or replacement.

4.6. Gas Identification (Cylinder): For cylinder gases requiring a COA, per paragraphs 2.4, 2.5 and 3.3, in addition to standard specification labeling requirements and precautionary information as required by federal, state, local, and provincial requirements, each cylinder shall have a tag, sticker, or bar code affixed which includes the lot number- traceable to the Certificate of Analysis.

4.7. Bulk Tank Identification/Fill Log: All liquid gas mixing stations and associated fill tanks, as well as all liquid Argon tanks for welding gases, shall have a Fill Log affixed to the tank indicating:

- Lot Number
- Fill Date
- Fill Plant
- Product Filled
- Container Number
- Name of Technician

5. Delivery Requirements: Contractor shall deliver all requirements within **48 hours** of notice from a designated government representative or COR. Bulk Tanks to be refilled **weekly** or at approximately 30% tank level or when requested by the government. Contractor shall deliver high pressure cylinder requirements within 48 hours of notice made by the government.

5.1. Delivery Expectation: Delivery is to be made within 48 hours of notice from government representative or COR verbal or written. Delivery tickets/receipts are required for both written and oral orders. Contractor shall provide a copy of the delivery ticket/receipt to the government point of contact or receiver upon completion of delivery. The delivery ticket shall provide the following information:

- Gas/Product information
- CLIN- contract line item
- Quantity delivered
- Contract #
- Delivery order #
- Available area for the shipyard receiver to print his name, sign, date and provide a badge # (Contractor will ensure the receiver will print, sign, include badge number, and date on the delivery ticket)
- Bulk gas shall be recorded in GALLONS ONLY rounded to the nearest whole number
- Bulk gas receipts will have the COA analytical recorded on the delivery receipt for that requirement per section 2.
- Cylinder deliveries that shall meet a requirement from section 2.4 and/or 2.5, the contractor shall provide the COR with the COA's for any lot that is delivered unless otherwise provided on a previous delivery. Any new lot that is delivered will require a COA on file with the COR before requirement can be accepted. The delivery receipt will provide the lot #'s delivered under the CLIN for the requirement.

Ensure all delivery ticket copies are legible.

5.2. Delivery Schedule: The contractor shall be available to deliver requirements between the receiving hours of 0700 to 1500, 7 days a week. Exceptions outside of receiving hours will be agreed upon by the COR and contractor.

5.3. Cylinder Gases:

- NASNI- Delivery to be on demand when requested by COR or by designated government representative.
- Point Loma- Delivery to be on demand when requested by COR or by designated government representative.

5.4. Bulk Gases:

- NASNI- Weekly delivery schedule unless otherwise requested by COR or when tank reaches below 30%, whichever comes first.
- Point Loma- Weekly delivery schedule unless otherwise requested by COR or when tank reaches below 30%, whichever comes first.

5.5. Delivery Locations:

5.5.1. Naval Air Station North Island (NASNI)- Controlled Industrial Area (CIA)

Location
Pier J
Pier K
Pier L
Bldg. 71
Bldg. 72
Bldg. 73

5.5.2. Naval Base Point Loma- (Pt. Loma)

Location
Bldg. 633

6. Point(s) of Contact:

6.1. Contracting Officer (KO):

6.2. DLA Puget Sound Contracting Administration Official:

6.2.1. Vera Anderson, vera.anderson@dla.mil, 385-591-2047

6.3. Contracting Officer's Representative (COR)

7. Estimated minimum and maximum number of tank rentals. Table identifies gas type, minimum and maximum quantity of tanks that can be required based on project requirements. Micro bulk and stationary tank locations will be identified in each delivery order. Micro bulk tank location may change as required by the project.

*Rental shall include a vaporizer and regulator capable of being set at the requested PSIG. Rental shall include regular maintenance of tank and yearly tank inspection.

**Rental shall include a vaporizer and regulator capable of being set at the requested PSIG (high pressure tank) for 2 (two) each of the tanks- 1 (one) for building 72 and 1 (one) for building 633. Rental shall include regular maintenance of tanks and yearly tank inspection. Tanks must be less than 90 inches tall and fit within a 6 foot by 9 foot print. Tanks to be installed by Contractor upon delivery at location set by PSNS COR.

** Rental shall include a vaporizer and regulator capable of being set at the requested PSIG (low pressure tank) for 2 (two) each of the tanks- 1 (one) for building 72 and 1 (one) for building 633. Rental shall include regular maintenance of tanks and yearly tank inspection. Tanks must be less than 90 inches tall and fit within a 6 foot by 9 foot print. Tanks to be installed by Contractor upon delivery at location set by PSNS COR.

NOTE: 450 Liter (Nitrogen) tanks installed at bldg. 72 the contractor shall run a bleed out line from the enclosed tank storage space out the roof to ensure personnel safety.

GAS TYPE	SIZE	ESTIMATED MINIMUM QTY	ESTIMATED MAXIMUM QTY
Nitrogen **	450 Liters	4	6
Nitrogen *	2000 Liters	3	6
Nitrogen *	1500 Liters	3	6
Nitrogen *	3000 Liters	1	4
Argon *	1500 Liter	2	2

8. Security: The contractor shall provide completed and signed PDF versions of SECNAV 5512/1 forms to the COR 15 days prior to the start of the contract for DBIDS access. The contractor shall provide these forms for all regular delivery drivers and service technicians assigned. Once DBIDS access is approved the delivery driver shall obtain a green NAVSEA contractor badge for access into the PSNS-CIA. The contractor shall adhere to any other required documentation or performance to meet updated or changing security details or requirements. The contractor shall provide the COR 15 days prior to the start of the contract a letter on company letter head stating who they will be sending to perform the delivery and pick up of goods. Cameras, Camera Cell Phones, Personal Electronic Devices (with record capability), and computers (except those specifically authorized by the IT Department) are PROHIBITED in the CIA. Issued NAVSEA badges must be worn center chest area at all times while in the CIA or and other PSNS DMF controlled property or buildings. Proof of US Citizenship is required.

The following articles are approved for proof of citizenship:

- U.S. birth certificate with a raised state seal
- U.S. passport
- FS-240 Consular Report of Birth Abroad
- DS-1350 Certification of Report of Birth and FS-545 Certificate of Birth Abroad
- N-550 Certificate of Naturalization (Original Only).
- N-560 Certificate of Citizenship or N-561 Replacement Certificate of Citizenship

g. Current and valid U.S. passport cards

The PSNS- DMF Sponsor (XXXXXX) will accomplish the following:

- A. Collect a letter from the contractor on company letter head of who it is they are sending to perform under their contract.
- B. Submit a PSNS 5512-127 PSNS Visitor Badge Request Form to the Security Office.