

SPECIAL PACKAGING INSTRUCTION			CODE ID 98747	SPI NO. (TPO) F01-060-1272	
			SHEET 1 OF 6		
PART OR DRAWING NO. 3833000-22	NATIONAL STOCK NO. 1650-01-165-7203 WF	CURRENT REV H	ILL. D. NAY P.S. W. MONSON		
ITEM NOMENCLATURE CYLINDER ASSEMBLY, ACTUATING, LINEAR		ORIGINAL DATE 81110	CHK. R. TAYLOR AUTH. N. CORONADO		
MILITARY PRESERVATION IAW MIL-STD-2073			PACKING AS SPECIFIED BELOW AND BILL OF MATERIALS		
SERVICEABLE METHOD: 42		LEVEL	SPEC	STYLE	TYPE CL VRTY GR TR
UNSERVICEABLE METHOD: 42		A	ASTM D6251 (MOD)	A	III 2 B
QUP 001		B	ASTM D6251 (MOD)	A	III 2 A
ICQ 000		LEVEL A LEVEL B			
CLEANING & DRYING: IAW MIL-STD-2073		GROSS CU FT		10.309	10.309
PRESERVATIVE: N/A		GROSS WT LBS		116	116
		DESIGN FRAGILITY G		20	20
MARKING IAW MIL-STD-129		LENGTH WIDTH DEPTH			
SPECIAL MARKINGS:		CNTR I.D.			
A) SPI NO. F01-060-1272		LEVEL A: 42 18 1/2 14 1/4			
MARK THE SPI NUMBER ON THE IDENTIFICATION SIDE OF CONTAINER.		LEVEL B: 42 18 1/2 14 1/4			
B) REUSABLE CONTAINER & DUNNAGE DO NOT DESTROY.		CNTR O.D.			
C) DO NOT OPEN UNTIL READY FOR USE/INSPECTION		LEVEL A: 44 20 1/2 19 3/4			
		LEVEL B: 44 20 1/2 19 3/4			
CLOSURE		ITEM DIM 29 1/2 9 1/2 6			
LEVEL A: IAW: ASTM D6251		ITEM WT. 55 LBS			
LEVEL B: IAW: ASTM D6251					
REVISIONS					
LTR	DESCRIPTION				DATE
H	UPDATED SPECIFICATIONS AND DIMENSIONS. ADDED DISTRIBUTION STATEMENT AND DESTRUCTION NOTICE				18019
DISTRIBUTION STATEMENT D: DISTRIBUTION AUTHORIZED TO DEPARTMENT OF DEFENSE AND U.S. DOD CONTRACTORS ONLY, ADMINISTRATIVE OR OPERATIONAL USE, 19 JANUARY 2018. OTHER REQUESTS FOR THIS DOCUMENT SHALL BE REFERRED TO 406 SCMS/GULAA, (PACKAGING DIVISION), HILL AFB, UTAH 84056.					
DESTRUCTION NOTICE: FOLLOW THE PROCEDURES IN DOD 5220.22-M, NATIONAL INDUSTRIAL SECURITY PROGRAM OPERATING MANUAL (NISPOM), SECTION 5-705, OR DOD 5200.1-R, INFORMATION SECURITY PROGRAM, CHAPTER VI. FOR UNCLASSIFIED, LIMITED DOCUMENTS, DESTROY BY ANY METHOD THAT WILL PREVENT DISCLOSURE OF CONTENTS OR RECONSTRUCTION OF THE DOCUMENT.					

SPI NO. F01-060-1272

SPECIAL PACKAGING INSTRUCTION				CODE ID 98747	SPI NO. (TPD) F01-060-1272
ITEM NOMENCLATURE CYLINDER ASSEMBLY, ACTUATING, LINEAR					SHEET 2 OF 6
-15	2	STRAPPING, STEEL	3/4 X 0.015 X AS REQUIRED	ASTM D3953 TYPE 1, RD, FINISH A	
-14	A/R	TAPE, PACKAGING	3 X AS REQUIRED	ASTM D5486 TYPE I OR V	
-13	1	CUSHION	34 X 13 X 3 1/4	A-A-59136 CLASS 1, GRADE A	B
-12	A/R	CUSHION	AS REQUIRED	A-A-59135 CLASS 1, GRADE A	5
-11	1	WRAP	37 X 33	A-A-3174 TYPE I, CLASS 1, GRADE A, FIN 1	
-10	2	REINFORCEMENT	8 X 3 X 1/4	ASTM D4727 CF, DOM, DW, GRADE 200	3 4
-9	1	CUSHION	34 X 13 X 3 1/4	A-A-59136 CLASS 1, GRADE A	2 A
-8	2	CUSHION, TOP & BOTTOM	34 X 13 X 1	A-A-59136 CLASS 1, GRADE A	2
-7	1	INTERIOR CONTAINER	34 X 13 X 8 1/2 (ID)	ASTM D5118 RSC, CF, DOM, SW, GRADE 200	
-6	1	BAG, BARRIER	47 X 35 (ID)	MIL-DTL-117 TYPE I, CLASS E, STYLE 1	
-5	2	CUSHION, SIDE	35 1/2 X 14 3/4 X 2	MIL-PRF-26514 TYPE I, CLASS 2, GRADE B	
-4	2	PLATEN	18 1/4 X 14 1/4 X 1/4	ASTM D4727 CF, DOM, DW, GRADE 200	1
-3	2	CUSHION, END	18 1/4 X 14 1/4 X 3	MIL-PRF-26514 TYPE I, CLASS 2, GRADE B	1
-2	2	CUSHION, TOP & BOTTOM	35 1/2 X 14 1/2 X 2	MIL-PRF-26514 TYPE I, CLASS 2, GRADE B	
-1	2	SKID	4 X 4 (NDM) X 20 1/2	ASTM D6199 CLASS 2	
P/N	QTY REQD	NOMENCLATURE OR DESCRIPTION	SIZE: (INCHES UNLESS SPECIFIED) TOLERANCES ON FRAC. ± 1/8, DECIMAL ± .10, ANGLES ± 1°	MATERIAL SPECIFICATION	

SPECIAL PACKAGING INSTRUCTION		CODE ID 98747	SPI NO. (TPD) F01-060-1272
ITEM NOMENCLATURE CYLINDER ASSEMBLY, ACTUATING, LINEAR			SHEET 3 OF 6
CAUTION NOTICES NOTICE 1: ASSETS PACKAGED IN ACCORDANCE WITH PREVIOUS EDITIONS OF THIS SPI DO NOT REQUIRE REPACKAGING IF THE INTEGRITY OF THE SPI IS MAINTAINED. NOTICE 2: SEE SPIRES FOR A COMPLETE LISTING OF NSN's ASSIGNED TO THIS SPI. NOTICE 3: PACKAGING MATERIAL MAY BE SUBSTITUTED IF IT MEETS THE REQUIREMENTS OF MIL-STD-2073, PROVIDES EQUAL OR BETTER PROTECTION AND THERE IS NO INCREASED COST TO THE GOVERNMENT. NOTICE 4: OVERSEAS AND FMS PACKAGING MUST MEET THE REQUIREMENTS OF LEVEL A PACKAGING. INTERNATIONAL STANDARDS FOR PHYTOSANITARY MEASURES REVISION OF ISPM NO. 15 REVISION OF WOOD PACKAGING MATERIAL FOR INTERNATIONAL TRADE THE FOLLOWING STATEMENT IS IN COMPLIANCE WITH THE UNITED NATIONS-IMPLEMENTED RESTRICTIONS ON WOOD PACKAGING MATERIAL (WPM). THIS REQUIREMENT IS SPECIFICALLY CONCERNED WITH INVASIVE SPECIES SUCH AS THE PINEWOOD NEMATODE. WPM IS DEFINED AS WOOD PALLETS, SKIDS, LOAD BOARDS, PALLET COLLARS, WOODEN BOXES, REELS, DUNNAGE, CRATES, FRAMES, AND CLEATS. THE STATEMENT BELOW CITES THE REQUIREMENTS IN DETAIL AND COVERS LUMBER FOR BUILDING CONTAINERS AND PALLETS USED FOR DELIVERIES, RESULTING IN SHIPMENTS WORLDWIDE (DIRECT, OR THROUGH AIR LOGISTICS CENTERS (ALC), CONTAINER CONSOLIDATION POINTS (CCP), OR OTHER BASES). WOODEN LUMBER, WOODEN PALLET AND PACKAGING/CONTAINER STATEMENT: ALL WOODEN LUMBER, WOODEN PALLETS, AND WOODEN CONTAINERS PRODUCED ENTIRELY OR IN PART OF WOOD PACKAGING MATERIAL (WPM) SHALL BE CONSTRUCTED FROM DEBARKED WOOD IN ADDITION TO THE APPLICATION OF HEAT-TREATED (HT) MATERIAL (HT TO 56 DEGREES CENTIGRADE OR 133 DEGREES FAHRENHEIT FOR 30 MINUTES). CERTIFICATION/MARKING IS REQUIRED BY AN ACCREDITED AGENCY RECOGNIZED BY THE AMERICAN LUMBER STANDARDS COMMITTEE (ALSC). FOR REFERENCE DOCUMENTATION, SEE LATEST REVISION OF "INTERNATIONAL STANDARDS FOR PHYTOSANITARY MEASURES (ISPM NO. 15), "REGULATION OF WOOD PACKAGING MATERIAL IN INTERNATIONAL TRADE." NOTES 1. LAMINATE REF.-3 TO REF.-4 USING A-A-1936A, TYPE II ADHESIVE OR EQUAL. 2. LAMINATE REF.-9 TO REF.-8 (BOTTOM CUSHION ONLY) USING A-A-1936, TYPE II ADHESIVE OR EQUAL. 3. CRIMP REINFORCEMENTS REF.-10, AND INSERT IN POSITION AS ILLUSTRATED. 4. FOR SERVO ACTUATOR WITH SHORT RAMS, MOVE REF.-10 REINFORCEMENTS IN AGAINST RAMS THEN FILL WITH A-A-59135, CLASS 1, GRADE A OR EQUAL. INSURE VOID IS FILLED VERY TIGHT TO EQUAL SURROUNDING CUSHIONING VALUE. 5. USING REF.-12, FILL EXCESS VOID TO INSURE ITEM IS SNUG WITHIN CUSHIONING CUT-OUTS.			


SPECIAL PACKAGING INSTRUCTION

CODE ID
98747

SPI NO. (TPD)
F01-060-1272



ITEM NOMENCLATURE
CYLINDER ASSEMBLY, ACTUATING, LINEAR

SHEET 4 OF 6



DETAIL B

CUTTING DETAIL FOR CUSHION REF.-13
EACH SQUARE = 1 INCH



DETAIL A

CUTTING DETAIL FOR CUSHION REF.-9
EACH SQUARE = 1 INCH


SPECIAL PACKAGING INSTRUCTION

CODE ID
98747

SPI NO. (TPD)
F01-060-1272

ITEM NOMENCLATURE
CYLINDER ASSEMBLY, ACTUATING, LINEAR

SHEET 5 OF 6



SPECIAL PACKAGING INSTRUCTION

CODE ID
98747

SPI NO. (TPD)
F01-060-1272

ITEM NOMENCLATURE
CYLINDER ASSEMBLY, ACTUATING, LINEAR

SHEET 6 OF 6

