





- GENERAL NOTES:**
1. CONTRACTOR SHALL REMOVE EXISTING SLAB AND EXCAVATE AS REQUIRED.
 2. CONTRACTOR SHALL INSTALL 4000 PSI CONCRETE WITH 4" MIN. THICKNESS AND 1" MAX. SPACING #5 BARS 1'-0" O.C. EACH WAY TOP AND BOTTOM.
 3. SLEEVE SHALL BE CORE DRILLED AND GROUTED IN PLACE.



NOTE:
ALL BADMINTON COURT LINES ARE 1/4" WIDE PAINTED RED.
ALL VOLLEYBALL COURT LINES ARE 1/4" WIDE PAINTED RED, EXCEPT CENTER LINE WHICH IS 4" WIDE PAINTED WHITE.

A9 VOLLEYBALL AND BADMINTON LANE DETAIL

24"-4" WIDE

2'-4" HIG.

4" CONC. GROUTED

#5 BARS GROUTED

KEESLER AIR FORCE BASE

BLAKE GYMNASIUM

BASKETBALL COURT FLOOR AND COURT FLOOR

PLAN SHEET

DATE: 10-10-90

BY: [Signature]

CHECKED: [Signature]

SCALE: 1/8" = 1'-0"

PROJECT: [Signature]

DESIGN: [Signature]

CONSTRUCTION: [Signature]

REVISIONS:

NO.	DATE	DESCRIPTION
1	10-10-90	ISSUED FOR PERMIT
2	10-10-90	ISSUED FOR PERMIT
3	10-10-90	ISSUED FOR PERMIT
4	10-10-90	ISSUED FOR PERMIT