

0100000 –General Information	
Table of Contents	
Spec Item	Title
1	General Information
1.1	Outline of Services
1.2	Project Location
1.3	Acquisition of Additional Work
1.4	Background Information
1.5	Verification of Workload and Conditions
1.6	Climate Patterns
1.7	Related Information
1.8	Navy Approach to Service Contracting
1.8.1	Partnering Philosophy
1.8.2	Contractor’s Knowledge
1.8.3	Industry Best Practices
1.9	Standard Template
1.10	Navy PBSA Approach
1.11	Technical Proposal Certification

0100000 – General Information		
Spec Item	Title	Description
1	General Information	The Contractor shall furnish all labor, supervision, management, tools, materials, equipment, facilities, transportation, incidental engineering, and other items necessary to perform floor services at various locations throughout the Marine Corps Base Camp Lejeune, Marine Corps Air Station New River, Camp Geiger, Camp Johnson, Rifle Range, Court House Bay, Jacksonville North Carolina.
1.1	Outline of Services	Except where otherwise stated, the Contractor shall furnish all labor, supervision, management, tools, materials, equipment, facilities, transportation, incidental engineering, and other items necessary to provide the services outlined below and described in this Performance Work Statement (PWS) at combination recurring and non-recurring. The PWS is organized into annexes. Annex 1 is "General Information". Annex 2 contains the on-site project management and administration requirements. Annexes 3 through 18 contain the technical requirements. The annex numbers are identified as 1 through 18 in the description column, but the full expanded annex numbers include seven digits (e.g., Annex 1 expanded number is 0100000 as shown in the header row at the top of this page Annex 1 General Information Annex 010000 General Information Annex 2 Management and Administration Annex 020000 Management and Administration Annex 3 Command and Staff N/A Annex 4 Public Safety N/A Annex 5 Air Operations N/A Annex 6 Port Operations N/A Annex 7 Ordnance N/A Annex 8 Range Operations N/A Annex 9 Health Care Support N/A Annex 10 Supply N/A Annex 11 Personnel Support N/A Annex 12 Morale, Welfare and Recreation Support N/A Annex 13 Galley N/A Annex 14 Housing N/A Annex 15 Facilities Support Annex 1503010 Refinishing & Repair Gym Floors Annex 16 Utilities N/A Annex 17 Base Support Vehicles and Equipment N/A Annex 18 Environmental
1.2	Project Location	The work shall be performed at various locations and could vary from location to location. The project is located at Marine Corps, Camp Lejeune, North Carolina.
1.3	Acquisition of Additional Work	The Government reserves the right to acquire additional water analysis sample services at additional locations in addition to the services and locations identified in the Firm-Fixed Price requirements of this contract. Additional services will be incorporated into the contract in accordance with the CHANGES clause, SECTION I or ordered under the non-recurring provisions of the contract. Items of work not covered by this contract but within the general intent are considered in the scope of this contract.
1.4	Background Information	Water analysis monitoring is conducted at MCB, Camp Lejeune's Environmental Laboratory Section (ELS) is responsible for collecting all

0100000 – General Information		
Spec Item	Title	Description
		samples for analysis. All testing laboratories must be certified by the state of North Carolina (NC) for analysis of compliance sample.
1.5	Verification of Workload and Conditions	N/A to this contract.
1.6	Climate Patterns	Climate information for the area can be found online at the State Climate Office of North Carolina (http://nc-climate.ncsu.edu/cronos/normal.php). The station number for the local area is 893727.
1.7	Related Information	There are four types of Related Information that can be found in the Description and Related Information columns of the specification as follows: Informational Notes as used throughout this PWS provides additional information to offerors to be used in developing a thorough understanding of the work to be performed in this contract. Any block of text marked “Informational Notes” throughout Annexes 1 through 18 is subject to this disclaimer. Offerors may not rely upon the "Informational Notes" as material representations of the Government. Information provided in "Informational Notes" does not create a contractual requirement on either party to this contract. Clarifying Information describes client expectations in a more detailed manner than the Performance Objective and Performance standard alone. Constraining Information describes limitations to the work performed to meet the Performance Objective and Performance Standard. Requirement Information further describes client requirements associated with each Performance Objective.
1.8	Navy Approach to Service Contracting	The Department of Navy (DoN) spends over \$1 billion in annual obligations to meet global requirements for facility operations and maintenance provided through Facility Support Contracts (FSC) and additional billions to provide other base operations support services (OBOS). The Head of the Contracting Activity (HCA) of the Naval Facilities Engineering Command (NAVFAC) has focused increased attention on re-engineering FSC contracts in response to customer and industry feedback, budget constraints, and the impact of a variety of contracting, program management and financial management regulations. The Navy also supports the following principles:
1.8.1	Partnering Philosophy	The first principle is that the Navy views its contractors as partners and not just abstract service providers. The Navy wants its contractors to succeed because partners' success drives the Navy's successful mission completion. Within the bounds of acquisition policy the Navy intends to work to find solutions that will be beneficial to both the Government and its partners.
1.8.2	Contractor's Knowledge	The second principle is that the Navy will receive insightful management from its contractors. This management will include the knowledge, skills, authority and willingness to use contractor resources to find better ways of serving Navy clients' strategic and operational goals and objectives. The Navy's use of performance-based objectives evidences this principle. Although performance work statements will typically contain several levels of performance assessment, the Navy wants its contractors to

0100000 – General Information		
Spec Item	Title	Description
		exercise maximum discretion within bounds of prudent risk management to adjust processes and resources needed to reach specified objectives at the highest performance level.
1.8.3	Industry Best Practices	The third principle is that the Navy will adopt industry best commercial practices and maintain state-of-the-art service delivery. It is the Navy's and contractor's responsibility as partners to reach this goal. To that end, the Navy's emphasis will be in evaluating performance objectives (end results).
1.9	Standard Template	Key to implementing a programmatic approach is using a standard template that ensures Navy-wide consistency yet affords appropriate tailoring to meet local needs. This contract conforms to the standard template and has been tailored for this solicitation. NAVFAC intends to use this template-based approach for future service contracts. Offerors should develop an understanding of the template as part of performing due diligence in reaching an understanding of the Navy's requirements and expectations. The standard template contains 18 standard annexes. Annex 1 will always contain information that is relevant to the entire scope of the contract. Annex 2 contains on-site project management and administration requirements that are relevant to the entire scope of the contract. Annexes 3 through 18 contain the technical information and requirements peculiar to that technical annex. Within each technical annex, the organization of information and requirements are also standardized. Specification item 1 will always contain General Information. Specification item 2 will always contain the management and administrative requirements. Specification item 3 will always contain the recurring requirements. Specification item 4 will always contain the non-recurring requirements. Requirements and standards for higher level specification items apply to all subordinate specification items, e.g., Specification Item 3 standards apply to all firm fixed priced specification items. Specification Item 3.1 is applicable to all 3.1 subordinate specification items. Specification Items 3.2 and 3.3 are not considered subordinate to 3.1. All costs associated with Annexes 1 and 2 and Specification items 1 and 2 must be priced and distributed within Specification Item 3 of Annexes 3 through 18.
1.10	Navy PBSA Approach	The Navy's approach to performance-based service acquisition (PBSA) includes four component parts which are 1) performance outcomes, 2) measurable standards, 3) consideration of incentives, and 4) performance assessment plan.
1.11	Technical Proposal Certification	The Contractor warrants that its proposal incorporated herein by reference will meet or exceed the performance objectives set forth in this contract.

0200000 – Management and Administration	
Spec Item	Title
2	Management and Administration
2.1	Definitions and Acronyms
2.2	General Information
2.2.1	Government Regular Working Hours
2.2.1.1	Observed Federal Holidays
2.2.1.2	Restriction to Contractor Working Hours
2.2.2	Wage Determinations
2.2.3	Requirements Hierarchy
2.3	General Administrative Requirements
2.3.1	Required Conferences and Meetings
2.3.2	Training for Maintenance and Operation of New and Replacement Systems and Equipment
2.3.3	Partnering
2.3.3.1	Informal Partnering
2.3.3.2	Contract Partnering Administration
2.3.3.3	Contract Partnering Session Attendees
2.3.4	Permits and Licenses
2.3.5	Insurance
2.3.5.1	Certificate of Insurance
2.3.5.2	Minimum Insurance Amounts
2.3.6	Protection of Government Property
2.3.7	Government Information Technology (IT) System
2.3.8	Directives, Instructions, and References
2.3.9	Invoicing Procedures
2.3.10	Forms
2.4	Government-Furnished Property, Materials and Services
2.4.1	Government-Furnished Facilities (GFF)
2.4.2	Government-Furnished Utilities
2.4.3	Government-Furnished Materials (GFM)
2.4.4	Government-Furnished Equipment (GFE)
2.4.5	Government-Furnished Services (GFS)
2.5	Contractor-Furnished Items
2.6	Management
2.6.1	Work Reception
2.6.2	Work Control
2.6.3	Work Schedule
2.6.4	Deliverables
2.6.5	Service Interruptions
2.6.6	NAVFAC MAXIMO
2.6.6.1	MAXIMO Data
2.6.6.2	MAXIMO Method of Data Entry
2.6.6.3	MAXIMO Access
2.6.6.4	MAXIMO Training
2.6.7	Quality Management System (QMS)
2.6.7.1	Quality Management (QM) Plan
2.6.7.2	Quality Inspection and Surveillance
2.6.7.3	Quality Inspection and Surveillance Report
2.6.8	Property Management Plan
2.6.9	System and Equipment Replacement
2.7	Personnel Requirements
2.7.1	Key Personnel
2.7.1.1	Project Manager (PM)

0200000 – Management and Administration	
Spec Item	Title
2.7.1.2	Quality Manager
2.7.1.3	Site Safety and Health Officer (SSHO)
2.7.1.4	Environmental/Energy Manager
2.7.2	Employee Requirements
2.7.2.1	Employee Certification and Training
2.7.2.2	Employee Appearance
2.7.2.3	Employee Conduct
2.7.2.4	Identification as Contractor Employee
2.7.2.5	Removal of Employees
2.7.2.6	Proof of Legal Residency
2.7.3	Enterprise-wide Contractor Manpower Reporting Application (eCMRA)
2.8	Security Requirements
2.8.1	Employee Listing
2.8.2	Vehicles
2.8.3	Passes and Badges
2.8.4	Access to Installation
2.8.4.1	DBIDS Program
2.8.4.2	DBIDS Credentials
2.8.5	Access to Buildings
2.8.6	Access Arrangements
2.8.6.1	Escort Arrangement for Secured Areas
2.8.7	Security Clearances
2.8.8	Access to Sensitive Unclassified Information
2.8.9	Access to Navy Marine Corps Intranet (NMCI)
2.8.10	Employee Status
2.9	Contractor Safety Program
2.9.1	Contractor Safety Requirements
2.9.1.1	Experience Modification Rate (EMR)
2.9.1.2	OSHA Days Away From Work, Restricted Duty, or Job Transfer (DART) Rate
2.9.2	Accident Prevention Plan (APP)
2.9.3	Activity Hazard Analysis (AHA)
2.9.4	Crane Operations
2.9.4.1	Crane Inspections
2.9.4.2	Rigging Gear
2.9.4.3	Crane Operators
2.9.5	Accident and Damage Reporting
2.9.5.1	Accident Reporting and Notification Criteria
2.9.6	Fire Protection
2.9.7	Monthly On-Site Labor Report
2.9.8	OSHA Citations and Violations
2.9.9	Safety Inspections and Monitoring
2.9.10	Safety Certification
2.9.11	Safety Apparel on Jobsites
2.9.12	Emergency Medical Treatment
2.9.13	Excavations
2.10	Environmental Management and Sustainability
2.10.1	Energy Management Program
2.10.1.1	Water Conservation Plan
2.10.1.2	Energy Efficient Products
2.10.2	Environmental Protection
2.10.2.1	Sampling, Testing and Laboratory Services

0200000 – Management and Administration	
Spec Item	Title
2.10.2.2	ODS Requirements for Refrigerant Recycling
2.10.2.3	Solid Waste Management and Recycling
2.10.2.4	Non-Regulated Waste Disposal
2.10.2.5	Regulated Waste Disposal
2.10.2.6	Universal Waste
2.10.2.7	Spill Prevention, Containment, and Clean-up
2.10.2.8	Hazardous Material Management
2.10.2.9	Protection of Endangered and Threatened Species (Flora and Fauna)
2.10.2.10	Noise Control
2.10.2.11	Salvage
2.10.2.12	Asbestos Containing Material (ACM)
2.10.2.13	Clean Air Act (CAA)
2.10.3	Sustainable Procurement and Practices
2.10.3.1	Environmentally Preferable Products
2.10.3.2	Use of Recovered Materials
2.10.3.3	Use of Biobased Products
2.11	Disaster Preparedness
2.12	Technical Library
2.13	Warranty Management
2.14	Recurring Work Procedures
2.14.1	Notification to the Government for Work Above the Recurring Work Limitations
2.14.2	Recurring Work Exhibit Line Item Numbers (ELINs)
2.15	Non-Recurring Work
2.15.1	Unit Priced Task (UPT) Work (Non-Negotiated)
2.15.1.1	Acceptance and Performance
2.15.1.2	Invoicing and Receiving Payment
2.15.2	Unit Priced Labor (UPL) Work (Negotiated)
2.15.2.1	Non-recurring Preparation of Proposals
2.15.2.1.1	Labor Requirements
2.15.2.1.2	Material and Equipment Requirements
2.15.2.2	Issuance of Final Task Order
2.15.3	Non-Recurring Work ELINs

0200000 - Management and Administration		
Spec Item	Title	Description
2	Management and Administration	
2.1	Definitions and Acronyms	Definitions and Acronyms are listed in (J-02000000-01) .
2.2	General Information	
2.2.1	Government Regular Working Hours	The Government's regular working hours are 0700-1600, five days per week, Monday through Friday, except observed Federal holidays. Exceptions to the regular hours of operation are detailed in subsequent sections of this PWS. Work in certain annexes or sub-annexes require Contractor continuous operations, 24 hours a day, every day of the year including holidays. The performance of other work requirements shall be accomplished within the Government's regular working hours unless the specific work requirement specified herein necessitates otherwise. Any other work outside Government regular working hours requires prior KO approval.
2.2.1.1	Observed Federal Holidays	The Government observes the following holidays: New Year's Day, Martin Luther King Jr.'s Birthday, President's Day, Memorial Day, Juneteenth Day, Independence Day, Labor Day, Columbus Day, Veterans' Day, Thanksgiving Day, and Christmas Day.
2.2.1.2	Restriction to Contractor Working Hours	If the Contractor wishes to work outside of the Government's regular working hours for the Contractor's convenience, the Contractor shall submit a written Request to Work Outside Government's Regular Working Hours per Section F. Excludes work to be performed during specified hours.
2.2.2	Wage Determinations	Wage Determinations are included in (J-02000000-02) .
2.2.3	Requirements Hierarchy	Requirements or definitions specified in each spec item of this contract apply to subordinate paragraphs. For example, requirements shown in spec item 3.1 would apply to spec items 3.1.1, 3.1.2, 3.1.2.1 and so on. Likewise, Performance Standards specified at a lower digit level (i.e. spec item 3.1.1, 3.1.2, 3.1.2.1) apply when performance is assessed at a higher tier (i.e., spec item 3.1) based on the composite work requirements.
2.3	General Administrative Requirements	
2.3.1	Required Conferences and Meetings	The Contractor may be required to attend administrative and coordination meetings.
2.3.2	Training for Maintenance and Operation of New and Replacement Systems and Equipment	When construction, renovation, or repair work is performed by means other than this contract, the Contractor shall attend Government provided training, as applicable, for maintenance and operation of new and replacement systems and equipment at no additional cost to the Government.
2.3.3	Partnering	To increase the likelihood of successful performance of this contract, the Government requires cohesive partnerships with its Contractors and subcontractors. Key stakeholders, including the supported commands who will receive services, principal individuals from NAVFAC, the performance assessment team, and representative(s) of the installation(s) will be invited to participate in the partnering process. Key members of the prime and subcontractor teams, including senior management personnel must participate. The partnership will draw on the strength of each organization in an effort to

0200000 - Management and Administration		
Spec Item	Title	Description
		achieve quality contract services done right the first time, within the contract price, as scheduled, and without any safety mishaps. Partnering should accomplish three goals: - The first goal is to develop a cohesive team with common purpose, commitment and established communication processes. - The second goal of partnering is contract specific, identifying risks and opportunities for the team to address. - The third goal is to sustain the Partnership throughout the contract by identifying and addressing issues that affect the Partnership.
2.3.3.1	Informal Partnering	The Contracting Officer shall organize the initial Partnering Meeting with key personnel of the project team, including Contractor's personnel and Government personnel. The initial session will be scheduled concurrent with the Pre-Performance Conference and held no later than 30 days after award and will be held at a Government provided facility as designated by the KO. The Initial Informal Partnering Session will be conducted and facilitated using electronic media (a video and accompanying forms) provided by Contracting Officer. The senior Government stakeholder present will lead the meeting, however, the Contractor's PM or senior representative is encouraged to participate as co-lead. The Partners will determine the frequency of the follow-on sessions.
2.3.3.2	Contract Partnering Administration	Upon award, the ACO will contact the Contractor, supported command(s), Region, and Installation(s) stakeholders, and the performance assessment team to discuss implementation of partnering A partnership agreement, The Charter, should be in place as early as possible so issues arising, even before work begins, can be resolved using the issues resolution process. Replacement of Core Management Team members (stakeholders who attended the initial session and manage the contract work day-to-day) is discouraged since it will disrupt the synergy that has been developed. If replacement of a team member proves to be unavoidable, a follow-on partnering session must be held to officially turn the responsibilities of the position over to the new member. The Core Management Team consisting of the attendees below must be present during the initial and all follow-on partnering sessions. These are the core mandatory attendees. Other stakeholders may attend if they desire or as recommended by the partners.
2.3.3.3	Contract Partnering Session Attendees	The Contractor shall bring the necessary personnel to successfully partner on this contract. Asterisk indicates mandatory personnel. President/Vice President * Project Manager * Quality Manager Site Safety and Health Officer
2.3.4	Permits and Licenses	The Contractor shall obtain all required permits, licenses, and authorizations to perform work under this contract and comply with all the applicable Federal, state and local laws and regulations. The Contractor shall submit copies of Permits and Licenses per Section F.
2.3.5	Insurance	The Contractor shall submit a Certificate of Insurance per Section F as evidence of the existence of the following insurance coverage in amounts not less than the amounts specified below in accordance with the FAR Clause 52.228-5, INSURANCE – WORK ON A GOVERNMENT

0200000 - Management and Administration		
Spec Item	Title	Description
		INSTALLATION. This insurance must be maintained during the performance period.
2.3.5.1	Certificate of Insurance	The Certificate of Insurance shall provide for at least 30 calendar days written notice to the KO by the insurance company prior to cancellation or material change in policy coverage. Other requirements and information are contained in the aforementioned insurance clause.
2.3.5.2	Minimum Insurance Amounts	The Contractor shall procure and maintain, during the entire period of performance under this contract, the following minimum insurance coverage: Comprehensive General Liability: \$500,000 per occurrence Automobile Liability: \$200,000 per person, \$500,000 per occurrence, \$20,000 per occurrence for property damage Workmen's Compensation: As required by Federal and state worker's compensation and occupational disease statutes Employer's Liability coverage: \$100,000, except in states where worker's compensation may not be written by private carriers Other as required by state law
2.3.6	Protection of Government Property	During execution of the work, the Contractor shall protect Government property. The Contractor shall return areas damaged as a result of negligence under this contract to their original condition at no cost to the Government.
2.3.7	Government Information Technology (IT) System	Additional information about NMCI may be obtained at http://www.eds.com/nmci .
2.3.8	Directives, Instructions, and References	Department of Defense (DoD), Secretary of the Navy (SECNAV), Chief of Naval Operations (OPNAV), and other applicable Directives, Instructions, and References are listed in (J-0200000-03) . The Contractor shall comply with the most current version of directives, instructions, and references including versions published during the term of the contract.
2.3.9	Invoicing Procedures	Refer to Invoice Form in (J-0200000-04) for sample.
2.3.10	Forms	Forms referenced in this Annex, e.g. accident reporting, and damage reporting are included among the Forms in (J-0200000-05-1 through J-0200000-05-4) .
2.4	Government-Furnished Property, Materials and Services	N/A to this contract.
2.4.1	Government-Furnished Facilities (GFF)	N/A to this contract.
2.4.2	Government-Furnished Utilities	The Government will furnish water and electricity at existing outlets required for the work to be performed under the contract at no cost to the Contractor. Information concerning the location of existing outlets may be secured from the KO. The Contractor shall provide and maintain, at its expense, the necessary service lines from the existing Government outlets to the work site. Provide and maintain backflow prevention devices on connections to domestic water lines and electrical transformer provisions on connections to electric lines. Meet all Federal, State, local, and installation codes and regulations for backflow prevention devices and electrical transformer

0200000 - Management and Administration		
Spec Item	Title	Description
		provisions. Services required by the Contractor, for which there are no available Government outlets, shall be provided by the Contractor at no cost to the Government.
2.4.3	Government-Furnished Materials (GFM)	N/A to this contract.
2.4.4	Government-Furnished Equipment (GFE)	N/A to this contract.
2.4.5	Government-Furnished Services (GFS)	N/A to this contract.
2.5	Contractor-Furnished Items	Except for items identified as Government Furnished, the Contractor shall provide all equipment, materials, parts, supplies, components, and facilities to perform the requirements of this contract. The KO may inspect Contractor-furnished items for adequacy and compliance with contract requirements. Inadequate or unsafe items shall be removed and replaced by the Contractor at no cost to the Government. Materials containing asbestos, lead, and polychlorinated biphenyls (PCBs) shall not be brought onsite. Energy efficient tools and equipment shall be used when available. The KO may at any time require Samples, Safety Data Sheets (SDS) or Manufacturer's Data Cut Sheets of Materials used in this contract.
2.6	Management	The Contractor shall manage the total work effort associated with the services required herein to meet the performance objectives and standards. Such management includes but is not limited to planning, scheduling, cost accounting, report preparation, establishing and maintaining records, and quality assurance. The Contractor shall provide a staff with the necessary management expertise to ensure performance objectives and standards are met.
2.6.1	Work Reception	The Contractor shall provide the capability to receive, prioritize, correspond, and respond to trouble/service calls and task orders during Government regular working hours and provide a point of contact at a local or toll free number who can perform the above function during other than Government regular working hours.
2.6.2	Work Control	The Contractor shall implement all necessary work control procedures to ensure timely accomplishment of work requirements, as well as to permit tracking and reporting of work in progress. The Contractor shall plan and schedule work to assure material, labor, and equipment are available to complete work requirements within the specified time limits and in conformance with the quality standards established herein. Verbal scheduling and work status updates shall be provided when requested by the KO. A status update of any item of work must be provided within two hours of the inquiry during regular working hours, and by 0800 the following work day for inquiries after regular working hours.
2.6.3	Work Schedule	The Contractor's work shall not interfere with normal Government business. In those cases where some interference is unavoidable, the Contractor shall minimize the impact and effects of the interference. The Contractor shall provide advance access of all of its work schedules to the Government. The Contractor shall notify the KO of any difficulty in scheduling work due to Government controls.

0200000 - Management and Administration		
Spec Item	Title	Description
2.6.4	Deliverables	Records and reports are specified in Sections C, F, H, I, J, and within the Directives, Instructions, and References. The Contractor shall submit accurate and complete documents within the specified timeframes. The Contractor shall revise/modify records and reports, as directed by the KO, at no additional cost to the Government. Government acceptance of deliverables shall not relieve the Contractor of the responsibility for any error or omission which may exist in the deliverable, as the Contractor is responsible for all requirements of this contract.
2.6.5	Service Interruptions	If any utilities or other services must be discontinued (even temporarily) due to scheduled contract work, the Contractor shall notify the KO, affected tenants, and customers in accordance with local procedures. If the discontinued service is due to an emergency breakdown the Contractor shall notify the KO, affected tenants and customers as soon as practicable. N/A to this contract.
2.6.6	NAVFAC MAXIMO	N/A to this contract.
2.6.6.1	MAXIMO Data	N/A to this contract.
2.6.6.2	MAXIMO Method of Data Entry	N/A to this contract.
2.6.6.3	MAXIMO Access	N/A to this contract.
2.6.6.4	MAXIMO Training	N/A to this contract.
2.6.7	Quality Management System (QMS)	The Contractor shall establish and maintain a complete QMS program in accordance with the provisions specified herein. The Contractor's QMS program shall provide an effective and efficient means of identifying and correcting problems throughout the entire scope of operations. The Contractor's QMS program shall address: • Accurate documentation of work processes, procedures, and output measures. • A systematic procedure for assessing compliance with performance objectives and standards. • Accurate documentation of quality inspections and surveillance conducted throughout the execution of work. • Assessment-driven corrective actions and process adjustments as appropriate in a timely manner.
2.6.7.1	Quality Management (QM) Plan	The Contractor shall develop and submit a QM Plan per Section F. The QM Plan shall describe the QMS methodology and approaches used under this contract. If any changes are made during the period of performance, submit to the KO a revised QM Plan for acceptance. The Contractor's QM Plan shall include, at a minimum, the following: • Policy and objectives of Quality Management System (QMS) • Quality organization • List of personnel • Responsibilities & lines of authority • Training and qualifications • Approach to assuring quality of services provided and conformance with performance objectives and standards

0200000 - Management and Administration		
Spec Item	Title	Description
		• Methods and procedures for effective planning, operation and control of processes and performance of work • Procedures for inspection and surveillance of services • Scheduling and performance of inspection and surveillance • Measurement, data collection and analysis • Corrective action, preventive action, and continuous improvement • Oversight of subcontracted work Documentation and records management • Communication with government (customers)
2.6.7.2	Quality Inspection and Surveillance	The Contractor shall establish and maintain an inspection and surveillance system in accordance with the FAR Clause 52.246-4, INSPECTION OF SERVICES – FIXED PRICE, to ensure that the work performed conforms to the contract requirements. The Contractor shall document and maintain a file of all scheduled and performed inspections and surveillances, inspection and surveillance results, and dates and details of corrective and preventive actions. The quality inspection and surveillance file shall be the property of the Government and made available during the Government's regular working hours. The file shall be submitted to the KO after termination of the contract per Section F.
2.6.7.3	Quality Inspection and Surveillance Report	The Contractor shall submit a copy of the Contractor Quality Inspection and Surveillance Report per Section F. The Contractor Quality Inspection and Surveillance Report shall include a summary and results of the quality inspection and surveillance events performed and assessment-driven corrective actions and process adjustments during the previous month. The Government may adjust the frequency of the submittal based on the Contractor's quality of performance.
2.6.8	Property Management Plan	The Contractor shall establish and maintain a plan that meets the contract clause requirements of Specification Item 2.4, Government-Furnished Property, Materials and Services, of this Annex. This plan shall identify the Contractor's policies, procedures, and practices in receiving and performing physical inventories, repairing and maintaining, preserving and protecting, and reporting the disposition of accepted government property in its possession. The Property Management Plan shall be submitted per Section F.
2.6.9	System and Equipment Replacement	The Contractor shall maintain the integrity and performance of existing energy saving, water conservation or other sustainability design features of systems and equipment in the performance of repair and replacement work. Except where otherwise specified, replacement components shall be of the same model/style or equivalent as the component being replaced. Substitutes for replacement components must be accepted by the KO prior to use. The KO will furnish available information for the existing systems and equipment.
2.7	Personnel Requirements	The Contractor shall comply with the personnel requirements stated below.
2.7.1	Key Personnel	The Contractor shall submit a List of Key Personnel and Qualifications per Section F. The Contractor shall provide any additional information requested by the KO necessary to certify their qualifications. The Contractor shall submit an Organizational Chart per Section F showing lines of authority of the key personnel and on-site supervisor(s) for this contract. The chart shall include names of personnel and their position title in this contract. As a minimum, include the PM, Quality

0200000 - Management and Administration		
Spec Item	Title	Description
		Manager, SSHO, and on-site supervisor(s) and who they will report directly to for this contract. The key personnel shall be revised as applicable for the contract.
2.7.1.1	Project Manager (PM)	The Contractor shall provide a PM and designated alternate, as applicable, who has the full authority to act for the Contractor on all contract matters relating to this contract. The PM or alternate shall be on-site during the Government's regular working hours and shall be available onsite within one hour after the Government's regular working hours. The PM shall have satisfactory relevant experience at a comparable level of responsibility on contracts of similar size, scope and complexity. The Contractor shall provide a Quality Manager or designated alternate shall be on-site within during the Government's regular working hours and shall be available on-site within two hours after the Government's regular working hours. The Quality Manager must report directly to a senior corporate official and shall not report directly to the Project Manager. The Quality Manager shall have fulfilled the following pre-requisite training and experiences before being hired as the Quality Manager under this contract: The Quality Manager shall have satisfactory experience in preparing and enforcing QMS programs on contracts of similar size, scope and complexity. The Quality Manager may be the same person as the SSHO.
2.7.1.2	Quality Manager	The SSHO must meet the requirements of EM 385-1-1 Section 1 and ensure that the requirements of 29 CFR 1926.16 are met for the project. Provide a Safety oversight team that includes a minimum of one Competent Person at each project site to function as the Site Safety and Health Officer (SSHO). The SSHO or an equally-qualified Designated Representative/alternate shall be on-site at all times when work is being performed to implement and administer the Contractor's safety program and government-accepted Accident Prevention Plan. The SSHO's training, experience, and qualifications shall be as required by EM 385-1-1 paragraph 01.A.17, entitled SITE SAFETY AND HEALTH OFFICER (SSHO), and all associated subparagraphs. The Contractor is responsible for all of the cost incurred for the mandated safety training. A Competent Person shall be provided for all of the hazards identified in the Contractor's Safety and Health Program in accordance with the accepted Accident Prevention Plan, and shall be on-site at all times when the work that presents the hazards associated with their professional expertise is being performed. Provide the credentials of the Competent Persons(s) to the Contracting Officer for acceptance in consultation with the Safety Office. The Contractor shall provide a SSHO whose primary duty and responsibility is to prepare and enforce the Contractor's safety program on this contract. The SSHO shall have fulfilled the following pre-requisite training and experiences before being hired as the SSHO under this contract: The SSHO shall have satisfactory experience in preparing and enforcing safety programs on contracts of similar size and complexity in the past, and have completed the OSHA 30-hour construction safety class or equivalent. The SSHO shall maintain competency through 24 hours of formal safety and health related coursework every four years. The SSHO may be the same person as the project manager but shall have fulfilled the pre-requisite
2.7.1.3	Site Safety and Health Officer (SSHO)	

0200000 - Management and Administration		
Spec Item	Title	Description
		qualification and experience. The Contractor is responsible for all of the cost incurred for the mandated safety training.
2.7.1.4	Environmental/ Energy Manager	The Contractor shall provide an Environmental/Energy Manager whose primary duty and responsibility is to ensure Contractor operations adhere to the goals and policies of the Environmental Management System, the Installation Energy Plan, and other specified Sustainability requirements affecting this contract. The Environmental/Energy Manager shall develop, implement and monitor environmental strategies, policies and programs that promote sustainable development and examine the contract activities to establish where improvements can be made and ensure compliance with environmental legislation and energy policy. The Environmental/Energy Manager shall have a minimum two years' experience with environmental procedures similar to those of this contract; familiarity with Environmental Management Systems (EMSs); and knowledge of environmental regulations and federal energy laws and policy (including energy and water reduction requirements and renewable energy requirements) that are applicable to operations similar to those of this contract.
2.7.2	Employee Requirements	The Contractor shall provide experienced, qualified, and capable personnel to perform the work in this contract. Personnel shall be fully knowledgeable of all safety, environmental, and energy requirements associated with the work they perform. Personnel shall speak, read, and comprehend English to the extent that they can perform the contract requirements and comply with installation emergency procedures.
2.7.2.1	Employee Certification and Training	The Contractor shall maintain personnel certification, training, and licensing records for employee requirements specified herein and within all technical annexes/sub-annexes. Certification, training, and licensing records shall be kept current and on file for the duration of the contract including all option periods. Records shall be made available for Government review within 4 hours of request.
2.7.2.2	Employee Appearance	The Contractor shall ensure that all employees present a professional appearance that is appropriate for their position. The KO reserves the right to determine the acceptability of any clothing worn. All Contractor/subcontractor employees working under this contract shall be identified by a distinctive nameplate, emblem, or patch attached in a prominent place on an outer garment. Employee identification shall not be substituted for station required passes or badges.
2.7.2.3	Employee Conduct	Contractor employees shall conduct themselves in a proper, efficient, courteous and businesslike manner.
2.7.2.4	Identification as Contractor Employee	Contractor employees shall identify themselves as Contractor personnel by introducing themselves or being introduced as Contractor personnel and displaying distinguishing badges or other visible identification for meetings with Government personnel. All Contractor employees shall appropriately identify themselves as contractor employees in telephone conversations and in formal and informal written correspondence.
2.7.2.5	Removal of Employees	The Contractor shall remove from the site any individual whose continued employment is deemed by the KO to be contrary to the public interest or inconsistent with the best interests of National Security.
2.7.2.6	Proof of Legal Residency	No employee or representative of the Contractor will be admitted to the site of work unless satisfactory Proof of Legal Residency is furnished per Section F.
2.7.3	Enterprise-wide Contractor	The following manpower reporting is required by NMCARS 5237.102.

0200000 - Management and Administration		
Spec Item	Title	Description
	Manpower Reporting Application (eCMRA)	The Contractor shall report all contractor labor hours (including subcontractor labor hours) required for performance of services provided under this contract via a secure data collection site. The contractor is required to completely fill in all required data fields using the following web address: https://doncmra.nmci.navy.mil. Per Section F, reporting inputs will be for the labor executed during the period of performance during each Government fiscal year (FY), which runs October 1 through September 30. While inputs may be reported any time during the FY, all data shall be reported no later than October 31 of each calendar year. Contractors may direct questions to the help desk, linked at https://doncmra.nmci.navy.mil.
2.8	Security Requirements	The Contractor shall comply with all Federal, state, and local security statutes, regulations, and requirements. The Contractor shall become acquainted with and comply with all Government regulations as posted, or as requested by the KO when required to enter a Government site. The Contractor shall ensure that all security/entrance clearances are obtained.
2.8.1	Employee Listing	The Contractor shall maintain a current Employee List and submit per Section F. The list shall include employee's name, supervisor, company, and level of security clearance.
2.8.2	Vehicles	The company name shall be displayed on each of the Contractor's vehicles in a manner and size that is clearly visible. All vehicles shall display a valid state license plate that complies with State Vehicle Code. Vehicles shall meet all other requirement of the State Vehicle Code, such as safety standards, and shall carry proof of insurance and state registration, if applicable.
2.8.3	Passes and Badges	All Contractor employees shall obtain the required employee and vehicle passes. The Contractor employees must be able to obtain Common Access Cards (CAC) in accordance with security requirements. Each employee shall wear the Government issued badge over the front of the outer clothing. When an employee leaves the Contractor's service, the employee's Passes and Badges shall be returned within 10 calendar days.
2.8.4	Access to Installation	All Contractor personnel shall obtain access to the installation through enrollment and registration into the Defense Biometric Identification System (DBIDS).
		The Contractor shall provide the KO with the name of their designated Service Contractor Administrator (SCA) for enrollment in DBIDS. Once enrolled, the Contractor must provide the DBIDS Registrar with an approved employee list and then direct their employees to register into DBIDS.
2.8.4.1	DBIDS Program	DBIDS is an enterprise identity management and perimeter installation access control solution in which Contractor personnel who enroll, and are approved, are subsequently granted access to the installation for a period up to three years, or the length of the contract, whichever is less, and are not required to obtain a new pass from the Base Pass and Identification Office for each visit. There are no fees associated with obtaining a DBIDS credential.
		The Government performs background screening and credentialing. Throughout the year the Contractor employee must continue to meet background screening standards. Periodic background screenings are conducted to verify continued DBIDS participation and installation access privileges. DBIDS access privileges will be immediately suspended or revoked if at any time a Contractor employee becomes ineligible.
2.8.4.2	DBIDS Credentials	Contractor employees shall furnish a completed copy of the SECNAV 5512/1

0200000 - Management and Administration		
Spec Item	Title	Description
		form to obtain the required background check and visit the local Navy Installation Visitor Control Center to obtain a DBIDS credential once approved. The SECNAV 5512/1 form and additional information about DBIDS can be found at: https://www.cnic.navy.mil/om/dbids.html. The Contractor may initiate the adjudication process when a background screen failure results in disqualification from participation in DBIDS and the Contractor employees do not agree with the reason for disqualification. The Contractor may also apply for a waiver when a background screening failure results in disqualification from participation in DBIDS. The Commanding Officer will be the final waiver determination authority. The Contractor shall immediately collect employee DBIDS credentials and notify the KO in writing: (1) That an employee has departed the company without having properly returned or surrendered their DBIDS credentials. (2) That there is a reasonable basis to conclude that an employee, or former employee, might pose a risk, compromise, or threat to the safety or security of the installation or anyone therein.
2.8.5	Access to Buildings	The Contractor shall monitor and control access into restricted areas under their responsibility, allowing only those individuals who have been properly cleared into restricted areas or other controlled access areas. The Contractor shall comply with security requirements, plus those imposed by the installation Commander at all times. Personnel with access to special areas will have the appropriate screening and/or security clearance, and personnel requiring routine access to restricted areas will wear special badges authorizing access for those areas. Contractor personnel shall not enter restricted or controlled areas or installation facilities unless specifically authorized in performance of their duties. The Contractor shall secure all buildings and facilities entered during non-duty hours and will secure all building and facilities under the Contractor's cognizance at the end of each work day or shift period.
2.8.6	Access Arrangements	The Contractor shall make all arrangements through the appropriate office necessary to obtain access to buildings, facilities and other work areas, and when necessary, arrange for them to be opened and closed by the controlling authority. The Government may issue keys to the Contractor. The Contractor shall use due diligence and be responsible for compromised security systems to include replacement costs that result from its action or inaction.
2.8.6.1	Escort Arrangement for Secured Areas	The Contractor shall make arrangements for Government escort into secured areas requiring escort. The KO will provide information on applicable buildings, spaces and the appropriate point of contact. The Contractor may experience delays while waiting for escorts. The Government estimates the wait period can be up to 15 minutes. The Contractor shall notify the Government Performance Assessment Representative (PAR) and appropriate point of contact if an escort is not available after 15 minutes and access to accomplish the work is denied. Unscheduled requirements, e.g., trouble calls, may require a longer wait for an escort.
2.8.7	Security Clearances	The Contractor shall obtain all required corporate and personnel Security Clearances prior to commencement of work. The Contractor shall ensure that a list of all personnel with Security Clearances is maintained current, including clearances that are pending.

0200000 - Management and Administration		
Spec Item	Title	Description
2.8.8	Access to Sensitive Unclassified Information	The Contractor personnel whose work involves access to sensitive unclassified information shall undergo a National Agency Check Investigation (NACI) to verify their suitability. If the Contractor personnel currently have a favorably adjudicated NACI the Contractor shall notify the Government Command Security Manager who will validate this in the Joint Personnel Adjudication System (JPAS). The Contractor shall request from the Government for access to the E-QIP Direct program for the Contractor employees to complete the SF-85 form on line for an NACI. The Security Manager will determine suitability. Upon a favorable NACI, the Contractor personnel shall provide the completed Personnel Security Investigation (PSI) to the Security Manager along with the original signed release statements, applicant fingerprint card (FD87), and an OF-306 Declaration for Federal Employment per Section F. The Contractor shall be responsible for providing the fingerprint card. The request shall be renewed annually or for the duration of the contract if less than one year.
2.8.9	Access to Navy Marine Corps Intranet (NMCI)	The Contractor may be required to access Navy Marine Corps Intranet (NMCI). Prior to being granted access to NMCI, Contractor employees shall obtain a CAC in accordance with security requirements, successfully complete required training, submit a Systems Authorization Access Request (SAAR) Form, and meet all eligibility requirements.
2.8.10	Employee Status	The Contractor shall notify the KO of any changes to any employee's status to include, but not limited to, termination, convictions/arrests, adverse actions taken on the job for any reason or any other documented misbehavior that may affect, or have the potential to affect, security standing in terms of access to federal facilities or IT systems.
2.9	Contractor Safety Program	The Contractor shall develop and implement a Safety Program detailing how the Contractor plans, staffs, performs, and controls all safety practices while delivering best value services to the Government without any accidents or mishaps. The Contractor's safety program shall comply with all safety standards identified in the U.S. Army Corps of Engineers Safety and Health Requirements Manual, EM 385-1-1, UFC 3-560-01 Operation and Maintenance Electrical Safety, and Public Law 91-596, Occupational Safety and Health Act.
		Any reference to "USACE" facilities, property, or equipment specified in EM 385-1-1 should be interpreted as Government facilities, property, and equipment.
2.9.1	Contractor Safety Requirements	Neither Contractor nor any subcontractor may enter into contract with any subcontractor that fails to meet the below requirements. The term subcontractor in this and the following paragraphs means any entity holding a contract with the Contractor or with a subcontractor at any tier.
2.9.1.1	Experience Modification Rate (EMR)	Subcontractors on this contract must have an effective EMR less than or equal to 1.10, as computed by the National Council on Compensation Insurance (NCCI) or if not available, as computed by the state agency's rating bureau in the state where the subcontractor is registered, when entering into a subcontract agreement with the Prime Contractor or a subcontractor at any tier.
		The Prime Contractor may submit a written request for additional consideration to the Contracting Officer where the specified acceptable EMR

0200000 - Management and Administration		
Spec Item	Title	Description
		range cannot be achieved. Relaxation of the EMR range will only be considered for approval on a case-by-case basis for special conditions and must not be anticipated as tacit approval. Contractor's Site Safety and Health Officer (SSHO) must collect and maintain the certified EMR ratings for all subcontractors on the project and make them available to the Government at the Government's request.
2.9.1.2	OSHA Days Away From Work, Restricted Duty, or Job Transfer (DART) Rate	Subcontractors on this contract must have a DART rate, calculated from the most recent, complete calendar year, less than or equal to 3.4 when entering into a subcontract agreement with the Prime Contractor or a subcontractor at any tier. The Prime Contractor may submit a written request for additional consideration to the Contracting Officer where the specified acceptable OSHA Dart rate range cannot be achieved for a particular subcontractor. Relaxation of the OSHA DART rate range will only be considered for approval on a case-by-case basis for special conditions and must not be anticipated as tacit approval. Contractor's Site Safety and Health Officer (SSHO) must collect and maintain self-certified OSHA DART rates for all subcontractors on the project and make them available to the Government at the Government's request.
2.9.2	Accident Prevention Plan (APP)	The Contractor shall develop and implement a site Accident Prevention Plan (APP). The APP shall be prepared by the Contractor's SSHO and shall be followed by all Contractor employees, subcontractors, and vendors at each service site For low risk or limited scope contracts, e.g., single function custodial, grounds maintenance and landscaping, integrated solid waste management, pavement clearance, pest control – “The APP shall follow the abbreviated format and include, as a minimum, elements addressed in paragraph 3.k. of Appendix A of EM 385-1-1.” The Contractor shall submit an APP for acceptance per Section F. The Contractor shall review, update, and submit revisions to the APP whenever a change in work conditions, hazards, or activities occur. Submittal of the APP shall include Activity Hazard Analyses (AHAs) and applicable compliance plans, programs, and procedures as specified below. The Contractor shall not commence work until the APP has been accepted and no activity shall be started on site until the applicable AHAs and compliance plans have been accepted. Once accepted by the Contracting Officer, the APP and attachments will be enforced as part of the contract. Disregarding the provisions of this contract or the accepted APP will be cause for stopping of work, at the discretion of the Contracting Officer, until the matter has been rectified.
2.9.3	Activity Hazard Analysis (AHA)	The Contractor shall prepare Activity Hazard Analyses (AHAs) for all applicable common recurring work activities performed under this contract. AHAs for recurring work shall be submitted with the APP and shall be updated as work activities or conditions change and additional AHAs prepared as new work activities are required. AHAs for non-recurring and one-time (e.g., non-recurring work task orders) work occurrences shall be submitted at least two working days prior to start of work. Specifically: <<Note to Spec Writer: Add one or more paragraphs below if applicable to local requirements, e.g., · For contract modifications to recurring work

0200000 - Management and Administration		
Spec Item	Title	Description
		requirements where changes are germane to the original contract, the Contractor shall revise applicable AHAs within 15 calendar days after modification is signed. For contracts with non-recurring work ELINs, the Contractor shall submit an AHA on non-recurring work task orders, with the associated proposal, whenever the service environment or required task is different from the recurring work priced services. The Contractor shall follow the Risk Management Process for the development of Activity Hazard Analysis (AHA) in accordance with paragraph 01.A.14 and Appendix A of EM 385-1-1. A formatted outline of an AHA is provided in Figure 1-2 of EM 385-1-1. During performance of services, the SSHO shall periodically review the AHA at each service site and for each sub-annex to assess the effectiveness of the Contractor's overall APP. If changes to the AHAs are required, such changes shall be submitted to the KO for review and acceptance. All operations of Cranes, Multi-Purpose Machines and Material Handling Equipment shall comply with EM 385-1-1, NAVFAC P-307, 29 CFR Part 1910, and 29 CFR Part 1926. The Contractor shall comply with paragraph 1.7.2 of NAVFAC P-307 and notify the Contracting Officer <<Note to Spec Writer: Insert notification time requirement, e.g., at least 24 hours>> prior to bringing any crane (including delivery vehicles with crane boom attachments), multi-purpose machines, material handling equipment, or construction equipment that may be used in a crane-like application to lift suspended loads on board a Navy Installation. Written documentation of the last weight test of the crane and all related weight handling equipment (e.g. attachments, rigging gear, etc.) shall be maintained on site. A joint verification with the Government representative must be performed to ensure that a legible and indelible completed copy of Appendix P, Figure P-1 of NAVFAC P-307 is maintained on the crane, multi-purpose machine, and material handling equipment or construction equipment used in a crane-like application to lift suspended loads. The following certification and testing documentation shall be on site prior to entry and use on any Navy Installation: 1) Crane, multi-purpose machine, material handling equipment or construction equipment used in a crane-like application to lift suspended load certification 2) Load testing 3) Yearly, monthly and daily inspection logs 4) Rope/sling certifications 5) Operator certifications/designations 6) Designation of person performing log inspections 7) Cranes that are permanently located on a Navy Installation shall have a quarterly joint verification.
2.9.4	Crane Operations	
2.9.4.1	Crane Inspections	The Contractor shall ensure all inspections are performed in accordance with EM 385-1-1, NAVFAC P-307, 29 CFR Part 1910, and 29 CFR Part 1926 (daily, monthly, quarterly, yearly), and retain the current documentation of inspections. Documents shall be kept on site.

0200000 - Management and Administration		
Spec Item	Title	Description
		Daily pre-use inspections and testing shall be performed on all load hoisting and lowering mechanisms, boom hoisting and lowering mechanisms, swinging mechanisms, travel mechanisms (if to be used that day), and safety devices. Cranes that have to be re-rated shall be in accordance with SAE Recommended Practices, Crane Load Stability Test Code J765 and documentation maintained on site. The Contractor shall have an operational anti-two block device or a two-block damage prevention feature for all points of two blocking and a boom hoist disconnect, shutoff, or hydraulic relief to automatically stop the boom hoist when the boom reaches a predetermined high angle.
2.9.4.2	Rigging Gear	The Contractor shall ensure rigging gear and below the hook lifting devices and personnel comply with the following requirements: 1) Personnel performing rigging shall have an understanding of all signs, notices, and operating instructions, and be familiar with the applicable hand signals prescribed by the ASME B30 standard for the type of crane in use. 2) Personnel performing rigging shall be familiar with the rigging requirements in EM 385-1-1, NAVFAC P-307, 29 CFR Part 1910, and 29 CFR Part 1926. 3) The Contractor shall inspect rigging gear in accordance with EM 385-1-1, NAVFAC P-307, 29 CFR Part 1910, and 29 CFR Part 1926 and paragraph 1.7.2 of NAVFAC P-307. Certification records shall be made available for review upon request.
2.9.4.3	Crane Operators	Crane operators shall meet the personnel qualifications requirements in paragraph 16.B of EM 385-1-1 and paragraph 1.7.2 of NAVFAC P-307. For mobile cranes with Original Equipment Manufacturer (OEM) rated capacities of 2,000 pounds or greater, designate crane operators as qualified by a source that qualifies crane operators (i.e., union, a government agency, or an organization that tests and qualifies crane operators).
2.9.5	Accident and Damage Reporting	The Contractor shall notify the Contracting Officer as soon as practical, but no more than four hours after any accident meeting the definition of Recordable Injuries or Illnesses or High Visibility Accidents, property damage equal to or greater than \$2,000, or any Weight Handling Equipment (WHE) accident. Notification shall also be provided for any mishap occurring in any of the following high hazard areas: electrical (to include Arc Flash, electrical shock, etc.); uncontrolled release of hazardous energy (includes electrical and non-electrical); weight or load handling equipment (LHE) or rigging; fall-from-height (any level other than same surface); and underwater diving. These mishaps shall be investigated in depth to identify all causes and to recommend hazard control measures. Within notification include Contractor name; contract title; type of contract; name of activity, installation or location where accident occurred; date and time of accident; names of personnel injured; extent of property damage, if any; extent of injury, if known, and brief description of accident (to include type of equipment used, PPE used, etc.). Preserve the conditions and evidence on the accident site until the Government investigation team arrives on-site and Government investigation is conducted. The Contractor shall conduct an accident investigation for recordable injuries and illnesses, for accidents requiring Medical Treatment, property damage accidents resulting in at least \$20,000 in damages, and near misses as defined in EM 385-1-1, to establish the root cause(s) of the accident. The Contractor shall complete the applicable NAVFAC Contractor Incident Reporting System (CIRS), and electronically submit via the NAVFAC Enterprise Safety

0200000 - Management and Administration		
Spec Item	Title	Description
		Applications Management System (ESAMS) per Section F. Required or special forms are provided within the Forms in (J-0200000-05-1). For any weight handling equipment accident (including rigging gear accidents) the Contractor shall conduct an accident investigation to establish the root cause(s) of the accident and comply with additional requirements and procedures for accidents in accordance with NAVFAC P-307, Section 12. The Contractor shall submit a WHE Accident Report (Crane and Rigging Gear) per Section F. No crane operations are allowed to proceed until cause is determined and corrective actions have been implemented to the satisfaction of the Contracting Officer. For a near miss, the Contractor shall complete the applicable documentation in NAVFAC Contractor Incident Reporting System (CIRS), and electronically submit via the NAVFAC Enterprise Safety Applications Management System (ESAMS) per Section F. For a near miss involving crane or rigging operations, the Contractor shall report verbally to the Contracting Officer as soon as management becomes aware but not later than 4 hours of such event and comply with additional requirements and procedures for near-misses in accordance with NAVFAC P-307, Section 12. A near miss occurs when an accident was avoided by mere chance or when intervention prevented an ongoing sequence of events that would have resulted in an accident (e.g. unplanned encroachment, improper crane set-up, improperly rigged load, etc.). The Contractor shall submit a Crane and Rigging Gear Near Miss Report per Section F.
2.9.5.1	Accident Reporting and Notification Criteria	The following criteria and definitions apply to the accident reporting requirements specified above: Recordable Injuries or Illnesses. Any work-related injury or illness that results in: 1) Death, regardless of the time between the injury and death, or the length of the illness; 2) Days away from work (any time lost after day of injury/illness onset); 3) Restricted work; 4) Transfer to another job; 5) Medical treatment beyond first aid; 6) Loss of consciousness; or 7) A significant injury or illness diagnosed by a physician or other licensed health care professional, even if it did not result in (1) through (6) above. High Visibility Accident. Any mishap which may generate publicity or high visibility. Medical Treatment. Treatment administered by a physician or by registered professional personnel under the standing orders of a physician. Medical treatment does not include first aid treatment even through provided by a physician or registered personnel. WHE Accident. A WHE accident occurs when any one or more of the eight elements in the operating envelope fails to perform correctly during operation, including operation during maintenance or testing resulting in personnel injury or death; material or equipment damage; dropped load;

02000000 - Management and Administration		
Spec Item	Title	Description
		derailment; two-blocking; overload; or collision, including unplanned contact between the load, crane, or other objects. A dropped load, derailment, two-blocking, overload and collision are considered accidents even though no material damage or injury occurs. A component failure (e.g., motor burnout, gear tooth failure, bearing failure) is not considered an accident solely due to material or equipment damage unless the component failure results in damage to other components (e.g., dropped boom, dropped load, roll over, etc.) The Motor Vehicle Accident Report form is provided within the Forms in (J-0200000-05-2) .
2.9.6	Fire Protection	The Contractor shall know where fire alarms are located and how to activate them. The Contractor shall handle and store all combustible supplies, materials, waste and trash in a manner that prevents fire or hazards to persons, facilities, and materials.
2.9.7	Monthly On-Site Labor Report	The Contractor shall submit a Monthly On-Site Labor Report per Section F. This report is a compilation of employee-hours worked each month for all site workers, both prime and subcontractor.
2.9.8	OSHA Citations and Violations	The Contractor shall correct violations and citations promptly and submit a copy of each OSHA citation and OSHA report with written OSHA Citations and Violations Corrective Action Report per Section F.
2.9.9	Safety Inspections and Monitoring	The Contractor shall conduct inspections of its work areas, job sites, and work crews every day work is being performed to ensure that all Contractor operations are being conducted safely. These inspections shall ensure: The site is safe and free of job-site hazards • Proper PPE is being utilized and worn. • Safe work practices and processes are being followed. • Workers are familiar with the hazards covered in the respective AHA for that work activity. • All equipment and tools are in good condition and being used safely. The Government reserves the right to inspect and monitor Contractor operations for safety compliance. In general, the Government approach will be to conduct Performance Assessment on the quality and effectiveness of the Contractor's safety program. The Government reserves the right to stop any work activity when it deems danger is imminent. Contractor personnel shall work in a safe manner and comply with all applicable safety regulations. The Contractor shall be subject to safety inspections of its work sites by the Government. Contractor safety records shall be available to the KO upon request. Whenever the KO becomes aware of any safety noncompliance or any condition which poses a serious or imminent danger or hazard to the health or safety of the public or Government Personnel, the KO will notify the Contractor orally, with written confirmation, and request immediate corrective action. This notice, when delivered to the Contractor's representative or SSHO, shall be deemed sufficient notice of noncompliance and that corrective action is required. After receiving this notice, the Contractor shall immediately take corrective action. If the Contractor fails, delays, or refuses to promptly take corrective action, the KO may issue a stop work order for all or part of the services or work until satisfactory corrective action has been taken. Whenever such a stop work order has been issued, the Contractor shall waive all equitable adjustments to the contract related to the stop work ordered issued. The Contractor shall include this requirement in all of its subcontracts and vendor contracts in support of contract safety.

0200000 - Management and Administration		
Spec Item	Title	Description
2.9.10	Safety Certification	The Contractor shall submit copies of all the required Federal, state, county, city and industry Safety Certifications for work performed under this contract per Section F. These certifications shall be kept up to date by the Contractor. The Contractor shall submit new versions of certifications as the old certifications expire. No work, that requires a certification, shall start without a valid and approved certification.
2.9.11	Safety Apparel on Jobsites	The Contractor personnel shall wear appropriate high-visibility safety apparel (garment, vest, or harness of retro-reflective and fluorescent material) meeting ANSI/ISEA 107-2010 requirements. Appropriate garment shall be based on the worker hazards and tasks, complexity of the work environment or background, and vehicular traffic and speed. As a minimum, the Contractor personnel shall wear ANSI/ISEA 107-2010 Class I compliant apparel.
2.9.12	Emergency Medical Treatment	Contractor will arrange for their own emergency medical treatment. The Government has no responsibility to provide emergency medical treatment.
2.9.13	Excavations	Soil classification must be performed by a competent person in accordance with 29 CFR 1926 and EM 385-1-1. The Contractor shall provide a third party, independent, private utility locating company to positively identify underground utilities in the work area in addition to any station locating service and coordinated with the station utility department. The Contractor shall physically verify underground utility locations, including utility depth, by hand digging using wood or fiberglass handled tools when any adjacent work is expected to come within 3 feet of the underground system. Utilities located within and under concrete slabs or pier structures, bridges, parking areas, and the like, are extremely difficult to identify. Whenever contract work involves chipping, saw cutting, or core drilling through concrete, bituminous asphalt or other impervious surfaces, the existing utility location shall be coordinated with station utility departments in addition to location and depth verification by a third party, independent, private locating company. The third party, independent, private locating company must locate utility depth by use of Ground Penetrating Radar (GPR), X-ray, bore scope, or ultrasound prior to the start of work. Outages to isolate utility systems must be used in circumstances where utilities are unable to be positively identified. The use of historical drawings does not alleviate the Contractor from meeting this requirement.
2.10	Environmental Management and Sustainability	The Contractor shall perform work under this contract consistent with the following Environmental Management System (EMS) goals and policy. Goals: • Reduce purchase and use of toxic and hazardous materials; • Expand purchase of green products and services; increase recycling; • Reduce energy and water use; • Increase use of alternative fuels and renewable energy; • Integrate green building concepts in major renovations and new construction; • Prevent pollution at the source; and • Continual improvement. Policy:

0200000 - Management and Administration		
Spec Item	Title	Description
		• Protect public health and the environment by being an environmentally responsible member of the community; • Preserve our natural, historic and cultural resources; • Conserve natural resources by reducing what we discard, reusing items, and recycling materials, which includes purchasing products made from recycled materials; • Integrate sound environmental practices into all our operations and business decisions; Integrate environmental protection requirements and pollution prevention initiatives into the early planning, design and procurement of facilities, equipment and material, as well as the planning and implementation of military training activities; • Prevent or minimize pollution at its source as we seek out ways to eliminate or further minimize use of hazardous materials and generation of hazardous waste; • Maintain a sound partnership with regulatory agencies to sustain our compliance with existing and new environmental laws and regulations; • Enhance our program as we develop and implement an Environmental Management System; and • Adhere to this policy, remind one another to do so, and ensure that our entire community knows this is our policy by our actions as well as our words. The Contractor shall maintain monitoring and measurement information to address the EMS goals and policy and provide the EMS Goals and Policy Measurement Information to the KO when requested. In the event an EMS nonconformance or environmental noncompliance associated with the contracted services, tasks, or actions occurs, the Contractor shall take corrective and/or preventative actions, assume legal and financial liability for the noncompliance and take corrective action immediately to remedy the noncompliance. The Contractor shall ensure that its employees are aware of their roles and responsibilities under the EMS and how these EMS roles and responsibilities affect work performed under the contract.
2.10.1	Energy Management Program	The Contractor PM, or designee, shall represent the Contractor's interest at all meetings of the activity's Energy Management Board. The Contractor shall attend periodic meetings with the Installation Energy Manager, where energy and water efficiency goals and project status will be discussed to ensure that any Contractor work complements and optimizes efficiency efforts.
2.10.1.1	Water Conservation Plan	The Contractor shall develop, submit and implement a Water Conservation Plan per Section F.
2.10.1.2	Energy Efficient Products	The Contractor shall use life-cycle cost analysis in making decisions about investments in products, services, construction and other projects to lower Federal Government's costs and reduce energy consumption. The Contractor shall elect lifecycle cost effective Energy Star and other energy-efficient products when acquiring energy-using products. For product groups where Energy Star labels are not yet available, select products that are in upper 25 percent of energy efficiency as designated by the Federal Energy Management Program. Use of high energy consuming tools or equipment is subject to approval by the KO prior to use.
2.10.2	Environmental Protection	The Contractor shall comply with all applicable Federal, state, and local laws, regulations, and executive orders, and with base-wide instructions, standards,

0200000 - Management and Administration		
Spec Item	Title	Description
		and permit requirements. All environmental protection matters shall be coordinated with the KO. Inspection of any of the facilities operated by the Contractor may be accomplished by the Installation Environmental Protection Coordinator, or authorized officials on a no-notice basis during Government regular working hours. The Contractor shall comply with the instructions of the cognizant Navy Medical Department with respect to avoidance of conditions which create a nuisance or which may be hazardous to the health of military or civilian personnel. The Contractor is responsible for ensuring that its employees receive applicable environmental and occupational health and safety training, and are kept up to date on regulatory required specific training for the type of work to be conducted onsite. All on-site Contractor personnel, and their subcontractor personnel, performing tasks that have the potential to cause a significant environmental impact shall be competent on the basis of appropriate education, training or experience.
2.10.2.1	Sampling, Testing and Laboratory Services	The Contractor shall develop a written training plan and documentation of training for all sampling, testing, and laboratory personnel to demonstrate technical proficiency. The Contractor shall develop a written sampling plan for each sampling event and submit per Section F. The sampling plan shall summarize what will be sampled, the sampling equipment expected to be used and the number and location of samples expected to obtain a representative sample. The Contractor shall re-sample, test and obtain laboratory analysis upon request and submit results per Section F, at no additional cost to the Government. The Contractor shall provide collection and analytical testing of samples in accordance with the latest version of the test methods set forth in 40 CFR 261, 40 CFR 262 or Test Methods for evaluating Solid Waste, Physical/Chemical Methods, EPA Publication SW0846 and State of Florida, Department of Environmental Protection Sampling SOPs. Laboratory shall be certified by the State of Florida Department of Health for the specific analytical procedure in accordance with all Federal and State regulations. Analytical reports shall be in the format described in the Florida Administrative Code (FAC) 62-160.
2.10.2.2	ODS Requirements for Refrigerant Recycling	N/A to this contract.
2.10.2.3	Solid Waste Management and Recycling	N/A to this contract.
2.10.2.4	Non-Regulated Waste Disposal	N/A to this contract.
2.10.2.5	Regulated Waste Disposal	N/A to this contract.
2.10.2.6	Universal Waste	N/A to this contract.
2.10.2.7	Spill Prevention, Containment, and Clean-up	The Contractor shall prevent, contain, clean up, and report all spills on Government property caused by the Contractor, in a manner that complies with applicable Federal, state, and local laws and regulations and with the Installation Spill Control Plan provided in (J-0200000-05-3) at no additional cost to the Government.
2.10.2.8	Hazardous Material Management	The Contractor shall support the Consolidated Hazardous Material Reutilization and Inventory Management Program (CHRIMP).

0200000 - Management and Administration		
Spec Item	Title	Description
		The Contractor shall submit an Emergency Planning and Community Right to Know Act (EPCRA) Report and Contractor Hazardous Material Inventory Log per Section F following the format provided in (J-0200000-05-3). The Contractor shall receive approval from the KO prior to bringing hazardous material on Government Property or prior to any other use in conjunction with this contract. For approval to use any hazardous material, allow a minimum of 10 working days for processing the request. The Contractor shall post Safety Data Sheets (SDS) at the worksite where the products are being used. Should the Government determine that a chemical the Contractor will use needs to be tracked, the Government may direct the Contractor to submit additional information in order to fulfill reporting requirements. The Contractor shall ensure that procedures are in place to deal with hazardous materials, pursuant to the FAR Clause 52.223-3, HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA. Notwithstanding any other hazardous material used in this contract, radioactive materials or instruments capable of producing ionizing/non-ionizing radiation (with the exception of radioactive material and devices used in accordance with EM 385-1-1 such as nuclear density meters for compaction testing and laboratory equipment with radioactive sources) as well as materials which contain asbestos, mercury or polychlorinated biphenyls, di-isocyanates, lead-based paint are prohibited. The Contracting Officer, upon written request by the Contractor, may consider exceptions to the use of any of the above excluded materials. Low mercury lamps used within fluorescent lighting fixtures are allowed as an exception without further Contracting Officer approval. Notify the Radiation Safety Officer (RSO) prior to excepted items of radioactive material and devices being brought on base.
2.10.2.9	Protection of Endangered and Threatened Species (Flora and Fauna)	The Contractor shall not disturb endangered and threatened species and their habitat. The Contractor shall carefully protect in-place and report immediately to the KO endangered and threatened species discovered in the course of work. The Contractor shall stop work in the immediate area of the discovery until directed by the KO to resume work.
2.10.2.10	Noise Control	The Contractor shall comply with all applicable Federal, state and local laws, ordinances, and regulations relative to noise control.
2.10.2.11	Salvage	N/A to this contract.
2.10.2.12	Asbestos Containing Material (ACM)	Asbestos containing insulation, flooring, and other building materials may be encountered by the Contractor during the performance of work under this contract, and the Contractor shall remain alert to this possibility. If ACM is encountered or suspected in the performance of work, the Contractor shall avoid removing, sanding, abrading, or disturbing the material. The Contractor shall verbally notify the KO within one hour and submit a written ACM Notification within 24 hours per Section F.
2.10.2.13	Clean Air Act (CAA)	N/A to this contract.
2.10.3	Sustainable Procurement and Practices	The Contractor shall develop, submit, and implement a Sustainable Procurement and Practices Plan per Section F. This plan shall identify how the Contractor will comply with all applicable Federal, state and local laws and regulation, including E.O. 13423, E.O. 13514, Installation Energy

0200000 - Management and Administration		
Spec Item	Title	Description
		Management Program and Water Conservation Programs and energy reduction requirements. The plan shall specifically address the following components: • Recycled Contents Products • Energy/Water efficiency • Energy Efficient Tools and Equipment • Alternate Fuels and Alternate Fuel Vehicles • Biobased Products • Non-Ozone Depleting Products • Environmental Preferred Products and Services • Low/Non-Toxic and Hazardous Materials The Contractor shall submit an annual Sustainable Delivery of Services Report per Section F. The Contractor shall procure and use products that are energy-efficient (Energy Star or Federal Energy Management Program (FEMP)-designated), water efficient, bio-based, environmentally preferable (<i>e.g.</i>, Electronic Product Environmental Assessment Tool (EPEAT)-registered), non-ozone depleting, contain recycled content, or are non-toxic or less toxic alternatives, where such products and services meet performance requirements. The Government has an affirmative procurement program to promote the purchase of products containing recovered materials. The intent is to reduce the solid waste stream and conserve natural resources by establishing markets for recycled content products and encouraging manufacturers to produce quality products containing recovered materials. Participate in this program by using, for Environmental Protection Agency (EPA) designated items, recovered materials to the maximum extent practicable without jeopardizing the intended end use of the item. The percentage of recovered materials content levels for use in the performance of this contract will be, at a minimum, the amount recommended in the EPA Comprehensive Procurement Guideline (CPG) Product Index website (http://www.epa.gov/epawaste/conserve/tools/cpg/index.htm). Use of EPA designated products is not required for products that are either not available within a reasonable period of time, are not available at a reasonable price, are not available from a sufficient number of sources to maintain a satisfactory level of competition, or fail to meet performance standards based on technical verification. EPA designation of products is an on-going process. Listings of EPA designated products containing recovered materials are found in 40 CFR 247. Make recommendation and submit Recovered Material Certification, per Section F, when a product containing recovered materials is equal to or better than the original and could be used for this contract. All changes of products must be accepted by the KO before it is used. The Contractor shall make maximum use of biobased products in accordance with the FAR Clause 52.223-2 -- Affirmative Procurement of BIOBASED Products Under Service And Construction Contracts. Information about these products is available at http://www.usda.gov/biopreferred. The Contractor shall comply with the installation's Contingency Instruction contingency response plan. The Contractor shall support the installation contingency response plan as directed by the KO.
2.10.3.1	Environmentally Preferable Products	
2.10.3.2	Use of Recovered Materials	
2.10.3.3	Use of Biobased Products	
2.11	Disaster Preparedness	
2.12	Technical Library	N/A to this contract.

0200000 - Management and Administration		
Spec Item	Title	Description
2.13	Warranty Management	Prior to performing repair work, the Contractor shall report to the KO any defect in workmanship, material, or parts, and any improper installation of equipment and components that are covered by a warranty. The Contractor is responsible for knowing which equipment and components are covered by the original warranty and the warranty duration. The KO will provide available warranty documents.
2.14	Recurring Work Procedures	
2.14.1	Notification to the Government for Work Above the Recurring Work Limitations	The Contractor is fully responsible for work up to the recurring work limits. Recurring work limits are specified in subsequent annexes or sub-annexes. When work is expected to exceed the recurring work limits, the Contractor shall notify the KO within two hours of identification for further direction. The Government may issue a task order in accordance with the non-recurring work portion of the contract detailed below or accomplish the work by means other than this contract.
2.14.2	Recurring Work Exhibit Line Item Numbers (ELINs)	Recurring work ELINs are provided in (J-0200000-06) .
2.15	Non-recurring Work	Non-recurring work is identified in each applicable annex or sub-annex. Non-recurring work may consist of Unit Priced Task (UPT) Work (non-negotiated) and Unit Priced Labor (UPL) Work (negotiated). The Contractor shall perform all non-recurring task work as ordered by the KO per Section G and DoD FedMall requirements in Section H. Non-recurring work will consist of Unit Priced Tasks and Unit Priced Labor Work which may be ordered by the Government as separate items or in combinations of items from the Non-recurring Work Exhibit Line Items (ELINs) provided in Section J on an as needed basis.
2.15.1	Unit Priced Task (UPT) Work (Non-Negotiated)	A UPT is defined as a non-recurring work item that includes all direct and indirect costs plus profit associated with the particular unit of work. All materials and equipment (rented, leased or Contractor-owned) required for the accomplishment of a UPT shall be included within the respective exhibit line item prices. The fixed price for the task order is determined by multiplying the exhibit line item unit prices by the quantities ordered. The Contractor is not required to submit cost estimates for UPTs.
2.15.1.1	Acceptance and Performance	The Contractor shall possess the capability to accept and perform non-recurring work via an electronic medium with supported commands utilizing their Government Purchase Card (GPC). DoD FedMall is the electronic medium for authorized Government personnel to place orders for service to the Contractor. DoD FedMall is located at: http://www.dla.mil/Info/FedMall/ under NAVFAC contract. The Contractor shall submit a report of all non-recurring work quantities ordered via FedMall monthly per Section F.
2.15.1.2	Invoicing and Receiving Payment	Payment for completed FedMall orders will be made using the GPC. Reference "payment by third party" clause FAR 52.232-36. The Contractor shall possess the capability to invoice and receive payment for non-recurring work via an electronic medium with supported command representatives utilizing their GPC. No partial or advance payments will be provided.
2.15.2	Unit Priced Labor (UPL) Work (Negotiated)	The Contractor shall perform all UPL work in accordance with the scope and delivery schedule negotiated per each task order. UPL work is defined as non-recurring work that utilizes negotiated labor hours and materials to accomplish a task not required by the recurring work portion of the contract. UPL includes separately priced labor, material, and equipment exhibit line items. The Contractor shall prepare and furnish a detailed cost estimate

0200000 - Management and Administration		
Spec Item	Title	Description
		identifying proposed labor, material, and equipment costs, which upon approval by the KO, becomes the fixed price for the task order.
2.15.2.1	Non-recurring Work Preparation of Proposals	In response to the Government's Request for Proposal (RFP), the Contractor shall submit an non-recurring work proposal to the KO, per Section F, within two working days following receipt for each potential task order which includes: 1) a complete list of all tasks necessary to perform the required scope of work, 2) the number of direct labor hours to perform each task and 3) the projected quantity and costs of materials and equipment to perform the required scope of work.
2.15.2.1.1	Labor Requirements	Accepted industry time standards published in R. S. Means cost data, industry organizations, and similar estimating sources shall be used for determining the number of direct labor hours required to complete the scope of work. The total labor cost will be determined by totaling the number of direct labor hours and then multiplying by the UPL amount in the Non-recurring Work Exhibit Line Items (ELINs) provided in Section J.
2.15.2.1.2	Material and Equipment Requirements	Accepted industry and Government material and equipment costs published in R. S. Means cost data, national material supplier catalogues, U.S. Army Corps of Engineers Construction Equipment Ownership and Operating Expense Schedule (EP 1110-1-8), equipment rental catalogues, and similar estimating sources shall be used for determining customary and reasonable costs for the material and equipment estimate. Projected material requirements shall include a list of materials establishing the size, quality, number of units, and unit prices. Pre-expanded bin supplies and materials shall not be included in the list of materials since the cost for these items are to be included in the labor hour unit price. Material prices shall be the lowest price available considering the availability of materials and the time constraints of the job. The direct material price shall include all discounts and rebates for core value and salvage value that accrue to the Contractor and Contractor-furnished warehousing cost. Equipment costs shall include rental and lease costs, ownership costs where Contractor-owned, equipment mobilization, and tools, not priced under the recurring work portion of the contract. The direct material price will be multiplied by the Contractor's non-recurring work material fixed burden rate.
2.15.2.2	Issuance of Final Task Order	The KO will order unit priced labor by issuing to the Contractor a copy of the approved scope of work and a task order for the work described, in accordance with Section G. Task order completion times will be specified on each task order.
2.15.3	Non-recurring work ELINs	Non-recurring Work ELINs are provided in (J-0200000-08) .

1503010 – Refinishing and Repair of Gymnasium Floors	
Table of Contents	
Spec Item	Title
1	General Information
1.1	Concept of Operations
1.2	General Requirements
1.3	Government Responsibilities
2	Management & Administration
2.1	Definitions and Acronyms
2.2	Personnel
2.2.1	Certification, Training, and Licensing
2.3	Special Requirements
2.3.1	Products Used on Floors
2.3.2	Scheduling for Schools
2.3.3	Scheduling for Buildings
2.3.4	Specialized Equipment
2.3.5	Product Restrictions
2.3.6	Finishing and Drying Time
2.3.7	Ventilation and Humidity
2.3.8	Training for Government Employees
2.4	References and Technical Documents
3	Recurring Work
3.1	Scheduled Services
3.1.2	Floor Care
3.1.2.1	Dust Mopping
3.1.2.2	Buffing
3.1.2.3	Touch Up Painting
4	Non-recurring Work
4.1	Finishing Gymnasium Floors
4.2	Repair of Gymnasium Floor
4.3	Painting of Game Lines, Lettering and Logos

1503010 – Refinishing and Repair of Gymnasium Floors		
Spec Item	Title	Description
1	General Information	The Contractor shall provide all labor, management, supervision, tools, material, and equipment required to perform Gymnasium floor services at various locations throughout the Camp Lejeune Marine Corps Base, Marine Corps Air Station New River, Jacksonville, Camp Geiger, Camp Johnson, Rifle Range, and Court House Bay, North Carolina at the following locations: (1) Building 730 (2) Building 751 (3) Building FC332 (4) Building WC1 (5) Building AS4000 (6) Building AS4400 (7) Building TT2457 (8) Building M129 (9) Building G930 (10) Building RR136 (11) Building BB2 (12) Building 835 (13) Building 883 (14) Building 2027 (15) Building 2028
1.1	Concept of Operations	The intent of 1503010 Refinishing of Gymnasium Floors is to specify the requirements related to the • Gymnasium floor finish and repair.
1.2	General Requirements	The Contractor shall provide a safe work site at all times. The Contractor shall comply with OSHA regulations governing the chemical and/or mechanical stripping and installation of a gymnasium floor finish, and NEPA codes and standards. The Contractor shall clean up on a daily basis and do a final cleaning upon the completion of the job. The Contractor shall ensure all employees wear the proper personal protective equipment and follow safe work practices while working with either flammable or combustible material. Failure to comply with the grounds for immediate <u>STOP WORK</u> at no additional cost to the Government. The Contractor shall ensure the public's safety by denying access (during and after working hours) to the immediate work area through the use of signs and barricades. The signs and barricades shall remain in place until the floor is deemed, by the Contractor, to be ready for normal use. If necessary, the Contractor is allowed to make temporary electrical modifications to the building power source to adapt to the Contractor's equipment requirements. After completion of any of this work, the Contractor shall restore electrical components back to their original configuration. All electrical work shall comply with NFPQ-70 National Electrical Code and base regulations. Contractor may use facilities power. Contractor shall consult with the PAR and the DoDEA Facilities Branch prior to connecting temp power to school facilities.

1503010 – Refinishing and Repair of Gymnasium Floors		
Spec Item	Title	Description
		The Contractor shall not store hazardous or flammable materials at the site overnight. The Contractor shall ensure there is adequate ventilation and humidity controls in the area to allow for proper drying. The Contractor shall ensure that all areas and systems contiguous to the work site remain undisturbed, or are returned to original condition and operation as soon as practical.
1.3	Government Responsibilities	The Performance Assessment Representative (PAR) will assist the Contractor with scheduling and access for the DoDEA schools (only). If necessary, the DoDEA School's staff will shut off air handlers to minimize dust particles from adhering to finish prior to drying. School personnel are responsible for removing all equipment and tape from Gymnasium floors and performing routine cleaning prior to commencement of work by the Contractor. Contractor shall consult with the government, Performance Assessment Representative (PAR) and the DoDEA facilities prior to starting work. DoDEA facilities point of contact (910) 450-7155 and (910) 450-5316.

1503010 – Refinishing and Repair of Gymnasium Floors		
Spec Item	Title	Description
2	Management & Administration	
2.1	Definitions and Acronyms	Definitions and Acronyms are listed in (J-1503010-01) .
2.2	Personnel	The Contractor shall provide personnel with the qualifications, technical knowledge, experience and skills required for efficient operations within the gymnasium floor services. The Contractor shall have a minimum of five (5) years' experience in gymnasium floor services.
2.2.1	Certification, Training, and Licensing	The Contractor shall ensure all employees have had appropriate training, instruction, and if necessary certification/license to operate all equipment used for this contract.
2.3	Special Requirement	Safety requirements, operational restrictions, coordination requirements, workmanship, materials, equipment, and tools.
2.3.1	Products Used on Gymnasium Floors	Contractor shall ensure all products used for finishing and repainting of Gymnasium floors matches existing flooring and coloring. Products will not damage floor surface, cause fading or discoloration. Contractor shall use a Commercial Grade Oil Base Polyurethane.
2.3.2	Scheduling for Schools	Contractor shall schedule work at schools to be done approximately between 22 June 2026 and 17 July 2026 in base year to avoid interrupting summer programs. Completion of work, including curing time must occur between these dates. The Contractor shall coordinate with the Performance Assessment Representative (PAR) to ensure scheduling does not disrupt school summer programs. The Lejeune High school will have sports programs and camps prior to school start and beginning in mid-July. Elementary and Middle schools can be accomplished later in the break and up to tentative date August 15, 2026.
2.3.3	Scheduling for Buildings	Contractor shall schedule all work through contracting office representative in coordination with building manager of specific task.
2.3.4	Specialized Equipment	If equipment used requires specific electrical supply Contractor shall work with the PAR to ensure all NFPA 70, OSHA, EM385-1-1 requirements are met and all codes are followed.
2.3.5	Product Restrictions	Water based finishes are prohibited.
2.3.6	Finishing and Drying Time	Contractor shall ensure gymnasium floor surface is free of dust and dirt during finishing and drying time. 1) Oil Modified Polyurethane Resin (Product) 2) Percentage of solids is 52% - 55% 3) Gloss level, 90
2.3.7	Ventilation and Humidity Control	Contractor shall ensure there are appropriate ventilation and humidity controls to allow for proper drying. The Contractor is responsible for controlling the controls for proper ventilation.
2.3.8	Training for Government Employees	The Contractor shall ensure all personnel, including MCCS personnel and DoDEA School personnel, have the instruction class on gymnasium floor maintenance for one hour; two different times and dates, for the care of the finish coat. The Contractor shall schedule classes through the PAR.

1503010 – Refinishing and Repair of Gymnasium Floors		
Spec Item	Title	Description
2.4	References and Technical Documents	References and Technical Documents are listed in (J-1503010-02). The Contractor's performance and workmanship will be monitored in accordance with the Government's Performance Assessment Plan (PAP) (J-1502000-07).

1503010 – Refinishing and Repair of Gymnasium Floors				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
3	Recurring Work	The Contractor shall provide floor services to ensure gymnasium floors are clean and have a uniform shine and meet sport standards.	The Contractor's cleaning techniques and products shall protect the integrity of surfaces, finishes and gymnasium floor coverings. ELINS in (J-0200000-06) include pre-priced Line Items associated with the CLINs. Locations for gymnasiums are shown in (J-1503010-03), Floor Plans (J-1503010-04), and square footage for buildings is provided in (J-1503010-05).	Gymnasium floors are clean and have a uniform shine. The Contractor shall apply two (2) coats of Commercial Grade Oil Base Polyurethane and meet the sport standards which include the MFMA, AFSFSL, and Group III Finish.
3.1	Scheduled Services	The Contractor shall provide scheduled gymnasium floor services to ensure facilities are clean and have a uniform shine.	The Contractor shall develop and submit an Annual Work Schedule and Monthly Work Plan for floor services per Section F. The schedule shall clearly indicate the day of performance of each service for each building. Access and scheduling to the work area shall be arranged through the Performance Assessment Representative (PAR). The Contractor shall schedule all school gymnasium floor service between (22 June and 15 August). Annual and Monthly Schedule will be provided per section F. The Contractor shall notify the PAR four weeks before commencing work so the furniture and miscellaneous items can be moved.	Facilities are clean and have a uniform shine. Work is completed in accordance with the Contractor's schedule.
3.1.2	Gymnasium Floor Care	The Contractor shall clean spaces to ensure they are clean and have a uniform shine.	The Contractor shall ensure the bleachers on the basketball courts are in the fully retracted position, exposing as much of gymnasium floor area as possible prior to finishing the floor. The area under the fully retracted bleachers shall not be required to be refinished. The newly refinished floor shall be blended into the areas that (are	Gymnasium Floor are clean and have a uniform shine. Contractor shall remove by sanding all layers of floor finish down to raw wood. Contractor shall take all precautions to minimize the

1503010 – Refinishing and Repair of Gymnasium Floors				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
			<u>not</u> refinished under the bleacher section. Contractor may use hand sander and hand sanding to blend floor for smooth transition. Contractor shall ensure the sealer and finishing products do not interfere with the existing bleacher rollers and refrain from any spillage going behind closed doors and under bleacher rollers. Gymnasium Floor care services shall be performed in a manner that minimizes interference with daily operations. Contractor shall include removal of all mildew such as dirt or any material that has accumulated on the interior surface of sub-flooring. The Contractor shall perform the final sanding at a time and in a manner that will permit immediate application of the first seal coat as specified by sealers manufacturer specifications. The Contractor shall post warning signs and barricades in areas of gymnasium floor care operations, as appropriate, to ensure personnel safety. Floors in Dust Free spaces shall be serviced using equipment which emit airborne particles no larger than 0.3 micrometers, and are 99.9% efficient. Equipment that cannot achieve the specified requirements shall be replaced immediately by the Contractor. Contractor shall if needed or desired cut off all air flow systems to gym flooring area.	spreading of any dust particles created by this sanding. Contractor is responsible for removing and properly disposing of all sawdust and litter on a daily basis. Contractor shall thoroughly clean floor surface prior to applying a liberal and uniform coat of penetrating sealer with a minimum coverage per manufacturer's instructions. Contractor shall apply two (2) coats of finish Contractor shall re-apply per manufacturer's instructions all name, logos, basketball court with NCAA volleyball game lines. The Contractor shall feather all game lines and shall have distinct edges with no overlap and matching existing lines. Contractor shall install new three (3) inch by four (4) inch vented cove base per manufacturer's instructions.
3.1.2.1	Dust Mopping	The Contractor shall dust mop all gymnasium floors.	Using a properly treated dust mop, thoroughly clean the gymnasium floors.	Gymnasium floors are free of debris and dust.
3.1.2.2	Buffing	The Contractor shall scuff buff gymnasium floors to	The Contractor shall buff the floors with a fine-grit screen block	Gymnasium floors are abraded enough to refinish, are totally

1503010 – Refinishing and Repair of Gymnasium Floors				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
		meet acceptable industry standards.	or steel wool to abrade the top layer of old finish. The Contractor shall tack rag the entire surface until it is thoroughly clean, paying particular attention to edges and corners. Gymnasium floors are prepared to allow for even coats of finish.	clean with no debris in edges or corners, and have been prepared to allow for even refinish.
3.1.2.3	Touch Up Painting	The Contractor shall touch up/repaint Court lines, lettering, and logos at appropriate time in process.	The Contractor shall touch up any necessary game lines with Bona Sport Court lines (or equivalent) to this brand. This is game line paint for wood sport floors. The Contractor shall buff and coat floors to ensure floors are clean and have a uniform shine. The Contractor shall apply the Sports paint to floor according to manufacturer's recommendations. Methods will be used to ensure court lines meet sport standards and do not appear to be added to court.	-Gymnasium floors are clean, free of previously applied coat, and have a uniform finish. -Games lines, lettering and logos are properly touched up, smooth and even in appearance. -Sport Court lines have been touched up to meet sport standard and appear untouched. -Gymnasium floors are properly coated and protected. Services are performed at specified dates.
3.1.2.4	Apply Coat of Finish	The Contractor shall ensure gymnasium floors are thoroughly clean, paying particular attention to edges and corners, feathering is required. Contractor shall use oil based finish off Camp Lejeune approved list. Contractor shall meet the sport standards which include the MFMA, AFSFSL, and Group III Finish.	Contractor shall ensure steps are taken to prevent pooling of finish and to prevent finish from running under bleachers and adhering to bleacher rollers. The Contractor shall apply an even coat of finish in accordance with the finish manufacturer's instructions. Allow to thoroughly dry and then apply a second coat of finish. The refinishing product must be a Commercial Grade Oil Base Polyurethane.	-All areas are cleaned (including edges and corners) and no pooling of finish. -Finish is not under bleachers and adhering to bleacher rollers. -Contractor allows ample drying time between coats of finish. -All gymnasium floors areas meet all requirements.

1503010 – Refinishing and Repair of Gymnasium Floors			
Spec Item	Title	Performance Objective	Related Information
			Performance Standard
4	Non-recurring Work	The order will specify the exact locations and types of work to be accomplished. The period of performance will be specified in each order.	Refer to Non-recurring ELINs for task listings, descriptions, and related requirements. All periods of performance are measured from issue date of order to acceptance of the work. Performance standards for non-recurring work will be the same as those in Spec Item 3 where applicable.
4.1	Finishing Gymnasium Floors	The Contractor shall seal any areas where finish is completely worn off prior to applying a minimum of two (2) coats of finish.	Contractor shall add Commercial Grade Oil Base Polyurethane to the entire visible gymnasium floor areas. The Contractor shall not use <u>(water base finish)</u>. Contractor shall thoroughly clean floor surface prior to applying a liberal and uniform coat of penetrating sealer with the minimum coverage per manufacturer's instructions. - Contractor shall schedule proper drying time per manufacturer's instructions. - Contractor shall use a clean lambs wool applicator, apply a liberal coating of penetrating sealer. - Buff with screen back disk pad or as recommended by sealer manufacturer's instructions. Contractor shall apply a second coat of finish in same manner as the first coat and allow drying time to completely dry. Vacuum and tack rag the floor in preparation. Gymnasium floors are clean, free of previously applied coat, and have a uniform finish. Final coat of finish is applied after touch up painting game lines, lettering and logos are complete and dry. Gymnasium floors are properly coated and protected. There is no finish on or near the rollers under the bleachers. Finished product shall have a uniform shine. Services have met the specified frequencies.

			Contractor shall apply two (2) coats of finish. a. Immediately before applying the first coat of finish, the floor shall be thoroughly tack ragged giving particular attention to edges and corners. b. Apply an even first coat of finish in accordance with manufacturer's instruction specifications. <u>ALLOW TO DRY COMPLETELY.</u> c. Dry time completed, lightly abrade or screen to break the surface tension for bonding with the next coat. d. Vacuum the whole floor then double tack rag the floor. e. Apply second coat of finish in accordance with the finish manufacturer's specifications. <u>ALLOW TO DRY COMPLETELY.</u> Dry time completed, lightly abrade or screen to break the surface tension for bonding with the next coat. Vacuum the whole floor then double tack rag the floor. Apply a second coat of finish in accordance with the finish manufacturer's specifications. <u>ALLOW TO DRY COMPLETELY.</u> a. <u>DO NOT ABRABE</u> the final coat.	
--	--	--	---	--

1503010 – Refinishing and Repair of Gymnasium Floors			
Spec Item	Title	Performance Objective	Related Information
4.2	Repair of Gymnasium Floor	The Contractor shall sand existing gymnasium floors. Requirements for repair of gymnasium floor is provided in (J-1503010-06) .	The Contractor shall ensure existing bleachers on basketball court are in the fully retracted position exposing as much of floor as possible prior to sanding existing gymnasium floors to raw wood. (Areas under the fully retracted bleachers shall not be required to be refinished. Contractor may use hand held sander and hand sanding to blend floor for smooth transition. Gymnasium floors are clean, free of previously applied coat, and have a uniform finish. Final coat of finish is applied after touch up painting game lines, lettering and logos are complete and dry. Gymnasium floors are properly coated and protected. There is no finish on or near the rollers under the bleachers.
4.3	Painting of Game Lines, Lettering and Logos	The Contractor shall replace all Game lines, lettering, and logos removed during resurfacing.	The Contractor shall ensure all requirements and industry standards are met. Contractor must ensure that all game lines, painted areas and logos are restored and brought back to original layout, dimensions, and alignments.

SPECIAL SCHEDULING AND ACCESS:

1. Access and scheduling to the work area shall be arranged through the PAR and the Contracting Officer's Representative.
2. The occupants of all buildings will be responsible for insuring that all furniture and miscellaneous items are moved and replaced for the contractor to complete all work under this contract. The contractor shall notify the PAR and POC 4 weeks before commencing work so the furniture and miscellaneous items can be moved.
3. DODEA/DDESS N.C. North Carolina school system flooring shall be **(completed approximately 22 June to 15 July)**. Dates for school are subject to change, but shall be completed during the summer schedule.