



DEFENSE LOGISTICS AGENCY
AVIATION AT OKLAHOMA CITY
3001 STAFF DRIVE SUITE 2B 95
TINKER AIR FORCE BASE, OKLAHOMA 73145-3015

August 15, 2025

IN REPLY
REFER TO: DLA Aviation-AOBB
Dana Kaiser
Phone: 385-591-3150

Hamilton Sundstrand Corporation
United Technologies Aerospace Systems
One Hamilton Road
Windsor Locks, CT 06096

SUBJECT: Letter Solicitation Number SPRTA1-25-R-0459

Dear Ms. Lajoie:

This solicitation is issued for acquiring supplies identified on Page 2. Please provide the best price and delivery quote for the part number based on the required quantity listed as well as quantity ranges. Price and delivery quotes may be negotiated upon closing of this solicitation. The inspection and acceptance point will be at origin with FOB origin. Electronic submission is acceptable and preferred.

This correspondence constitutes a letter solicitation as these items are intended to be ordered as firm, fixed price, against the Basic Ordering Agreement, SPRPA1-19-G-CE01. Be advised that this requirement may be advertised in the Contract Opportunities website (Sam.gov) for viewing by the general public.

The proposal is expected at the earliest convenience, but no later than September 15, 2025. Direct any questions or more needed information to dana.kaiser@us.af.mil.

Best Regards,
Dana Kaiser
Lead Contracting Officer
Defense Logistics Agency Procurement Operations
B-1, B-2, ATCALs, and Instrumentation Branch
3001 Staff Drive, Suite 2B 95
Tinker AFB OK 73145

The required quantity may change; therefore, contractor should provide a bid to the following ranges. If the quantity ranges provided in this solicitation do not provide the best pricing option, then the contractor should submit quantity ranges that yield the best prices to the Government based on the Min quantity of (1) each and Max quantity of (5) each including the current required quantity of (3) each. See clause 52.207-4. The final quantity of this solicitation will be re-evaluated upon receipt of the contractor's bid and closing of the solicitation.

Cage Code	P/N	NSN	PART NAME	BEQ	Min	Max
99167	5009173C	2915-01-388-3014FW	Housing, Fuel Pump	3 ea.	1	5

Receiving Report Required.

Higher Level Contract Quality Requirements FAR 52.246-11 AS 9100

Requested Delivery: SHIP TO (CUSTOMER): SW3211

CLIN 0001: 3 each on or before November 30, 2030. Early delivery is acceptable.

Packaging Requirements: See Attachment: Packaging Requirements, AFMC 158 and Special Packaging Instructions.

Transportation Requirements: See Attachment: Transportation Data for Solicitations, DD Form 1653.

UID Requirement: UID applies. The Government does not intend to tell contractors the specific data to be put into each mark. International Standards and MIL-STD-130L provide the guidance needed by the contractor to determine what information is required within the mark and acceptable formats for applying the mark. It is the contractor's discretion on which UID construct to use according to current business practices. Still, "The preferred format for Unique Identification (UID) is Construct 2 (Issuing Agency Code, Enterprise Identification [CAGE Code], Original Part Number, and Serial Number) as set forth by MIL-STD-130L (or later revision) and the DOD Guide to Uniquely Identifying Items, version 1.4, April 2004 (or later revision). UID shall be in addition to the original Human Readable Information and applied using comparable marking methods. Application of UID markings shall in no way compromise the integrity of the item." See Attachment: IUID Checklist, signed 27 May 2025.

PACKAGING REQUIREMENTS																		
PURCHASE INSTRUMENT NUMBER: FD20302500703-01											VERSION: 1							
MIL-STD 129 REVISION: R											MIL-STD 2073-1 REVISION: E							
THE FOLLOWING STATEMENT IS IN COMPLIANCE WITH THE UNITED NATIONS-IMPLEMENTED RESTRICTIONS ON WOOD PACKAGING MATERIAL (WPM). THIS REQUIREMENT IS SPECIFICALLY CONCERNED WITH INVASIVE SPECIES SUCH AS THE PINWOOD NEMATODE. WPM IS DEFINED AS WOOD PALLETS, SKIDS, LOAD BOARDS, PALLET COLLARS, WOODEN BOXES, REELS, DUNNAGE, CRATES, FRAMES, AND CLEATS. THE STATEMENT BELOW CITES THE REQUIREMENTS IN DETAIL AND COVERS LUMBER FOR BUILDING CONTAINERS AND PALLETS USED FOR DELIVERIES RESULTING IN SHIPMENTS WORLDWIDE (DIRECT, OR THROUGH AIR LOGISTICS CENTERS (ALC), CONTAINER CONSOLIDATION POINTS (CCP), OR OTHER BASES). WOODEN LUMBER, WOODEN PALLET AND PACKAGING/CONTAINER STATEMENT: ALL WOODEN LUMBER, WOODEN PALLET'S, AND WOODEN CONTAINERS PRODUCED ENTIRELY OR IN PART OF WOOD PACKING MATERIAL (WPM) SHALL BE CONSTRUCTED FROM DEBARKED WOOD IN ADDITION TO THE APPLICATION OF HEAT-TREATED (HT) MATERIAL (HT TO 56 DEGREES CENTIGRADE OR 133 DEGREES FAHRENHEIT FOR 30 MINUTES). CERTIFICATION/MARKING IS REQUIRED BY AN ACCREDITED AGENCY RECOGNIZED BY THE AMERICAN LUMBER STANDARDS COMMITTEE (ALSC). FOR REFERENCE DOCUMENTATION, SEE LATEST REVISION OF "INTERNATIONAL STANDARDS FOR PHYTOSANITARY MEASURES" (ISPM)NO.15), "REGULATION OF WOOD PACKAGING MATERIAL IN INTERNATIONAL TRADE."																		
PACRN:		PACKAGING REQUIREMENT:						PRESERVATION LEVEL:		PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAA		MIL Long Line Packaging						MIL		B								
ITEM(S): 2915013883014FW																		
CODED DATA:																		
QUP		ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
1		000	41	1	00	GB	00	0	NV	00	B	ZZ	26.50	25.0	19.0	16.5	4.535	M
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																		
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT: ITEM W/RESIDUAL FUEL USE SPI F WF-117-2012; ZZ-SMC: IAW DAFI24-602 VOL 2, 2.16.6.3 -- IF APPLICABLE																		
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																		
ORGANIZATION / OFFICE SYMBOL:		PACKAGING SPECIALIST:				PHONE NUMBER:				SIGNATURE:				DATE:				
406 SCMS / GULAA		Mallory, Aaron D				405-582-9768 / 852-9768				//SIGNED//Mallory, Aaron D				25188 - 07 JUL 2025				

SPECIAL PACKAGING INSTRUCTION			CODE ID 98748	SPI NO (TPO) F WF-117-2012	
				SHEET 1 OF 2	
PART OR DRAWING NO. VARIOUS	NATIONAL STOCK NO. VARIOUS	CURR REV NEW	ILL PS	P. BROWNING H. HOLINSWORTH	
ITEM NOMENCLATURE FUEL DEVICE W/RESIDUAL FUEL		ORIG DATE 12042	CHK AUTH	M. O'NEAL C. TROTTER	



PRESERVATION IAW MIL-STD-2073		PACKING AS SPECIFIED BELOW AND BILL OF MATERIALS							
SERVICEABLE METHOD: 41 (NOTES 1 & 2)		LEVEL	SPEC	STYLE	TYPE	CL	VRTY	GR	TR
UNSERVICEABLE METHOD: 41 (NOTES 1 & 2)		A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
QUP 001		B	CONTAINER SPEC IAW SPIRES (SEE NOTE 1)						
ICQ 000				LEVEL A	LEVEL B				
CLEANING & DRYING IAW MIL-STD-2073		GROSS CU FT		N/A		N/A			
PRESERVATIVE N/A		GROSS WT LBS		N/A		N/A			
MARKING IAW MIL-STD-129 (NOTE 3)		DESIGN FRAGILITY G		N/A		N/A			
SPECIAL MARKINGS:		CNTNR I.D.		LENGTH	WIDTH	DEPTH			
A) F WF-117-2012		LEVEL A:		N/A	N/A	N/A			
B) REUSABLE CONTAINER AND DUNNAGE DO NOT DESTROY.		LEVEL B:		SEE LEVEL OF PACK					
C) NOT FOR OUTSIDE STORAGE.		CNTNR O.D.		N/A	N/A	N/A			
D) DANGEROUS GOODS IN APPARATUS, UN3363, CLASS 9.		LEVEL A:		SEE LEVEL OF PACK					
E) TYPE OF RESIDUAL FUEL.		LEVEL B:							
F) FLASH POINT.		ITEM DIM							
		ITEM WT LBS							

CLOSURE	LEVEL A: N/A	REVISIONS	
	LEVEL B: IAW APPLICABLE CONTAINER SPECIFICATION	LTR	DESCRIPTION
			DATE

CAUTION

ITEMS CONTAINING RESIDUAL FUEL ARE CONSIDERED HAZARDOUS MATERIALS AND MUST BE PACKED IAW THE APPROPRIATE HAZARDOUS MATERIAL REGULATION AND CERTIFIED BY AUTHORIZED HAZARDOUS MATERIAL PERSONNEL.

SPECIAL PACKAGING INSTRUCTION

CODE ID
98748

SPI NO (TPO)
F WF-117-2012

ITEM NOMENCLATURE

FUEL DEVICE W/RESIDUAL FUEL

SHEET 2 OF 2

PART NO.	QTY.	NOMENCLATURE OR DESCRIPTION	SIZE (INCHES UNLESS SPECIFIED) TOLERANCES ON FRAC. $\pm 1/8$, DECIMAL $\pm .10$, ANGLES $\pm 1^\circ$.	MATERIAL SPECIFICATION
1	1	CONTAINER I.D.	AS REQUIRED	SEE LEVEL OF PACK
2	1	BARRIER BAG	AS REQUIRED	MIL-PRF-131, CL. 1
3	A/R	ABSORBENT MATERIAL	AS REQUIRED	A-A-59759 TY. II OR EQUIVALENT 

NOTES:

- 1) THE PURPOSE OF THIS SPI IS TO AMEND THE PACKAGING & MARKING REQUIREMENTS OF FUEL DEVICES WHICH HAVE BEEN DRAINED, CAPPED AND PLUGGED BUT MAY CONTAIN RESIDUAL FUEL. THE ITEM IN ITS PRESCRIBED CONTAINER, AS SPECIFIED IN THE SPECIAL PACKAGING INSTRUCTIONS RETRIEVAL & EXCHANGE SYSTEM (SPIRES), SHALL BE SUPPLEMENTED WITH THE ADDITIONAL REQUIREMENTS OF THIS SPI.
- 2) ITEMS CONTAINING RESIDUAL FUEL MUST BE PACKED IN A LEAK PROOF LINER, ABSORBENT MATERIALS IN A STRONG OUTER CONTAINER. MARK, LABEL AND DOCUMENT THE PACKAGE AS UN3363, DANGEROUS GOODS IN APPARATUS, CLASS 9.
- 3) I.D. TAGS MUST BE STAMPED BY RESPONSIBLE PARTY SIGNIFYING ITEM HAS BEEN PREPARED FOR STORAGE/SHIPMENT IAW APPLICABLE TECHNICAL DATA.
- 4) SUBSTITUTE SORBENT MATERIAL (3) IN PLACE OF WRAP INDICATED IN THE EXISTING ITEM PACKAGING REQUIREMENTS.

TRANSPORTATION DATA FOR SOLICITATIONS		PURCHASE INSTRUMENT NUMBER: FD20302500703-01		DATE INITIATED: 07 JUL 2025		
COMMODITY: See Continuation		STOCK NUMBER: See Continuation				
F.O.B. TERMS RECOMMENDED AS BEST SUITED FOR THIS PROCUREMENT						
☒ ORIGIN	☐ DESTINATION	☐ OTHER <i>(Specify)</i>	☐ DATA / FIRST ARTICLE F.O.B. DESTINATION			
TRANSPORTATION PROVISIONS / CLAUSES			FAR CITATION			
F.O.B. Origin			52.247-29			
Freight Classification Description			52.247-53			
Contact DCMA Transportation Contact DCMA Transportation on ALL "DCMA Administered" contracts prior to shipment for shipping instructions using the DCMA Shipment Instruction Request (SIR) eTool System, at http://www.dema.mil < http://www.dema.mil > for ALL FOB: Origin, Foreign Military Sales (FMS), and FOB: Destination OCONUS/Export movements to obtain the appropriate DOD regulatory clearances, shipping documentation and instructions from your cognizant DCMA Transportation Office. If you are new to DCMA, and do not already have a SIR eTool account, you will first need to request an account via DCMA External Web Access Management (EWAM) application which can be accessed at http://www.dema.mil . If you need additional assistance, email DCMA Transportation Group at: Transportation.Division@dema.mil . Do not move any freight to a water or aerial port prior to contacting DCMA or it will become frustrated. Failure to contact the responsible DCMA may result in vendor incurring additional expenditures.			Vendor Transportation Instructions			
TACRN: AAA						
TRANSPORTATION FUNDS INFORMATION:						
Purchase Instrument Line LOA: 97X4930.FC04 645 47GT 15B02A 01N000 00000 GGGTTT 503000 F03000 ALD:AA FSR: 013352 PSR: K38795 DSR: 009205 CIN: F3YCAB5147A0040000AA						
First Destination Transportation Account Code: FRS2						
Miscellaneous Obligation / Reimbursement Document:						
Second Destination Transportation Account Code:						
FMS LOA:						
Additional Funding Information:						
ITEM / SHIP TO(s):						
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> NSN / Pseudo NSN: 2915013883014FW Purchase Instrument Line Item Number: 0001 Ship to (DoDAAC / MAPAC): SW3211 Mark For: ACCT 09 Ship To (Address): DLA DISTRIBUTION DEPOT OKLAHOMA 3301 F AVE CEN REC BLDG 506 DR 22 TINKER AFB OK 73145-8000 73145 - 8000 USA WPOD: APOD: BBP / CCP: RIC: 1 Ship To (Remarks): </td> <td style="width: 50%; vertical-align: top; border-left: 1px solid black; padding-left: 10px;"> Requisition Number: Supplemental Address: FMS Case: </td> </tr> </table>					NSN / Pseudo NSN: 2915013883014FW Purchase Instrument Line Item Number: 0001 Ship to (DoDAAC / MAPAC): SW3211 Mark For: ACCT 09 Ship To (Address): DLA DISTRIBUTION DEPOT OKLAHOMA 3301 F AVE CEN REC BLDG 506 DR 22 TINKER AFB OK 73145-8000 73145 - 8000 USA WPOD: APOD: BBP / CCP: RIC: 1 Ship To (Remarks):	Requisition Number: Supplemental Address: FMS Case:
NSN / Pseudo NSN: 2915013883014FW Purchase Instrument Line Item Number: 0001 Ship to (DoDAAC / MAPAC): SW3211 Mark For: ACCT 09 Ship To (Address): DLA DISTRIBUTION DEPOT OKLAHOMA 3301 F AVE CEN REC BLDG 506 DR 22 TINKER AFB OK 73145-8000 73145 - 8000 USA WPOD: APOD: BBP / CCP: RIC: 1 Ship To (Remarks):	Requisition Number: Supplemental Address: FMS Case:					
EVALUATION OF PORT BID OR PROPOSAL:						
SOLICITATION DATA NOTES:						
OTHER TRANSPORTATION DATA:						
NAME	ORGANIZATION / OFFICE SYMBOL	COMMERCIAL / DSN PHONE	SIGNATURE	DATE		
Cole, Chiquita D	406 SCMS / GULAA	478-926-7702 / 468-7702	//SIGNED//Cole, Chiquita D	07 JUL 2025		

ITEM UNIQUE IDENTIFICATION (IUID) CHECKLIST	
I. IUID DETAILS: DFARS 252.211.7003 SECTION (c) (1) (i) APPLIES TO THE FOLLOWING:	
ITEM REQUIRING IUID MARKING	
NSN 2915013883014FW	VERSION NUMBER 2
NOUN HOUSING,FUEL PUMP	
INITIATOR Stover, Donald A	ORGANIZATION CODE / OFFICE SYMBOL 423 SCMS / GUEAA
COMMERCIAL PHONE 405-582-9984	DSN PHONE 852-9984
CAGE / REFERENCE NUMBER	
MARKING IS TO BE PERFORMED IN ACCORDANCE WITH THE LATEST VERSION OF MIL-STD-130	
MARKING GUIDANCE Contractor Determined Location and Method	ENGINEERING DRAWING / ECP / ECO NUMBER
MARKING TYPE	MARKING METHOD
DESCRIPTION / LOCATION	
REMARKS	
ATTACHMENT(S)	
II. EMBEDDED ITEMS SECTION (c) (1) (iii) APPLIES TO THE FOLLOWING:	
NSN	NOUN
CAGE / REFERENCE NUMBER	
ITEM IS AN EMBEDDED ITEM FOR NSN / PSEUDO NSN: 2915013883014FW	
MARKING GUIDANCE	ENGINEERING DRAWING / ECP / ECO NUMBER
MARKING TYPE	MARKING METHOD
DESCRIPTION / LOCATION	
REMARKS	
ATTACHMENT(S)	