

**Performance Work Statement
for
Local Telecommunication Services (LTS)**

**355th Communications Squadron
Davis Monthan AFB, AZ**

Review/Coordination

VILLACREZ.JOSEP
H.A.III.1100662260⁶⁰
Digitally signed by
VILLACREZ.JOSEPH.A.III.11006622
Date: 2026.05.06 08:48:11 -07'00'

Services Acquisition Lead

Quality Assurance Program Coordinator

SAUDER.JERRY.L.1
096540210
Digitally signed by
SAUDER.JERRY.L.1096540210
Date: 2026.05.06 08:56:32 -07'00'

Contracting Officer

TABLE OF CONTENTS

1.0. INTRODUCTION.....	3
1.1. Objective.....	3
1.2. Background.....	3
2.0. SCOPE.....	3
2.1. Outages.....	3
2.2. Services Summary.....	6
3.0. GOVERNMENT PROVIDED SPACE AND SERVICES.....	7
3.1. Securing and Safeguarding.....	7
3.2. Rack Space.....	7
3.3. Environmental Controls.....	7
3.4. Emergency Services.....	7
4.0. GENERAL REQUIREMENTS.....	7
4.1. Personnel.....	7
4.2. Interconnection Agreements, and Cutover Plans.....	7
4.3. Safety, Health and Fire Protection Requirements.....	8
4.4. Monthly Billing.....	8
4.5. Security Requirements.....	9
5. APPENDICES.....	16
APPENDIX 1 – SITE SPECIFIC REQUIREMENTS.....	16
APPENDIX 2 - DEFINITIONS & ACRONYMS.....	19

PERFORMANCE WORK STATEMENT FOR LOCAL TELECOMMUNICATION SERVICES (LTS)

1.0. INTRODUCTION

1.1. Objective. This requirement will provide essential Session Initiation Protocol (SIP) trunking services and features supporting Davis-Monthan AFB (DMAFB), AZ. These services will support the installation 24 hours a day, seven days a week, 365 days a year (24/7/365).

1.2. Background. The government utilizes SIP trunking services delivered over IP-based infrastructure to support voice, video, and real-time communications. This Performance Work Statement (PWS) defines the performance-based requirements consistent with Air Force Instruction (AFI) 63-138, *Acquisition of Services*.

2.0. Scope. The contractor will provide all labor, tools, facilities, materials, and services to perform and provide local access to the designated circuit demarcation point(s) identified in Appendix 1 of this PWS. The services will include any equipment, wiring, or infrastructure to ensure the contractor's proposed solution is compatible with the Government's current infrastructure without additional Government expense. Access to the local exchange must also include operator assistance functions. The services do not include residential or business services for non-Government entities or Government contractors. The contractor must follow all Federal Communications Commission (FCC), Public Utility Commission (PUC), Department of Defense (DoD), AF, and industry standards for this requirement.

The contractor will provide and install transmission equipment and cables for local exchange access and transport service circuits to the Government-provided floor space at the Government demarcation location(s) identified in PWS Appendix 1. The contractor will connect to Government-provided power connection points and termination frames. The contractor must coordinate with the Government Point of Contact (POC) prior to any installation and will be provided with the primary and alternate POC names, emails, and telephone numbers no later than (NLT) five days after contract award. The Government does not authorize aerial cable installations.

2.1. Outages

2.1.1. Scheduled Outage. The contractor must notify the Government POC of any scheduled outage that will affect any telecommunication service NLT 30 days prior to the scheduled outage. The contractor must provide a detailed explanation for the outage, to include the amount of downtime and end users affected. The contractor must notify the Government POC via email of the need for any scheduled service outages. Such outages must be scheduled to minimize inconvenience to users. The Government

POC must release all affected equipment and circuits prior to any service disruption. The contractor must follow procedures identified below for outages.

2.1.2. Unscheduled Outages. If multiple facilities, areas, primary trunks, or cables/fibers are impacted, the Government POC will assign the category of the outage and establish the repair priority. The contractor must notify the Government POC verbally of problem(s), and follow-up with documentation via email within the time specified for each outage type.

2.1.3. Outage Procedures. The contractor must follow procedures identified below for outages. In all cases, notification must include:

- Reason for interruption
- Duration
- Start and stop times
- Affected equipment, lines, and buildings
- Restoration action (what service was impacted and how service was restored)

2.1.4. Outage Priority, Restoration of Service, and Maintenance. The contractor will respond and restore service outages. From the time of receipt of the notification, the contractor must respond and coordinate with the Government POC within the time limits indicated below. For mission-essential functions, the Government POC will identify and prioritize the essential contractor services. The contractor must prioritize and perform restorations in accordance with (IAW) the Telecommunications Services Priority (TSP) and Restoration Priority List (RPL), which are provided by the Government POC. In the event that the contractor anticipates not being able to perform any of the essential contractor services (i.e. beyond the contractor's control) IAW the TSP and RPL during a crisis situation, the contractor must notify the Government POC as expeditiously as possible and use its best efforts to cooperate with the Government in the Government's efforts to maintain the continuity of operations. If the Government POC determines that the outage restoration time frames cannot be met for other non-mission essential functions, the Government POC can declare any outage restoration priority level as catastrophic, emergency, or serious if the outage significantly affects the mission of the Government.

2.1.4.1. Catastrophic Outage. Catastrophic outages demand immediate attention, such as a total loss of service, loss of network control, and loss of call processing capability to 95% or more of equipped lines and/or trunks. The Government POC can declare any outage as a catastrophic outage if the outage significantly affects the mission of the Government. A catastrophic outage is normally a sudden and widespread disaster stemming from the result of a man made or natural disaster in which property and site network infrastructure are completely destroyed. Restore service time will be determined from the time the contractor responds to the Government's notification IAW the local TSP and RPL requirements. The contractor must advise the Government POC of their restoration procedures for DMAFB in a catastrophic situation. The contractor must respond to the outage NLT one hour of receipt of notification by the Government POC and advise the Government POC of its restoration procedures for a catastrophic

situation. The contractor must provide the Government POC with updates at least every four hours on the status of restoration actions.

2.1.4.2. Emergency Outage. An emergency outage demands rapid action. The Government POC can declare any outage as an emergency outage if an outage significantly affects the mission of the Government. Emergency is defined by the Government as any outage that severely hampers the Air Force mission and can be restored within the restoration parameters. The contractor must respond to the outage NLT one hour of receipt of notification by the Government POC. The contractor must restore service NLT eight hours from the time the contractor responds to the Government notification.

2.1.4.3. Serious Outage. A serious outage demands timely action, such as degraded service or a fault condition that makes the system perform at a level less than that for which it is designed; condition discovered in automatic routing which has not shown in the operation of the equipment, but requires attention. The Government POC can declare any outage as a serious outage if an outage significantly affects the mission of the Government. The contractor must respond to the outage NLT one hour of receipt of notification by the Government POC. The contractor must restore service NLT 24 hours from the time contractor responds to the Government notification.

2.1.4.4. Routine Outage. A routine outage minimally disrupts service to property, equipment, and site infrastructure. The Government POC can declare any outage as a routine outage if an outage does not seriously affect the mission, but does hamper day-to-day operation of the Government installation. The contractor must respond to the outage NLT one hour of receipt of notification by the Government POC. The contractor must restore service NLT two calendar days from the time the contractor responds to the Government's notification.

2.2. Services Summary

2.2.1. Services Summary (SS)

Performance Objective	PWS Paragraph	Performance Threshold
1. Perform and provide local access at the designated circuit demarcation points identified in Appendix 1 to this PWS.	2.0	Continuous operation local phone service 24/7/365 with 99.9% availability
2. Notify the Government POC NLT 30 days in advance of scheduled outage providing a detailed explanation for the outage.	2.1.1	Timely and detailed notification provided 100% of time
3. Respond and restore Catastrophic Priority service outages IAW PWS, TSP, and RPL as coordinated with the Government POC.	2.1.4 and 2.1.4.1	Timely response to notification and timely restoration of services provided 100% of the time
4. Respond and restore Emergency Priority service outages IAW PWS, TSP, and RPL as coordinated with the Government POC.	2.1.4 and 2.1.4.2	Timely response to notification and timely restoration of services provided 100% of the time
5. Respond and restore Serious Priority service outages IAW PWS, TSP, and RPL as coordinated with the Government POC.	2.1.4 and 2.1.4.3	Timely response to notification and timely restoration of services provided 100% of the time
6. Respond and restore Routine service outages IAW PWS, TSP, and RPL as coordinated with the Government POC.	2.1.4 and 2.1.4.4	Timely response to notification and timely restoration of services provided 100% of the time

2.2.2. Inspection. The performance threshold briefly describes the minimum acceptable levels of service required for each requirement. The Government has the right to inspect all services identified within the contract (SS and Non-SS items), to the extent practicable at all times and places during the term of the contract.

2.2.3. Grade of Service. Locations carrying contracted voice grade, which is packetized for transport across an IP, Multi-Protocol Label Switching, or other Interexchange Carrier system require grade of service (GoS), implemented as quality of service (QoS), to ensure that end-to-end per-call latency and packet jitter remain within International Telecommunication Union standards. This requirement is applicable to Voice over Internet Protocol (VoIP) traffic, video traffic, or other real-time traffic that has been identified and contracted for an elevated GoS. The contractor must ensure QoS end to end including through sub-contracted external LEC/CLEC facilities; implementation strategies that may include Committed Access Rates (CAR), Expedited Forwarding

(EF), and traffic shaping determined by customer marked Differentiated Services Code Point packets or pre-contracted data flows.

3.0. GOVERNMENT PROVIDED SPACE AND SERVICES

3.1. Securing and Safeguarding. The contractor must secure Government facilities, equipment, and materials before leaving a facility. Contractor personnel must be escorted by Government personnel at all times within the server room space unless otherwise cleared ahead of time by 355th Communications Squadron (355 CS) or 355th Security Forces (355 SFS) personnel.

3.2. Rack Space. The 355 CS will provide rack space to the contractor inside building 5150, Ironwood Street, DMAFB, AZ 85708.

3.3. Environmental Controls. The Government will provide sufficient environmental controls to maintain humidity and temperature within the contractor's equipment operating specifications. In addition, the Government will provide primary and emergency conditioned power sources to operate the contractor's equipment within manufacturer's specifications.

3.4. Emergency Services. The Government will provide security forces services (call 228-4444 for emergencies only), and fire protection services (call 228-3333). There are no emergency medical services available on DMAFB; therefore, the contractor must call 228-3333 for emergency medical services.

4.0. GENERAL REQUIREMENTS

4.1. Personnel. The contractor is solely responsible for ensuring sufficient personnel are assigned to this requirement. Appropriate personnel must possess the qualifications and certifications to perform the requirements listed herein. These qualifications and certifications must include those required by the Original Equipment Manufacturer (OEM) to maintain, install, and/or operate the equipment covered by this contract.

4.2. Interconnection Agreements and Cutover Plans. In the event contract award is made to a non-incumbent contractor, the incoming contractor must submit all Interconnection Agreements (IAs) via link, or as an addendum. The addendum is not included in the technical quote, and no page limitations apply to this submittal. Additionally, if providing a quote as a Competitive Local Exchange Carrier (CLEC) for any and/or all services, provide documented evidence of IAs and/or leasing agreements relevant to this effort.

For Government planning and funding purposes, the contractor, as industry experts, is required to inform the Government of their anticipated cutover time frame. The contractor must develop and submit an Initial Cutover Plan to the Government with their technical quote. A Final Cutover Plan must be submitted NLT ten (10) working days after contract award. This plan must include installation of the initial required services for cutover of LTS requirements, along with the recommended time frame to complete

each phase of the cutover process. The contractor must coordinate deviations from the finalized Cutover Plan with the Government POC prior to any work commencing in the affected area. The contractor must ensure all circuits, equipment, and services provided by the incumbent, under the prior contract, are disconnected/discontinued upon successful cutover. At this point, the contractor must inform the Government POC that the previous provider's equipment is no longer needed and may be removed by the previous provider. Any omissions or discrepancies in the Cutover Plan does not relieve the contractor of its responsibility to install, cutover, and perform all services identified in this requirement. It is the contractor's responsibility to resolve any issues associated with these efforts within a time agreed upon by the Government POC and the contractor.

4.2.1. Cutover Plan Content. The Cutover Plan must contain, at a minimum, the following site-specific information:

- a) Overview/Scope of plan, indicating proposed timeframe to complete cutover.
- b) A detailed Implementation Plan in working days to complete requirements listed in PWS as site-specific (see Appendix 1). The use of a Gantt or Milestone chart to illustrate your plan is suggested.
- c) Conditions/Support required prior to the start of cutover;
- d) A listing of Offeror responsibilities;
- e) A listing of proposed Government responsibilities;
- f) Key Departments essential to the Offeror's Installation and Cutover Plan available to participate in routine progress meetings with the Government on a weekly or bi-weekly basis.
- g) Key POC List for contractor, Customer Site and Government Contracting Office must be included in the Final Cutover Plan.

4.3. Safety, Health and Fire Protection Requirements. The contractor must follow local procedures established by the local safety and health offices. Reference the instructions in the Code of Federal Regulations (CFR) 29, Part 1926.58. The contractor must record and report to the CSO all available facts relating to each instance of accidental damage to Government property or injury to either contractor or Government personnel.

Any buildings the contractor enters must be made secure via lock and key to include access only permitted server rooms after work is performed.

The contractor must abide by all Occupational Safety and Health Act (OSHA) work safety guidelines for any construction or hazardous work to be completed.

4.4. Monthly Billing. The contractor will provide, upon request by an authorized Government Contracting Officer Representative (COR), an electronic copy of the current and/or past months billing records for the period of performance of the contract. Billing format will show customer number/contract number, dates of service period, services

provided, quantities, pricing for each tariffed service, taxes, fees, surcharge and any other applicable charges.

4.4.1. Customer Service Records (CSR). The contractor will provide, upon request by an authorized Government COR, an electronic copy of the detailed CSR for the period of performance of the contract.

The CSR refers to the records a telecommunications carrier provides the DoD installation with pertinent information regarding a customer's detailed account of telecommunication services.

The CSR must include the Universal Service Ordering Code (USOC) or a commercial contractor's code in reference to specific services or equipment.

The contractor CSR must include, but not limited to;

- Direct-In-Dial (DID) phone numbers that includes range for all associated NXXs

The CSR must be in a format compatible with basic text, MSWord, Excel, etc.

4.5. Security Requirements

4.5.1. Contract Manager. Upon contract award, the contractor will designate a primary contract manager and at least 1 alternate contract manager, who will be responsible for performance of services. The contractor will submit the name of the primary contract manager and/or alternate(s), who will act for the primary contract manager if absent, in writing to the CO and COR. The contract manager or alternate(s) will have full authority to act for the contractor on all matters relating to the daily operation of this contract and will be available within 60 minutes, either in person or by telephone, during normal working hours, to discuss performance with Government personnel. The contract manager and alternate(s) contract manager must be able to read, write, speak, and understand English fluently. The contract manager and alternate(s) contract manager will have a minimum of three years' experience in work related to that which is being performed.

4.5.2. Listing of Employees. The contractor will maintain a current listing of employees performing services on DMAFB. The list will include employee's name (as shown on Driver's License), social security number, driver's license number, state of issue, date of birth, and country of citizenship. Managers, supervisors, and/or superintendents must be identified on the list of employees. The contractor will submit the list to the COR, prior to the contract start date, and submit an updated list when an employee's status or information changes, within 5 working days of the change. The name of any contractor employee that is terminated during the period of the contract must be reported to the Contracting Officer in writing within one workday of the employee's termination.

4.5.3. Real ID Requirement. Davis Monthan Air Force Base requires all visitors seeking base access to possess a REAL ID in accordance with the REAL ID Act of

2005 and DoD Manual 5200.08 Vol 3, *Physical Security Program: Access: to DoD Installations*.

Federal installations, including Davis-Monthan AFB, will no longer accept non-marked state-issued identification cards after May 6, 2025. As mandated by the Department of Homeland Security (DHS), state-issued licenses and identification cards must include a REAL ID-compliant marking—star markings, “Enhanced” verbiage, etc.—indicating adherence to federal standards. Enhanced Driver’s Licenses (EDLs) issued by Washington, Michigan, Minnesota, New York and Vermont are also acceptable for federal purposes. Although most EDLs do not contain the REAL ID star marking, they meet DHS criteria for access.

To obtain a REAL ID, individuals must visit their state’s driver licensing agency website for documentation requirements. At a minimum, applicants must provide proof of full legal name, date of birth, Social Security number, two proofs of address and lawful status. States may impose additional requirements. Minors under 18 years of age are not required to present REAL ID-compliant credentials for travel or base access, but their accompanying adult must be compliant.

Individuals issued a “LIMITED-TERM” REAL ID—commonly non-citizens with documentation such as a Permanent Resident Card, visa, or employment authorization—must present the same documentation when requesting access to DMAFB.

Common REAL ID-compliant credentials include U.S. passports, permanent resident cards and other identification approved under DODM5200.08v3. Current Defense Biometric Identification System (DBIDS) badges are not impacted by this change. However, new or replacement DBIDS badges will only be issued upon presentation of REAL ID-compliant credentials. When screening visitors for DBIDS Contractor Badges and EAL sponsorship visitation requests, it is the direct responsibility of the DoD-affiliated sponsor to verify that the personnel they are requesting badging or visitation for are REAL ID compliant.

For DBIDS contractors, Visitor Control Center badging personnel will confirm contractors’ REAL ID compliance when they come to receive their DBIDS badge. Security Forces personnel will verify visitors driver’s licenses and identification cards to ensure REAL ID compliance is met. Non-compliance will result in immediate denial to the installation until REAL ID compliance is met.

Security Forces entry controllers will verify REAL ID compliance of visitors when verifying their credentials with Entry Authorization Lists. Non-compliance will result in immediate denial to the installation until REAL ID compliance is met.

For more information on REAL ID compliance and requirements, visit www.dhs.gov/real-id. For questions regarding access to Davis-Monthan AFB, contact the 355th Security Forces Squadron Pass and Badge Office at 520-228-3224.

4.5.4. Security Training. All contractor employees will receive initial and recurring security education training from the Government sponsoring agency's Security Manager. Training must be conducted in accordance with DoD 5200.01 V1-V4, Information Security Program, and AFI 31-1404, Air Force Information Security Program. Contractor personnel who work in Air Force controlled/restricted areas must be trained IAW AFI 31- 101, The Air Force Installation Security Program.

4.5.5. Antiterrorism Awareness Training. Level I – Antiterrorism (AT) Awareness Training is available to all contractor employees. Non-Common Access Card (CAC) holders can accomplish Level 1 - AT Awareness Training at <https://jkodirect.jten.mil/Atlas2/page/login/Login.jsf>. Additionally, contractor employees may contact the Government sponsoring agency's Unit Antiterrorism Representative (UATR) to request Antiterrorism Awareness Training material.

4.5.6. Reporting Requirements. Contractor personnel will immediately report to an appropriate Government authority any information or circumstances of which they are aware may pose a threat to the security of Department of Defense personnel, contractor personnel, resources, and classified or unclassified defense information. Contractor personnel are required to review suspicious activity reporting procedures. Contact the Government sponsoring agency's Unit Antiterrorism Representative (UATR) to request Suspicious Activity Reporting training material. Contact the Base Defense Operation Center (BDOC) to report actual suspicious activity at (520) 228-3200.

4.5.7. Incident Notification. Contractor personnel with access to a government computer will update their AtHoc profile with current contact information to ensure receipt of incident notification. Contractor personnel without computer access should be alert for notifications from the base public address system (i.e. Giant Voice). Additional notifications can be received via the Davis Monthan AFB Facebook Page. In the event of an incident, contractor personnel should adhere to the guidance provided in the Antiterrorism Awareness Training.

4.5.8. Pass and Identification Items. The contractor will ensure that all necessary pass and identification items required for contract performance are obtained for contractor employees and non-Government owned vehicles.

4.5.9. Retrieving Identification Media. The contractor will retrieve all identification media, including vehicle passes from contractor employees that depart for any reason before the contract expires (e.g. terminated for cause, retirement, etc.) and turn them in to the issuing office. Once contractor employees are no longer employed, the contractor office will notify the issuing office of the termination immediately.

4.5.10. Traffic Laws. Contractor employees will comply with all base traffic regulations. Contractor employees are subject to random vehicle speed control checks. Contractor personnel cited for speeding on the installation may suffer loss of base driving privileges, debarment from the base, or other administrative action. The use of seat belts is mandatory for all vehicle occupants. The use of cell phones is prohibited while driving on base, unless the phone is a hands-free cell phone.

4.5.11. Random Personnel and Vehicle Searches. Contractor personnel are subject to random personnel and vehicle searches. If contractor personnel refuse to be searched, they will be denied entry to the base, and may result in loss of base driving privileges, debarment from the base, or other administrative action.

4.5.12. Weapons, Firearms, and Ammunition. Contractor employees are prohibited from possessing weapons, firearms, or ammunition, on themselves or within their contractor owned vehicle or privately owned vehicle while on Davis-Monthan AFB.

4.5.13. For Official Use Only (FOUO). The contractor will comply with DoD 5400.7-R, Chapter 4, DoD Freedom of Information Act (FOIA) Program requirements. This regulation sets policy and procedures for the disclosure of records to the public and for marking, handling, transmitting, and safeguarding FOUO material.

4.5.14. Physical Security. Contractor employees will safeguard all Government property and controlled forms provided for contractor use. At the end of each work period, the contractor will secure all Government facilities, equipment, and materials. The contractor will establish and implement methods of ensuring all Government lock combinations, are not lost, misplaced, or used by unauthorized persons. The contractor will prohibit the use of lock combinations, issued by the Government, by any persons other than the contractor's employees. The contractor will also prohibit the opening of locked areas by contractor employees to permit entrance of persons other than contractor employees engaged in performance of contract work requirements in those areas.

4.5.15. Key Control. The contractor must establish and implement methods of making sure all keys/combinations issued to the contractor by the government are not lost or misplaced and are not used by unauthorized persons. The contractor must not duplicate any keys issued by the Government. The contractor must immediately report to the COR any occurrences of lost or duplicated keys. In the event keys, other than master keys, are lost or duplicated, the contractor may be required, upon written direction of the Contracting Officer, to re-key or replace the affected lock or locks without cost to the Government. The Government may, however, at its option, replace the affected lock or locks or perform re-keying and deduct the cost of such from the monthly payment due the contractor. In the event a master key is lost or duplicated, the Government must replace all locks and keys for that system, and the total cost will be deducted from the monthly payment due the contractor.

4.5.16. Travel on the Installation. All contractor personnel will limit their travel on the installation only to specific areas required for performance of services, specified break and meal areas, or travel directly to and from these locations.

4.5.17. Controlled/Restricted Areas. The Contractor will adhere to/implement local base procedures for entry to AF controlled/restricted areas where Contractor personnel work. An AF Form 2586, Unescorted Entry Authorization Certificate, must be completed and signed by the sponsoring agency's Security Manager before a Restricted Area Badge will be issued. Contractor employees must have a favorably completed National

Agency Check plus written Inquires (NACI) investigation before receiving a Restricted Area Badge. Interim access can be granted in accordance with AFI 31-501, Personnel Security Program Management.

4.5.18. Privacy Act. The Contractor will ensure that its employees fully understand and comply with Title 5 of US Code, Section 552.a and DoD 5400.7-R, DoD Freedom of Information Act Program. These procedures must be followed to identify and safeguard reports and data accordingly. The contractor will ensure that Contractor employees are briefed annually on properly identifying and handling Privacy Act data/information.

4.5.19. Controlled Unclassified Information. Controlled Unclassified Information (CUI) is unclassified information requiring safeguarding and dissemination controls, consistent with applicable law, regulation, or government-wide policy. In accordance with DoDI5200.48_DAFI16-1403, *Controlled Unclassified Information (CUI)*, the contractor must protect CUI, regardless of its form, always in a manner that minimizes the risk of unauthorized disclosure while allowing for access by authorized holders. Contractor personnel working with CUI must be careful not to expose CUI to unauthorized users or others who do not have a lawful government purpose to see it. When not under continuous monitoring or physical control, the contractor will store hardcopy CUI documents in a locked desk, file cabinet, or similar means, where only authorized personnel have access. The following are examples of CUI:

- Personally Identifiable Information (PII)
- Sensitive Personally Identifiable Information (SPII)
- Proprietary Business Information (PBI)
- Unclassified Controlled Technical Information (UCTI)
- Operational or Financial Information
- Protected Health Information (PHI)
- Sensitive but Unclassified (SBU) Information

4.5.20. Protection of Personally Identifiable Information. Personally Identifiable Information (PII) refers to information that can be used to distinguish or trace an individual's identity either alone or when combined with other information that is linked or linkable to a specific individual. PII may range from common data elements such as names, addresses, dates of birth, and places of employment, to identity documents, Social Security numbers (SSN) or other Government- issued identity, precise location information, medical history, and biometrics. Contractor personnel must protect all PII encountered in the performance of services in accordance with Department of Defense Directive 5400.11, *Department of Defense Privacy Program*, and DOD 5400.11-R, *Department of Defense Privacy Program*. If a PII breach results from the contractor's violation of the aforementioned policies, the contractor must bear all notification costs, call-center support costs, and credit monitoring service costs for all individuals who's PII has been compromised."

4.5.21. Operations Security (OPSEC). The contractor will adhere to the following minimum OPSEC requirements.

- Contractor personnel will not discuss government operations in public or over unprotected or unencrypted communications. Official business and controlled unclassified information may only be transmitted as directed in the PWS.
- The contractor will not post to company websites, publications, newsletters, or other media any images, data or information that reveal sensitive government operations, personnel, equipment, and/or classified or controlled unclassified information. When in doubt, company press releases related to this contract must be coordinated through the Contracting Officer Representative (COR) or Contracting Officer, as applicable.
- Observation of events, operations, physical changes, etc. may reveal National Security information, therefore specific restrictions are required to preclude unintentional release of information to unauthorized parties. (Unauthorized disclosure and transfer of National Security Information is punishable under 18 USC § 793.) Therefore, contractor personnel will not disclose to unauthorized third parties, post to unofficial sites (including Social Networking sites) any images, data, or information, or observed events that reveal sensitive Government operations, personnel, equipment, including, but not limited to the following.
- Tactics, techniques and procedures, production or work schedules, any visible or concealed modifications, upgrades, increases, change, or decreases in work/deployment frequency or government personnel, vehicle, aircraft movements; specialized equipment orders, deliveries, shipments, etc., The contractor will immediately report unauthorized disclosures and/or attempts to solicit this type of information by unauthorized third parties or others not affiliated with this contract to the COR or Contracting Officer.
- Government issued badges, identification must be removed and/or concealed from plain sight when off base and must not be left in vehicles or unprotected. Badges and passes may not be duplicated, copied, or loaned to others. Lost or stolen identification badges, vehicle passes etc. will be immediately reported to the COR, Contracting Officer, and/or installation Security Office.
- The contractor will practice OPSEC and implement countermeasures to protect critical information (CI) and other sensitive unclassified information, if applicable. Protection of CI includes the adherence to and execution of countermeasures which the contractor initiates or as provided by the COR/CO, for CI on or related to this PWS. Where a contract requires long-term access to on-base facilities or other Government facilities, such as embedded contractors or participates in operations, they must complete applicable training and awareness familiarization, as required by the 355 Communications Squadron OPSEC Coordinator.

- Initial training may be provided by computer-based training, live training or a combination of both.
- Completion of OPSEC training is required for contractor personnel initially within 30 days of assignment.
- The contractor is required to maintain individual training records for compliance purposes.

4.5.22. Continuation of Essential Contractor Service. The requirements in PWS paragraphs 2.1 through 2.1.4.4. have been determined to be mission essential, in accordance with the Defense Federal Acquisition Regulation Supplement (DFARS), Subpart 237.76, *Continuation of Essential Contractor Services*. The contractor providing essential services must be prepared to continue providing such services, in accordance with the terms and conditions of their contract, during periods of crisis.

4.5.22.1. Essential Contractor/liaison Services Plan. In accordance with DFARS 252.237-7024, *Notice of Continuation of Essential Contractor Services* provision, **offerors must provide with their offer** a written plan describing how it will continue to perform the essential contractor/liaison services listed in the PWS. The required contents of the mission essential plan can be found in the DFARS 252.237-7024 provision.

4.5.22.2. Contractor Mission Essential Employee Identification. Upon contract award, the contractor must provide the name, address, and telephone number of a point of contact for purposes of continuation of essential DoD contractor services during crisis. The contractor must also provide the names of contractor employees that have military mobilization recall commitments and have adequate plans for replacing those employees in the event of mobilization, in accordance with Department of Defense Instruction 1200.07., *Screening the Ready Reserve*, and DoD Instruction 1352.01, *Management of the Ready Reserve*, which the contractor must provide with their offer.

4.5.23. Federal Holidays. The Federal Government observes the following holidays. (Note: If the holiday falls on a Saturday, the holiday will be observed as recognized by the Federal Government). The contractor will not normally be required to provide routine services on holidays, or the actual day set aside for observation. However, the Contractor will be required to perform services on any Federal Holiday if the Government deems such services to be mission essential.

New Year's Day	Labor Day
Martin Luther King Jr's Birthday	Columbus Day
Presidents Day	Veterans Day
Memorial Day	Thanksgiving Day
Juneteenth National Independence Day	Christmas Day
Independence Day	

4.5.24. Smoking in AF Facilities. Contractors are advised that the Air Force has placed restrictions on the smoking of tobacco products in Air Force facilities. AFI 48-104, *Tobacco Free Living*, outlines the procedures used by the commander to control smoking in our facilities. Contractor employees and visitors are subject to the same restrictions as Government personnel. Smoking is permitted only in designated smoking areas.

4.5.25. Illegal Substances. Illegal substance possession and/or use will not be tolerated on any military installation, including DMAFB. This includes the use, possession, distribution, or purchasing of marijuana, even if it was medically prescribed. The contractor must ensure contractor employees who have base access do not possess and/or use illegal substances. All contractors and subcontractors are required to adhere to all local, state and federal laws concerning possession and/or use of illegal substances. Contractors found to be in possession of illegal substances will be barred from the installation, and subject to arrest and prosecution by local authorities.

5.0. APPENDICES

APPENDIX 1 – SITE SPECIFIC REQUIREMENTS

5.1. Required Services and Features. The contractor must provide the following Government line of local commercial communications services for DMAFB, AZ at cutover. Innovative technical solutions are encouraged but must be compatible with the current requirement that is listed in the remainder of this Appendix. The quantity of these initial service requirements will be incorporated into the Pricing Schedule. The installation service requirement will be identified here in Appendix 1 and in the Pricing Schedule.

The Government telephone system is defined as Cisco 9200 CX switch and 2 Cisco 8300 routers located in Building 5010; 5150 E. Ironwood St., Davis-Monthan AFB AZ 85707.

The Government Communication Services Officer (CSO) and Technical Representative will be identified upon contract award and updates provided to the contractor as required by the Contracting Officer.

5.2. Direct-Inward-Dialing (DID) Directory Numbers (Total 11,200) Table below.

NPA- NXX-XXXX	DID Directory Numbers
(520) 228-0000 to 9999	10,000
(520) 202-8000 to 8999	1000
(520) 334-6799 to 6999	200

5.3. Exchange and Access Lines.

5.3.1. Commercial Subscriber Lines. N/A

5.3.2. Hot Lines. N/A

5.4. Local Exchange and Access Trunks. N/A

5.4.1. Local Exchange Access Analog Trunks. N/A

5.4.2. Local Exchange Access Digital Trunks. N/A

5.5. Foreign Exchange (FX) Lines/Trunks. N/A

5.5.1. Analog FX Line/Trunks. N/A

5.5.2. Foreign Exchange Digital Trunks. N/A

5.6. Transport Channels. N/A

5.7. Data Point-to-Point Circuits. N/A

5.8. Circuit Extension. N/A

5.9. Public Listings.

Description	Quantity
Public Listing, Government Section	11

5.10. Telephone Directories.

Description	Quantity
Local Telephone Directories	400

5.11. Diversity/Diverse Routing. N/A

5.12. E911 Compatibility. The contractor must provide configuration diagrams to show access to 911/E911 services, where available, through the local city or county emergency services organization.


E911 Services. The contractor must provide configuration diagrams to show access to 911/E911 services, where available, through the local city or county emergency services organization. All the 911 calls that originate from the commercial subscriber lines must be

routed to the Davis-Monthan AFB Fire Department. All 911 calls that generate on-base to the base switch (internally) must also be routed to the Davis-Monthan AFB Fire Department.

5.13. Special Services. N/A

5.14. Service Routing. The contractor must submit a service routing diagram (reference Appendix Diagrams 1 and 2 for examples) and/or service routing description in their technical quote. The contractor may provide the requested diagram and legend using these formats or a similar format to be in accordance with PWS paragraph 4.2.1. Submission of a generic diagram or not explaining the service routing may be determined technically unacceptable.

**Diagram 2
UTILIZING SIP TRUNKING**



Note: The vendor-controlled Customer Premise Equipment (CPE) will be vendor provided. The EBC, if available, will be Government provided

APPENDIX 2 - DEFINITIONS & ACRONYMS

Table A - Definitions

TERM	DEFINITION
Appendix 1	Defines the Davis Monthan AFB, AZ requirements detailing locations on circuit delivery.
Call Setup Success Rate (CSSR)	The fractionalized amount of calls that make a successful connection to a dialed number, this is divided by the total number of calls placed. (As defined by International Telecommunication Union).
Communications Focal Point (CFP)	A 24/7 Focal Point located on an Air Force Facility that provides one stop notification services and provides reporting and tracking of communications outages to Government users of the communication systems.
Commercial Subscriber lines (CSL)	A CSL is defined by Government standards as a voice grade subscriber line serving directly from the contractor's central office switch to customer's location.
Competitive Local Exchange Carrier (CLEC)	A telephone company that competes with the already established local telephone business by providing its own network and switching.
Contractor	A supplier or vendor awarded a contract to provide specific supplies or service to the Government. The term used in this contract refers to the prime.
Customer Premise Equipment (CPE)	Also known as Customer-Provided Equipment is any equipment located at a subscriber's premises and connected with a carrier's telecommunication network at the contractually established demarcation point. The demarcation point contractually separates the customer equipment from the equipment located in either the distribution infrastructure or central office of the communications service provider. Vendor installed CPE devices are fully vendor owned, maintained, and monitored by the Vendor's management platform. CPE equipment can be powered from the customer source electrical system, but a sufficient emergency power source must be available during periods of customer power interruption for any services contractually requiring a high level of reliability.
Customer Service Record (CSR)	A report that details the fixed monthly charges billed by the local telephone company. The CSR is composed of computer codes called USOCs, which in turn correspond to a particular tariffed service.
Defective Service	A service output that does not meet the standard of performance associated with the PWS.
Deliverable	Anything that can be physically delivered, but may include non-manufactured things such as meeting minutes or reports.

TERM	DEFINITION
Dropped Call Rate (DCR)	The fractionalized amount of calls that experience a lost connection after a successful initial call establishment. (As defined by International Telecommunication Union).
Edge Boundary Controller (EBC)	A customer provided network node device that provides firewall, intrusion detection, routing, QoS, and packet equalization between the Vendors IP Wide Area Network and the interior customer IP network. The EBC will provide the logical demarcation point between IP SIP delivered services when applicable and will physically interface to the vendor's CPE Gateway Router device.
Extended Area Calling Service	A geographic area beyond the local service area to which traffic is classified as local for selected customers, i.e., telephone service that allows subscribers in one exchange to call subscribers of another exchange without a toll charge or for a negotiated fixed rate.
Flat Rate	A non-fluctuating monthly rate for telephone service in which an unlimited number of local calls can be made without further charge the extent of the contract. The monthly rate is established in the contract.
Government Emergency Telecommunications Service (GETS)	A White House-directed emergency phone service provided by the National Communications System (NCS) in the Cyber Security & Communications Division, National Protection and Programs of the Department of Homeland Security. GETS supports Federal, State, local, and tribal Government, industry, and non-Governmental organization (NGO) personnel in performing their National Security and Emergency Preparedness (NS/EP) missions. GETS provides emergency access and priority processing in the local and long-distance segments of the Public Switched Telephone Network (PSTN). It is used in an emergency or crisis situation when the PSTN is congested and the probability of completing a call over normal or other alternate telecommunication means has significantly decreased. The servicing LEC must have NPA (710) in the switch to allow access to the GETS line assigned to a specific site. Dialing 0/1+710-NXX-XXXX provides access to an emergency service for authorized users. The 710 NPA provides access to a tariffed service of the GETS interexchange carriers (AT&T, MCI WorldCom, and Sprint) and the call is billed to the U.S. Government. Web link: http://gets.ncs.gov/

TERM	DEFINITION
Incumbent Local Exchange Carrier (ILEC)	The dominant phone carrier within a geographic area as determined by the FCC Section 252 of the Telecommunications Act of 1996 provided local exchange service to specific area.
Interconnection Agreement	A business contract between telecommunication organizations for interconnecting their networks and exchanging telecommunication traffic. These agreements are present in both public switched telephone networks and the Internet.
Local Exchange Access and Service Areas	Areas will include the areas/zones coverage as currently defined by the incumbent local service provider(s) and/or the State PUC for the Site and will be applied under the scope of this contract and provide a list of these local exchange access service areas and any updates as they accrue. When the contractor provides services to a Government installation, the LATA boundary will not be limited or restricted to a contractor's service area. Connection to intra-LATA exchange areas and with inter-LATA exchange carriers is required.
Measured Rate	A message rate structure in which the monthly phone line rental includes a fixed rate on calls within a defined area. Measured services are often charged on the number of calls, the time of day, the distance traveled and/or the length of the call.
Non-Recurring Charges	A one-time fee IAW the established tariff rates at time of award that is associated with adding a local exchange service, including installment, activation and/or equipment.
Physical Security	Actions that prevent the loss or damage of Government property.
Quality Assurance	The Government procedures to verify that services being performed by the contractor are performed according to acceptable standards.
Quality Control	All necessary measures taken by the contractor to assure that the quality of an end product or service will meet contract requirements.
Reliability	The probability that a system will not fail during a specified period of time.
Resilience	The ability of a system to recover to its normal operating form after a failure or an outage.
Session Initiation Protocol (SIP)	A communications protocol for signaling, call setup/teardown, and communication of telephone and Video Real-Time Systems over an IP Based Unified Communication System. (As defined by Internet Assigned Numbers Authority & Request for Comments).

TERM	DEFINITION
Session Initiation Protocol (SIP) Trunking	A Voice over Internet Protocol (VoIP) and streaming media service Based on the SIP by which Internet telephone service providers (ITSPs).
SIP Trunk	An IP Based virtual connector between Unified Communication Systems designed to transport high-density unicast & multicast telephone/video traffic channels.
Traffic Analysis	Inference of information from observable characteristics of data flow(s), such as the identities and locations of the source(s) and destinations(s), and the presence, amount, frequency and duration of occurrence.

TABLE B - ACRONYMS:

ACRONYM	EXTENDED
AF	Air Force
AFI	Air Force Instruction
BRI	Basic Rate Interface
BS	Basic Services
BTN	Billing Telephone Number
CSSR	Call Setup Success Rate
CFP	Communications Focal Point
CLEC	Competitive Local Exchange Carrier
CO	Contracting Officer
CPE	Customer Premise Equipment
CSL	Commercial Subscriber Lines
CSO	Communications Services Officer
DCO	Dial Central Office
DCR	Dropped Call Rate
DFARS	Defense Federal Acquisition Regulation Supplement
DID	Direct In Dial
DOD	Department of Defense
DP	Dial Pulse
DSN	Defense Switching Network
DSX	Digital Signal Cross-Connect
DTMF	Dual Tone Multi-Frequency
EBC	Edge Boundary Controller
FCC	Federal Communications Commission
FD	Full Duplex
FR	Flat Rate
FX	Foreign Exchange
GETS	Government Emergency Telecommunications Service
GS	Ground Start
HD	Half Duplex

ACRONYM	EXTENDED
IAW	In Accordance With
IC	Incoming
ILEC	Incumbent Local Exchange Carrier
ISDN	Integrated Services Digital Network
IT	Information Technology
LATA	Local Access Transport Area
LS	Loop Start
LTS	Local Telecommunications Services
MF	Multi-Frequency
MDF	Main Distribution Frame
MR	Measured Rate
NCS	National Communications System
NS/EP	National Security and Emergency Preparedness
NGO	Non-Governmental Organization
NLT	No Later Than
OEM	Original Equipment Manufacturer
OG	Outgoing
POC	Point of Contact
PRI	Primary Rate Interface
PUC	Public Utility Commission
PWS	Performance Based Work Statement
PSTN	Public Switched Telephone Network
RPL	Restoration Priority List
SIP	Session Initiation Protocol
SS	Services Summary
TS	Telecommunication Services
TSP	Telecommunications Services Priority
WS	Wink Start