

8

7

6

5

4

3

2

1

NOTES:

1. INTERPRET DRAWING PER ASME Y14.100.

2

REMOVE RIGHT AND LEFT REAR TAIL LIGHTS FROM LAMP SUPPORTS. REMOVE LOOP-CUSHIONED CLAMP SECURING TAIL LIGHT WIRES FROM TRAILER CHASSIS FRAME. RETAIN FOR REINSTALLATION.

3

REMOVE RIGHT AND LEFT REAR MARKER LIGHT ASSEMBLIES AND HOUSING FROM REAR LIGHT SUPPORT. RETAIN FOR REINSTALLATION.

4

REMOVE RIGHT AND LEFT REAR SIDE REFLECTORS, AND REAR REFLECTORS FROM REAR LIGHT SUPPORTS. RETAIN FOR REINSTALLATION.

5

REMOVE THE CHASSIS TRAILER STABILIZER MOUNTS, FIND NO. 14, FROM THE TRAILER FRAME. RETAIN FOR GOVERNMENT DISPOSITION.

6

REMOVE RIGHT AND LEFT REAR LAMP SUPPORT END PLATES, FIND NO. 17 AND 18, RIGHT AND LEFT LOWER LAMP SUPPORT BRACKETS, FIND NO. 32 AND 33, AND SIDE PLATES, FIND NO. 15 AND 16, FROM TRAILER. RETAIN FOR GOVERNMENT DISPOSITION.

7

DISCONNECT WIRE LEADS FROM RIGHT AND LEFT FRONT LAMPS. REMOVE RIGHT AND LEFT FRONT LAMP SUPPORTS. TURN LEFT LAMP SUPPORT UPSIDE DOWN AND REINSTALL ON THE TRAILER'S RIGHT FRONT CORNER. TURN RIGHT LAMP SUPPORT UPSIDE DOWN AND REINSTALL ON THE TRAILER'S LEFT FRONT CORNER, AS SHOWN. RECONNECT WIRE LEADS TO RIGHT AND LEFT FRONT LAMPS.

8

REMOVE DECONTAMINATION MOUNTING BRACKET, FIND NO. 10, AND MOUNTING BRACKET SPACERS, FIND NO. 13, FROM DRAWBAR OF TRAILER. RETAIN FOR GOVERNMENT DISPOSITION.

9

MOUNT LEG PROP ASSEMBLY, FIND NO. 38, ON CENTER FRAME TUBE 6.00±.06 INCHES FROM END OF TUBE AS SHOWN.

10

REINSTALL RIGHT AND LEFT REAR TAIL LIGHTS USING EXISTING SCREW AND FLAT WASHER, AND LOCK WASHER, FIND NO. 31. SECURE TAIL LIGHT WIRES IN LOOP-CUSHIONED CLAMP REMOVED IN NOTE 2. SECURE CLAMP TO FENDER ASSEMBLY, FIND NO. 8 AND 9, USING RIVET, FIND NO. 23.

11

REINSTALL RIGHT AND LEFT REAR MARKER LIGHT ASSEMBLIES, HOUSINGS, RIGHT AND LEFT REAR SIDE REFLECTORS, AND REAR REFLECTORS AS SHOWN.

12. REFERENCED FIND NO. 10, 13 THRU 18, 29, 32, 33, AND 36 ARE PART OF TRAILER CHASSIS, FIND NO. 1.

13

REMOVE THE STABILIZER STOWAGE BRACKET, FIND NO. 29, FROM THE TRAILER FRAME. RETAIN FOR GOVERNMENT DISPOSITION.

14

SECURE RIGHT AND LEFT LAMP, AND TAIL LIGHT WIRE LEADS WITH TIEDOWN STRAPS, FIND NO. 24.

15

MARKING:
ALL MARKINGS SHALL BE BLACK ON GREEN OR BROWN BACKGROUND AND GREEN ON BLACK BACKGROUND. ALL MARKINGS OBLITERATED BY CAMOUFLAGE PAINT SHALL BE REMARKED. APPLY THE FOLLOWING MARKING IN .70-1.10 HIGH CHARACTERS:

A. STENCIL "TP 17 PSI" ON TOP CENTER FLANGE OF BOTH FENDERS OF CHASSIS, APPROXIMATELY AS SHOWN.

B. STENCIL "ACCESSORY BOX" APPROXIMATELY AS SHOWN.

C. STENCIL "TIEDOWN" TWO PLACES ON CHASSIS, APPROXIMATELY AS SHOWN.

D. STENCIL "WARNING NO STEP UNLESS SUPPORT LEG IS DOWN" APPROXIMATELY AS SHOWN.

16

INSTALL CENTER FLOOR, FIND NO. 5, BY CENTERING THE FLOOR OVER THE MOUNTING RAIL ANGLES AS SHOWN.

17

REMOVE TWO CHASSIS TRAILER REAR STABILIZER ASSEMBLIES, FIND NO. 36, FROM THE TRAILER. RETAIN FOR GOVERNMENT DISPOSITION.

18

RIVETING SHALL BE IN ACCORDANCE WITH 13217E1061, CLASS 3, PREFORMED HEAD NEAR SIDE.

19

POSITION FLOOR, FIND NO. 34, EQUALLY SPACED BETWEEN FENDER ASSEMBLY, FIND NO. 8, AND RAIL ASSEMBLY, FIND NO. 6. POSITION FLOOR, FIND NO. 35, EQUALLY SPACED BETWEEN FENDER ASSEMBLY, FIND NO. 9, AND RAIL ASSEMBLY, FIND NO. 7. SECURE EACH FLOOR, FIND NO. 34 AND 35, TO CHASSIS TUBE AS SHOWN USING RIVETS, FIND NO. 25.

20. REMOVE THE GROUND TERMINAL LUG FROM THE GROUND ROD, FIND NO. 46.

21. FIND NO. 43, 44, 45, 46, 53, AND 54, FUEL DRUM ADAPTER, DRIVER/PULLER, HAMMER, GROUND ROD, HOSE, OIL DRAIN AND ELBOW, 90 DEGREE, SHALL BE STORED IN THE ACCESSORY BOX, FIND NO. 21. THE DRIVER/PULLER SHALL BE DISASSEMBLED FOR STORAGE.

22. GROUND WIRE, FIND NO. 50, SHALL BE SOLDER COATED ON BOTH ENDS FOR A LENGTH OF .25 MIN IN ACCORDANCE WITH MANUFACTURER'S COMMERCIAL PRACTICES AND SHALL BE STOWED IN THE ACCESSORY BOX, FIND NO. 21.

23. ATTACH INSTRUCTION TAG, FIND NO. 51, TO GROUND TERMINAL, FIND NO. 47, USING STRAP, FIND NO. 52. INSTALL LOCK WASHER, FIND NO. 48, AND NUT, FIND NO. 49, ONTO GROUND TERMINAL, FIND NO. 47, PRIOR TO OVERPACKING AND STORING IN THE ACCESSORY BOX, FIND NO. 21.

24. FIRE EXTINGUISHER, FIND NO. 39, SHALL BE OVERPACKED AND SUPPLIED AS PART OF THIS ASSEMBLY.

25. GENERATOR MOUNTING HARDWARE, FIND NO. 40, 41, AND 42, SHALL BE OVERPACKED AND SUPPLIED AS PART OF THIS ASSEMBLY.

26. VENDOR ITEM, SEE VENDOR ITEM CONTROL DRAWING.

27

INSTALL FN 55 AND FN 56 APPROXIMATELY AS SHOWN. DRILL 8X .129 - .133 HOLES ON CHASSIS FRAME USING EXISTING HOLES IN FN 55 AND FN 56 AS GUIDE. ASSEMBLE WITH FN 57.

CAD MAINTAINED. CHANGES SHALL BE INCORPORATED BY THE DESIGN ACTIVITY.

7

6

5

4

3

2

1

STATUS OF REVISIONS

DESCRIPTION

DATE

APPROVED

SEE ERR NO. 03272172143

03-10-10

WHM

SEE ECP NO. 06HE000200

05-10-13

WHM

SEE ECP NO. 11CE007200

11-06-27

MR

SEE ECP NO. 12CE001101

11-11-18

MR

REDRAW SEE ECP NO. 12HE007100

13-01-11

MR

SEE ECP NO. 15HE003601

15-12-16

MLC

THIS IS AN AutoCAD® DRAWING. DO NOT MANUALLY UPDATE

DISTRIBUTION STATEMENT A.
APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION IS UNLIMITED.

DOD RELEASE

DESIGN

PRODUCTION

AIR FORCE

ARMY

NAVY

MARINE CORPS

T. DOOLEY

D. CARO

FINAL

FINAL

NEXT ASSY

USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ANGLES ± -
3 PLACE DECIMALS ± -
2 PLACE DECIMALS ± -
FRACTIONS ± -

MATERIAL

SEE PARTS LIST

CONTRACT NO.
DAAE07-94-C-R014

DATE

PREPARED

CHECKED

ENGINEER

VVP

13-01-28

-

-

DEPT OF DEFENSE PROJECT MANAGER
MOBILE ELECTRIC POWER
WILLIAM H. MERRILL

SIZE

CAGE CODE

DRAWING NO.

D

30554

13230E6565

SCALE

1/8

REV LETTER

E

SHEET

1

OF

7

8

7

6

5

4

3

2

1

8

7

6

5

4

3

2

1

12/18/2015 1:13 PM

8

7

6

5

4

3

2

1

REVISIONS

ZONE	LTR	DESCRIPTION	DATE	APPROVED
-		SEE ERR NO. 03272172143	03-10-10	WHM
B		SEE ECP NO. 11CE007200	11-06-27	MR
D		REDRAW SEE ECP NO. 12HE007100	13-01-11	MR
E		SEE ECP NO. 15HE003601	15-12-16	MLC

CAD MAINTAINED. CHANGES SHALL BE INCORPORATED BY THE DESIGN ACTIVITY.

57			13230E6383-4-5	8	RIVET, BLIND, UNIVERSAL HEAD (1/8 NOM DIA. .251-.312 GRIP RANGE)		NOTE 18,27
56			13231E0008	1	DATA PLATE, SHIPPING, LTT-HC		NOTE 27
55			13230E7017	1	PLATE, IDENTIFICATION		NOTE 27
54			04-21671	1	ELBOW, 90 DEGREE		NOTE 21
53			04-21619	1	HOSE, OIL DRAIN		NOTE 21
52	30554		88-20018-2	1	STRAP, TIEDOWN		NOTE 26
51	30554		02-23013	1	TAG, INSTRUCTION, GROUND TERMINAL		
50	81346			1	WIRE, ELECTRICAL, 6 AWG, 7 STRANDS, CL B, TEMPER SOFT, NO COATING, 48.00 L	ASTM B 8	
49			13218E0320-331	1	NUT, MACHINE, FINISHED, HEXAGON (1/4-20 UNC-2B, BRASS)		
48			13230E6743-108	1	WASHER, LOCK, FLAT-INTERNAL TOOTH (.250 NOM SIZE, TIN-BRS OR PH BRZ)		
47	30554		69-692-3	1	TERMINAL, LOAD		NOTE 26
46	58536		A-A-55804-III-B	1	ROD, GROUND (WITH ATTACHMENTS), SECTIONAL, 9FT		NOTE 21
45	58536		A-A-1293	1	HAMMER, HAND, BLACKSMITHS OR ENGINEERS, DOUBLE FACE, 8 LB		NOTE 21
44			13226E7741	1	DRIVER/PULLER, GROUND ROD		NOTE 21, 26
43			13211E7541	1	ADAPTER ASSEMBLY, FUEL DRUM		NOTE 21
42			13230E6382-10	8	NUT, SELF-LOCKING HEXAGON (1/2-13 UNC-3B, CS, ZINC PLD, WITH NYLON INSERT)		NOTE 26
41	30554		88-20033-40A	16	WASHER, FLAT (.500 ID X 1.250 OD X .083 NOM THKNS, CS, ZINC CTD)		
40	05047		B1821BH050C200N	8	SCREW, HEX HEAD (1/2-13 UNC-2A X 2.000 L, GR 8)	ASME B18.2.1	
39			13230E6831	1	EXTINGUISHER, FIRE, CARBON DIOXIDE		NOTE 26
38			13214E1206-1	1	TRAILER, LEG PROP ASSEMBLY		
37			13230E6519-3	3	RIVET, BLIND (3/8 NOM DIA, .438-.562 GRIP RANGE)		NOTE 26
36	19207		12449591	REF	STABILIZER ASSY, REAR-CHASSIS TRAILER		
35			13230E6564-2	1	FLOOR, SIDE, INNER (ROADSIDE)		
34			13230E6564-1	1	FLOOR, SIDE, INNER (CURBSIDE)		
33	19207		12449590-2	REF	BRACKET, LAMP SUPPORT, LOWER (LEFT HAND)		
32	19207		12449590-1	REF	BRACKET, LAMP SUPPORT, LOWER (RIGHT HAND)		
31			13230E6744-46	4	WASHER, LOCK-SPRING, HELICAL (.375 NOM SIZE)		
30	05047		B1821BH031C150N	2	SCREW, HEX HEAD (5/16-18 UNC-2A X 1.500 L, GR 8)	ASME B18.2.1	
29	19207		12449597	REF	BRACKET, STOWAGE-STABILIZER LEG		
28			13230E6382-4	8	NUT, SELF-LOCKING HEXAGON (5/16-18 UNC-3B, CS, ZINC PLD, WITH NYLON INSERT)		NOTE 26
27	30554		88-20033-25A	16	WASHER, FLAT (.344 ID X .875 OD X .064 NOM THKNS, CS, ZINC CTD)		
FIND NO.	CAGE CODE	DWG SIZE	PART OR IDENTIFYING NO.	QTY REQD	NOMENCLATURE OR DESCRIPTION	SPECIFICATION	MATERIAL

PARTS LIST (CONTINUED)

DOD RELEASE

	DESIGN	PRODUCTION
AIR FORCE		
ARMY	T. DOOLEY	D. CARO
NAVY		
MARINE CORPS		
DRAWING REPOSITORY		
U.S. ARMY COMMUNICATION-ELECTRONICS RESEARCH, DEVELOPMENT & ENGINEERING CENTER		
ABERDEEN, PROVING GROUND, MD. 21005		

FINAL	FINAL
NEXT ASSY	USED ON
APPLICATION	

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ANGLES ± - 3 PLACE DECIMALS ± - 2 PLACE DECIMALS ± - FRACTIONS ± -

MATERIAL

SEE PARTS LIST

CONTRACT NO. DAAE07-94-C-R014

DATE -

PREPARED VVP 13-01-28

CHECKED - -

ENGINEER - -

DEPT OF DEFENSE PROJECT MANAGER MOBILE ELECTRIC POWER WILLIAM H. MERRILL

SIZE D

CAGE CODE 30554

DRAWING NO. 13230E6565

SCALE 1/8

REV LETTER E

SHEET 2 OF 7

DOD PROJECT MANAGER, EXPEDITIONARY ENERGY & SUSTAINMENT SYSTEMS WASHINGTON, D.C.

TRAILER, GENERATOR ASSEMBLY

THIS IS AN AutoCAD® DRAWING. DO NOT MANUALLY UPDATE

26	05047		B1821BH031C100N	6	SCREW, HEX HEAD (5/16-18 UNC-2A X 1.000 L, GR 8)	ASME B18.2.1	
25			13230E6517-2	50	RIVET, STEEL SHANK (1/4 NOM DIA, .350-.625 RANGE)		NOTE 26
24	30554		88-20018-1	4	STRAP, TIEDOWN		NOTE 26
23			13230E6517-1	56	RIVET, STEEL SHANK (1/4 NOM DIA, .080-.375 GRIP RANGE)		NOTE 26
22			13230E6518-1	12	RIVET, BLIND-BULB		NOTE 26
21			13229E7946	1	ACCESSORY BOX		
20			13230E6519-2	4	RIVET, BLIND (1/4 NOM DIA, .595-.656 GRIP RANGE)		NOTE 26
19			13230E6519-1	56	RIVET, BLIND (1/4 NOM DIA, .470-.531 GRIP RANGE)		NOTE 26
18	19207		12449587-2	REF	PLATE, END, LAMP-SUPPORT, REAR (LEFT)		
17	19207		12449587-1	REF	PLATE, END, LAMP-SUPPORT, REAR (RIGHT)		
16	19207		12449586-2	REF	PLATE, SIDE, LAMP SUPPORT (LEFT)		
15	19207		12449586-1	REF	PLATE, SIDE, LAMP SUPPORT (RIGHT)		
14	19207		12449593	REF	MOUNT, STABILIZER-CHASSIS TRAILER		
13	19207		12449573	REF	BRACKET, SPACER, MOUNTING		
12				2	TUBE, RECT, RND CORNER, 2.50 X 3.50 X .218 WALL X 14.50 L, UNS A96061-T6	ASTM B 221	
11			13230E6524	4	CLIP, FRAME		
10	19207		12449569	REF	BRACKET, MOUNTING, DECONTAMINATION		
9			13230E6571-2	1	FENDER ASSEMBLY (ROADSIDE)		
8			13230E6571-1	1	FENDER ASSEMBLY (CURBSIDE)		
7			13230E6569-2	1	RAIL, MOUNTING, ASSY-GENERATOR (ROADSIDE)		
6			13230E6569-1	1	RAIL, MOUNTING, ASSY-GENERATOR (CURBSIDE)		
5			13230E6568	2	FLOOR, CENTER		
4			13230E6567-2	1	FLOOR, SIDE (ROADSIDE)		
3			13230E6567-1	1	FLOOR, SIDE (CURBSIDE)		
2			13230E6858	1	BRACKET, FIRE EXTINGUISHER, 5 LB		
1	19207		12450001	REF	CHASSIS, TRAILER-LTT		
FIND NO.	CAGE CODE	DWG SIZE	PART OR IDENTIFYING NO.	QTY REQD	NOMENCLATURE OR DESCRIPTION	SPECIFICATION	MATERIAL

PARTS LIST

DOD PROJECT MANAGER, EXPEDITIONARY ENERGY & SUSTAINMENT SYSTEMS WASHINGTON, D.C.

TRAILER, GENERATOR ASSEMBLY

DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

DOD RELEASE

	DESIGN	PRODUCTION
AIR FORCE		
ARMY	T. DOOLEY	D. CARO
NAVY		
MARINE CORPS		
DRAWING REPOSITORY		
U.S. ARMY COMMUNICATION-ELECTRONICS RESEARCH, DEVELOPMENT & ENGINEERING CENTER		
ABERDEEN, PROVING GROUND, MD. 21005		

FINAL	FINAL
NEXT ASSY	USED ON
APPLICATION	

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ANGLES ± - 3 PLACE DECIMALS ± - 2 PLACE DECIMALS ± - FRACTIONS ± -

MATERIAL

SEE PARTS LIST

CONTRACT NO. DAAE07-94-C-R014

DATE -

PREPARED VVP 13-01-28

CHECKED - -

ENGINEER - -

DEPT OF DEFENSE PROJECT MANAGER MOBILE ELECTRIC POWER WILLIAM H. MERRILL

SIZE D

CAGE CODE 30554

DRAWING NO. 13230E6565

SCALE 1/8

REV LETTER E

SHEET 2 OF 7

8

7

6

5

4

3

2

1

8

7

6

5


4

3

2




1

KRH 12/18/2015 1:11 PM



REVISIONS				
ZONE	LTR	DESCRIPTION	DATE	APPROVED
-	-	SEE ERR NO. 03272172143	03-10-10	WHM
C	-	SEE ECP NO. 12CE001101	11-11-18	MR
D	-	REDRAW SEE ECP NO. 12HE007100	13-01-11	MR
E	-	SEE ECP NO. 15HE003601	15-12-16	MLC


CAD MAINTAINED. CHANGES SHALL BE INCORPORATED BY THE DESIGN ACTIVITY.



THIS IS AN AutoCAD® DRAWING. DO NOT MANUALLY UPDATE

DISTRIBUTION STATEMENT A.
APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION IS UNLIMITED.

DOD RELEASE			CONTRACT NO.			DOD PROJECT MANAGER, EXPEDITIONARY ENERGY & SUSTAINMENT SYSTEMS WASHINGTON, D.C.		
DESIGN	PRODUCTION		DAAE07-94-C-R014			TRAILER, GENERATOR ASSEMBLY		
AIR FORCE			DATE					
ARMY	T. DOOLEY	D. CARO	PREPARED	VVP	13-01-28			
NAVY			CHECKED	-	-			
MARINE CORPS			ENGINEER	-	-			
DRAWING REPOSITORY U.S. ARMY COMMUNICATION-ELECTRONICS RESEARCH DEVELOPMENT & ENGINEERING CENTER ABERDEEN, PROVING GROUND, MD. 21005			DEPT OF DEFENSE PROJECT MANAGER MOBILE ELECTRIC POWER WILLIAM H. MERRILL			SIZE	CAGE CODE	DRAWING NO.
FINAL			NEXT ASSY			D	30554	13230E6565
APPLICATION			USED ON			SCALE	REV LETTER	SHEET
						1/8	E	3 OF 7



REVISIONS				
ZONE	LTR	DESCRIPTION	DATE	APPROVED
-		SEE ERR NO. 03272172143	03-10-10	WHM
B		SEE ECP 11CE007200	11-06-27	MR
D		REDRAW SEE ECP NO. 12HE007100	13-01-11	MR

CAD MAINTAINED. CHANGES SHALL BE INCORPORATED BY THE DESIGN ACTIVITY.




THIS IS AN AutoCAD® DRAWING. DO NOT MANUALLY UPDATE

DISTRIBUTION STATEMENT A.
APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION IS UNLIMITED.

DOD RELEASE					UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ANGLES ± - 3 PLACE DECIMALS ± - 2 PLACE DECIMALS ± - FRACTIONS ± -	CONTRACT NO. DAAE07-94-C-R014			DOD PROJECT MANAGER-MOBILE ELECTRIC POWER WASHINGTON, D.C.		
AIR FORCE						DATE -			TRAILER, GENERATOR ASSEMBLY		
ARMY	T. DOOLEY	D. CARO				PREPARED	VVP	13-01-28			
NAVY						CHECKED	-	-			
MARINE CORPS					MATERIAL SEE PARTS LIST	ENGINEER	-	-	SIZE D 30554 DRAWING NO. 13230E6565		
DRAWING REPOSITORY U.S. ARMY COMMUNICATION-ELECTRONICS COMMAND ABERDEEN, PROVING GROUND, MD. 21005			FINAL	FINAL		DEPT OF DEFENSE PROJECT MANAGER MOBILE ELECTRIC POWER					
			NEXT ASSY	USED ON		WILLIAM H. MERRILL					
			APPLICATION			SCALE 1/8 REV LETTER D SHEET 5 OF 7					

REVISIONS				
ZONE	LTR	DESCRIPTION	DATE	APPROVED
	—	SEE ERR NO. 03272172143	03-10-10	WHM
	D	REDRAW SEE ECP NO. 12HE007100	13-01-11	MR

CAD MAINTAINED. CHANGES
SHALL BE INCORPORATED BY
THE DESIGN ACTIVITY.



THIS IS AN AutoCAD® DRAWING. DO NOT MANUALLY UPDATE

DOD RELEASE					UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ANGLES ± - 3 PLACE DECIMALS ± - 2 PLACE DECIMALS ± - FRACTIONS ± -		CONTRACT NO. DAAE07-94-C-R014		DOD PROJECT MANAGER-MOBILE ELECTRIC POWER WASHINGTON, D.C.		
AIR FORCE	DESIGN	PRODUCTION					DATE -		TRAILER, GENERATOR ASSEMBLY		
ARMY	T. DOOLEY	D. CARO					PREPARED VVP 13-01-28				
NAVY							CHECKED - -				
MARINE CORPS							ENGINEER - -				
DRAWING REPOSITORY U.S. ARMY COMMUNICATION-ELECTRONICS COMMAND ABERDEEN, PROVING GROUND, MD. 21005					MATERIAL		DEPT OF DEFENSE PROJECT MANAGER MOBILE ELECTRIC POWER WILLIAM H. MERRILL		SIZE CAGE CODE DRAWING NO. D 30554 13230E6565		
APPLICATION			NEXT ASSY USED ON		SEE PARTS LIST				SCALE 1/8 REV LETTER D SHEET 6 OF 7		

DISTRIBUTION STATEMENT A.
APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION IS UNLIMITED.

