



U.S. Government Publishing Office

CGPM-DiscoverGov Functional Requirements

Revision 4
2-2-2026

Integrated Library System Functional Requirements Documentation



Contents

Introduction.....	2
Background.....	2
Objective.....	5
Acronyms, Initialisms, and Names	5
Integrated Library System Components.....	9
Glossary.....	59

DiscoverGov Integrated Library System Functional Requirements 2026



Introduction

The U.S. Government Publishing Office (GPO), through its Library Services & Content Management division (Superintendent of Documents), is gathering information on acquiring, implementing, maintaining, and supporting a high-performance integrated library system. The existing ExLibris Aleph Integrated Library System (ILS) is essential for GPO's Library Services & Content Management to achieve their mission of improving services for Federal Depository Libraries and the public. To enhance these efforts, we are aiming to modernize and upgrade our library system, which supports the Catalog of U.S. Government Publications (CGP).

This information overview outlines the fundamental functional requirements for a replacement system designed to meet both current and future workflow needs. It also ensures continued support for the mission of Library Services & Content Management.

Background

Library Services & Content Management (LSCM) aims to inform the American public by managing four mandated programs that support federal information lifecycle management across various formats:

- Federal Depository Library Program
- Cataloging and Indexing Program
- International Exchange Service
- By-Law distribution services

To improve access to federal information, the Government Publishing Office (GPO) is seeking a modern Integrated Library System (ILS) or Library Platform Service (LPS). The current ILS supports online services for federal libraries and the public, enabling distribution and preservation of government publications for all federal branches. GPO centralizes production and provides publications free through the Federal Depository Library Program.

The ILS enhances public access with features like a web-based catalog, timely publication updates, replacement of manual catalog production, and MARC record creation in partnership with OCLC. The system is built on Ex-Libris software and hosted on a FedRAMP-certified platform, supporting about 500 simultaneous users and maintained via Cloudflare security.

Aleph software integrates with Oracle database servers across test, production, and disaster recovery environments on Red Hat Enterprise Linux. GPO staff manage data using a Windows-based client; current Aleph tools lack browser-based access for metadata staff. The ILS holds over one million records updated daily.

The Catalog of U.S. Government Publications (CGP) serves as the main tool for finding electronic and print publications from all government branches, hosting descriptive records dating back to the late 1800s and providing direct links to online materials.

CGP Scope:

- Bibliographic information for new and historic Government Publications dating back to the late 1800s
- Over one million bibliographic records generated since July 1976
- Over 275,000 links to official full-text electronic titles
- Updated daily

CGP Features:

The staff at GPO are committed to providing access to government documents while ensuring the intellectual integrity of the materials. Some of the features provided by the CGP are:

- Direct links to the official digital version of a publication when available via PURLs (Persistent Uniform Resource Locators)
- A robust search engine with extensive search features including:
 - Multiple search types: Basic, Advanced, Browse, or Expert
 - Boolean
 - Quoted
 - Truncated
 - Parenthetical
 - Common Command Language (CCL)

- Instructions for maximizing the effectiveness of each search type
- Catalogs to Search: curated subsets such as the Congressional Serial Set and Electronic Titles
- New Titles with dedicated Dynamic Searches and Monthly Archive Reports
- An integrated email feature that enables sending up to 20 records at a time for future use
- Federal Depository Library Coordinators have access to Z39.50, CGP logged in features such as special views, special services such Selective Dissemination of Information (SDI), saving and managing records, as well as others.

GPO PURLs:

Since March 1998, the U.S. Government Publishing Office (GPO) has used Persistent Uniform Resource Locators (PURLs) to provide stable links to online Federal resources. If a user clicks on a PURL, the request will be routed to the Federal publication. GPO staff modify PURL entries as the location of the Federal information changes, and GPO's PURL server will route traffic to the appropriate Web site. GPO staff in our Office of Archival Management (OAM) and Library Technical Services (LTS) performs routine maintenance on PURLs and their bibliographic records.

GPO Metadata Standards:

GPO is the authoritative source for descriptive and subject cataloging for Federal Government documents. GPO's Library Technical Services (LTS) creates bibliographic records that adhere to the national and international standards, as well as local GPO guidelines and practices:

- Resource Description and Access (RDA)
- Library of Congress-Program for Cooperative Cataloging Policy Statements (LC-PCC PS)
- Library of Congress Subject Headings Manual
- MARC 21 Format for Bibliographic Data
- MARC 21 Format for Authority Data
- ANSI/NISO Z39.71-2006 (R2011) Holdings Statements for Bibliographic Items
- MARC 21 Format for Holdings Data
- OCLC Bibliographic Formats and Standards
- Program for Cooperative Cataloging (PCC) guidelines (including BIBCO, CONSER, NACO, and SACO)
- GPO Cataloging Guidelines
- Other standards as appropriate
- Also working towards using BIBFRAME

In October 2017, GPO started posting cataloging records on its GitHub repository. The CGP on GitHub is a location where users may freely download record sets extracted from the CGP. MARC record files are offered in UTF-8, MARC-8, and MARCXML formats.

Through 2021, the ILS integrated with our Federal Depository Library Directory (FDLD), which was managed as a service of the CGP as an independent MySQL database that interfaces with the CGP to create and maintain accounts for the over 1,000 FDLs. It also, provided the ability to Locate Libraries via an integrated link contained within the bibliographic record which opens a search interface that imports the title and GPO Item Number from the bibliographic record allowing the

user to search by City or State to locate their nearest FDL. The "Locate a Library" feature within each record allowed users to find a nearby Federal depository where a particular publication or expert assistance could be found.

Objective

This procurement seeks a modern, sustainable technical solution to upgrade the library system, supporting GPO's goals of improved processes, enhanced security, and legacy system elimination in a cost-effective way.

The required system is an online, real-time platform with a graphical interface for catalog access to all print and digital materials, including external electronic databases. It Should be interoperable with other systems, hosted on a FedRAMP-certified platform or SaaS, offer geographically separated backups, and support Test, Development, Production, and Disaster Recovery environments.

Acronyms, Initialisms, and Names

AACR Anglo-American Cataloging Rules

AACR2 Anglo-American Cataloging Rules, Second Edition

AC SIS Acquisitions Classification and Shipping Information System

API Application Programming Interface

ASCII American Standard Code for Information Exchange

BIBCO [monographic] Bibliographic Record Cooperative Program

BIBFRAME Bibliographic Framework

C&I Cataloging and Indexing program

CCL Common Command Language

CCO Cataloging Cultural Objects

CD-ROM Compact Disc Read-Only Memory

CGI Common Gateway Interface

CGP Catalog of U.S. Government Publications

COTS Commercial Off-the-Shelf

CIP Cataloging in Publication

CONSER Cooperative Online Serials Program

COOP Continuity of Operations

CRDP Cataloging Record Distribution Project

CGP Catalog of U.S. Government Publications

CSV Comma Separated Value (file extension .csv)

DC Dublin Core

DDC Dewey Decimal Classification

DR Disaster Recovery

DSIMS Depository Management System

EAD Encoded Archival Description

ECIP Electronic Cataloging in Publication

EL Electronic (often used at GPO to refer to Electronic records)

FDL Federal Depository Library

FDLD Federal Depository Library Directory

FDLP Federal Depository Library Program

FedRAMP Federal Risk and Authorization Management Program

FIPNet Federal Information Preservation Network

FTP File Transfer Protocol

FISMA Federal Information Security Management Act

FRBR Functional Requirements for Bibliographic Records

GPO U.S. Government Publishing Office (formerly U.S. Government Printing Office)

GUI Graphical User Interface

IES International Exchange Service

ILS Integrated Library System

ISBN International Standard Book Number

ISO International Organization for Standardization (name not an acronym)

ISSN International Standard Serial Number

JCP Joint Committee on Printing

JSON JavaScript Object Notation

LC Library of Congress

LCC Library of Congress Classification

LCGFT Library of Congress Genre/Form Terms

LCRI Library of Congress Rule Interpretations (interprets AACR/2/ and RDA cataloging standards)

LCSH Library of Congress Subject Headings

LoC List of Classes

LOE Level of Effort

LSCM Library Services and Content Management

LSP Library Service Platform

LSS Library Services System

MADS Metadata Authority Description Schema

MARC Machine-Readable Cataloging

MARC 21 Machine-Readable Cataloging (current MARC standard name)

MARCXML Machine-Readable Cataloging extendible Markup Language

MeSH Medical Subject Heading

METS Metadata Encoding and Transmission Standard

MoCat Monthly Catalog of U.S. Government Publications

MODS Metadata Object Description Schema

MRC Machine Readable Cataloging format (file extension .mrc)

NACO Name Authority Cooperative Program

NARA National Archive and Records Administration

NASA National Aeronautics and Space Administration

N&O Needs and Offers

NET New Electronic Titles

OAI-PMH Open Archives Initiative Protocol for Metadata Harvesting

OAIS Open Archival Information System Reference Model

OCLC (Name no longer initialization; formerly: Online Computer Library Center, etc.)

OPAC Online Public Access Catalog

ONIX Online Information eXchange

PCC Program for Cooperative Cataloging (umbrella for BIBCO, CONSER, NACO, and SACO)

PDF Portable Document Format

POD Print on Demand

PPA Permanent Public Access

PREMIS Preservation Metadata: Implementation Strategies

PURL Persistent Uniform Resource Locator

RD Requirements Document

RDA Resource Description and Access

RDA 3R Resource Description and Access Toolkit Restructure and Redesign Project

RDF Resource Description Framework

RFI Request for Information

RFP Request for Proposal

RHEL Red Hat Enterprise Linux

SACO Subject Authority Cooperative Program

SF1 Standard Form 1

SOW Statement of Work

SuDoc Superintendent of Documents (implies classification number)

SuDocs Superintendent of Documents

TCP/IP Transmission Control Protocol/Internet Protocol

TDR Trustworthy Digital Repository

UAT User Acceptance Testing

UTF-8 Unicode Transformation Format – 8-bit

URI Uniform Resource Identifier

URL Uniform Resource Locator

URN Uniform Resource Name

USC/U.S.C. United States Code

USMARC Machine-Readable Cataloging (previous MARC standard name)

VIAF® Virtual International Authority File

WTN WebTech Notes

XML extensible Markup Language

XSL extensible Stylesheet Language

Integrated Library System Components

1.0 Major Components			
	General Area		
1.0 General		Priority	New Feature/ Function
1.0.1	The system shall support 508 compliances across all modules and interfaces	Should	NF
1.0.2	The system shall support responsive design for use on mobile devices such as cell phones or tablets	Should	NF
1.0.3	The system shall support responsive design for use on mobile devices such as cell phones or tablets across all data entry modules	Should	NF
1.0.4	The system shall support responsive design for use on mobile devices such as cell phones or tablets across internal interfaces	Should	NF
1.0.5	The system shall support responsive design for use on mobile devices such as cell phones or tablets across external interfaces	Should	NF
1.0.6	The system shall support a mobile app with customizable functions across data entry modules for multiple user classes	Should	NF
1.0.7	The system shall support single sign-on across all modules and interfaces based on user class	Should	NF
1.0.8	The system shall support printing records from any data entry module from user workstations	Should	
1.0.9	The system shall support printing records from any internal interface from user workstations	Should	
1.0.10	The system shall support printing records from any external interface from user workstations	Should	
1.0.11	The system shall support printing reports from any module or view from user workstations	Should	
1.0.12	The system shall support the ability to make global changes across all data entry modules	Should	
1.0.13	The system shall support union catalog capabilities	Should	NF
1.0.14	The system shall support searching any data element across all data entry modules	Should	
1.0.15	The system shall have full Boolean search capability on all MARC fields across all data entry modules	Should	

1.0.16	The system shall not restrict the number of bibliographic, holdings, or item records that can be added to the system across all data entry modules	Should	
1.0.17	The system shall not restrict the number of bibliographic, holdings, or item records that can be viewed in the system across all data entry modules	Should	NF
1.0.18	The system shall not restrict the number of bibliographic, holdings, or item records that can be viewed in the system any internal interfaces	Should	NF
1.0.19	The system shall not restrict the number of bibliographic, holdings, or item records that can be viewed in the system any external interfaces	Should	NF
1.0.20	The system shall allow for the migration of all data elements including notes fields and local fields to future systems	Should	
1.0.21	The system shall support allow for the migration of the current "system number" as the unique identifier for bibliographic data system wide	Should	NF
1.0.22	The system shall have equal functional capability if accessed from either a client or web-based system	Should	NF
1.0.23	The system components, record database, search engine, client interface, and web interface shall be designed as an integrated system	Should	
1.0.24	The system shall support the ability to have local customized settings across all modules and interfaces	Should	NF
1.0.25	The system shall support the ability to be updated without or with minimal impact to local customized settings	Should	
1.0.26	The system shall support the ability to retain local customized settings after vendor updates	Should	
1.0.27	The system shall support the ability to restore local customized settings after vendor updates	Should	
1.0.28	The system shall support the ability to enable users to customize toolbars	Should	NF
1.0.29	The system shall support the capability to manage eresources, such as online databases	Should	
1.0.30	The system shall log and maintain the date/time stamp when new records are added across all data entry modules	Should	
1.0.31	The system shall log and maintain the date/time stamp when changes are made to the data across all data entry modules	Should	

1.0.32	The system shall log and maintain user information when new records are added across all data entry modules	Should	
1.0.33	The system shall log and maintain user information when changes are made to data across all data entry modules	Should	
1.0.34	The system shall provide the capability to search for and retrieve content from the system	Should	
1.0.35	The system shall provide the capability to search and retrieve unstructured content such as text	Should	
1.0.36	The system shall provide the capability to match character strings such as search exact phrases	Should	
1.0.37	The system shall provide the capability to search and retrieve structured content such as fielded text/data	Should	
1.0.38	The system shall provide the capability to search by any indexed field	Should	
1.0.39	The system shall provide the capability to search across multiple internal content simultaneously and separately	Should	
1.0.40	The system shall allow users to the ability to search without any case sensitive operators	Should	
1.0.41	The system shall provide a search interface that allows users to submit queries to the system and receive results across all data entry modules	Should	
1.0.42	The system shall provide a search interface that allows users to submit queries to the system and receive results in all interfaces	Should	
1.0.43	The system shall have the capability to receive and record existing data from sources external to the system	Should	
1.0.44	The system shall have the capability to automatically record system data information about the actions performed by the system on content	Should	
1.0.45	The system shall log all additions, deletions, and changes to content within the system	Should	
1.0.46	The system shall have the capability to perform accessibility assessments	Should	NF
1.0.47	The system shall have the capability to allow users to manually perform 508 accessibility assessments on content	Should	NF
1.0.48	The system shall provide the capability to assign deadlines for system jobs	Should	
1.0.49	The system shall provide the capability to assign deadlines for system activities	Should	

1.0.50	The system shall provide the capability to suspend system activity/job instances	Should	
1.0.51	The system shall provide the capability to resume system activities/jobs	Should	
1.0.52	The system shall provide the capability to cancel system activities/jobs	Should	
1.0.53	The system shall support the capability to change the key parameters affecting the operation of the system without redesigning the system	Should	
1.0.54	The system shall support the capability to accommodate changes in hardware technologies without requiring major reengineering or design changes	Should	
1.0.55	The system shall support the capability to accommodate changes in processes without requiring major reengineering or design changes	Should	
1.0.56	The system shall support the capability to accommodate changes in policies without requiring major reengineering or design changes	Should	
1.0.57	The system shall support the capability to accommodate changes in personnel without requiring major reengineering or design changes	Should	
1.0.58	The system shall support a staging area for metadata	Should	
1.0.59	The system shall allow for customizable notes across all data entry modules	Should	
1.0.60	The system shall allow for customizable internal notes across all data entry modules	Should	
	Acquisitions Component Area		
1.1 Acquisitions		Priority	New Feature/Function
1.1.1	The system shall have an integrated acquisitions data entry module	Should	
1.1.2	The system shall allow for acquisitions processes	Should	
1.1.3	The system shall allow for acquisitions data	Should	
1.1.4	The system shall allow for Agencies as vendors	Should	
1.1.5	The system shall allow for Bureaus as vendors	Should	
1.1.6	The system shall allow creation of vendor records	Should	
1.1.7	The system shall allow editing of vendor records	Should	
1.1.8	The system shall allow deleting of vendor records	Should	
1.1.9	The system shall allow viewing of vendor records	Should	

1.1.10	The system shall allow for monograph orders	Should	
1.1.11	The system shall allow for serials orders	Should	
1.1.12	The system shall allow for serials subscriptions	Should	
1.1.13	The system shall allow for the ability to change order types such as from monograph to serials	Should	
1.1.14	The system shall allow for the ability to get statistics for orders	Should	
1.1.15	The system shall allow for the ability to get statistics for orders types	Should	
1.1.16	The system shall allow for the ability to get statistics for subscriptions	Should	
1.1.17	The system shall allow for the ability to display data types across all data entry modules	Should	
1.1.18	The system shall allow for flexibility in relinking orders to bibliographic records of any type such as monograph or serials	Should	
1.1.19	The system shall allow for customizable open orders report	Should	
1.1.20	The system shall allow for customizable open orders notifications	Should	NF
1.1.21	The system shall allow claims to be set up	Should	
1.1.22	The system shall allow claims to be set up with the ability to indicate frequency	Should	
1.1.23	The system shall have the ability to batch close orders	Should	
1.1.24	The system shall support the ability to check for order receipts	Should	
1.1.25	The system shall track arrivals of orders	Should	
1.1.26	The system shall search/report order arrival data	Should	
1.1.27	The system shall report open orders	Should	
1.1.28	The system shall report past due orders	Should	
1.1.29	The system shall support the ability to allow for creation of special blanket orders	Should	
1.1.30	The system shall support the ability to allow for editing of special blanket orders	Should	
1.1.31	The system shall support the ability to create custom reports with granular permissions based on user class	Should	NF
1.1.32	The system shall allow for the ability to transfer orders	Should	
1.1.33	The system shall allow for the ability to allow for creation of standing orders	Should	

1.1.34	The system shall allow for the ability to allow for editing of standing orders	Should	
1.1.35	The system shall allow for orders be grouped by material format such as CD-ROM	Should	NF
1.1.36	The system shall allow for the ability to change a previous tangible order to a print on demand or digitized conversion order	Should	NF
1.1.37	The system shall allow for the ability to create a new/duplicate order for a different format	Should	
1.1.38	The system shall allow for the creation of multiple internal acquisitions notes	Should	NF
1.1.39	The system shall allow for editing of internal acquisitions notes	Should	
1.1.40	The system shall allow for the ability to notify internal user classes of specific notes	Should	NF
1.1.41	The system shall allow for the ability to expand note field view/window	Should	NF
1.1.42	The system shall allow for the ability to configure specific notes to trigger an alert to popup for applicable materials	Should	NF
1.1.43	The system shall allow for the ability to configure specific notes to trigger an alert to popup for applicable materials when viewing a record	Should	NF
1.1.44	The system shall allow for the ability to configure specific notes to trigger an alert to popup for applicable materials when editing a record	Should	NF
1.1.45	The system shall allow for the ability to track serials order information	Should	
1.1.46	The system shall allow for the ability to track serials order information including financial information	Should	
1.1.47	The system shall allow for the ability to track monograph order information	Should	
1.1.48	The system shall allow for the ability to track monograph order information including financial information	Should	
1.1.49	The system shall allow for recording shipping list data at item level	Should	
1.1.50	The system shall allow for creation of Shipping Lists customized reporting	Should	NF
1.1.51	The system shall allow for customizable reports for all items on a given shipping list to be generated (e.g., can generate customizable reports from the shipping list data field)	Should	NF

1.1.52	The system shall allow for a customizable list of all items on a given shipping list, including title, SuDoc, item number to be generated (e.g., will generate a shipping list from item-level data)	Should	NF
1.1.53	The system shall allow for a list of libraries subscribed to a specific item number to be generated	Should	NF
1.1.54	The system shall allow for the ability to store depository library account information	Should	NF
1.1.55	The system shall allow for the ability to store library depository number	Should	NF
1.1.56	The system shall allow for the ability to store library depository type	Should	NF
1.1.57	The system shall allow for the ability to store depository library name	Should	NF
1.1.58	The system shall allow for the ability to store depository library selection profile	Should	NF
1.1.59	The system shall allow for the ability to store depository library mailing address	Should	NF
1.1.60	The system shall allow for notes about issues with distribution	Should	NF
1.1.61	The system shall allow for notes about issues with distribution at the item level	Should	NF
1.1.62	The system shall allow for customizable fields to record distribution information	Should	NF
1.1.63	The system shall allow for customizable fields to record distribution information at the item level	Should	NF
1.1.64	The system shall allow for the ability to record distribution status	Should	NF
1.1.65	The system shall allow for the ability to record distribution date	Should	NF
1.1.66	The system shall allow for the ability to record date received	Should	NF
1.1.67	The system shall allow for the ability to record copies received	Should	NF
1.1.68	The system shall allow for the ability to record cartons received	Should	NF
1.1.69	The system shall allow for the ability to record quantity of overage	Should	NF
1.1.70	The system shall allow for the ability to record quantity of shortage	Should	NF
1.1.71	The system shall allow for the ability to generate reports of distribution information	Should	NF
1.1.72	The system shall allow for the ability to generate custom reports of distribution information	Should	NF

1.1.73	The system shall allow for the ability to generate statistics for distribution information	Should	NF
1.1.74	The system shall allow for the ability to generate custom statistics for distribution information	Should	NF
1.1.75	The system shall allow for order creation date	Should	
1.1.76	The system shall allow for order sending date	Should	
1.1.77	The system shall allow for order updated date	Should	
1.1.78	The system shall allow for the ability to record verification of quantity	Should	
1.1.79	The system shall allow for the ability to generate reports of archival disposition information	Should	NF
1.1.80	The system shall allow for the ability to batch mark all items on a shipping list as distributed	Should	NF
1.1.81	The system shall allow for the ability to batch mark all items on a shipping list as distributed at the item level	Should	NF
1.1.82	The system shall have a serial issue check in screen	Should	
1.1.83	The system shall have a serial issue check in screen that displays the expected quantity	Should	
1.1.84	The system shall have a serial issue check in screen allows the user to enter the quantity received	Should	
1.1.85	The system shall have a serial issue check in screen that allows the user to enter other check in information such as arrival dates	Should	
1.1.86	The system shall have a serial issue check in screen that allows for custom note fields	Should	
	Cataloging Component Area		
1.2 Cataloging		Priority	New Feature/Function
1.2.1	The system shall have an integrated cataloging data entry module	Should	
1.2.2 MARC21		Priority	New Feature/Function
1.2.2.1	The system shall support MARC21 formatted data	Should	
1.2.2.2	The system shall support https://www.loc.gov/marc/bibliographic/bd245.html : Second Indicator - Nonfiling characters: 0 - No nonfiling characters: "Diacritical marks or special characters at the beginning of a title field that does	Should	

	not begin with an initial article are not counted as nonfiling characters.”		
1.2.2.3	The system shall support corrections to the 245 2nd indicator according to the presence or absence of initial articles and/or diacritical marks or special characters	Should	
1.2.2.4	The system shall support corrections to the 245 1st indicator depending on whether or not a 1XX field is present in the same record	Should	
1.2.2.5	The system shall support generation of reports of initial articles (a, the, an) in the 246 field	Should	
1.2.2.6	The system shall support corrections according to MARC 21 punctuation and spacing	Should	
1.2.2.7	The system shall support corrections according to MARC 21 punctuation and spacing by allow for adding or deleting terminal periods to various fields	Should	
1.2.2.8	The system shall support corrections according to MARC 21 punctuation and spacing by allow for correcting punctuation between subfields of various fields	Should	
1.2.# Cataloging Continued...		Priority	New Feature/Function
1.2.3	The system shall support BIBFRAME (Bibliographic Framework)	Should	NF
1.2.4	The system shall support multiple character encoding levels	Should	
1.2.5	The system shall support ISO 8859-1 (Roman character sets)	Should	
1.2.6	The system shall support Unicode (non-Roman character sets)	Should	
1.2.7	The system shall support UTF-8 (non-Roman character sets)	Should	
1.2.8	The system shall support ASCII characters	Should	
1.2.9	The system shall allow creation of bibliographic records	Should	
1.2.10	The system shall allow editing of bibliographic records	Should	
1.2.11	The system shall allow importing of bibliographic records	Should	
1.2.12	The system shall allow importing of bibliographic records from OCLC	Should	

1.2.13	The system shall allow exporting of bibliographic records	Should	
1.2.14	The system shall allow exporting of bibliographic records to OCLC	Should	
1.2.15	The system shall allow for customization of match points when importing records from OCLC	Should	
1.2.16	The system shall allow for matching points with OCLC number fields 035 and 019	Should	
1.2.17	The system shall allow viewing of bibliographic records	Should	
1.2.18	The system shall allow spell check of bibliographic data	Should	NF
1.2.19	The system shall allow spell check of bibliographic data of designated fields	Should	NF
1.2.20	The system shall allow for macro creation	Should	NF
1.2.21	The system shall allow for macro editing	Should	NF
1.2.22	The system shall allow for constant data template editing	Should	
1.2.23	The system shall support the Z39.50 protocol to access GPO's bibliographic data	Should	
1.2.24	The system shall allow for access to other libraries data via Z39.50	Should	
1.2.25	The system shall allow for selection of SuDoc number as the primary/default Classification Number for bibliographic records	Should	
1.2.26	The system shall allow for multiple library collections	Should	
1.2.27	The system shall allow for multiple library collections with no limitation on the number that can be created	Should	NF
1.2.28	The system shall allow for multiple library branches	Should	
1.2.29	The system shall allow for multiple library branches with no limitation on the number that can be created	Should	NF
1.2.30	The system shall allow for shipping list data	Should	
1.2.31	The system shall allow for shipping list data at the Item Record level	Should	
1.2.32	The system shall allow for customizable Item Record data fields	Should	
1.2.33	The system shall allow for customizable display	Should	NF
1.2.34	The system shall allow for customizable display font size	Should	NF
1.2.35	The system shall have accessibility tools for vision	Should	NF

1.2.36	The system shall support the most current Resource Description & Access (RDA) format	Should	
1.2.37	The system shall support RDA Tool Kit	Should	NF
1.2.38	The system shall integrate local cataloging documentation into data entry interface	Should	NF
1.2.39	The system shall support bibliographic field help data	Should	
1.2.40	The system shall support standard copy and paste functions	Should	
1.2.41	The system shall support standard copy and paste functions for entire fields	Should	
1.2.42	The system shall support standard copy and paste functions for specific subfields	Should	
1.2.43	The system shall allow for validation of subscription data	Should	NF
1.2.44	The system shall allow for synchronization of subscription data with bibliographic record and holdings data	Should	NF
1.2.45	The system shall allow process for record deletion	Should	
1.2.46	The system shall allow process for record deletion with review and recovery options	Should	
1.2.47	The system shall allow records deleted to be held for review	Should	
1.2.48	The system shall allow records deleted to be held for review with option to restore	Should	
1.2.49	The system shall allow for users to save records in data entry modules	Should	
1.2.50	The system shall allow for users to save searches in data entry modules	Should	
1.2.51	The system shall allow for customized searching within data entry modules	Should	
1.2.52	The system shall allow for the ability to expand item information into bibliographic record when exporting records (expand routines)	Should	
1.2.53	The system shall allow for error reporting	Should	NF
1.2.54	The system shall allow for error reporting with customized parameters	Should	NF
1.2.55	The system shall allow for error reporting for records without 086	Should	
1.2.56	The system shall allow for error reporting for records without 086 standard formatting	Should	
1.2.57	The system shall allow for error reporting for records with a comma in 086	Should	

1.2.58	The system shall allow for error reporting for records without 074 based on custom parameters	Should	
1.2.59	The system shall allow for error reporting for records with EL data missing 85640 \$u	Should	
1.2.60	The system shall allow for error reporting for records with 85640 missing \$u	Should	
1.2.61	The system shall allow for error reporting for records with 85640 \$u that do not contain GPO standard PURLs	Should	
1.2.62	The system shall allow for error reporting for records with 85640 \$u that contain GPO standard PURLs starting with http rather than https	Should	
1.2.63	The system shall allow for error reporting for records recently created with 85641	Should	
1.2.64	The system shall allow for error reporting for records with duplicate 086 fields in monograph records	Should	
1.2.65	The system shall allow for error reporting for records where the 086 and Item/Holding SuDoc Numbers do not match for monographs	Should	
1.2.66	The system shall allow for error reporting for records where the 086 and Item/Holding SuDoc Number stems do not match for serials	Should	
1.2.67	The system shall allow for error reports to contain system numbers, error, 955 \$a codes, last date updated	Should	
1.2.68	The system shall allow for custom error reports	Should	
1.2.69	The system shall allow for error report notifications to be sent to specific user classes	Should	NF
	Authority and Authority Control Component Area		
1.3 Authority/Authority Control		Priority	New Feature/Function
1.3.1	The system shall support Library of Congress Subject Headings (LCSH)	Should	
1.3.2	The system shall support Medical Subject (MeSH) Headings	Should	
1.3.3	The system shall support NASA Headings	Should	
1.3.4 SuDoc Authority		Priority	New Feature/Function
1.3.4.1	The system shall support SuDoc Authority	Should	NF

1.3.4.2	The system shall support SuDoc Authority validation against bibliographic record data	Should	NF
1.3.4.3	The system shall support SuDoc Authority validation against bibliographic record data to indicate duplicate SuDoc Numbers	Should	NF
1.3.4.4	The system shall support SuDoc Authority validation against bibliographic record data to indicate duplicate SuDoc Numbers including record type	Should	NF
1.3.4.5	The system shall support SuDoc Authority validation against bibliographic record data to indicate duplicate SuDoc Numbers including record number(s)	Should	NF
1.3.4.6	The system shall not validate SuDoc numbers containing commas	Should	NF
1.3.4.7	The system shall provide in a popup window the precise reason why validation has failed	Should	
1.3.4.8	The system shall allow any failed validation to be overridden	Should	
1.3.4.9	The system shall allow any failed validation to be overridden based on user class	Should	
1.3.4.10	The system shall support Item Number Authority	Should	NF
1.3.4.11	The system shall support Library of Congress Call Number	Should	
1.3.4.12	The system shall support Dewey Decimal Class Number	Should	
1.3.4.13	The system shall support standard MARC Language Codes	Should	
1.3.4.14	The system shall support standard MARC Country Codes	Should	
1.3.4.15	The system shall support standard MARC Geographic Codes	Should	
1.3.4.16	The system shall support Library of Congress Genre/Form Headings	Should	
1.3.4.17	The system shall support Library of Congress Name Headings	Should	
1.3.4.18	The system shall support Library of Congress Geographic Headings	Should	
1.3.4.19	The system shall support FAST headings	Should	
1.3.5 Validation-Internal		Priority	New Feature/Function
1.3.5.1	The system shall support validation against all authority data	Should	NF

1.3.5.2	The system shall support validation against all heading classes	Should	NF
1.3.5.3	The system shall support synchronization of bibliographic headings with authority file headings with options to protect local fields	Should	NF
1.3.5.4	The system shall support synchronization of bibliographic headings with authority file headings during off hours as a chron job	Should	NF
1.3.5.5	The system shall support synchronization of bibliographic headings with authority file headings during off hours as a chron job after any updates from external authority files updates	Should	NF
1.3.5.6	The system shall support the ability to reflect changes in authority record headings in all associated bibliographic records having that access point	Should	NF
1.3.5.7	The system shall not allow unauthorized [unvalidated] access points against the authority data to be added to bibliographic records automatically during validation	Should	NF
1.3.5.8	The system shall not add to any bibliographic record an access point which corresponds to a name authority record coded 008/12 = c	Should	NF
1.3.6 Validation-External		Priority	New Feature/Function
1.3.6.1	The system shall support validation against externally accessible authority files	Should	NF
1.3.6.2	The system shall support validation against https://id.loc.gov/	Should	NF
1.3.6.3	The system shall support validation against externally accessible authority tools	Should	NF
1.3.6.4	The system shall search authority records	Should	
1.3.6.5	The system shall search all fields within authority records including access points and supplementary data fields	Should	NF
1.3.6.6	The system shall search all fields	Should	
1.3.6.7	The system shall browse authority records	Should	
1.3.6.8	The system shall support multi-lingual text in authority records	Should	
1.3.6.9	The system shall support Roman characters in authority records	Should	
1.3.6.10	The system shall support non-Roman characters in authority records	Should	

1.3.6.11	The system shall have the ability for internal users to retrieve customized statistics/metrics	Should	NF
1.3.6.12	The system shall have the ability for internal users to retrieve customized reports	Should	NF
1.3.6.13	The system shall have the ability for internal users to retrieve tailored customized statistics/metrics	Should	NF
1.3.6.14	The system shall have the ability for internal users to retrieve tailored customized reports	Should	NF
1.3.6.15	The system shall have the ability to provide reports for unmatched headings following synchronization	Should	NF
1.3.6.16	The system shall have the ability to provide reports for partially matched headings following synchronization	Should	NF
1.3.6.17	The system shall have the ability to provide reports for changed authority headings following synchronization	Should	NF
1.3.6.18	The system shall have the ability to provide reports for changed bibliographic headings following synchronization	Should	NF
1.3.6.19	The system shall allow for linking from bibliographic records to authority records for internal staff	Should	
1.3.6.20	The system shall allow for linking from bibliographic records to authority records for external users	Should	
1.3.6.21	The system shall allow for display of entire Authority record	Should	
1.3.6.22	The system shall allow for display of tailored views of Authority records based on user class	Should	NF
1.3.6.23	The system shall allow for seamless interfiling of authority access points (1XX, 4XX, 5XX) with bibliographic access points, referring users from references (4XX, 5XX) to authorized headings (1XX)	Should	NF
1.3.6.24	The system shall display when an access point in a search result or browse display is from a 4XX field	Should	
1.3.6.25	The system shall whenever a user is redirected from a reference (4XX, 5XX) to an authorized heading (1XX), by clicking on the See ____ reference, that user is next placed in the browse index that corresponds with the 1XX heading	Should	NF
1.3.6.26	The system shall allow for indexing of all authority access points	Should	
1.3.6.27	The system shall allow for searching of all authority access points	Should	

1.3.6.28	The system shall allow for indexing of all authority record access points: 1XX, 4XX, 5XX, including name/title combinations that include subfield \$t	Should	
1.3.6.29	The system shall allow for searching of all authority record access points: 1XX, 4XX, 5XX, including name/title combinations that include subfield \$t	Should	
1.3.6.30	The system shall allow for browsing of all authority record access points: 1XX, 4XX, 5XX, including name/title combinations that include subfield \$t	Should	
1.3.6.31	The system shall allow for display of all authority record access points: 1XX, 4XX, 5XX, including name/title combinations that include subfield \$t	Should	
1.3.6.32	The system shall search MARC tag for corporate name = X10	Should	
1.3.6.33	The system shall browse by MARC tag for corporate name = X10	Should	
1.3.6.34	The system shall search by MARC tag for conference name = X11	Should	
1.3.6.35	The system shall browse by MARC tag for conference name = X11	Should	
1.3.6.36	The system shall search MARC tag for geographic name = X51 or \$z	Should	
1.3.6.37	The system shall browse by MARC tag for geographic name = X51 or \$z	Should	
1.3.6.38	The system shall search MARC tag for title = X30 or \$t	Should	
1.3.6.39	The system shall browse by MARC tag for title = X30 or \$t	Should	
1.3.6.40	The system shall search MARC tag for personal name = X00	Should	
1.3.6.41	The system shall browse by MARC tag for personal name = X00	Should	
1.3.6.42	The system shall search MARC tag for topical term = X50 or \$x	Should	
1.3.6.43	The system shall browse by MARC tag for topical term = X50	Should	
1.3.6.44	The system shall search MARC tag for genre/form term = X55	Should	
1.3.6.45	The system shall browse by MARC tag for genre/form term = X55	Should	
1.3.6.46	The system shall search MARC tag for topical subdivision = 180 or \$x	Should	
1.3.6.47	The system shall browse by MARC tag for topical subdivision = 180 or \$x	Should	

1.3.6.48	The system shall search MARC tag for chronological subdivision = 182 or \$y	Should	
1.3.6.49	The system shall browse by MARC tag for chronological subdivision = 182 or \$y	Should	
1.3.6.50	The system shall search MARC tag for form subdivision = 185 or \$v	Should	
1.3.6.51	The system shall browse by MARC tag for form subdivision = 185 or \$v	Should	
1.3.6.52	The system shall search MARC tag for cataloger code = 955	Should	
1.3.6.53	The system shall search by MARC tag for name/title combinations = XXO + \$t	Should	
1.3.6.54	The system shall browse by MARC tag for name/title combinations = XXO + \$t	Should	
1.3.6.55	The system shall provide a search link from an authority record 1XX to retrieve bibliographic records which contain that heading for internal staff	Should	
1.3.6.56	The system shall provide a search link from an authority record 1XX to retrieve bibliographic records which contain that heading for external users	Should	
1.3.6.57	The system shall allow for linking from authority records to related authority records (via 5XX field) for internal staff	Should	
1.3.6.58	The system shall allow for linking from authority records to related authority records (via 5XX field) for external users	Should	
1.3.6.59	The system shall allow for the ability to undo certain changes	Should	NF
	Serials/Continuing Resources Component Area		
1.4 Serials		Should	New Feature/Function
1.4.1	The system shall have an integrated serials/continuing resource data entry module	Should	
1.4.2	The system shall support summary statements	Should	
1.4.3	The system shall support managing bibliographic records	Should	
1.4.4	The system shall support managing Item records	Should	
1.4.5	The system shall support managing Holding records	Should	

1.4.6	The system shall support moving Item Records between bibliographic records with a drag and drop function	Should	
1.4.7	The system shall support MARC holding records	Should	
1.4.8	The system shall support collapsing [binding] Item Records for serial/continuing resources	Should	
1.4.9	The system shall support unlimited number of item records	Should	NF
1.4.10	The system shall support unlimited number of holding records	Should	NF
1.4.11	The system shall support display of unlimited number of holding records	Should	NF
1.4.12	The system shall support display of unlimited number of item records	Should	NF
1.4.13	The system shall support collapsing [binding] of records	Should	
1.4.14	The system shall support warning before creating a duplicate holding record	Should	NF
1.4.15	The system shall require approval before creating a duplicate holding record	Should	NF
1.4.16	The system shall allow for custom label printing	Should	
1.4.17	The system shall allow for custom label printing in multiple formats for standards label	Should	
1.4.18	The system shall allow for bulk of data record editing for volume of item records	Should	NF
1.4.19	The system shall allow for macro or autofill text	Should	NF
1.4.20	The system shall link 78X fields [linked to series of records]	Should	
1.4.21	The system shall allow for prediction pattern making option	Should	
1.4.22	The system shall allow for linking and relinking holdings/items to bibliographic records across bibliographic records formats (serials, monograph, etc.)	Should	NF
1.4.23	The system shall auto-populate summary holdings statement from item record enumeration/chronology data	Should	
1.4.24	The system shall allow for selection of SuDoc number as the primary/default Classification Number in Item/Holding Records	Should	
1.4.25	The system shall allow for ordinal support for pattern prediction. So all the "th" and "rd" show up	Should	
1.4.27	The system shall allow for the capture multiple SuDocs and populate them in holdings record	Should	NF

1.4.28	The system shall allow for linking of the 852 holding field and 086 bibliographic record field	Should	
1.4.29	The system shall allow for validation of the 852 holding field and 086 bibliographic record field	Should	NF
1.4.30	The system shall allow for synchronization of the 852 holding field and 086 bibliographic record field	Should	NF
1.4.31	The system shall regardless of which was created first synchronize the classification information [from the bibliographic record 086 \$a to the holding record 852 \$h and Item Record]	Should	NF
1.4.32	The system shall regardless of which was created first synchronize the classification information [from the bibliographic record 086 \$a to the holding record 852 \$h and Item Record] with notification to approve action	Should	NF
1.4.33	The system shall have the ability to determine when seasonal issues season begins (such as Winter versus Spring)	Should	NF
1.4.34	The system shall support the ability to collapse bound issues values	Should	
1.4.35	The system shall support the ability to collapse bound issues values with the ability to edit	Should	
1.4.36	The system shall support customizable public note fields	Should	
1.4.37	The system shall support customizable internal note fields	Should	
1.4.38	The system shall support the ability to customize location data	Should	
1.4.39	The system shall support gap analysis	Should	
1.4.40	The system shall support gap analysis reporting	Should	
1.4.41	The system shall support processing electronic only titles	Should	
1.4.42	The system shall support processing tangible titles	Should	
1.4.43	The system shall support notifications for items created with no tangible item checked in	Should	
1.4.44	The system shall support reporting of items created with no tangible item checked in	Should	
1.4.45	The system shall support the ability to create pattern templates	Should	
1.4.46	The system shall support the ability to create prediction patterns with multiple parts	Should	
1.4.47	The system shall support the ability to create patterns issues with multiple subissues	Should	

1.4.48	The system shall support the ability to suppress individual items from public display	Should	
1.4.49	The system shall support the ability to suppress individual items from public display for individual titles	Should	
1.4.50	The system shall support the ability to suppress all items for a specific bibliographic record from public display	Should	
1.4.51	The system shall support the ability to suppress all items with a certain item status such as "not received" from public display	Should	
1.4.52	The system shall support the ability to suppress holding data from public display	Should	
1.4.53	The system shall support the ability to create custom reports from item data	Should	
1.4.54	The system shall support the ability to create custom reports from holding data	Should	
1.4.55	The system shall support the ability to create custom reports from location data	Should	
1.4.56	The system shall allow auto-population of content for some fields such as location, collection, call number type, type, etc., when manually creating items with the ability to edit that content	Should	NF
1.4.57	The system shall allow the ability to create item records automatically when exporting data from OCLC	Should	
1.4.58	The system shall allow the ability to create holdings records automatically when exporting data from OCLC	Should	
	Preservation and Collection Management Component Area		
1.5 Preservation/Collection Management		Priority	New Feature/ Function
1.5.1	The system shall have integrated collection development and management functionality	Should	
1.5.2	The system shall have a reporting feature to facilitate Preservation and Collection Management user classes to view the results of reports within the system	Should	NF
1.5.3	The system shall have a reporting feature to facilitate Preservation and Collection Management user	Should	NF

	classes to manipulate the results of reports within the system		
1.5.4	The system shall support the downloading of the results of those search queries as a file to staff workstations	Should	NF
1.5.5	The system shall allow for the ability to trigger the creation of items and holdings records	Should	
1.5.6	The system shall support special collections/branch libraries	Should	
1.5.7	The system shall support the display of partner libraries [Preservation Stewards]	Should	
1.5.14 Collection Development Analytics		Priority	New Feature/Function
1.5.14.1	The system shall have fully integrated collection development analytics tools	Should	NF
1.5.14.2	The system shall support analytics for collection development	Should	NF
1.5.14.3	The system shall support collection analysis	Should	NF
1.5.14.4	The system shall support identification of trends	Should	NF
1.5.14.5	The system shall support identification of collection weak points (holes)	Should	NF
1.5.14.6	The system shall support identification of collection gaps	Should	NF
1.5.14.7	The system shall support identification of overlap between electronic and tangible formats	Should	NF
1.5.14.8	The system shall support data driven decision making	Should	NF
1.5.14.9	The system shall support identification of what resources are accessed the most by various user classes	Should	NF
1.5.14.10	The system shall support identification of what resources are accessed the least by various user classes	Should	NF
	Online Public Access Catalog (OPAC)/Web Presentation Layer (WPL)/Discovery Module and/or Component Area		
1.6 OPAC/WPL		Priority	New Feature/Function

1.6.1	The system shall have an integrated Online Public Access Catalog /Web Presentation Layer/Discovery Module	Should	
1.6.2	The system shall display designated bibliographic, item, holding, location, and other data from the data entry modules	Should	
1.6.3	The system shall display bibliographic, item, holding, location, and other data from the data entry modules with access to specific elements determined by user class	Should	
1.6.4	The system shall support one-stop searching across multiple free, publicly accessible U.S. Federal Government databases	Should	
1.6.5	The system shall support searching of free, publicly accessible federal government databases through a variety of http methods such as GET and POST and/or CKB/CDIs	Should	
1.6.6	The system shall allow for the ability to create database resource configurations	Should	
1.6.7	The system shall allow for the ability to edit database resource configurations	Should	
1.6.8	The system shall allow for the ability to create predefined database resource sets to search	Should	
1.6.9	The system shall allow for the ability to edit predefined database resource sets to search	Should	
1.6.10	The system shall allow for the ability to delete predefined database resource sets to search	Should	
1.6.11	The system shall allow for the ability for users to create temporary database resource sets to search	Should	
1.6.12	The system shall allow for the ability for logged in users to create database resource sets to search with the option to save them	Should	
1.6.13	The system shall allow for the ability to suppress database resource configurations from public view	Should	
1.6.14	The system shall allow for the ability check database resources monthly to verify all external links and federation works as expected	Should	
1.6.15	The system shall allow for reporting of number of times a database resource was searched	Should	
1.6.16	The system shall allow for reporting of number of times a predefined database resource set was searched	Should	
1.6.17	The system shall allow for reporting of number of times database searches were done	Should	

1.6.18	The system shall allow for reporting of number of times custom database resource sets were created	Should	
1.6.19	The system shall allow for reporting of number of times custom database resource sets were searched	Should	
1.6.20	The system shall allow for reporting of number users using database resources	Should	
1.6.21	The system shall support public view of Bibliographic records	Should	
1.6.22	The system shall support public view of Bibliographic records in MARC format	Should	
1.6.23	The system shall support public view of Bibliographic records allowing for restricted view based upon user class in all formats	Should	
1.6.24	The system shall not restrict the number of bibliographic, holdings, or item records that can be viewed in the system	Should	
1.6.25	The system shall not restrict the number of bibliographic, holdings, or item records that can be viewed in the system any internal interface views	Should	
1.6.26	The system shall not restrict the number of bibliographic, holdings, or item records that can be viewed in the system any external interfaces views	Should	
1.6.27	The system shall display linked data	Should	
1.6.28	The system shall display linked data with a clickable link to the data linked	Should	
1.6.29	The system shall allow for display of data content to match data entry module without truncation of data or limitations	Should	NF
1.6.30	The system shall allow for display of cover images	Should	NF
1.6.31	The system shall allow for display of cover images thumbnails	Should	NF
1.6.32	The system shall allow for interfacing with 3rd party resources to import and display cover images	Should	NF
1.6.33	The system shall allow for Item Records display	Should	
1.6.34	The system shall allow for Holding Records display	Should	
1.6.35	The system shall allow for tailored summary statement views	Should	
1.6.36	The system shall allow for relevance ranking and sorting	Should	
1.6.37	The system shall allow for the ability to sort at least 10,000 valid record results	Should	NF
1.6.38	The system shall allow for the ability to post customized notifications on entry screens	Should	

1.6.39	The system shall allow for linking to various askGPO categories	Should	
1.6.40	The system shall support responsive design for use on mobile devices such as cell phones or tablets	Should	NF
1.6.41	The system shall support responsive design for use on mobile devices such as cell phones or tablets across internal interface views	Should	NF
1.6.42	The system shall support responsive design for use on mobile devices such as cell phones or tablets across external interface views	Should	NF
1.6.43	The system shall allow for customized searching on any index in any view	Should	
1.6.44	The system shall have full Boolean search capability on all MARC fields across all search options	Should	
1.6.45	The system shall support wildcard searching using question marks and asterisk	Should	
1.6.46	The system shall support phrase searching using quotations	Should	
1.6.47	The system shall support standard citation tools such as RIS, RefWorks, EndNote, etc. in various styles such as APA, MLA, Harvard, etc.	Should	
1.6.48	The system shall support the ability to create a Reading list in HTML	Should	
1.6.49	The system shall support the ability to define specific subcollections of the bibliographic data set (CGP)	Should	
1.6.50	The system shall support the ability to search within specific subcollections of the bibliographic data set (CGP)	Should	
1.6.51	The system shall support the ability to search within specific subcollections of the bibliographic data set for the National Bibliography (all records not marked for suppression, deletion, or internal use only)	Should	
1.6.52	The system shall support the ability to search within specific subcollections of the bibliographic data set for the Congressional Serial Set	Should	
1.6.53	The system shall support the ability to search within specific subcollections of the bibliographic data set for the Congressional Publications	Should	
1.6.54	The system shall support the ability to search within specific subcollections of the bibliographic data set for GPO's Historic Shelflist	Should	
1.6.55	The system shall support the ability to search within specific subcollections of the bibliographic data set for Electronic Titles	Should	

1.6.56	The system shall support the ability to search within specific subcollections of the bibliographic data set for Gov eBooks	Should	
1.6.57	The system shall support the ability to search within specific subcollections of the bibliographic data set for the FDL Web Archive	Should	
1.6.59	The system shall support the ability to search within specific subcollections of the bibliographic data set for serials	Should	
1.6.60	The system shall support the ability to search within specific subcollections of the bibliographic data set for integrating resources	Should	
1.6.61	The system shall support the ability to search within specific subcollections of the bibliographic data set for the Historic MoCat stand-alone collection	Should	
1.6.62	The system shall support the ability to search within specific subcollections of the bibliographic data set for other locally defined subcollections	Should	
1.6.63	The system shall support basic searching with ability to select specific subcollections to search	Should	
1.6.64	The system shall support basic searching with keyword search options	Should	
1.6.65	The system shall support basic searching for any keyword(s)	Should	
1.6.66	The system shall support advanced searching with keyword search options	Should	
1.6.67	The system shall support advanced searching with direct number search options	Should	
1.6.68	The system shall support advanced searching with heading search options	Should	
1.6.69	The system shall support advanced searching with limits for Year or Year range	Should	
1.6.70	The system shall support advanced searching with limits for Language of material	Should	
1.6.71	The system shall support advanced searching with limits for format of material	Should	
1.6.72	The system shall support advanced searching with limits for mode of issuance	Should	
1.6.73	The system shall support advanced searching with ability to select specific subcollections to search	Should	
1.6.74	The system shall support advanced searching for any keyword(s)	Should	
1.6.75	The system shall support advanced searching for Title keyword(s)	Should	

1.6.76	The system shall support advanced searching for Exact Title keyword(s)	Should	
1.6.77	The system shall support advanced searching for Author keyword(s)	Should	
1.6.78	The system shall support advanced searching for Subject keyword(s)	Should	
1.6.79	The system shall support advanced searching for Series/Periodical keyword(s)	Should	
1.6.80	The system shall support advanced searching for Conference Proceeding keyword(s)	Should	
1.6.81	The system shall support advanced searching for Corporate/Agency Author keyword(s)	Should	
1.6.82	The system shall support advanced searching for All Subject keyword(s)	Should	
1.6.83	The system shall support advanced searching for LC Subjects keyword(s)	Should	
1.6.84	The system shall support advanced searching for Geographic Subjects keyword(s)	Should	
1.6.85	The system shall support advanced searching for MeSH Subject keyword(s)	Should	
1.6.86	The system shall support advanced searching for NASA Subjects keyword(s)	Should	
1.6.87	The system shall support advanced searching for Publisher keyword(s)	Should	
1.6.88	The system shall support advanced searching for Publication Place	Should	
1.6.89	The system shall support advanced searching for SuDoc Class Number	Should	
1.6.90	The system shall support advanced searching for Shipping List Number	Should	
1.6.91	The system shall support advanced searching for Item Number	Should	
1.6.92	The system shall support advanced searching for ISSN	Should	
1.6.93	The system shall support advanced searching for ISBN	Should	
1.6.94	The system shall support advanced searching for System Number	Should	
1.6.95	The system shall support advanced searching for OCLC Number	Should	
1.6.96	The system shall support advanced searching for Technical Report Number	Should	
1.6.97	The system shall support advanced searching for Contract Number	Should	

1.6.98	The system shall support advanced searching for Stock Number	Should	
1.6.99	The system shall support advanced searching for Series Number	Should	
1.6.100	The system shall support advanced searching for All Notes	Should	
1.6.101	The system shall support advanced searching for Contents	Should	
1.6.102	The system shall support advanced searching for Internet Access	Should	
1.6.103	The system shall support advanced searching for LC Call Number	Should	
1.6.104	The system shall support expert searching by Common Command Language (CCL) codes	Should	
1.6.105	The system shall support browse searching by Title begins with... (omit initial article)	Should	
1.6.106	The system shall support browse searching by Title, Title variation, former Title begins...	Should	
1.6.107	The system shall support browse searching by Series/Periodical Title begins...	Should	
1.6.108	The system shall support browse searching by Corporate/Agency Author begins with...	Should	
1.6.109	The system shall support browse searching by Author begins with... (last name first)	Should	
1.6.110	The system shall support browse searching by Conference Proceedings begins with...	Should	
1.6.111	The system shall support browse searching by Subject begins...	Should	
1.6.112	The system shall support browse searching by LC Subject begins...	Should	
1.6.113	The system shall support browse searching by MeSH Subject begins...	Should	
1.6.114	The system shall support browse searching by NASA Subject begins...	Should	
1.6.115	The system shall support browse searching by SuDoc Class Number begins...	Should	
1.6.116	The system shall support browse searching by LC Call Number begins...	Should	
1.6.117	The system shall support browse searching by Dewey Class Number begins...	Should	
1.6.118	The system shall support browse searching by NLM Call Number begins...	Should	
1.6.119	The system shall support browse searching by NAL Call Number begins...	Should	

1.6.120	The system shall support browse searching by Item Number begins...	Should	
1.6.121	The system shall support Bill Number searching	Should	
1.6.122	The system shall support eBook Format keyword searching	Should	
1.6.123	The system shall support customized dynamic searches with quick links	Should	
1.6.124	The system shall support dynamic searches with quick links for predefined searches for each of the following: Last 7 Days, Last Two Weeks, This Month, Last Month, Last 3 Months, This Year, Last Year	Should	
1.6.125	The system shall support a landing page for New Titles dynamic searches and Archive reports	Should	
1.6.126	The system shall support dynamic searches with quick links for New Titles All new titles	Should	
1.6.127	The system shall support dynamic searches with quick links for New Titles All new titles for each of the following: Last 7 Days, Last Two Weeks, This Month, Last Month, Last 3 Months, This Year, Last Year	Should	
1.6.128	The system shall support dynamic searches with quick links for New Electronic Titles Only new titles that are available online	Should	
1.6.129	The system shall support dynamic searches with quick links for New Electronic Titles Only new titles that are available online for each of the following: Last 7 Days, Last Two Weeks, This Month, Last Month, Last 3 Months, This Year, Last Year	Should	
1.6.130	The system shall support dynamic searches with quick links for New Government eBooks Only new eBook titles (mobi and/or epub formats)	Should	
1.6.130	The system shall support dynamic searches with quick links for New Government eBooks Only new eBook titles (mobi and/or epub formats) for each of the following: Last 7 Days, Last Two Weeks, This Month, Last Month, Last 3 Months, This Year, Last Year	Should	
1.6.131	The system shall support dynamic searches with quick links for New Preliminary Titles Only new titles that are still being processed (based on specific note field)	Should	
1.6.132	The system shall support dynamic searches with quick links for New Preliminary Titles Only new titles that are still being processed (based on specific	Should	

	note field) for each of the following: Last 7 Days, Last Two Weeks, This Month, Last Month, Last 3 Months, This Year, Last Year		
1.6.133	The system shall support dynamic searches with quick links for New Serial Titles Only new continuing titles (journals, annuals, and periodicals)	Should	
1.6.134	The system shall support dynamic searches with quick links for New Serial Titles Only new continuing titles (journals, annuals, and periodicals) for each of the following: Last 7 Days, Last Two Weeks, This Month, Last Month, Last 3 Months, This Year, Last Year	Should	
1.6.135	The system shall support dynamic searches with quick links for New Integrated Resource (IR) Titles Only new documents such as archived Government websites, databases, loose leafs, etc.	Should	
1.6.136	The system shall support dynamic searches with quick links for New Integrated Resource (IR) Titles Only new documents such as archived Government websites, databases, loose leafs, etc. for each of the following: Last 7 Days, Last Two Weeks, This Month, Last Month, Last 3 Months, This Year, Last Year	Should	
1.6.137	The system shall support dynamic searches with quick links for New FDLP Web Archive Titles Only new archived Government websites within the scope of the Federal Depository Library Program (FDLP)	Should	
1.6.138	The system shall support dynamic searches with quick links for New FDLP Web Archive Titles Only new archived Government websites within the scope of the Federal Depository Library Program (FDLP) for each of the following: Last 7 Days, Last Two Weeks, This Month, Last Month, Last 3 Months, This Year, Last Year	Should	
1.6.139	The system shall support dynamic searches with quick links for Newly Ceased Titles Continuing/integrating resources that no longer have new issues produced or are no longer update	Should	
1.6.140	The system shall support dynamic searches with quick links for Newly Ceased Titles Continuing/integrating resources that no longer have new issues produced or are no longer update for each of the following: Last 7 Days, Last Two Weeks, This Month, Last Month, Last 3 Months, This Year, Last Year	Should	

1.6.141	The system shall support New Electronic Titles (NET) Monthly Archive Reports and Historical Archive page	Should	
1.6.142	The system shall support New Electronic Titles (NET) Monthly Archive Reports in HTML format as a numbered table containing: SuDoc Number, Title, Year, Item Number, and Internet Access	Should	
1.6.143	The system shall support New Electronic Titles (NET) Monthly Archive Reports in CSV format containing: SuDoc No., Title, Year, Item No., Internet Access, OCLC No., CGP Sys. No., Subjects, Date Cataloged, and Mode of Issuance	Should	
1.6.144	The system shall support a landing page for the Historical Archive of the New Electronic Titles (NET) Monthly Reports grouped by year	Should	
1.6.145	The system shall support customized Help pages with content based on user class	Should	
1.6.146	The system shall support customized Help pages index links	Should	
1.6.147	The system shall support customized Help pages expandable sections	Should	
1.6.148	The system shall support customized Help pages with downloadable quick text based on topic	Should	
1.6.149	The system shall support customized Help pages with printable quick text instructions based on topic	Should	
1.6.150	The system shall support customized Help pages with the ability to embed video recordings	Should	
1.6.151	The system shall support customized Help pages anchored links by topic index	Should	
1.6.152	The system shall support customized Help pages with link capabilities	Should	
1.6.153	The system shall support customized Help pages containing persistent links to various parts of the system such as search pages or services (example: advanced search page, Database Searching page, etc.)	Should	
1.6.154	The system shall have a footer on every page/view containing: A service of the Superintendent of Documents, U.S. Government Publishing Office. Plus, a link containing GPO's Copyright/Privacy Policies	Should	
1.6.155	The system shall support a customized GPO's Copyright/Privacy Policies page	Should	

1.6.156	The system shall support the ability to email individual records	Should	
1.6.157	The system shall support the ability to email record sets	Should	
1.6.158	The system shall support the ability to add individual records to a bookshelf	Should	
1.6.159	The system shall support the ability to add record sets to a bookshelf	Should	
1.6.160	The system shall support the ability to save record sets in the bookshelf for logged in users	Should	
1.6.161	The system shall support the ability to organize record sets in the bookshelf in folders for logged in users	Should	
1.6.162	The system shall support the ability to manage folders for logged in users	Should	
1.6.163	The system shall support the ability to add notes to record or records sets added to a bookshelf	Should	
1.6.164	The system shall support the ability to email selected records in a bookshelf	Should	
1.6.165	The system shall support the ability to email selected records in a bookshelf in any supported citation style format	Should	
1.6.166	The system shall allow for display of entire Authority record set as a separate section with customized access based on user class	Should	NF
1.6.167	The system shall allow for display of tailored views of Authority records based on user class	Should	NF
1.6.168	The system shall allow for seamless interfiling of authority access points (1XX, 4XX, 5XX) with bibliographic access points, referring users from references (4XX, 5XX) to authorized headings (1XX)	Should	NF
1.6.169	The system shall whenever a user is redirected from a reference (4XX, 5XX) to an authorized heading (1XX), by clicking on the See ____ reference, that user is next placed in the browse index that corresponds with the 1XX heading	Should	NF
1.6.170	The system shall display when an access point in a search result or browse display is from a 4XX field	Should	
1.6.171	The system shall allow for searching of all authority record access points: 1XX, 4XX, 5XX, including name/title combinations that include subfield \$t	Should	
1.6.172	The system shall allow for browsing of all authority record access points: 1XX, 4XX, 5XX, including name/title combinations that include subfield \$t	Should	

1.6.173	The system shall allow for display of all authority record access points: 1XX, 4XX, 5XX, including name/title combinations that include subfield \$t	Should	
1.6.174	The system shall support searching by MARC tag for uniform title = 130, 240	Should	
1.6.175	The system shall support searching by MARC tag for name/title combinations = XX0 + \$t	Should	
1.6.176	The system shall support searching by MARC tag for series = 830, 8XX + \$t, 490	Should	
1.6.177	The system shall support browsing by MARC tag for uniform title = 130, 240	Should	
1.6.178	The system shall support browsing by MARC tag for name/title combinations = XX0 + \$t	Should	
1.6.179	The system shall support browsing by MARC tag for series = 830, 8XX + \$t, 490	Should	
1.6.180	The system shall support searching by MARC tag for corporate name = X10	Should	
1.6.181	The system shall support browsing by MARC tag for corporate name = X10	Should	
1.6.182	The system shall support searching by MARC tag for conference name = X11	Should	
1.6.183	The system shall support browsing by MARC tag for conference name = X11	Should	
1.6.184	The system shall support searching by MARC tag for geographic name = X51 or \$z	Should	
1.6.185	The system shall support browsing by MARC tag for geographic name = X51 or \$z	Should	
1.6.186	The system shall support searching by MARC tag for title = X30 or \$t	Should	
1.6.187	The system shall support browsing by MARC tag for title = X30 or \$t	Should	
1.6.188	The system shall support searching MARC tag for personal name = X00	Should	
1.6.189	The system shall support browsing by MARC tag for personal name = X00	Should	
1.6.190	The system shall support searching by MARC tag for topical term = X50 or \$x	Should	
1.6.191	The system shall support browsing by MARC tag for topical term = X50	Should	
1.6.192	The system shall support searching by MARC tag for genre/form term = X55	Should	
1.6.193	The system shall support browsing by MARC tag for genre/form term = X55	Should	

1.6.194	The system shall support searching by MARC tag for topical subdivision = 180 or \$x	Should	
1.6.195	The system shall support browsing by MARC tag for topical subdivision = 180 or \$x	Should	
1.6.196	The system shall support searching by MARC tag for chronological subdivision = 182 or \$y	Should	
1.6.197	The system shall support browsing by MARC tag for chronological subdivision = 182 or \$y	Should	
1.6.198	The system shall support searching by MARC tag for form subdivision = 185 or \$v	Should	
1.6.199	The system shall support browsing by MARC tag for form subdivision = 185 or \$v	Should	
1.6.200	The system shall support searching by MARC tag for name/title combinations = XXO + \$t	Should	
1.6.201	The system shall support browsing by MARC tag for name/title combinations = XXO + \$t	Should	
1.6.202	The system shall support the ability to view previous searches	Should	
1.6.203	The system shall support the ability to edit previous searches	Should	
1.6.204	The system shall support the ability to delete previous searches	Should	
1.6.205	The system shall support the ability to combine previous searches	Should	
1.6.206	The system shall allow for the ability to save searches for logged in users	Should	
1.6.207	The system shall allow for the ability to set to receive notifications via email for relevant records added	Should	
1.6.208	The system shall allow for the ability to set to receive notifications via RSS Feed for relevant records added	Should	
1.6.209	The system shall allow for the ability to set notifications for relevant records added choosing frequency sent (daily, weekly, monthly)	Should	
1.6.210	The system shall allow for the ability to set notifications for relevant records added choosing format sent (Standard, MARC, .mrc, MARCXML)	Should	
1.6.211	The system shall allow for the ability to edit searches for logged in users	Should	
1.6.212	The system shall allow for the ability to delete previous searches for logged in users	Should	
1.6.213	The system shall allow for the ability to create search results lists for logged in users	Should	
1.6.214	The system shall allow for the ability to save search results lists for logged in users	Should	

1.6.215	The system shall allow for the ability to edit search results lists for logged in users	Should	
1.6.216	The system shall allow for the ability to delete search results lists for logged in users	Should	
1.6.217	The system shall allow for the ability to create persistent URLs to searches	Should	
1.6.218	The system shall allow for the ability to create persistent URLs to individual records	Should	
1.6.219	The system shall support the ability to access the results list	Should	
1.6.220	The system shall support the ability to refine the results list by predefined subcollections such as Congressional Serial Set, Electronic Titles, Serials, etc.	Should	
1.6.221	The system shall support the ability to sort results list by [Publication] Year (descending) then Title alphabetical	Should	
1.6.222	The system shall support the ability to sort results list by [Publication] Year (ascending) then Title alphabetical	Should	
1.6.223	The system shall support the ability to sort results list by Title alphabetical then [Publication] Year (descending)	Should	
1.6.224	The system shall support the ability to sort results list by Title alphabetical then [Publication] Year (ascending)	Should	
1.6.225	The system shall support the ability to sort results list by SuDoc Number (ascending)	Should	
1.6.226	The system shall support the ability to sort results list by SuDoc Number (descending)	Should	
1.6.227	The system shall support the ability to Jump to a numbered section of the results list	Should	
1.6.228	The system shall support 508 compliance across all interfaces and views	Should	NF
1.6.229	The system shall support the ability to post custom notices on all main entry screen views such as for Government Shutdowns or scheduled maintenance notices	Should	
1.6.230	The system shall the capability to change system configurations, such as the list of fields and subfields displayed and the order in various public views	Should	
1.6.231	The system shall support the capability to add system configurations, such as the list of fields and	Should	

	subfields displayed and the order in various public views		
1.6.232	The system shall allow for the capability to enable users to customize settings and preferences to enhance their experience based on user class	Should	
1.6.233	The system shall allow for the capability to use clusters and facets for results	Should	
1.6.234	The system shall allow for the capability to use clusters and facets for results according to their subject	Should	
1.6.235	The system shall allow for the capability to use clusters and facets for results according to their date	Should	
1.6.236	The system shall allow for the capability to use clusters and facets for results according to their author	Should	
1.6.237	The system shall allow for the capability to use clusters and facets for results according to their Journal Title	Should	
1.6.238	The system shall allow for the capability to use clusters and facets for results according to their Resource (for database searches)	Should	
1.6.239	The system shall allow for the capability to use clusters and facets for results according to their Catalog (subcollection) (for CGP searches)	Should	
1.6.240	The system shall allow for the capability to use clusters and facets for results according to their SuDoc stem	Should	
1.6.241	The system shall allow for the specification of which fields should be hyperlinked in standard view	Should	
1.6.242	The system shall allow for the ability to store library account information	Should	
1.6.243	The system shall allow for the ability to store library depository number	Should	
1.6.244	The system shall allow for the ability to store library depository type	Should	
1.6.245	The system shall allow for the ability to store library parent institution name	Should	
1.6.246	The system shall allow for the ability to store library name	Should	
1.6.247	The system shall allow for a link to the public Federal Depository Library Directory	Should	
1.6.248	The system shall allow for a link to the list of regional depository libraries	Should	

1.6.249	The system shall allow for a link to the list of multi-state regionals and the states they serve	Should	
1.6.250	The system shall allow for default access to a public interface	Should	
1.6.251	The system shall support custom internal login interfaces	Should	
1.6.252	The system shall support custom external login interfaces	Should	
1.6.253	The system shall allow for access to a GPO staff login interface that allows all fields and records even suppressed to be displayed, searched, etc.	Should	NF
1.6.254	The system shall allow for customized look and feel based on login interface	Should	
1.6.255	The system shall allow for customized look and feel based on user class	Should	
1.6.256	The system shall allow for customized look and feel based on user profile	Should	NF
1.6.257	The system shall allow for account creation based on user data from askGPO/FDLD	Should	
1.6.258	The system shall support single sign on based on user class	Should	NF
1.6.259	The system shall support customized About pages	Should	
1.6.260	The system shall allow for the ability to add other customized pages	Should	
1.6.260	The system shall allow for the display of Title in the results list	Should	
1.6.261	The system shall allow for the display of Year in the results list	Should	
1.6.262	The system shall allow for the display of Author in the results list	Should	
1.6.263	The system shall allow for the display of Item Number in the results list for logged in users	Should	
1.6.264	The system shall allow for the display of multiple Item Numbers in the results list for each applicable record for logged in users	Should	
1.6.265	The system shall allow for the display of SuDoc Number in the results list	Should	
1.6.266	The system shall allow for the display of multiple SuDoc Numbers in the results list for each applicable record	Should	
1.6.267	The system shall allow for the display of Internet Access links in the results list	Should	

1.6.268	The system shall allow for the display of multiple Internet Access links in the results list for each applicable record	Should	
1.6.269	The system shall allow for linking to other systems for logged in users based on user class	Should	
1.6.270	The system shall allow for CGP Services Search (dynamic links in the Standard View of the record the execute Scan or Browse Searches)	Should	
1.6.271	The system shall allow for CGP Services Search for Author field in Standard view for all users	Should	
1.6.272	The system shall allow for CGP Services Search for SuDoc Number field in Standard view for all users	Should	
1.6.273	The system shall allow for CGP Services Search for Item Number field in Standard view for all users	Should	
1.6.274	The system shall allow for CGP Services Search for Series field in Standard view for all users	Should	
1.6.275	The system shall allow for CGP Services Search for Subjects fields in Standard view for all users	Should	
1.6.276	The system shall allow for CGP Services Search for Added Entry fields in Standard view for all users	Should	
1.6.277	The system shall allow for permalinks to each bibliographic record	Should	
1.6.278	The system shall allow for permalinks to bibliographic search results	Should	
1.6.279	The system shall allow for search tips, hints, and examples	Should	
1.6.280	The system shall allow for custom search tips, hints, and examples	Should	
1.6.281	The system shall support the Z39.50 protocol to access GPO's bibliographic data	Should	
1.6.282	The system shall allow for designation and customization of Z39.50 bib-1 Use Attributes	Should	
1.6.283	The system shall allow for designation and customization of Z39.50 bib-1 Use-values	Should	
1.6.284	The system shall allow for access to other libraries data via Z39.50	Should	
1.6.285	The system shall allow for export of up to 10,000 records at a time via Z39.50	Should	
1.6.286	The system shall allow for searching each 086\$z when there are multiple 086 \$z entries per record	Should	
1.6.287	The system shall allow for browsing each 086\$z when there are multiple 086 \$z entries per record	Should	
1.6.288	The system shall allow for links to FDL distribution information	Should	NF

1.6.289	The system shall allow for links to FDL holdings information	Should	NF
1.6.290	The system shall allow for links to GPO's FDLD	Should	
1.6.291	The system shall allow for editing the search parameters on the results list	Should	
1.6.292	The system shall allow for searching within the search results	Should	
1.6.293	The system shall allow for narrowing search results by collection (Catalog to Search)	Should	
1.6.294	The system shall allow for facets to limit by government agency	Should	
1.6.295	The system shall allow for limiting by mode of issuance and format (monograph, serial, IR, map, cartographic material, visual media, etc.)	Should	
1.6.296	The system shall allow for multiple results views	Should	
1.6.297	The system shall allow for a public default "Standard" view that includes customizable field order and fields to display and clickable hyperlinks	Should	
1.6.298	The system shall allow for a MARC view that allows for the ability to suppress some fields from view	Should	
1.6.299	The system shall support the ability to display when an FDL has an item (true union catalog)	Should	NF
1.6.300	The system shall support searching of variant/outdated SuDoc numbers	Should	
1.6.301	The system shall support searching the CGP directly without federating	Should	
1.6.302	The system shall support Lost Password features for logged in user classes	Should	
1.6.303	The system shall support searching database resource names on an A-Z resource landing page	Should	
1.6.304	The system shall support an A-Z listing of all database resources	Should	
1.6.305	The system shall support searching words contained in a database resource name	Should	
1.6.306	The system shall support grouping database resources by agency	Should	
1.6.307	The system shall support database resources to be added to a clipboard to create custom resource sets to search	Should	
1.6.308	The system shall support database resources results to be added to an e-shelf	Should	
1.6.309	The system shall support database resource results to be emailed from the results	Should	

1.6.310	The system shall support database resource results to be emailed from the e-shelf	Should	
1.6.311	The system shall support database resource results to be emailed in Standard format	Should	
1.6.312	The system shall support database resource results to be emailed in MARC21 format	Should	
1.6.313	The system shall support database resource results to be emailed in .mrc format	Should	
1.6.314	The system shall support any results (standard or database) to be saved in multiple citation formats	Should	
1.6.315	The system shall support any results (standard or database) to be saved by multiple citation tools	Should	
	Indexing Component Area		
1.7 Indexing		Priority	New Feature/Function
1.7.1	The system shall support word indexing	Should	
1.7.2	The system shall support direct numeric indexing	Should	
1.7.3	The system shall support heading indexing	Should	
1.7.4	The system shall support indexing of all fields	Should	
1.7.5	The system shall support indexing of field content	Should	
1.7.6	The system shall support indexing of subfield field content	Should	
1.7.7	The system shall support indexing of all fixed fields in bibliographic records	Should	
1.7.8	The system shall support indexing of all data elements	Should	
1.7.9	The system shall support customized indexing	Should	
1.7.10	The system shall support indexing of internal only fields	Should	
1.7.11	The system shall support indexing of SuDoc Number	Should	
1.7.12	The system shall support customized normalization of SuDoc Number	Should	
1.7.13	The system shall support customized display of SuDoc Number content in data entry modules removed for indexing purposes	Should	NF
1.7.14	The system shall support customized display of SuDoc Number content in public views removed for indexing purposes	Should	NF

1.7.15	The system shall support customized filing of SuDoc Number content in data entry modules removed for indexing purposes	Should	NF
1.7.16	The system shall support customized filing of SuDoc Number content in public views removed for indexing purposes	Should	NF
1.7.17	The system shall support indexing of local fields	Should	
1.7.18	The system shall support custom indexing of local fields	Should	
1.7.19	The system shall support custom indexing of local fields for internal use only	Should	
1.7.20	The system shall support custom indexing of fields for internal use only	Should	
1.7.21	The system shall support customized index display	Should	
1.7.22	The system shall support customized index display of content in data entry module that was removed for indexing purposes	Should	NF
1.7.23	The system shall support customized index display of content in public views that was removed for indexing purposes	Should	NF
1.7.24	The system shall support customized index filing	Should	
1.7.25	The system shall support customized index filing of content in data entry module that was removed for indexing purposes	Should	NF
1.7.26	The system shall support customized index filing of content in public views removed for indexing purposes	Should	NF
1.7.27	The system shall support customized index normalization	Should	
1.7.28	The system shall allow for subcollections to be set up based on specific indexed content defined by GPO	Should	
1.7.29	The system shall ignore diacritical marks or special characters at the beginning of a title browse search	Should	
1.7.30	The system shall index the following fields for uniform titles: 130, 240	Should	
1.7.31	The system shall index the following fields for series: 830, 8XX + \$t, 490	Should	
1.7.32	The system shall allow for indexing of all authority record access points: 1XX, 4XX, 5XX, including name/title combinations that include subfield \$t	Should	
1.7.33	The system shall allow for the ability to expand information into bibliographic record when exporting records (expand routines)	Should	
1.7.34	The system shall allow for backend indexing	Should	

1.7.35	The system shall allow for real-time indexing	Should	
1.7.36	The system shall allow for real-time indexing for newly created records	Should	
1.7.37	The system shall allow for real-time indexing for updated records	Should	
1.7.38	The system shall allow for real-time indexing for ingested records	Should	
1.7.39	The system shall allow for real-time indexing for ingested records sets	Should	
1.7.40	The system shall allow for real-time indexing for records export to system via TCP/IP	Should	
1.7.41	The system shall support full re-indexing of data	Should	
1.7.42	The system shall support full re-indexing of data with minimal downtime	Should	
1.7.43	The system shall support full re-indexing of data with minimal impact on system performance	Should	
	Data Reporting Component Area		
1.8 Data Reporting		Priority	New Feature/Function
1.8.1	The system shall allow for custom data reporting	Should	
1.8.2	The system shall allow for multiple user classes for access to customizable specific data elements for each class	Should	NF
1.8.3	The system shall support 3rd party reporting tools	Should	
1.8.4	The system shall support 3rd party reporting tools that allow customizable reports with granular permissions bases on user class	Should	
1.8.5	The system shall allow customized temporary record sets for reports	Should	NF
1.8.6	The system shall allow customized temporary record sets for reports that can be exported	Should	NF
1.8.7	The system shall allow for creation of temporary record sets for reporting	Should	NF
1.8.8	The system shall allow for managing temporary record sets	Should	NF
1.8.9	The system shall allow for viewing the temporary record sets	Should	NF
1.8.10	The system shall allow for adding records to the temporary record sets	Should	NF

1.8.11	The system shall allow customized record sets for reports that can be saved for logged in users	Should	NF
1.8.12	The system shall allow customized record sets for reports that are saved to be exported	Should	NF
1.8.13	The system shall allow for reports to be exported in CSV format	Should	NF
1.8.14	The system shall allow for visualizing reports prior to printing [accurate print preview]	Should	NF
1.8.15	The system shall allow for scheduling reports to run based on selected frequency or specific date	Should	NF
	Data Statistics Component Area		
1.9 Data Statistics		Priority	New Feature/Function
1.9.1	The system shall allow for custom statistics	Should	
1.9.2	The system shall allow for multiple user classes for access	Should	NF
1.9.3	The system shall allow for multiple user classes for access to customizable specific data elements for each class	Should	NF
1.9.4	The system shall allow for statistics to be exported in HTML format	Should	NF
1.9.5	The system shall allow for statistics to be exported in CSV format	Should	NF
1.9.6	The system shall support the ability to record and store staff use statistics	Should	
1.9.7	The system shall support the ability to record and store staff use statistics for records created	Should	
1.9.8	The system shall support the ability to record and store staff use statistics for records updated	Should	
	Data Analytics Component Area		
1.10 Data Analytics		Priority	New Feature/Function
1.10.1	The system shall support data analytics	Should	NF
1.10.2	The system shall support data visualization	Should	NF
1.10.3	The system shall allow for custom data analytics	Should	NF
1.10.4	The system shall allow for custom data visualization	Should	NF

1.10.5	The system shall allow for multiple user classes for access	Should	NF
1.10.6	The system shall allow for multiple user classes for access to customizable specific data elements for each class	Should	NF
1.10.7	The system shall allow for data analytics to be exported in HTML format	Should	NF
1.10.8	The system shall allow for data analytics to be exported in CSV format	Should	NF
1.10.9	The system shall allow for data visualization to be exported in HTML format	Should	NF
1.10.10	The system shall allow for data visualization to be exported in CSV format	Should	NF
	Interoperability Component Area		
1.11 Interoperability		Priority	New Feature/Function
1.11.1	The system shall allow for interfacing with GPO's DSIMS (Depository Selection Information Management System)	Should	NF
1.11.2	The system shall allow for interfacing with LC's BIBFRAME Editor	Should	NF
1.11.3	The system shall allow for interfacing with GPO Salesforce implementation	Should	NF
1.11.4	The system shall allow for interfacing with GPO's GovInfo	Should	NF
1.11.5	The system shall allow for interfacing with GPO's Bookstore	Should	NF
1.11.6	The system shall allow for interfacing with GPO's Federal Depository Library Directory (FDLD)	Should	NF
1.11.7	The system shall allow for interfacing with citation tools	Should	
1.11.8	The system shall allow for interfacing with 3rd party reporting tools	Should	
1.11.9	The system shall allow for interfacing with Z39.50	Should	
1.11.10	The system shall allow for interfacing with metadata tools such as MarcEdit	Should	
1.11.11	The system shall allow for interfacing with Single Sign On	Should	NF
1.11.20	The system shall allow for interfacing with APIs	Should	NF

1.11.21	The system shall allow for interfacing with GovInfo's APIs	Should	NF
1.11.22	The system shall allow for interfacing with OCLC APIs	Should	NF
1.11.23	The system shall allow for interfacing with GPO Publish system	Should	NF
1.11.24	The system shall support 3rd party analytics tools (such as Matomo On-Premise)	Should	NF
1.11.25	The system shall support 3rd party visualization tools (such as Power BI)	Should	NF
	Union Catalog Component Area		
1.12 Union Catalog		<i>Priority</i>	<i>New Feature/Function</i>
1.12.1	The system shall be a union catalog of Federal depository library holdings	Should	NF
1.12.2	The system shall support the ability to indicate when an FDL has an item	Should	NF
1.12.3	The system shall support the ability to display when an FDL has an item	Should	NF
1.12.4	The system shall support the ability to indicate when a Regional FDL has an item	Should	NF
1.12.5	The system shall support the ability to display when a Regional FDL has an item	Should	NF
1.12.6	The system shall support an automated approach to creating item/holding records from CSV files for all format types (monograph, serial, multipart, etc.)	Should	NF
1.12.7	The system shall support displaying all items/holdings records for all format types including those for FDLs	Should	NF
1.12.8	The system shall allow for links to FDL distribution information	Should	NF
1.12.9	The system shall allow for links to FDL holdings information	Should	NF
	System Reporting Component Area		
1.13 System Reporting		<i>Priority</i>	<i>New Feature/Function</i>
1.13.1	The system shall allow for custom system reporting	Should	NF

1.13.2	The system shall allow for multiple user classes for access	Should	NF
1.13.3	The system shall allow for multiple user classes for access to customizable specific system elements for each class	Should	NF
1.13.4	The system shall allow for statistics to be exported in HTML format	Should	NF
1.13.5	The system shall allow for statistics to be exported in CSV format	Should	NF
	System Statistics Component Area		
1.14 System Statistics		Priority	New Feature/Function
1.14.1	The system shall allow for custom system statistics	Should	
1.14.2	The system shall allow collection of statistics based on the total number of successful searches of the interface	Should	
1.14.3	The system shall allow collection of statistics based on the total number of successful searches of the bibliographic data set (CGP)	Should	
1.14.4	The system shall allow collection of statistics based on number of successful searches of the interface by year	Should	
1.14.5	The system shall allow collection of statistics based on number of successful searches of the bibliographic data set (CGP) by year	Should	
1.14.6	The system shall allow collection of statistics based on number of successful searches of the interface by month	Should	
1.14.7	The system shall allow collection of statistics based on number of successful searches of the bibliographic data set (CGP) by month	Should	
1.14.8	The system shall allow collection of statistics based on number of successful searches of the interface by day	Should	
1.14.9	The system shall allow collection of statistics based on number of successful searches of the bibliographic data set (CGP) by day	Should	
1.14.10	The system shall allow collection of statistics based on number of successful searches of the interface by hour	Should	

1.14.11	The system shall allow collection of statistics based on number of successful searches of the bibliographic data set (CGP) by hour	Should	
1.14.12	The system shall allow collection of statistics based on number of successful searches of the interface by request	Should	
1.14.13	The system shall allow collection of statistics based on number of user logins	Should	NF
1.14.14	The system shall allow collection of statistics based on number of user logins by user class	Should	NF
1.14.15	The system shall allow collection of statistics based on number of logins to Z39.50	Should	NF
1.14.16	The system shall allow collection of statistics based on number of logins to Z39.50 by logged in user	Should	NF
1.14.17	The system shall allow collection of statistics based on number of searches of Z39.50 by logged in user	Should	NF
1.14.18	The system shall allow collection of statistics based on number of records viewed from Z39.50 by logged in user	Should	NF
1.14.19	The system shall allow collection of statistics based on number of records exported from Z39.50 by logged in user	Should	NF
1.14.20	The system shall allow collection of statistics based on frequency of use of Z39.50 by logged in user	Should	NF
1.14.21	The system shall allow collection of statistics based on duration of access of Z39.50 by logged in user	Should	NF
1.14.22	The system shall allow collection of statistics based on concurrent logged in users	Should	
1.14.23	The system shall allow collection of statistics based on concurrent logged in users by year	Should	NF
1.14.24	The system shall allow collection of statistics based on concurrent logged in users by month	Should	NF
1.14.25	The system shall allow collection of statistics based on concurrent logged in users by day	Should	NF
1.14.26	The system shall allow collection of statistics based on concurrent logged in users by hour	Should	NF
1.14.27	The system shall allow collection of statistics based on search attribute	Should	NF
1.14.28	The system shall allow collection of server load statistics	Should	
1.14.29	The system shall allow collection of server load statistics for system: uptime, number of CPUs, average number of admin logins, minimum and maximum load	Should	

1.14.30	The system shall allow collection of server load statistics for system processes: total, sleeping, running, zombie, and stopped including averages and minimums and maximums	Should	
1.14.31	The system shall allow collection of server load statistics for system memory: total, used, free, and buffered averages	Should	
1.14.32	The system shall allow collection of server load statistics for system swap: total, free, used and cache averages	Should	
1.14.33	The system shall allow collection of server load statistics for system CPU States: averages, minimums and maximums for idle, nice, system, user, waiting for I/O, hardware interruptions, software interruptions	Should	
1.14.34	The system shall allow collection of server load statistics for system usage per day of the week: Oracle CPU, Oracle mem, each server, each admin user, load	Should	
1.14.35	The system shall allow collection of server load statistics for system usage per month: Oracle CPU, Oracle mem, each server, each admin user, load	Should	
1.14.36	The system shall allow collection of server load statistics for system usage per hour: Oracle CPU, Oracle mem, each server, each admin user, load	Should	
	System Analytics Component Area		
1.15 System Analytics		Priority	New Feature/Function
1.15.1	The system shall allow for custom system analytics	Should	
1.15.2	The system shall support 3rd party analytics tools (such as Matomo On-Premise)	Should	NF
1.15.3	The system shall support system visualization	Should	NF
1.15.4	The system shall allow for custom system analytics	Should	NF
1.15.5	The system shall allow for custom system visualization	Should	NF
1.15.6	The system shall allow for multiple user classes for access	Should	NF
1.15.7	The system shall allow for multiple user classes for access to customizable specific system usage elements for each class	Should	NF

1.15.8	The system shall allow for system usage analytics to be exported in HTML format	Should	NF
1.15.9	The system shall allow for system usage analytics to be exported in CSV format	Should	NF
1.15.10	The system shall allow for system usage visualization to be exported in HTML format	Should	NF
1.15.11	The system shall allow for system usage visualization to be exported in CSV format	Should	NF
2.0 Sub Components			
	User Classes Sub Component Area		
2.1 user classes		Priority	New Feature/Function
2.1.1	The system shall allow for the categorization of different user/user classes	Should	
2.1.2	The system shall support multiple user classes	Should	
2.1.3	The system shall support the assignment of one or more classes to a user	Should	
2.1.4	The system shall support the management of the functions permitted by a user class	Should	
2.1.5	The system shall prevent a user from performing a function unless the user possesses a user class permitting that functions	Should	
2.1.6	The system shall allow System Administration user class	Should	
2.1.7	The system shall allow for full Data Entry user class	Should	
2.1.8	The system shall allow for multiple levels of limited Data Entry user classes	Should	
2.1.9	The system shall allow for multiple levels of limited Data Entry modules view only user classes	Should	
2.1.10	The system shall allow for multiple levels of reporting, analytics, and statistics user classes	Should	
2.1.11	The system shall allow for multiple levels of reporting, analytics, and statistics view only user classes	Should	
2.1.12	The system shall allow a user to only view data components based on their user class	Should	
2.1.13	The system shall allow a user to only view select data components based on their user class	Should	
2.1.14	The system shall allow a user to only edit select data components based on their user class	Should	

2.1.15	The system shall allow multiple user classes with different select edit permissions	Should	
2.1.16	The system shall allow multiple user classes with different select view permissions	Should	
2.1.17	The system shall allow multiple user classes with different internal services permissions	Should	
2.1.18	The system shall allow multiple user classes with different external services permissions	Should	
2.1.19	The system shall allow for multiple user classes for GPO staff	Should	
2.1.20	The system shall allow for multiple user classes for GPO contractors	Should	
2.1.21	The system shall allow for user classes for FDLs	Should	
	Services Sub Component Area		
2.2 Services			
2.2.1 Metadata Management		Priority	New Feature/Function
2.2.1.1	The system shall allow for global changes across all data entry modules	Should	
2.2.1.2	The system shall allow for global changes in bibliographic records and record sets	Should	
2.2.1.3	The system shall allow for global changes in Item and Holding records and record sets	Should	
2.2.1.4	The system shall allow for global changes in Acquisitions records and record sets	Should	
2.2.1.5	The system shall allow for global changes in Authority records and record sets	Should	
2.2.1.6	The system shall allow for creating record sets	Should	
2.2.1.7	The system shall allow for creating record sets based on selected search criteria	Should	
2.2.1.8	The system shall allow for APIs	Should	
2.2.3 Data Export and Conversion		Priority	New Feature/Function
2.2.3.1	The system shall allow for export in and data conversion of records in different metadata schemas and file formats	Should	
2.2.3.2	The system shall allow for metadata export in MARC21 format	Should	
2.2.3.3	The system shall allow for metadata export in MARCXML format	Should	

2.2.3.4	The system shall allow for metadata export in .mrc format	Should	
2.2.3.5	The system shall allow for metadata export in RDA 3R	Should	NF
2.2.3.6	The system shall allow for metadata export in BIBFRAME	Should	NF
2.2.3.7	The system shall allow for metadata export via OMI-PMH	Should	
2.2.3.8	The system shall support the extraction and export of MARC records as a set	Should	
2.2.4 Data Import and Conversion		Priority	New Feature/Function
2.2.4.1	The system shall allow for metadata import of data in MARC21 format	Should	
2.2.4.2	The system shall allow for metadata import of data in .mrc format	Should	
2.2.4.3	The system shall allow for metadata import of data in RDA 3R	Should	NF
2.2.4.4	The system shall allow for metadata import of data in BIBFRAME	Should	NF
2.2.4.5	The system shall allow for updating import profiles	Should	
2.2.4.6	The system shall allow for updating import profiles matching criteria	Should	
2.2.5 Notifications		Priority	New Feature/Function
2.2.5.1	The system shall allow for SMTP (email)	Should	
2.2.5.2	The system shall allow for notification of newly cataloged records based on user search criteria by email	Should	
2.2.5.3	The system shall allow for monthly notification of newly cataloged records added the previous month by email	Should	
2.2.5.4	The system shall allow for notification monthly of newly ceased titles cataloged records add the previous month by email	Should	
	Profiles Sub Component Area		
2.3 Profiles			
2.3.1 Profile management		Priority	New Feature/Function

2.3.1.1	The system shall allow for multiple profile types	Should	
2.3.1.2	The system shall allow for the creation of customized profile types	Should	
2.3.1.3	The system shall allow for editing of profile types	Should	
2.3.1.4	The system shall allow for deletion of profile types	Should	
2.3.1.5	The system shall allow for duplication and modification of profile types	Should	
2.3.1.6	The system shall allow for multiple profile types for levels of system administration for internal staff	Should	
2.3.1.7	The system shall allow for multiple profile types for levels of data entry for internal staff	Should	
2.3.1.9	The system shall allow for multiple profile types for levels services for systems administration for internal staff	Should	
2.3.1.10	The system shall allow for multiple profile types for levels services for internal staff	Should	
2.3.2 User Preferences and Profiles		Priority	New Feature/Function
2.3.2.1	The system shall allow for the ability to create a user profile to select settings when options are available for specific user classes	Should	
2.3.2.2	The system shall allow for the ability to customize settings	Should	

Glossary

508: See *Section 508*.

AACR/AACR2 (Anglo-American Cataloging Rules/Second Edition): International cataloging standards that were predecessors to RDA.

Access: Services and functions that allow users to determine the existence, description, location, and availability of content, and request delivery of content and metadata or business process information.

Access Copy: A digital publication whose characteristics (for example, a screen optimized PDF file) are designed for ease or speed of access rather than preservation. See also *Derivative*.

Accessibility: (1) Making tools and content available and usable for all users including those with disabilities. (2) The degree to which the public is able to retrieve or obtain Government

Publications, either through the Federal Depository Library Program (FDLP) or directly through a digital information service established and maintained by a Government agency or its authorized agent or other delivery channels, in a useful format or medium and in a time frame whereby the information has utility.

Accuracy: An assessment of correctness.

ACSIS (Acquisitions Classification and Shipping Information System): The legacy system that maintains acquisition and brief bibliographic records on the publications included in the FDLP or the C&I program, or other publications researched by LSCM staff as potential inclusions for the FDLP.

Adds and Drops: Item numbers that are newly selected on a library's selection profile are known as **adds** and item numbers that are newly deselected on a library's selection profile are known as **drops**. See *Select* and *Deselect*.

Administrative Metadata: Metadata which records responsibility, rights, and other information for managing the content. See also *Metadata*.

Agency: Agency means any Federal Government department, including any military department, independent regulatory agency, Government corporation, Government controlled corporation, or other establishment in the executive, legislative, or judicial branch.

Agency Code: A 3-digit code identifying the content originating agency. For example, the agency code for the Department of Agriculture is "001."

Agency Reference: The letter or letters that make up the beginning of the **SuDoc Classification Number** that indicates the originating agency. For example, the agency reference for the Department of Agriculture is "A."

Aleph: Brand name of GPO's current *ILS*.

Aleph GUI Client: See *ILS GUI*.

Aleph System Number: See **CGP System Number**.

Alert: A notification sent to current user of the system via the *GUI* (e.g., a pop-up) or message posted on the web site.

Alphabetical List of Government Authors: An alphabetical listing of the current names of active authoring agencies as used in the List of Classes. The name of each authoring agency is followed by the combination of the letter author symbol and number indicating the subordinate office used in *SuDoc Classification* to designate the agency as the content originator. The Alphabetical List of Government Authors is published as Appendix I in the *List of Classes*.

Amendment to Item Selections: An application that allowed depository libraries to make changes to their item selection profiles via a web interface. This application was retired when *DSIMS* was implemented.

Annual Update Cycle: Historically, the time period when depository libraries are allowed to amend their item selection profiles to include previously unselected item numbers (i.e., add item numbers). Generally, this takes place in June and July, with the changes taking effect October 1. Since the launch of *DSIMS*, the annual update cycle is no longer needed, because depository libraries may add items to their carts at any time during the year. Items placed in carts become active on library selection profiles on October 1.

API (Application Programming Interface): An interface implemented by a software program to enable interaction with other software, much in the same way that a user interface facilitates interaction between humans and computers.

Application Security: The protection of application data and systems against unauthorized access to or modification of information, whether in storage, processing, or transit, and against denial of service to authorized user or the provision of service to unauthorized users, including those measures necessary to detect, document, and counter such threats at the application level. See also *Security*.

Archive (noun): A collection with related systems and services, organized to emphasize the long-term preservation of information.

Archive (verb): To place or store something in an archive.

ASCII (American Standard Code for Information Exchange): An international standard in which numbers, letters, punctuation marks, symbols, and control codes are assigned numbers from 0 to 127.

Assessment: A pre-defined task that evaluates whether the original attributes of a digital object are correct. The purpose of this assessment is to provide with information needed to identify necessary preservation processes.

Attribute: A feature or characteristic; a property. Often used to describe the nature of electronic data. For example, a data value's attributes may include its data type (numeric, character, or date), range of values, or length.

Audiovisual Production: A unified presentation, developed according to a plan or script, containing visual imagery, sound, or both, and used to convey information.

Authentic: Describes content that is verified by GPO to be complete and unaltered when compared to the version approved or published by the content originator.

Authenticate: To confirm the identity of an entity when that identity is presented.

Authentication: Validation of a user, a computer, or some digital object to ensure that it is what it claims to be. In the specific context of *GovInfo*, the assurance that an object is as the author or issuer intended it. See also *Certification*.

Authenticity: The identity, source, ownership, and/or other attributes of content are verified.

Authorized User: A user who has been granted permission to use the system.

Automated Harvesting: The use of automated tools and technologies that can identify and harvest both known and unknown publications from agency Web sites. See also *Manual Harvesting*, *Semi-manual Harvesting*.

Availability: The degree to which information is obtainable through an intentional or unintentional provision of information and services.

Backup: Making copies of the data so that these additional copies may be used to restore the original after a data loss event.

Batch of Jobs: A set of jobs selected by the user.

Batch Submission: The ability to submit multiple files at once. This includes the capability to submit a folder(s) and maintain the directory structure of the files.

BIBCO [monographic] Bibliographic Record Cooperative Program: See *PCC*.

BIBFRAME: Provides a foundation for the future of bibliographic description, both on the web, and in the broader networked world that is grounded in Linked Data techniques. A major focus of the initiative is to determine a transition path for the MARC 21 formats while preserving a robust data exchange that has supported resource sharing and cataloging cost savings in recent decades. More information on BIBFRAME at: <https://www.loc.gov/bibframe/>

Bibliographic Access: Ability to identify and find an information object that has been brought under bibliographic control.

Bibliographic Control: Standardized description of an information object recorded in a system.

Bibliographic Record: An entry in a bibliographic index or a library catalog which represents and describes a specific resource. An entry being a uniform representation and description of a specific content item in a bibliographic database or *ILS* containing data elements required for its identification and retrieval, as well as additional supporting information, presented in a formalized bibliographic format. GPO's ILS uses the standard *MARC* for the input of our bibliographic records.

Bin: The shelving location of a depository library's shipment box for tangible materials.

Bin Location: A numerical code indicating the location of a certain depository library's bin.

Book: A non-serial printed publication of any length bound in hard or soft covers or in loose-leaf format. Also called monograph. Includes sheet music and Braille.

Book Number: See *SuDoc Class Suffix*.

Born Digital: In the Federal Digital System context, digital objects, created in a digital environment, with the potential of multiple output products, including hard copy, electronic presentation, and digital media.

Box: A collection of tangible materials to be classified, listed on a shipping list, and distributed together. Referred to as a "box" because the materials are kept together in a box moving through the process.

Box Process: The process of classifying, creating shipping lists, and distributing tangible publications to depository libraries.

Braille: A system that uses characters comprised of raised dots that enables blind people to read printed documents.

Browse: To explore a body of information on the basis of the organization of the collections or by scanning lists.

Bureau: A subordinate office of an agency.

Bureau Code: A 3-digit code identifying a bureau as the content originator. This code is always used in conjunction with an Agency Code indicating the parent agency. For example, the Forest Service is a bureau with the Department of Agriculture, so the Forest Service is identified as a content originator by using the 3-digit Agency Code for the Department of Agriculture (001), followed by the 3-digit Bureau Code for the Forest Service (001).

Bureau Reference: The combination of letters and numbers up to the period that form the beginning of the SuDoc classification number to indicate the bureau that is the content originator. For example, the agency reference for the Forest Service is "A 13."

Business Process (GPO): A set of one or more linked activities which collectively realize a business objective or policy goal, normally within the context of an organizational structure defining functional roles and relationships.

By-Law Program: LSCM administers the distribution of certain tangible publications, called the By-Law program. Under various provisions of **Title 44**, U.S.C., GPO is required to provide copies of publications to certain Federal agencies and others as directed by Congress. Two or more copies of every publication printed are provided to the Library of Congress. LSCM maintains mailing lists for By-Law distribution of specific publications, regardless of whether the publication is distributed to the Federal depository libraries. The National Archives and Records Administration is entitled to receive 3 copies of every publication printed. Additionally, on behalf of the Department of State, GPO distributes copies of publications to foreign legations.

C&I (Cataloging and Indexing Program): See *Cataloging and Indexing Program*.

Catalog of U.S. Government Publications (CGP): The finding tool for electronic and print publications from the executive, judicial, and legislative branches of the U.S. government. The CGP contains descriptive records for historical and current publications providing direct links to those that are online. See also **CGP**.

Cataloging: Cataloging is comprised of the processes involved in constructing a catalog: describing information or documents to identify or characterize them, providing "entry point" (terms) peculiar to the information or document (e.g., author, title, subject, and format information), by which the information can be located and retrieved. The immediate product of cataloging is bibliographic records, which are then compiled into catalogs.

Cataloging and Indexing Program (C&I): Under sections 1710 and 1711 of **Title 44**, U.S.C., GPO creates cataloging and a comprehensive index for all public documents issued or published by the Federal Government that are not confidential in character. Also, in Section 1710, "heads of each executive department, independent agency and establishment of the Government shall deliver to the (Public Printer) a copy of every document issued or published by the department, bureau, or office not confidential in nature." Documents are cataloged and indexed, as part of the creation of a National Bibliographic Records Inventory. The **CGP** contains the cataloging (bibliographic records) and indexes them.

CD-ROM (Compact Disc Read-Only Memory): Computer based information storage and retrieval medium based on laser technology that contains data in text and/or multimedia formats. See also *Tangible Electronic Publication*.

Certificate Authority: A trusted third party that issues digital certificates for use by other parties. See also *Digital Certificate*.

Certification: (1) Proof of verification, validation, or authority. Process associated with ensuring that a digital object is authentically the content issued by the author or issuer. (2) An assessment against a known standard.

Certified: Providing proof of verification of authenticity or official status.

CGI Scripts (Common Gateway Interface Scripts): A specification for transferring information between a World Wide Web server and a CGI program.

CGP (Catalog of U.S. Government Publications): GPO's Online Public Access Catalog (OPAC), the public facing module of GPO's ILS. Finding tool/gateway to federal government publications. The CGP can be found at: <https://catalog.gpo.gov>

CGP's "Catalogs to Search": other catalogs containing bibliographic record subsets of the "full catalog", all ILS data publicly accessible in the CGP. Currently, the CGP offers the following "Catalogs to Search":

Congressional Serial Set:

The Congressional Serial Set Catalog contains records for House and Senate Reports, House and Senate Documents, Senate Executive Reports and Documents, and Senate Treaty Documents. The records date from July 1976 and are complete from the 95th Congress (1977-1978) to the present. Links are provided to publications when they are available online.

Congressional Publications:

The Congressional Publications Catalog contains records for publications of the United States Congress, the House of Representatives, the Senate, and joint committees dating from July 1976 to the present. Links are provided to publications when they are available online.

Electronic Titles:

This catalog contains records for and links to Federal Government publications that are available online. Records date from July 1976 to the present.

FDLP Web Archive:

The Federal Depository Library Program (FDLP) Web Archive is comprised of selected U.S. Government Web sites, harvested and archived in order to create working "snapshots" of the Web sites at various points in time. The aim is to provide permanent public access to Federal Agency Web content.

Gov eBooks:

This catalog contains records for and links to Federal Government digital publications that are formatted specifically to be used with an eBook device or eBook reader software. GPO archives free eBook files found on public Federal Government websites and provides permanent public access to the content. Current eBook formats in the CGP: PDF, MOBI, and EPUB.

Historic Shelflist:

The GPO Historic Shelflist is the U.S. Government Printing Office's (GPO) historic card catalog covering U.S. Government documents from the 1800s to October 1992.

Serials:

This catalog contains bibliographic records for continuing Government titles such as journals, annuals, and periodicals. Records date from 1976 and they contain links to titles that are available online.

CGP's New Titles: Page on the CGP that contains, various dynamic new titles searches, the New Electronic Titles (NET) monthly archive reports, and a link to the historic NET archive reports.

CGP System Number (Catalog of U.S. Government Publication System Number): A system generated unique number from GPO's Aleph ILS implementation. Also, may be referred to as the Aleph System Number, ILS System Number, or simply System Number.

Claims: Depository libraries submit a claim to GPO-LSCM within 60 days, for the non-receipt of selected title(s) listed on shipping lists in their shipment boxes. GPO-LSCM fulfills claims with extra copies of publication stock, until stock is exhausted.

Claims Copies: Extra copies of publication stock beyond what is required to fulfill depository orders, acquired for the purpose of fulfilling claims from depository libraries.

Cloud: A network of remote servers hosted on the Internet and used to store, manage, and process data in place of local servers or personal computers. Basically, someone else's computer/server.

Commercial Off-The-Shelf (COTS): A prepackaged solution available in the marketplace which address all or most of the common needs of a large group of buyers of those solution and may require some configuration to meet specific needs.

Computer Files: The number of pieces of computer-readable disks, tapes, CD-ROMs and similar machine-readable files comprising data or programs that are locally held as part of the library's collections available to library clients.

CONSER (Cooperative Online Serials Program): See *PCC*.

Consortium: Cooperative association of libraries that coordinates resources and/or activities on behalf of its members that may exist on a variety of levels such as local, regional, national, etc. The goal of which is to enhance capabilities and services of their members through collective action. Libraries may belong to multiple consortia.

Content: The intellectual substance of a work, including text, data, symbols, numerals, images, and sound.

Content Delivery Network (CDN): An external service provider utilized for distributed storage and delivery.

Content Evaluator: A user class that determines whether submitted content is in scope for GPO's dissemination programs.

Content Management Lifecycle: The ability and processes used to create, ingest, process, manage, preserve, access, search, disseminate, and dispose content.

Content Originator: A user class that develops content, submits content to the system, and submits orders to GPO for services.

Content Package (OAIS): A file or group of related files composed of content/data object and its metadata.

Content Unit: Content matter defined and treated as a single entity (e.g. publication, video, audio of the State of the Union Address). See also *Piece*.

Controlled Vocabulary: A carefully selected list of words and phrases, which are used to tag units of information so that they may be more easily retrieved by a search. Controlled vocabularies ensure consistency and reduce ambiguity inherent in normal human languages where the same concept can be given different names. See also *Natural Language*.

Converted Content: Digital content created from a tangible publication.

Cooperative Publication: Publications excluded from GPO's dissemination programs because they are produced with non-appropriated funds or Should be sold in order to be self-sustaining. (44 U.S.C. §1903)

Copy: One of the various examples or specimens of the same publication.

COTS: See *Commercial Off-The-Shelf*.

CRDP (Cataloging Record Distribution Project): Pilot project with MARCIVE (independent vendor) that LSCM provides bibliographic records to as part of this project. More information on the CRDP at: <https://www.fdlp.gov/catalogingandclassification/cataloging-record-distribution-program>

Customization: Providing the ability for users to tailor options to meet their needs and preferences. Customization is not delivered dynamically (e.g., personalization); it is managed by users and is static until changed. An example of customization would be a system that allows users to change their own display based on their own preferences.

Cutter: C.A. Cutter's Two-Figure Author Table, familiarly known as the Cutter table, was developed by Charles A. Cutter in the 1800's as a library tool for organizing library materials alphabetically. There is also a three-figure table. Both the two- and three-figure tables are used in the Superintendent of Documents classification system. Cutter numbers are used when there is no series number to identify the publications and dates are not appropriate for identification. Cutter

numbers are used to distinguish publications in the category classes, as well as in unnumbered series classes.

Dark Archive (digital): The site or electronic environment wherein a second “copy” or instance of all master and derivative digital files, associated metadata, and underlying enabling code resides and is maintained, under the control of the managing organization or its proxy yet inaccessible to the general public. See also *Dark Archive (tangible)*.

Dark Archive (tangible): A collection of publicly inaccessible tangible materials preserved under optimal conditions, designed to safeguard the integrity and important artifactual characteristics of the archived materials for specific potential future use or uses. Eventual use of the archived materials (“lighting” the archives) is to be triggered by a specified event or condition. Such events might include failure or inadequacy of the service copy of the materials; lapse or expiration of restrictions imposed on use of the archives content; effect of the requirements of a contractual obligation regarding maintenance or use; or other events as determined under the charter of the dark archives. See also *Light Archive*.

Data Center: A facility used to house computer systems and associated components, such as telecommunications and storage systems.

Data Element: The fundamental data structure in a data processing system. A unit of data defined for processing is a data element; for example, ITEM NUMBER, SUDOC CLASS STEM, AGENCY/BUREAU CODE. A data element is defined by size (in characters) and type (alphanumeric, numeric only, true/false, date, etc.). A specific set of values or range of values may also be part of the definition. Technically, a data element is a logical definition of data, may also be part of the definition. Technically, a data element is a logical definition of data, whereas a field is the physical unit of storage in a record. See also *Field* and *Data Item*.

Data Item: A unit of data stored in a field. See also *Field*, *Data Element*.

Data Migration: The process of translating data from one format to another. Data migration is necessary when an organization decides to use a new computing system or database management system that is incompatible with the current system. Typically, the data migration is performed by a set of customized programs or scripts that automatically transfer the data.

Data Mining: Discovery method applied to large collections of data, which proceeds by classifying and clustering data (by automated means) often from a variety of different databases, then looking for associations. Specifically applied to the analysis of use and user data for GPO systems, data mining includes the tools and processes for finding, aggregating, analyzing, associating, and presenting BPI and metadata to enhance internal and external business efficiencies.

Databases: Collection of electronically stored data or unit records (facts, bibliographic data, and text) with a common user interface and software for the retrieval and manipulation of the data.

DDIS (Depository Distribution Information System): The legacy system that acts as an authority file for item numbers and SuDoc classification stems, maintains library selection profiles, and maintains contact and other library information needed for distribution. Replaced by DSIMS in 2012.

Deposited Content: Content received from content originators in digital form.

Depository Distribution: The former LSCM business unit that was responsible for distribution of depository materials to depository libraries. The function has been transferred to the Laurel Warehouse.

Depository Library: See **Federal Depository Library**.

Depository Library Number: A unique number assigned to each library that is designated a Federal Depository Library. (Format: 9999X)

Depository Order Count: The GPO-LSCM item number count, plus a number of excess copies needed to fill depository claims.

Depository Selection Information Management System (DSIMS): See *DSIMS*.

Depository Status: Indicates whether a depository library is active or inactive.

Depository type: Indicates whether a depository is a regional or selective depository library. See also *Library Type*.

Derivative: An alternate presentation of content, often optimized for a specific function (e.g., access, preservation, print).

Descriptive Metadata: Metadata which aids in locating information. See also *Metadata*.

Deselection: (1) The act of deselecting from a depository library's profile. (2) The non-selected item numbers on a depository library's selection profile.

Designation: The process by which a library or institution is made an official Federal depository library.

Designation Type: Indicates whether a depository library's designation was as a federal agency, territorial governors, land grant college, law school, Mayor of the District of Columbia, Representative, service academy, highest state appellate court library, Senatorial, state library, or special provision of the 1895 Printing Act.

Device: Content delivery mechanisms for digital media, such as data storage devices (e.g., CD, DVD, etc.), wireless handheld devices, future media, and storage at user sites.

Digital Documents: Information unit with a defined content that has been digitized by the library or acquired in digital form as part of the library collection. This includes eBooks, electronic patents, networked audiovisual documents or other digital documents, e.g., reports, cartographic and music documents, pre-prints, etc. Databases electronic serials are excluded.

Digital Lifecycle Management: The progressive technology and workflow processes needed to ensure long-term sustainability of and accessibility to digital objects and metadata. Lifecycle management is about active stewardship of digital assets over time through policies, staffing, resources, and technologies.

Digital Master: An image file, PDF file, or another digital asset created for the purpose of reuse and re-expression. See also *Master*.

Digital Media: Any storage device that holds digital data, including hard and optical discs and USB drives.

Digital Object: (1) A discrete item that can be acted upon by the system. A digital object may be a form of content (e.g., an entire document or a granule). (2) An item stored in a digital library or other digital collection of information, consisting of data, metadata, and an identifier.

Digital Preservation: Combines policies, strategies, and actions to ensure access to reformatted and born digital content regardless of the challenges of media failure and technological change. The goal of digital preservation is the accurate rendering of authenticated content overtime.

Digital Preservation Lifecycle Management: The pro-active strategic approach to the long-term preservation of digital information dissemination products. This approach takes the form of administrative actions following preservation best practices and standards for the digital conversion of tangibles, the acquisition of born digital content, authentication, metadata, creating appropriate derivative files for user access, and digital repository management.

Direct Mail: Depository material mailed directly to the library from the printing contractor, i.e., not in shipment boxes or listed on a shipping list.

Directory Information: Information in the *Federal Depository Library Directory*.

Directory Structure: The method used to organize the data within the directory (hierarchy).

Discards: Unwanted materials disposed of through a regional depository after retaining 5 years or they are superseded.

Discontinued: A title that is no longer distributed to depository libraries or published by the publishing agency.

Disposition Process: A formal process administered by the regional depository in each region, established for the review and disposition of materials that are no longer needed or wanted by a depository library.

Dissemination: (1) The transfer from the stored form of a digital object in a repository to the client or user. (2) The act of making Government information products accessible to the public through distribution to depository or program libraries or by using a Government electronic information service.

Distribution: Applying GPO processes and services to a tangible publication and sending a tangible copy to depository libraries.

Document: (1) Digital object that is the analog of a physical document, especially textual materials; a document model is an object model for documents. (2) Any book, paper, machine-readable-material, audio visual production, or other documentary material, regardless of physical form or characteristic, disseminated by an agency to the public.

Draft: A preliminary version of content, not yet in its finalized form.

DSIMS (Depository Selection Information Management System): Allows Federal depository libraries to view and manage their item selection profiles. Launched in April 2012, DSIMS is a replacement for the Depository Distribution Information System (*DDIS*), which had been used by the U.S. Government Publishing Office (GPO) since 1982.

DSIMS allows libraries to drop publications and add online (*EL*) publications at any time. Meanwhile, libraries can queue adds into a cart at any time. The cart is processed at the start of each new fiscal year (October 1); therefore, there will no longer be an Annual Item Selection Update Cycle. DSIMS also provides enhanced backend functionality for GPO staff.

EL Records (Electronic records): Government publications that have a PURL in the bibliographic record which links to the resource itself which is either, in part or as a whole, available in an electronic format, such as PDF.

Electronic Serials: Serials published in electronic form only or in both electronic and other format.

Emulation: Replication of a computing system to process programs and data from an earlier system that is no longer available.

Ephemera: Content that is outside the scope of GPO's dissemination programs. This includes, but is not limited to envelopes, letterhead, and documents produced for an organization's internal use only.

Essential Titles: Specific titles in the FDLP that contain critical information about the activities of the U.S. Government and that are important reference publications for libraries and the public.

These titles are to remain available for selection by depository libraries in paper format, so long as they are published in paper by the originating agency. Maintaining the availability of these titles for selection in paper format has been deemed essential to the purposes of the FDLP. A list of essential titles can be found at: <http://www.fdlp.gov/requirements-guidance-2/collections-and-databases/1443-essential-titles>

Essential Title Designation: A true/false data element indicating whether a title or SuDoc class stem has been designated an **Essential Title**.

Export: To format data in such a way that it can be used by another application. An application that can export data can create a file in a format that another application understands, enabling the two programs to share the same data. The two programs might be different types of word processors, or one could be a word processor, while the other could be a database management system. The flip side of exporting is importing. See also *Import*.

eXtensible Markup Language (XML): See *XML*.

eXtensible Stylesheet Language (XSL): See *XSL*.

External Activity: An activity that requires manual or automated processing external to the system.

External user: A user who is not part of the GPO organization. See also *Internal User* and *Remote User*.

Faithful Digital Reproduction: Digital objects that are optimally formatted and described with a view to their quality (functionality and use value), persistence (long-term access), and interoperability (e.g., across platforms and software environments). Faithful reproductions meet these criteria, and are intended to accurately render the underlying source document, with respect to its completeness, appearance of original pages (including tonality and color), and correct (that is, original) sequence of pages.

FDLP (Federal Depository Library Program): Established by Congress to ensure that the American public has access to its Government's information. The Federal Depository Library Program (FDLP) is administered by the U.S. Government Publishing Office (GPO) since 1895.

Since 1813, select U.S. Government documents have been made available throughout the United States and its territories to designated libraries. These designated libraries are called Federal depository libraries.

As members of the FDLP, depository libraries play a prominent role in providing Federal Government information to the public. FDLP libraries collaborate on a local and national level to provide informed access to both historical and current Federal Government resources distributed through the FDLP and deposited in libraries across the country.

Anyone can visit Federal depository libraries and use the Federal depository collections which are filled with information on careers, business opportunities, consumer information, health and nutrition, legal and regulatory information, demographics, and numerous other subjects.

As authorized by chapter 19 of Title 44, USC., the FDLP disseminates information products from all three branches of the Federal Government to Federal depository libraries nationwide.

For more information about the FDLP: <https://www.fdlp.gov> See also ***Federal Depository Library Program***.

FDLP Partner: A depository library or other institution that stores and maintains for permanent access segments of the collection.

Federal Depository Library (FDL): A library designated under the provisions of 44 USC Chapter 19 that maintains a depository collection for use and local access by the general public and which offers professional assistance in locating and using government information products and services.

Federal Depository Library Directory (FDLD): An ILS application containing the library records of Federal depository libraries.

Federal Depository Library Program (FDLP): A nationwide geographically-dispersed system, established under the provisions of 44 U.S.C. Chapter 19 and administered by the Superintendent of Documents, consisting of libraries acting in partnership with the United States Government for the purpose of enabling the general public to have local access to Federal Government information at no cost.

FedRAMP (Federal Risk and Authorization Management Program): A government-wide program that provides a standardized approach to security assessment, authorization, and continuous monitoring for cloud products and services. More information on FedRAMP at: <https://www.fedramp.gov/>

FDLP eXchange: Provides libraries in the Federal Depository Library Program with a one-stop-shop for the entire needs and offers process. FDLP eXchange automates disposition processing by allowing libraries to enter information on materials they want to discard and to have the process managed by an automated workflow. The application also allows libraries to enter information on materials needed for their collections or digitization efforts. More information on FDLP eXchange at: <https://www.fdlp.gov/fdlp-exchange-page>

Field: A physical unit of data that is one or more bytes in size. A collection of fields make up a record. A field also defines a unit of data on a source document, screen, or report. Examples of fields are ITEM NUMBER, SUDOCs CLASSIFICATION NUMBER, TITLE. The field is the common denominator between the user and the computer. When you interactively query and update your database, you reference your data by field name. There are several terms that refer to the same unit of storage as a field. A data element is the logical definition of a field, and a data item is the actual data stored in

the field. For each data element, there may be many fields in the database that hold the data items. See also **Data Element**, **Data Item**.

File Copy: Additional copies acquired for the Library of Congress beyond what is required for the FDL P.

Final Published Version: Content in a specific presentation and format approved by its Content Originator for release to an audience. See also **Government Publication** and **Publication**.

FIPNet (Federal Information Preservation Network): A strategy for a collaborative network of information professionals working in various partner roles to ensure access to the national collection of Government information for future generations.

Format: (1) In a general sense, the manner in which data, documents, or literature are organized, structured, named, classified, and arranged. Specifically, the organization of information for storage, printing, or display. The format of floppy disks and hard disks is the magnetic pattern laid down by the formatting utility. In a document, the format includes margins, font, and alignment used for text, headers, etc. In a database, the format comprises the arrangement of data fields and field names. (2) Form or format in which a publication is distributed or disseminated to libraries, as specified in the *List of Classes*.

FRBR (Functional Requirements for Bibliographic Records): A conceptual entity–relationship model developed by the International Federation of Library Associations and Institutions (IFLA) that relates user tasks of retrieval and access in online library catalogues and bibliographic databases from a user’s perspective. It represents a more holistic approach to retrieval and access as the relationships between the entities provide links to navigate through the hierarchy of relationships. The model is significant because it is separate from specific cataloguing standards such as Anglo-American Cataloguing Rules (**AACR**)/**RDA** or International Standard Bibliographic Description (**ISBD**).

FTP (File Transfer Protocol): A protocol used to transfer files over a TCP/IP network (Internet, UNIX, etc.). For example, after developing pages for a Web site on a local machine, they are typically uploaded to the new Web server using FTP. FTP includes functions to log in to the network, list directories, and copy files. It can also convert between the ASCII and EBCDIC character codes. FTP operations can be performed by typing commands at a command prompt or via an FTP utility running under a graphical user interface such as Windows.

Fulfillment: The processes related to the packaging and delivery of content in tangible or digital form for delivery.

Functional Requirements for Bibliographic Records (FRBR): See **FRBR**.

GovInfo: Provides free online access to official Federal Government publications and securely controls digital content throughout its lifecycle to ensure content integrity and authenticity. An enterprise Content Management System (CMS) and a Preservation Repository.

The repository guarantees long-term preservation and access to digital Government content. To meet this critical need for permanent access to Federal Government information, **GovInfo** follows archival system standards. GPO's GovInfo is an ISO 16363 certified trustworthy digital repository—the only repository in the world with this certification. More information on ISO 16363 at:

<http://www.iso16363.org/>

Providing free online access to Government publications is provided under the authority of chapter 41 of Title 44, U.S.C. **GovInfo** can be found at: <https://www.GovInfo.gov/>

Government Information: Information created, collected, processed, disseminated, or disposed of by or for the Federal Government. See also **Government Publication**.

Government Publication: (1) A work of the United States Government, regardless of form or format, which is created or compiled in whole or in part at Government expense, or as required by law, except that which is required for official use only, is strictly operational or administrated in purpose having no public interest or educational value, or is classified for reasons of national security. (2) Informational matter which is published as an individual document at Government expense, or as required by law. (44 U.S.C. §1901)

GPO's MetaLib: GPO's federated search engine that searches multiple U.S. Federal government databases (including the CGP, **GovInfo**, and U.S. Government Bookstore), retrieving reports, articles, and citations while providing direct links to selected resources available online. GPO's MetaLib can be found at: <https://metalib.gpo.gov>

Granularity: The degree or level of detail (e.g., page, chapter, paragraph, line) available within content in the system.

GUI (Graphical User Interface): See *ILS GUI*.

Handle System: A comprehensive system for assigning, managing, and resolving persistent identifiers, known as "handles," for digital objects and other resources on the Internet. Handles can be used as Uniform Resource Names (URNs).

Hard Copy: Tangible printed content.

Harvest: The identification and replication of content resident on web servers outside GPO's control.

Harvested Content: Digital content within the scope of Superintendent of Documents' dissemination programs that is gathered from Federal agency Web sites.

Hash: A number generated from a string of characters.

History: A record of all system activities.

Holding Record: A separate record is attached to the bibliographic record for a serial title, multivolume or single item to track issues, parts or volumes. Holdings record contains summary holdings information; i.e., 852 \$a location, \$b sub-location \$c collection, \$h, call number. The 853/4/5 Captions and 853/4/5X enumerations are located in the HOL record.

Holdings: Number of documents of a certain type (e.g. books and serials, microforms, electronic serials) held locally or in remote resources for which access rights have been acquired, at least for a certain period of time. To be measured at the end of the reporting period. Note: Referred to as “stock” in ISO 2798.

IES (International Exchange Service): See *International Exchange Service*.

ILS (Integrated Library System): A commercial-off-the-shelf (COTS) library services software application designed to manage library: acquisitions, cataloging, circulation, financial, and inventory tracking. The ILS maintains all bibliographic metadata for items in the Cataloging and Indexing Program and items distributed to the depository libraries. The ILS currently contains nearly a million bibliographic records from approximately 1800s to the present. See also *Integrated Library System*.

ILS GUI (Integrated Library System Graphical User Interface): The staff’s interface for the ILS to search, create or update bibliographic, item, holding, and/or order records. Also called the *Aleph GUI* Client, in LSCM.

ILS System Number: See **CGP System Number**.

Import: To use the data produced by another application. The ability to import data is very important in software applications because it means that one application can complement another. Many programs, for example, are designed to be able to import graphics in a variety of formats. See also *Export*.

Inactive Item Number: An item number for which all associated SuDoc class stems are inactive.

Inactive SuDoc Class Stem: The class stem for which the associated title has been discontinued, ceased, replaced, or deemed out-of-scope.

Inactive Title: (1) A title that has been discontinued, ceased, replaced, or deemed out-of-scope; (2) An in-scope title that hasn’t been published in a long time but not linked to a formal statement from the publisher about discontinuation, cessation, replacement, for example, a title could be inactive due to lack of funding for printing while the intent to publish remains.

Indexed Field: A field that has been indexed in the system to make it searchable.

Indexing: The process of compiling a set of identifiers that characterize a document or other piece of information by analyzing the content of the item and expressing it in the terms of a particular system of indexing.

Information: Any communication or representation of knowledge such as facts, data, or opinions in any medium or form, including textual, numerical, graphic, cartographic, narrative, or audiovisual forms.

Information Dissemination Product: Any book, paper, map, machine-readable material, audiovisual production, or other documentary material, regardless of physical form or characteristic, disseminated by an agency to the public.

Information Life Cycle: Stages through which information passes, typically characterized as creation or collection, processing, dissemination, use, storage, and disposition.

Information Management: The planning, budgeting, manipulating, and controlling of information throughout its life cycle.

Information Resources: Includes both government information and information technology.

Information Resources Management: The process of managing information resources to accomplish agency missions. The term encompasses both information itself and related resources, such as personnel, equipment, funds, and information technology.

Information System: A discrete set of information resources organized for the collection, processing, maintenance, transmission, and dissemination of information, in accordance with defined procedures, whether automated or manual.

Information System Life Cycle: The phases through which an information system passes, typically characterized as initiation, development, operation, and termination.

Information Technology: Any equipment or interconnected system or subsystem of equipment, that is used in the automatic acquisition, storage, manipulation, management, movement, control, display, switching, interchange, transmission, or reception of data or information by an agency. For purposes of the preceding sentence, equipment is used by an agency if the equipment is used by the agency directly or is used by a contractor under a contract with the agency which (i) requires the use of such equipment, or (ii) requires the use, to a significant extent, of such equipment in the performance of a service or the furnishing of a product. The term “information technology” includes computers, ancillary equipment, software, firmware and similar procedures, services (including support services), and related resources. The term “information technology” does not include any equipment that is acquired by a Federal contractor incidental to a Federal contract. The term “information technology” does not include national security systems as defined by the Clinger-Cohen Act of 1996 (40 U.S.C. 1452).

Ingest (OAIS): The OAIS entity that contains the services and functions that accept SIPs from Content Originators, prepare Archival Information packages for storage, and ensure that information packages and their supporting descriptive information packages are established within OAIS.

In-Scope Content: Content that has been qualified to be included in one of GPO's content dissemination programs (Federal Depository Library Program, GPO Sales Program, International Exchange Program, Cataloging and Indexing Program, By-Law Program). Depending on the context of in-scope, this can mean one of any programs or specifically one programs.

Integrated Library System (ILS): Usually comprises a relational database, software to interact with that database, and usually two graphical user interfaces (one for patrons, one for staff). Most ILSs have separate software functions into discrete programs called modules, each of them integrated with a unified interface. Examples of modules might include:

- acquisitions (ordering, receiving, and invoicing materials)
- cataloging (classifying and indexing materials)
- circulation (lending materials to patrons and receiving them back)
- serials (tracking magazine, journals, and newspaper holdings)
- online public access catalog or OPAC (public user interface)

Integrating Resource: An information resource that is added to or changed by means of updates that do not remain discrete and are integrated into the whole; integrating resources can be finite or continuing. Examples of integrating resources include updating loose-leaf materials and updating Web sites.

Integrity: Content integrity refers to providing an assurance that content has not been altered or destroyed in an unauthorized manner and that information is recorded about any authorized changes.

Integrity Mark: Conveys authentication information to users.

Interface: A shared boundary between any two persons and/or systems through which information is communicated.

Intended Use: The designation that specific content delivery methods, file formats, or content presentations Should be used for the purpose of legal reference.

Internal User: A user who is a part of the GPO organization. See also *External User* and *Remote User*.

International Exchange Service (IES): Authorized by Section 1719 of Title 44, U.S.C. and pursuant to an international treaty and convention at Brussels on March 15, 1889, an exchange of official

U.S. Government publications was established. GPO distributes tangible Government publications to foreign governments. In return, those foreign governments agree to send to the United States similar publications of their governments for Library of Congress collections.

Interoperability: Ability of systems to communicate by exchanging data or services.

ISBN (International Standard Book Number): A unique numeric commercial book identifier based upon the 9-digit Standard Book Numbering (SBN).

ISSN (International Standard Serial Number): A unique eight-digit number used to identify a print or electronic periodical publication.

Issue (bibliographic control): A content unit that is part of a serial.

Item: A specific piece of material in a digital library or collection; a single instance, copy, or manifestation.

Item Count: See *Item Number Count*.

Item Lister: A web-based collection management tool that lists an individual library's selected or non-selected item numbers (or both).

Item number: An identification number used in selecting to receive publications classified under one or more SuDoc Class Stems. (FORMAT: 9999-X-99)

Item Number Count: Total number of copies needed to meet the needs of selecting libraries. Item Number Count currently stored in DSIMS. See also *DSIMS*.

Item Selection Profile: An individual depository's composite profile of its selected item numbers.

Item Number: An identification number used in FDLP's selecting to receive publications classified under one or more associated SuDocs Class Stems. These numbers live in the 074 field of the bibliographic record in the ILS. Item numbers only have meaning for the FDLP and LSCM staff.

Item SuDoc Number: SuDoc Numbers that live in the Item Records of the ILS.

Item Record: Refers to the physical entity. Item records are dealt with in all the GUI modules and are required for circulation and serials control, i.e., each physical copy Should have an item record for serials check-in or for circulation. An item record contains information such as the classification number, item type, barcode, location, status, chronology, enumeration, and links to order and holding records, if needed.

LCRI (Library of Congress Rule Interpretations): Provided interpretations to the Anglo-American Cataloging Rules (*AACR2*), starting in 1988. The last printed cumulation of LCRI was in 2005 and is out of print. Listed below are updates since that cumulation. These are available for free download.

No further updates are planned. More information on LCRIs at:
<https://www.loc.gov/aba/publications/FreeLCRI/freelcri.html>

List of Classes (LoC): The official listing of SuDocs class stems and item numbers available for selection by depository libraries participating in the FDLP. This list is arranged according to the SuDocs classification numbering system and is designed to group together publications by government author. Currently, the *List of Classes* is published semi-annually in paper and sent to each depository library. An unedited electronic version is also published on a monthly basis.

Jacket Number (GPO Ordering): A sometimes unique identifying number required by LSCM to communicate with its primary contractor, the main GPO. Jacket numbers utilize intelligent numbering schemes and are of two types: red, in the form of 999-999, or black, in the form of 99-999.

Jacket/Print Order/Program (GPO Ordering): A valid combination of one or more of these values, creates the unique identifying number required by GPO-LSCM to communicate with its primary contractor. This number is created and assigned by the GPO-LSCM, when a federal agency submits a job to GPO-LSCM for the procurement of services, i.e., printing of a publication, or procurement & conversion of information into tangible electronic format i.e., CD-ROM. This number combination is used to track and manage jobs that are handled either inside the agency or contracted out. Depending on the nature of the contract that is let, the valid combinations are: Jacket Number only, Jacket and Print Order, or Jacket/Print Order/Program.

Java Applets: The use of small Java programs. Java Applets allows Web pages to include functions such as animations, calculators, and other fancy tricks.

JavaScript: A scripting language to enable Web authors to design interactive sites.

JCP (Joint Committee on Printing): Established on August 3, 1846, and oversees the operations of the U.S. Government Publishing Office (GPO), whose support is essential to the legislative process of the Congress. The GPO also serves by law as the principal printing organization for Federal agencies, and so the Joint Committee generally oversees compliance by Federal agencies with laws, rules and regulations designed to minimize printing costs to the American people. More information on the JCP at: <https://cha.house.gov/subcommittees/joint-committee-printing-116th-congress>

Keyword: A word or phrase entered into a search engine in an effort to get the search engine to return matching and relevant results.

Legally Official Content: Content published by the Federal Government, at Government expense, or as required by law, that also meets the standard of having a clear chain of custody that can be audited throughout the information life cycle, from the point that the content is created through dissemination.

Legislative Number: A sometimes unique identifying number given to legislative publications. See also *Jacket*.

Library Profile: A record of a library's directory information in the Federal Depository Library Directory.

Library Services & Content Management (LSCM): The GPO business unit that administers the Federal Depository Library Program.

Library Type: Indicates whether the depository is an Academic General Library, Academic Community College Library, Academic Law Library, Federal Agency Library, Federal Court Library, Public Library, Service Academy, Highest State Court Library, State Library, or Special Library. Note that this list could expand in the future. See also *Depository Type*.

Lifecycle Management: Active stewardship of assets over time through policies, staffing, resources, and technologies. See also *Digital Lifecycle Management*.

Lifecycle Management Processes: Elements of information dissemination products' lifecycle include: creation, discovery and acquisition; bibliographic control and metadata; collection care and conservation; digitization; authentication; access and dissemination; storage of tangible; and digital repository management.

Light Archive (digital): A collection of all master or derivative digital files, associated metadata, and underlying enabling code, designed to safeguard the integrity and important artifactual characteristics of the archived materials while supporting ongoing permitted use of those materials by the designated constituents of the archives. See also *Light Archive (tangible)*.

Light Archive (tangible): A collection of tangible materials preserved under optimal conditions, designed to safeguard the integrity and important artifactual characteristics of the archived materials while supporting ongoing permitted use of those materials by the designated constituents of the archives. A light archive normally presupposes the existence of a dark archive, as a hedge against the risk of loss or damage to the light archives content through permitted uses. A light archive is also distinct from regular collections of like materials in that it systematically undertakes the active preservation of the materials as part of a cooperative or coordinated effort that may include other redundant or complementary light archives. See also *Dark Archive*.

List of Classes: The official listing of SuDoc class stems and item numbers available for selection by depository libraries participating in the FDLDP. This list is arranged according to the SuDoc classification system and is designed to group together publications by government author. Currently, the List of Classes is published annually in paper and sent to each depository library. An unedited electronic version in csv format is also published on FDLDP.gov twice a month on the 1st and 15th.

List of Inactive Item Numbers: An appendix of the List of Classes. In the print version, this lists all the item numbers that have been inactivated since the last printing. In the comma delimited file posted online, it includes all inactive item numbers in DDIS.

Locate (discover): The organized process of finding Web-based documents or publications that are within scope for a particular collection.

Locate Libraries: Functionality incorporated into the Catalog of U.S. Government Publications which allows users to find a Federal depository library that selects a particular item number. Also called “Locate in a Library.”

Loose-Leaf Publication: An integrating resource that constitutes of one or more base volumes updated by separate pages that are inserted, removed, and/or substituted.

LSCM Staff: GPO staff who work in **Library Services & Content Management (LSCM)**.

Machine Format (.mrc): The most commonly used exportable format of **MARC** records, can be in two formats:

-- **MARC-8** encoding is derived primarily from a collection of international standard character set that includes code points for a large repertoire of characters including Latin, Cyrillic, Arabic, Hebrew, and Greek scripts and over 15,000 characters used in writing Chinese, Japanese and Korean. The total collection of characters that can be represented in MARC-8 encoding is called the MARC-8 character repertoire. This extensive repertoire is adequate for many library environments. No further additions are being made to it.

--**UTF-8 (UCS Transformation Format-8):** The Universal Character Set (UCS) aims to provide, in a single system, code points for the characters of all written languages. At present it includes over 100,000 characters used in dozens of scripts. ISO/IEC 10646 was developed in conjunction with the [Unicode Consortium](http://www.unicode.org), an international group of industries, educational institutions, government agencies, etc. The consortium provides the primary energy for maintenance and expansion of the UCS. For that reason, the UCS is frequently called Unicode. In this specification the terms UCS/Unicode, UCS, and Unicode may be considered synonymous when referring to the standard, either as encoding or as repertoire. With the constantly growing adoption of the UCS/Unicode standard it will become a preferred option also for libraries. Conversions to Unicode have already taken place in many large library systems. When UCS/Unicode encoding is used in MARC 21, characters are expressed in the UCS transformation format, UTF-8, an encoding form that algorithmically converts Unicode *scalar values* to an *octet*-based format. A particular character in UTF-8 may require from one to four octets.

More on information on .mrc: <http://www.loc.gov/marc/specifications/speccharintro.html>
Note: Both are default exportable formats from GPO’s ILS. See also **MARC**.

Maintenance: The work of keeping something in proper condition; upkeep.

Major Information System: An information system that requires special management attention because of its importance to an agency mission; its high development, operating, or maintenance costs; or its significant role in the administration of agency programs, finances, property, or other resources.

Manage: In Information Technology contexts, to add, modify, or delete content.

Manifestation: Form given to an expression of a work (e.g., by representing it in digital form).

Manual Harvesting: The capture of known digital publications through manual identification and saving of all associated publication files. See also *Automated Harvesting*, *Semi-manual Harvesting*.

MARC (Machine-Readable Cataloging): It defines a data format that emerged from a Library of Congress-led initiative and provides the mechanism by which computers exchange, use, and interpret bibliographic information, and its data elements make up the foundation of most library catalogs used today. MARC became *USMARC* in the 1980s and *MARC 21* in the late 1990s. USMARC and CAN/MARC (Canadian MARC) formats were “harmonized” into MARC 21 in 1997. More information on MARC at: <https://www.loc.gov/marc/>

MARC 21 (Machine-Readable Cataloging 21): See *MARC*.

MARC Tags: User readable view of *MARC* format, also the name of a view of GPO’s data in the ILS.

MARCXML (MAchine-Readable Cataloging eXtensible Markup Language): A framework schema that is intended to be flexible and extensible to allow users to work with *MARC* data in ways specific to their needs. More information on MARCXML at: <http://www.loc.gov/standards/marcxml/>
Note: exportable *XML* format from GPO’s current *ILS*.

Master: An item from which duplicates are to be made. See also *Digital Master*.

Metadata (GPO): Metadata is a structured representation of information that facilitates interpretation, management, and location by describing essential attributes and significant properties. Metadata describes the content, quality, condition, or other characteristics of other data. Metadata describes how, when, and by whom information was collected, where it resides and how it is formatted. Metadata helps locate, interpret, or manage content.

Metadata Encoding and Transmission Standard (METS): An XML schema for encoding metadata associated with objects in a digital library. See also *METS*.

MetaLib: See *GPO’s MetaLib*.

METS: A structure for encoding descriptive, administrative, and structural metadata schema regarding objects within a digital library, expressed using the XML schema language of the World Wide Web Consortium. More information on METS at: <http://www.loc.gov/standards/mets/>

Note: GPO's current ILS does NOT inherently support METS.

Microfiche: A length of film bearing a number of micro-images in a linear array. See also *Microforms*.

Microforms: Photographic reproductions of textual, tabular, or graphic material reduced in size so they can be used only with magnification. The two main types of microforms are micro reproductions on transparent material including roll microfilm, aperture cards, microfiche, and ultrafiche; and reproductions on opaque material.

MoCat (Monthly Catalog): The precursor to the CGP, was the Monthly Catalog of United States Government Publications (MoCat) the index had been issued monthly by the Government Printing Office from 1895-2007.

It was organized by issuing agency, with a variety of indexes to provide other kinds of access. Indexes refer to the entry number in the main section of the volume. Over time, the information in the entries and the indexes have changed, but there is usually at least an annual subject index with each volume. Author and title indexes are included with some ranges of years, and a United States Congressional Serial Set Supplement was issued with separate subject, author and title indexes for several years. The Serial Set Supplements were issued up to four years after the Congress which they index.

In 1941, the Government Printing Office started issuing author/title/subject indexes which cover periods of five or ten years each, making subject access much easier. This practice continued until 1976, when the main entries were expanded to conform with national standards for cataloging and a wider variety of annual indexes were printed.

In June of 2007, it was announced that the December 2004 issue of the MoCat would be the last printed version. The ILS backed CGP superseded it, when it was released on March 9, 2006. See also *Monthly Catalog*.

MODS: An XML markup schema for selected metadata from existing MARC 21 records as well as original resource description of a bibliographic element set that may be used for a variety of purposes, and particularly for library applications. More on MODS:

<http://www.loc.gov/standards/mods/>

Note: GPO's current ILS does NOT inherently support MODS.

Monograph: A bibliographic resource that is complete in one part or intended to be completed within a finite number of parts.

Monthly Catalog (MoCat): A monthly serial publication produced by the United States Government Printing Office (GPO) from 1895 to 2004 when it was superseded by the Catalog of United States Government Publications (CGP). Each issue of the Monthly Catalog listed the publications that had been cataloged by GPO during the previous month.

NACO (Name Authority Cooperative): See *PCC*.

National Collection of Government Information: A distributed collection that includes all Federal information products produced since 1789 with Federal funds, regardless of format or medium. This includes content

Natural Language: Any language which arises in an unpremeditated fashion as the result of the innate facility for language possessed by the human intellect. A natural language is typically used for communication, and may be spoken, signed, or written. Natural language is distinguished from constructed languages and formal languages such as computer-programming languages or the “languages” used in the study of formal logic, especially mathematical logic.

Needs and Offers(N&O): A tool used by depository librarians for collection development purposes; a regional or national list for libraries seeking to dispose of publications withdrawn from their collections, place publications with other depositories, or replace missing publications with publications from other depository collections. See also *FDLP eXchange*.

NET (New Electronic Titles): See *CGP's New Titles*.

No-Fee Access: There are no charges to individual or institutional users for searching, retrieving, viewing, downloading, printing, copying, or otherwise using digital publications in scope for the FDLP.

Notification: A message sent to a process or user (e.g., email, RSS, workflow instance).

OAI-PMH (Open Archives Initiative Protocol for Metadata Harvesting): The Open Archives Initiative Protocol for Metadata Harvesting is a protocol developed for harvesting metadata descriptions of records in an archive so that services can be built using metadata from many archives.

OCLC: A commercial vendor that provides a database of bibliographic records that libraries can download and include in their online library catalogs.

Official Content: Content published by the Federal Government, at Government expense, or as required by law. See also *Legally Official Content*.

Official Source: The Federal publishing agency, its business partner, or other trusted source.

Online Information eXchange (ONIX): A standard format that publishers can use to distribute electronic information about their books to wholesale, e-tail, and retail booksellers, other publishers, and anyone else involved in the sale of books.

Online Dissemination: Applying GPO processes and services to an online publication and making it available to depository libraries and the public.

Online Format: A digital publication that is published at a publicly accessible Internet site.

Open Archives Initiative Protocol for Metadata Harvesting (OAI-PMH): See *OAI-PMH*.

Open Archival Information Systems Reference Model (OAIS): ISO 14721:2003 – A reference model for an archive, consisting of an organization of people and systems that has accepted the responsibility to preserve information and make available for a designated community. The model defines functions, activities, responsibilities, and relationships within this archive, sets forth common terms and concepts, and defined component functions which serve as the basis for planning implementation.

Open Government: The governing doctrine which holds that citizens have the right to access the documents and proceedings of the government to allow for effective public oversight. The Memorandum on the Open Government Directive issued by the White House on December 8, 2009 establishes the three principles of transparency, participation, and collaboration as the cornerstone of an open government.

Open Requisition: The GPO business process information (job) submitted by a user to request multiple products or services over a specific time period. Multiple jobs can be associated with an open requisition (e.g., Congressional Bills jobs are requested daily and each are associated to a fiscal year open requisition).

Partner: A party to a partnership agreement.

Partnership: An official agreement between GPO and one or more parties that may include government corporate, educational, or other institutions in joint projects that benefit the FDLP.

PCC (Program for Cooperative Cataloging): A cooperative cataloging venture wherein members contribute bibliographic records and related data under a common set of standards and conventions using the bibliographic utilities. PCC members (LSCM is a member) contribute high quality records and subject proposals conforming to approved standards.

The four PCC programs are:

- **BIBCO** Monographic records
- **CONSER** Continuing resource records
- **NACO** Name authority records
- **SACO** Subject authority records

More on PCC: <https://www.loc.gov/aba/pcc/>

Permanent Access: Means that Government information products within the scope of the FDLP remain available for continuous, no fee public access through the program as required by 44 U.S.C. §1911.

Permanent Public Access (PPA): See *Permanent Access*.

Persistent Identifier: See *Persistent Name*.

Persistent Name: Provides permanence of identification, resolution of location, and is expected to be globally (e.g., internationally) registered, validated, and unique.

Personalization: Dynamically tailoring options to match user characteristics, behavior, or preferences. Personalization is often implemented by analyzing data and predicting future needs. An example of personalization is a web site which provides recommendations based on past use.

Piece: See *Document*.

Policy Neutral: Refers to a system which is sufficiently flexible to support changes in business policies without requiring major re-engineering or design changes.

Presentation Information: The details of how content is to be visually represented.

Preservation: Strategic initiatives, programs, and processes designed to maintain useful access to information assets, serving the information needs of both present and future generations.

Preservation Copy of Record (tangible): The version set aside to protect its informational content and intrinsic value from decay or destruction. The copy of record may be used to create a digital surrogate to function as the use copy. Intrinsic value is the worth of an item beyond the information content; it includes a combination of factors including historic value and provenance.

Preservation Copy of Record (digital): The preservation master file stored in a trustworthy repository. Derivatives of the preservation master copy are made available for access. The digital copy of record should be produced to specifications that will allow the creation of a printed facsimile version, should one be needed.

Preservation Description Information: Information necessary for adequate preservation of content information, including information on provenance, reference, fixity, and context.

Preservation Master: A copy which maintains all of the characteristics of the original publication, from which true copies can be made.

Preservation Master Requirements: A set of attributes for a digital object of sufficient quality to be preserved and used as the basis for derivative products and subsequent editions, copies, or manifestations.

Preservation Metadata: Metadata which incorporates elements of the other types of metadata specific to preserving the information for the long term. See also *Metadata*.

Preservation Processes: Activities necessary to keep content accessible and usable, including *Migration*, *Refreshment*, and *Emulation*.

Print Materials: Materials consisting primarily of words and usually produced by making an impression with ink on paper. Included in this definition are materials that do not require magnification (books, journals, pamphlets, and printed sheets including music and two-dimensional cartographic materials), as well as printed materials that require magnification (microforms). This also includes *Braille* materials.

Print on Demand (POD): Hard copy produced in a short production cycle time and typically in small quantities.

Primary Source: Basically, artifacts and first-hand experiences. According to Library of Congress are the raw materials of history — original documents and objects which were created at the time. They are different from secondary sources, accounts or interpretations of events created by someone without firsthand experience. For more about using Primary Sources:

<http://www.loc.gov/teachers/usingprimarysources/>

Process (GPO): A formalized view of a “business process,” represented as a coordinated (parallel and/or serial) set of process activities that are connected in order to achieve a common goal.

Product (bibliographic control): A publication regardless of presentation media or format.

Program for Cooperative Cataloging: See *PCC*.

Provenance: The chain of ownership and custody which reflects the entities that accumulated, created, used, or published information. In a traditional archival sense, provenance is an essential factor in establishing authenticity and integrity.

Public Domain: A term of American copyright law referring to works that are not copyright protected; free for all to use without permission.

Public Information: Any information, regardless of form or format, that an agency discloses, disseminates, or makes available to the public.

Publication Lifecycle Management: Managing tangible publications through their lifecycle stages of discovering, acquiring, classifying, cataloging, disseminating, accessing, archiving, and preserving.

Publisher: The agencies that originate or create material for distribution or sale.

Pull: A network communication where the initial request for data originates from the client, and then is responded to by the server. The reverse is known as *push* technology, where the server pushes data to clients. See also *push*.

PURL (Persistent Uniform Resource Locator): A URL that instead of pointing directly to the location of an Internet resource, points to an intermediate resolution service. The PURL resolution service associates the PURL with the actual URL and returns that URL to the client. The client can then complete the URL transaction in the normal fashion. In Web parlance, this is a standard HTTP redirect. (<http://purl.oclc.org>)

Push: On the internet refers to a style of communication protocol where the request for a given transaction originates with the publisher, or central server. It is contrasted with *pull* technology, where the request for the transmission of information originates with the receiver, or client. See also *pull*.

RDA (Resource Description and Access): The cataloging standard to replace AACR2, is based on FRBR, or Functional Requirements for Bibliographic Records, and was released in 2010. The FRBR model is internationally recognized as a viable and valuable way to conceptually structure and retrieve information. From more on GPO's use of RDA: <https://www.fdlp.gov/all-newsletters/featured-articles/23-about/projects/143-rda>

Reactivation: Changing the status of an item number or SuDoc class stem from Inactive to Active.

Real Time: Occurring immediately. The term is used to describe a number of different computer features. For example, real-time operating systems are systems that respond to input immediately. They are used for such tasks as navigation, in which a computer Should react to a steady flow of new information without interruptions. Most general-purpose operating systems are not real-time because they can take a few seconds, or even, minutes, to react.

Receipt record: A record containing information on the receipt of publication stock.

Recipient: An authorized user or system process that is permitted to receive content per their user role and group.

Record (noun): A group of related fields that store data about a subject or activity. A collection of records make up a file.

Record (verb): To capture data according to system specifications.

Records: All books, papers, maps, photographs, machine-readable materials, or other documentary materials, regardless of physical form or characteristics, made or received by an agency of the United States Government under Federal law or in connection with the transaction of public business and preserved or appropriate for preservation by that agency or its legitimate successor as evidence of the organization, functions, policies, decisions, procedures, operations, or other activities of the government or because of the informational value of the data in them. Library and museum materials made or acquired and preserved solely for reference or exhibition

purposes, extra copies of documents preserved only for convenience of reference, and stocks of publications and of processed documents are not included. (44 U.S.C. 3301)

Records Disposition: Any activity with respect to (1) disposal of temporary records no longer necessary for the conduct of business by destruction or donation; (2) transfer of records to Federal agency storage facilities or records centers; (3) transfer to the National Archives of the United States of records determined to have sufficient historical or other value to warrant continued preservation; or (4) transfer of records from one Federal agency to any other Federal agency.

Records Management: The planning, controlling, directing, organizing, training, promoting, and other managerial activities involved with respect to records creation, records maintenance and use, and records disposition in order to achieve adequate and proper documentation of the policies and transactions of the Federal Government and effective and economical management of agency operations. (44 U.S.C. 2901(2))

Reference Tools: Finding aids, bibliographies, and other services to assist in locating and use of information, often less formally organized than catalogs and indexes.

Refresh: To copy information content from one storage medium to another, so that the data remains unchanged but the underlying medium is replaced.

Regional Depository Library: A depository library that is designated a regional library receives all or most of the items available. These libraries maintain the collection for long-term public access and provide guidance and assistance to selective depository libraries.

Relationship: A statement of association between instances of entities. In PREMIS, the association(s) between two or more object entities, or between entities of different types, such as an object and an agent.

Remote user: A user who access the system from someplace other than GPO premises. Remote users may be either *External Users* or *Internal Users*.

Render: To transform digital information in the form received from a repository into a display on a computer screen or other presentation to a user.

Rendition: Instance of a publication expressed using a specific digital format.

Replication: Make copies of digital material for backup, performance, reliability, or preservation.

Repository: A computer system used to store digital collections and disseminate them to users. Also, a central location in which data is stored and managed.

Representation Information: The information that maps a data object into more meaningful concepts. An example is the *ASCII* definition that describes how a sequence of bits (i.e., a Data Object) is mapped into a symbol.

Report: Information organized in a narrative, graphic, or tabular form, prepared on an ad hoc, period, recurring, regular, or as required bases. Reports may refer to specific periods, events, occurrences, or subjects. For the purpose of this project, reports are system generated and delivered electronically or via printout.

Requisition: A written order or formal demand by the user(s) of a good or service (which is not made available without a specific request) to the organization's purchase (or stores) department. It generally includes the brand and model name or number, description, quantity, and the required delivery date.

Requisition record: A record containing information on the requisition of publication stock.

Response Time: The elapsed time between the end of an inquiry or demand on a computer system and the beginning of a response; for example, the length of the time between an indication of the end of an inquiry and the display of the first character of the response at a user terminal.

Rider: Request by GPO, agency, or Congress that adds copies to an order placed by a publishing agency or Congress.

SACO (Subject Authority Cooperative Program): See **PCC**.

Search: Process or activity of locating specific information in a database or on the World Wide Web. A search involves making a statement of search terms and refining the terms until satisfactory results is returned.

Section 508: Section 508 of the Rehabilitation Act (29 U.S.C. 794d) requires access to electronic and information technology procured by Federal agencies. The Access Board developed accessibility standards for the various technologies covered by the law. These standards have been folded into the Federal government's procurement regulations.

Security: The protections of systems against unauthorized access to or modification of information, whether in storage, processing, or transit, and against the denial of service to authorized users or the provision of service to unauthorized users, including those measures necessary to detect, document, and counter such threats. The measures and controls, including physical controls in conjunction with management, technical, and procedural controls, that ensure the confidentiality, integrity, and availability of information processed and sorted by a system. See also *Application Security*.

Select: To change an item number on a library's selection profile from non-selected to selected.

Selection: (1) The act of selecting an item for a depository library's selection profile. (2) The item numbers selected on a library's profile are also referred to as that library's selections.

Selection Profile: A record of all item numbers that are selected by a particular library.

Selective Depository Library: A depository library that is allowed to choose which items distributed by the FDLP it wishes to receive. Sections are based on the information needs of the community and the general public that they serve. Selective libraries are allowed to discard materials after a 5-year retention period.

Selective Housing Agreement (SHA): An agreement accompanying the extended loan of depository materials from a designated library to one that is not a depository, formalized through a signed Memorandum of Agreement.

Semi-Manual Harvesting: The use of a software tool to schedule the content capture and re-harvesting of known content at known Web sites. See also *Automated Harvesting* and *Manual Harvesting*.

Separate Shipments: Those depository items deemed inappropriate for shipment in regular depository boxes and whose shipping lists follow in regular shipment boxes.

Serial: A publication in any medium issued in successive parts bearing numerical or chronological designations and intended to be continued indefinitely. This definition includes periodicals, newspapers, and annuals (reports, yearbooks, etc.); the journals, memoirs, proceedings, transactions, etc., of societies; and numbered monographic series.

Serial Control: The activity of identifying and managing serials or series.

Serial Title: The bibliographic entity represented regardless of the number of subscriptions to that entity in a given format.

Serials Check-in: Recording process for checking in new issues into the ILS. Each check-in record contains information about the name of the series, imprint, etc. Each check-in record is attached to a single bibliographic record which contains the name of the series, imprint, etc. Note that each bibliographic record may have many check-in records attached.

Series: A group of separate publications related to one another by the fact that each bear, in addition to its own title proper, a collective title applying to the group as a whole. The individual publications may or may not be numbered.

Shared Repository: A facility established, governed, and used by multiple institutions to provide storage space and, in some instances limited service for low-use library materials, primarily paper-based materials that do not have to be readily available for consultation in campus libraries.

Shipping List: An itemized list of all documents sent to a regional depository or selective library in a shipment. It is a universal list sent to all libraries, not a unique packing list based on a library's selection profile.

Shipping List Numbers: A unique number assigned to each shipping list based on the format of the documents included. (FORMAT: 9999-9999-X. The first 4 numeric digits represent the fiscal year, and the alpha character at the end represents format, i.e., 2009-0001-P would be a shipping list for paper documents, 2009-0001-M would be a shipping list of microfiche documents, and 2009-0001-E would be a shipping list of tangible electronic documents.)

Shipping Lister: A web-based service from which a user can retrieve an official depository shipping list in PDF format.

Snapshot: A picture of your system at the time the snapshot is taken. Think of it as an image of your computer's hard drive. The snapshot files that are created contain only the changes that have occurred to the virtual machine since the snapshot was taken.

Standard Form 1 (SF1): Content originators use the *SF1-Request for Printing and Binding* to acquire printing and binding services from GPO. A completed form provides printing specifications for the publication. The information on the form is used by LSCM Acquisitions staff to determine whether to place a **Rider** on the order.

Status: A representation of the internal conditions defining the state of a process or activity at a particular point in time.

Stock: On hand copies of a publication.

Storage: The functions associated with saving digital publications on physical media, including magnetic, optical, or other alternative technologies.

Storage Media: Any media used for storing data, such as hard disks, floppy disks, optical disks, or magnetic tape.

Structural Metadata: Metadata which records structures, formats, and relationships. See also *Metadata*.

Subscription: An agreement by which a user obtains access to requested content by payment of a periodic fee or other agreed upon terms.

Subscription/Pattern/Items: The **subscription** contains information relevant to the specific subscription (copy) of the serials held in the ILS; there Should be one subscription per each 'physical copy' received. **Patterns** are predictions set up based on frequency. **Items** are created automatically for every expected issue. One item is created for each physical copy of the issue received or expected.

SuDoc Class Stem: The class stem is the classification number up to the colon. It consists of letter author symbols for the parent issuing body, numbers indicating subordinate offices, followed by a period, and numbers designating category classes, series, or serial title, followed by a colon.

SuDoc Class Suffix: The part of the classification number following the colon, used to uniquely identify an individual publication and to differentiate one publication from all others classed under the same class stem. May be the series number printed on the publication, or if a publication has no number, a Cutter number from the Cutter table is used to complete the class. In former practice the book number for some online titles was a system-generated number, specifically a publication ID number in the ACSIS database (e.g., A 1.2: 2002000345). While this practice was discontinued, some online publications still have current SuDoc classes in this format. The SuDoc Class Suffix is also called the **Book Number**. See also SuDoc

SuDoc Classification: See *SuDoc Classification System*.

SuDoc Classification Number: Comprised of a SuDoc class stem, followed by a SuDoc class suffix or book number. Taken as a whole, the SuDoc Classification Number uniquely identifies an individual publication issued by the Federal government.

SuDoc Classification System: A system designed to group together publications by the same government author. Within an agency or department, publications are grouped according to the subordinate organization. The purpose of this system is to uniquely identify, logically relate, and physically arrange each publication so that all publications of a single agency or department may be found together.

SuDoc Stem (SuDoc Classification Stem): Combining the designations for authors and those for the series published by the authors results in the class stems for the various series of publications issued by the U.S. Government. It consists of letter author symbols for the parent issuing body, numbers indicating subordinate offices followed by a period, and numbers designating category classes, series, or serial title followed by a colon. These stems live in the 086 field in bibliographic records in the **ILS**. Example: A 1.2:

SuDoc Number (SuDoc Classification Number): Same as SuDoc Stem, but may contain a cutter, series number or some other type of suffix after the colon. These numbers live in either the 086 in a bibliographic record or in an Item Record field in the ILS. Example: A 1.2:AC 4

Superintendent of Documents (SuDocs): A government official appointed by the Public Printer to oversee GPO's FDLP and sales programs.

Superseded List: List of document titles or series that are replaced by new editions.

System: An organized collection of components that have been optimized to work together in a functional whole.

System Metadata: Data generated by the system that records jobs, processes, activities, and tasks of the system. See also *Metadata*.

System Number: See **CGP System Number**. (Note: usual Aleph/CGP Number, but may also denote for another system).

Systems Administrator: User class that directly supports the use, operation, and integrity of the system.

Tangible (adjective): Refers to information conveyed on a physical medium.

Tangible Electronic Publication: Publications distributed on physical storage media, such as CD-ROM or DVD. Electronic publication disseminated online are not tangible publications.

Tangible Publication: Books, maps, VHS, diskettes, CD-ROMs, and DVDs distributed through the FDLP in in physical form. By contrast, items disseminated online are not tangible publications.

Tangible Records: Government publication bibliographic records where the resource itself is available in one or more of the following: paper, microfiche, mixed media, etc.

TCP/IP (Transmission Control Protocol/Internet Protocol): A suite of communication protocols used to interconnect network devices on the internet. Used in *FTP* and other methods. TCP/IP is used to export bibliographic records from *OCLC* to GPO's current *ILS*.

TDR: See *Trustworthy Digital Repository*.

Technical Metadata: See *Structural Metadata*. See also *Metadata*.

Term Contract: The business process information (job) submitted by a user to request products or services over a specific time period with specific Service Providers. Multiple jobs can be ordered off term contract (e.g., a magazine printed once a week for a year). Term contracts include single award, multiple award, direct deal, and general usage.

Test Case: (1) A set of test inputs, execution conditions, and expected results developed for a particular objective, such as to exercise a particular program path or to verify compliance with a specific requirement. (2) Documentation specifying inputs, predicted results, and a set of execution conditions for a test item. A document describing a single test instance in terms of input data, test procedure, test execution environment and expected outcome. Test cases also reference test objectives such as verifying compliance with a particular requirement or execution of a particular program path.

Title: The designation of a separate bibliographic whole, whether issued in one or several volumes, reels, discs, slides, or other parts. Titles are defined according to the Anglo-American Cataloging Rules (*AACR2*). A book or serial title may be distinguished from other such titles by its unique

International Standard Book Number (**ISBN**) or International Standard Serial Number (**ISSN**). This definition applies equally to print, audiovisual, and other library materials. For unpublished works, the term is used to designate a manuscript collection or an archival record series. Two subscriptions to Science magazine, for example, are counted as one title. When vertical file materials are counted, a file folder is considered a title.

Title 44 U.S.C. (Title 44 United States Code): Title 44 of the United States Code outlines the role of public printing and documents in the United States Code.

More information about Title 44 (2018) at:

<https://www.GovInfo.gov/content/pkg/USCODE-2018-title44/pdf/USCODE-2018-title44.pdf>

See also **United States Code**.

Transmission Control Protocol/Internet Protocol (TCP/IP): See **TCP/IP**.

Trustworthy Digital Repository (TDR): More information about TDR at GPO can be found at:

<https://www.fdlp.gov/preservation/trusted-digital-repository-iso-16363-2012-audit-and-certification>

See also **ISO 16363**.

UAT (User Acceptance Testing): See *User Acceptance Testing*.

Unauthenticated Copies: Exact copies or reproductions of records or other materials that are not certified as such under seal and that need not be legally accepted as evidence.

Union Catalog: list the holdings of all the libraries in a library system or program. For example: for the CGP to be a Union Catalog for the FDLP it would need to list all of the holdings of all active FDLs.

Union List: In general, a complete list of the holdings of a group of libraries of materials of a certain type, on a certain subject, or in a particular field, usually compiled for the purpose of resource sharing. Specific to the **FDLP**, the composite selection profiles in **DDIS** comprise a union list of the selection profiles of all Federal depository libraries.

UNION-L: The file that is downloaded from **DSIMS** containing the union list of all Federal depository libraries' selection profiles.

Unique Identifier: A character string that uniquely identifies digital objects, content packages and jobs within the system.

Unreported Publications: A U.S. Government publication that falls within the scope of the Federal Depository Library Program, but has not been included in the FDLP. These publications include tangible or digital products such as ink-on-paper, microforms, websites, CD-ROMs, or DVDs.

Use Case: A description of the behavior of a system or part of a system; a set of sequences or actions, including variants that a system performs to yield an observable result of value.

User: The person who uses a program, system, or collection of information to perform tasks and produce results.

User Acceptance Testing (UAT): Testing that validates that the system meets GPO's mission and business needs for the capabilities allocated to that release, in order to expose issues before the system is released to a wider audience in beta testing. This testing involves real-world, internal exposure or operation to the system.

User Class: A group of people with specifically designated: characteristics, permissions, user experience, and features needed.

User Interface: The user interface is the aggregate of means by which people (the users) interact with the *system*.

Vendor: Contracted companies that provide services for LSCM; also refers to as contractors. LSCM typically uses vendors to convert publications from its original form into microfiche. In some systems, the vendors are U.S. Government Agencies and Bureaus used to track materials order and received from them.

Version: Unique manifestation of content.

Version Control: The activity of identifying and managing versions.

Version Information: Information stored in metadata that describes the relationship between versions.

VIAF® (Virtual International Authority File): Combines multiple name authority files into a single OCLC-hosted name authority service. More information at: <http://viaf.org/>

Volume: A single physical unit of any printed, typewritten, handwritten, mimeographed or processed work, distinguished from other units by a separate binding, encasement, portfolio, or other clear distinction, which has been cataloged, classified, and made ready for use, and which is typically the unit used to charge circulation transactions. Either a serial volume is bound, or it comprises the serial issues that would be bound together if the library bound all serials.

Web Claim Form: A web form used by depository libraries to make claims for titles rightfully due to them based on their selection profiles.

WebTech Notes: Interactive online resource to locate information on corrections to SuDoc classification numbers, new or cancelled item numbers, new or cancelled SuDoc class stems, and status updates on serials or series.

Withdrawal: Document or item withdrawn from a collection during the reporting period. Withdrawals may be effected, for example, by discarding, transferring, or in the case of electronic resources by deletion from files or cancelling licenses.

XML (extensible Markup Language): A markup language that defines a set of rules for encoding documents in a format that is both human-readable and machine-readable.

XSL (extensible Stylesheet Language): Used to refer to a family of languages used to transform and render XML documents.

United States Code (USC/U.S.C.): The Code of Laws of the United States of America is the official compilation and codification of the general and permanent federal statutes of the United States. It contains 53 titles. Applicable code for GPO systems: *Title 44*. More information on U.S.C. at: <https://www.GovInfo.gov/app/collection/uscode>

USC/U.S.C. (United States Code): See *United States Code*.

USMARC (Machine-Readable Cataloging): See *MARC*.

Z39.50: A national and international (ISO 23950) standard defining a protocol for computer-to-computer information retrieval among different information systems. More information on Z39.50 at: <http://www.loc.gov/z3950/>
Note: GPO's current ILS does support Z39.50.