

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN: 12 89NSC85002 R	Rev:	Key Op:
YON-305	CFAS DFSP				A01

TITLE:

Cargo Fuel Tank Cleaning/Gas-Freeing; accomplish

JOB SPECIFICATION

Anticipated Award Date: 7/1/2026		Production Completion Date: 11/18/2026		PREPARING ACTIVITY: SASEBO	
POP Start Date: 7/22/2026		POP End Date: 12/31/2026			
PREPARED BY: N.NAGATO			CODE H NA	DATE 4/9/2025	
APPROVED BY: S.MURAKAMI <i>SM</i>			CODE S225		
CONCURRED BY: S.MOROOKA <i>S, TB</i>			CODE S231		
ASSIST PLANNER'S NAME:			CODE		
ASSIST PLANNER'S NAME:			CODE		
ASSIST PLANNER'S NAME:			CODE		
DESCRIPTION:					
JSN(S): DFSP-0004		CASREP #			
S/F CONTACT: REYES, DONNY CIV / SANTOS, FRANK		CWP #		CCNS #	
Approved by S300/S900 <i>Tanya L. Exenior Yamada</i> <i>Jay S. [Signature]</i>		Date: 4/30/2025		Avl: <i>6CM</i> 5GM	
				LWC:	
Work Completed					
S/Force:		Rate:		Date:	
Ship Supt:		Date:		SRF CONTROL NO.: 1301362787	
WORK CERTIFICATION SIGNATURES					
COMPLETION OF WORK REVIEW:		BADGE NO.:	SHOP/CODE:	PHONE:	DATE:

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN: ¹² 89NSC85002R	Rev:	Key Op:
YON-305	CFAS DFSP				A01

TITLE:

Cargo Fuel Tank Cleaning/Gas-Freeing; accomplish

1. SCOPE:

1.1 Title: Cargo Fuel Tank Cleaning/Gas-Freeing; accomplish

1.2 Location of Work:

1.2.1 Throughout The Fuel Oil Barge

1.3 Identification:

1.3.1 Quantity (6 EA), Cargo Fuel Oil Tank, Located in 1.2.1, as Follows

<u>Tank No.</u>	<u>Capacity at 100 Percent Full</u>	<u>Remark</u>
S-1	25,932 GAL	Fuel Oil (Diesel)
P-1	25,899 GAL	Fuel Oil (Diesel)
S-2	34,695 GAL	Fuel Oil (Diesel)
P-2	34,673 GAL	Fuel Oil (Diesel)
S-3	26,006 GAL	Fuel Oil (Diesel)
P-3	26,018 GAL	Fuel Oil (Diesel)

2. REFERENCES:

2.1 Standard Items ^{FY-6} ~~(FY25)~~

2.2 S1620-860100 Rev E, WT & OT Hinged Manhole 15" x 23" High & Low Coaming

3. REQUIREMENTS:

3.1 Accomplish the requirements of ENCLOSURE (T) for cleaning of each cargo fuel oil tank listed in 1.3.1, using 2.2 for guidance.

3.2 Accomplish the requirements of 009-32 of 2.1 for cleaning and preservation of each new and disturbed surface to match surrounding area.

4. NOTES:

4.1 Initial Condition - Request cleaning of all cargo fuel tanks.

5. GOVERNMENT FURNISHED MATERIAL (GFM):

5.1 None.

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN: ¹² 89NSC85002R	Rev:	Key Op:
YON-305	CFAS DFSP				A01

TITLE:

Cargo Fuel Tank Cleaning/Gas-Freeing; accomplish

General Requirements
For Tank, Void and/or Cofferdam Cleaning

Ver.05012021

1. REQUIREMENTS:

1.1 Open, ventilate, conduct gas free, empty, clean, render dry, and maintain each tank, void and/or cofferdam throughout the work item performance period.

1.1.1 Ensure that each harmful vapor, fume, and mist is ventilated to the exterior of the vessel.

(V) "REPORT"

1.1.1.1 Submit one legible copy of a report listing the location, origin, and quantity of each manhole cover removed in 1.1 with respect to its tank, ship's frame and distance off centerline to SUPERVISOR after the inspection.

1.1.2 Remove and dispose of waste liquid that is not being stored for reuse to a Government provided waste liquid conveyance.

1.1.2.1 Contact the SRF-JRMC Detachment Sasebo ESH Division, Environmental Branch, S106.3 prior to transfer of waste liquid to the conveyance.

1.1.2.2 Provide watches and following spill kits (absorbent pads, booms, etc. for oil or chemical spill containment) at each affected area where waste liquid is being transferred to ensure that each liquid is not released to any shipboard compartment or the sea. In case of a spill, take immediate action to contain the spill, and contact S106.3.

1.1.2.3 Identify each transfer hose to the conveyance by affixing the company's name and tank/space location pumping from on each hose.

1.1.2.4 Establish and maintain communication between the pumping station and the conveyance when the waste liquid is being transferred.

(V) "INSPECT PIPING AND HOSE ALIGNMENT"

1.1.2.5 Inspect alignment of each hose, valve and piping in the flow path prior to the start of pumping, purging, or flushing.

1.1.2.6 Accomplish a periodic walkthrough of the piping, hose, and valve alignments for leaks at least once an hour.

1.1.2.7 Pumping after sunset is not authorized unless approved by SUPERVISOR.

ENCLOSURE (T) 1/2

3/4

Ship/HULL NO.	Ship/HULL NAME	JON:	ICN: ¹² 89NSC85002R	Rev:	Key Op:
YON-305	CFAS DFSP				A01

TITLE:

Cargo Fuel Tank Cleaning/Gas-Freeing; accomplish

1.1.3 Coordinate the off-loading or transferring of each fluid through the ship's Damage Control Assistant (DCA), via SHIPSUPT, to maintain ship's stability and to prevent flooding.

(V) (G) "VISUAL INSPECTION"

1.2 Inspect each tank, void and/or cofferdam for cleanliness, prior to final closing. Document the personnel who were present during the inspection and confirm that they have exited the space prior to closure of each tank, void, and cofferdam. Designate one person to account for personnel who may have entered the space. **-S130**

1.2.1 Install each manhole cover for each tank, using each new gasket and fastener.

2. NOTES:

2.1 Booklet of General Plans and Tank Sounding Tables are available for review at the office of the SUPERVISOR.

2.2 The SUPERVISOR will provide a waste liquid conveyance to accumulate waste liquids in each tank for work being accomplished for SRF-JRMC availabilities.

2.3 See additional CHT/sewage tanks disinfection requirements of Local Standard Item 099-901YO for SRF-JRMC Sasebo availabilities.

ENCLOSURE (T) 2/2

4/4