



DEFENSE LOGISTICS AGENCY
AVIATION AT OKLAHOMA CITY
3001 STAFF DRIVE POST 2B95
TINKER AIR FORCE BASE, OKLAHOMA 73145-3015

16 May 2025

MEMORANDUM FOR: James Anderson / Unison Industries LLC (Unison)

FROM: DLA Aviation – AOAA / 3001 Staff Dr., 2B95 / Tinker AFB, OK 73145

SUBJECT: Letter Solicitation SPRTA1-25-Q-0350

This Solicitation is issued for the purpose of acquiring the supply below, which is sole sourced to Unison Industries LLC.

CLIN	P/N	NSN	Noun	BEQ Quantity
0001	4057416 or 44838	2925-01-206-7723NZ	Stator, Engine Gener	4 EA
0002			CEMS	1 LT

Please provide pricing and delivery for purchase of this NSN in accordance with the terms and conditions of BOA SPE4A1-24-G-0003. Unison is requested to provide capacity, PLT and pricing based upon the quantity listed below.

New Manufacture - Surplus is "**NOT AUTHORIZED**" for this procurement / Early Delivery Acceptable.

CLIN 0001: Quantity 2-6 each: Unit \$ / **Delivery Date:**
CLIN 0002: (CEMS) Data: Not Separately Priced

IUID APPLIES: DFARS 252.211.7003

Critical Safety Item (CSI): YES

Inspection: Origin

Acceptance: Origin

Inspection/Acceptance Report: Receiving Report Required.

Quality Assurance: Higher Level Contract Quality Requirements / ISO 9001:2000

Buy American Act/balance of Payments Program

Requested BEQ Delivery: 2-6 each – “On or Before” 31 Dec 2026.

Ship to:

CLIN 0001 – SW3211

CLIN 0002 – IAW CDRL

The terms and conditions of BOA # SPE4A1-24-G-0003 will apply to this NSN. Please respond with your pricing and delivery for the item by the solicitation closing date of 20 Jun 2025. If you have any further questions, please contact Keith Russ at 405-855-7163 or keith.russ@us.af.mil.

Sincerely,

//SIGNED//

Keith J. Russ

Contracting Officer

DLA Aviation-AOAA

ATTACHMENTS:

NOTE 1 – Packaging to be accomplished IAW the Packaging Requirements document attached.

NOTE 2 – Transportation to be accomplished IAW the applicable Transportation document attached.

NOTE 3 – IUID Checklist

NOTE 4 – Contract Data Requirements List (CDRL) DD Form 1423-1 (CEMS)

NOTE 5 - Data Item Description (DID) DI-MGMT-81324C (CEMS)

PACKAGING REQUIREMENTS																		
PURCHASE INSTRUMENT NUMBER: FD20302501231-00												VERSION: 1						
MIL-STD 129 REVISION: R												MIL-STD 2073-1 REVISION: E						
THE FOLLOWING STATEMENT IS IN COMPLIANCE WITH THE UNITED NATIONS-IMPLEMENTED RESTRICTIONS ON WOOD PACKAGING MATERIAL (WPM). THIS REQUIREMENT IS SPECIFICALLY CONCERNED WITH INVASIVE SPECIES SUCH AS THE PINWOOD NEMATODE. WPM IS DEFINED AS WOOD PALLETS, SKIDS, LOAD BOARDS, PALLET COLLARS, WOODEN BOXES, REELS, DUNNAGE, CRATES, FRAMES, AND CLEATS. THE STATEMENT BELOW CITES THE REQUIREMENTS IN DETAIL AND COVERS LUMBER FOR BUILDING CONTAINERS AND PALLETS USED FOR DELIVERIES RESULTING IN SHIPMENTS WORLDWIDE (DIRECT, OR THROUGH AIR LOGISTICS CENTERS (ALC), CONTAINER CONSOLIDATION POINTS (CCP), OR OTHER BASES). WOODEN LUMBER, WOODEN PALLET AND PACKAGING/CONTAINER STATEMENT: ALL WOODEN LUMBER, WOODEN PALLET'S, AND WOODEN CONTAINERS PRODUCED ENTIRELY OR IN PART OF WOOD PACKING MATERIAL (WPM) SHALL BE CONSTRUCTED FROM DEBARKED WOOD IN ADDITION TO THE APPLICATION OF HEAT-TREATED (HT) MATERIAL (HT TO 56 DEGREES CENTIGRADE OR 133 DEGREES FAHRENHEIT FOR 30 MINUTES). CERTIFICATION/MARKING IS REQUIRED BY AN ACCREDITED AGENCY RECOGNIZED BY THE AMERICAN LUMBER STANDARDS COMMITTEE (ALSC). FOR REFERENCE DOCUMENTATION, SEE LATEST REVISION OF "INTERNATIONAL STANDARDS FOR PHYTOSANITARY MEASURES" (ISPM)NO.15), "REGULATION OF WOOD PACKAGING MATERIAL IN INTERNATIONAL TRADE."																		
PACRN:		PACKAGING REQUIREMENT:						PRESERVATION LEVEL:		PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAA		MIL Long Line Packaging						MIL		B								
ITEM(S): 2925012067723NZ 2925DTH2500ECNZ																		
CODED DATA:																		
QUP		ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
1		000	51	1	00	EA	NA	A	NR	00	B	19	10.40	12.5	12.5	14.5	1.311	M
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																		
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT: 6 UNITS OF DESICCANT.																		
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																		
ORGANIZATION / OFFICE SYMBOL:		PACKAGING SPECIALIST:				PHONE NUMBER:				SIGNATURE:				DATE:				
406 SCMS / GULAA		Real, Billy S				405-582-9721 / 852-9721				//SIGNED//Real, Billy S				25091 - 01 APR 2025				

TRANSPORTATION DATA FOR SOLICITATIONS		PURCHASE INSTRUMENT NUMBER: FD20302501231-00	DATE INITIATED: 01 APR 2025
COMMODITY: See Continuation		STOCK NUMBER: See Continuation	
F.O.B. TERMS RECOMMENDED AS BEST SUITED FOR THIS PROCUREMENT			
☒ ORIGIN	☐ DESTINATION	☐ OTHER (<i>Specify</i>)	☐ DATA / FIRST ARTICLE F.O.B. DESTINATION
TRANSPORTATION PROVISIONS / CLAUSES			FAR CITATION
F.O.B. Origin			52.247-29
Clearance and Documentation Requirements			52.247-52
Freight Classification Description			52.247-53
Contact DCMA Transportation Contact DCMA Transportation on ALL "DCMA Administered" contracts prior to shipment for shipping instructions using the DCMA Shipment Instruction Request (SIR) eTool System, at http://www.dema.mil < http://www.dema.mil > for ALL FOB: Origin, Foreign Military Sales (FMS), and FOB: Destination OCONUS/Export movements to obtain the appropriate DOD regulatory clearances, shipping documentation and instructions from your cognizant DCMA Transportation Office. If you are new to DCMA, and do not already have a SIR eTool account, you will first need to request an account via DCMA External Web Access Management (EWAM) application which can be accessed at http://www.dema.mil . If you need additional assistance, email DCMA Transportation Group at: Transportation.Division@dema.mil . Do not move any freight to a water or aerial port prior to contacting DCMA or it will become frustrated. Failure to contact the responsible DCMA may result in vendor incurring additional expenditures.			Vendor Transportation Instructions
IAW BASIC CONTRACT			FD20302501231-00
TACRN: AAA			
TRANSPORTATION FUNDS INFORMATION: Purchase Instrument Line LOA: 97X4930.FC04 645 47GT 15380E 01N000 00000 000000 503000 F03000 FSR: 013352 PSR: K38842 First Destination Transportation Account Code: FRS2 Miscellaneous Obligation / Reimbursement Document: Second Destination Transportation Account Code: FMS LOA: Additional Funding Information:			
ITEM / SHIP TO(s):			
NSN / Pseudo NSN: 2925012067723NZ Purchase Instrument Line Item Number: 0001 Ship to (DoDAAC / MAPAC): SW3211 Mark For: ACCT09 Ship To (Address): DLA DISTRIBUTION DEPOT OKLAHOMA 3301 F AVE CEN REC BLDG 506 DR 22 TINKER AFB OK 73145-8000 TINKER AFB OK 73145-8000 73145 - 8000 USA		Requisition Number: Supplemental Address: FMS Case:	
WPOD: APOD: BBP / CCP: RIC: 1 Ship To (Remarks):			

NSN / Pseudo NSN: 2925DTH2500ECNZ

Purchase Instrument Line Item Number: 0002

Ship to (DoDAAC / MAPAC): SW3211

Mark For: ACCT09

Ship To (Address): DLA DISTRIBUTION DEPOT OKLAHOMA

3301 F AVE CEN REC BLDG 506 DR 22

TINKER AFB OK 73145-8000

TINKER AFB OK 73145-8000

73145 - 8000

USA

WPOD:

APOD:

BBP / CCP:

RIC: 1

Ship To (Remarks):

Requisition Number:

Supplemental Address:

FMS Case:

EVALUATION OF PORT BID OR PROPOSAL:

SOLICITATION DATA NOTES:

OTHER TRANSPORTATION DATA:

NAME	ORGANIZATION / OFFICE SYMBOL	COMMERCIAL / DSN PHONE	SIGNATURE	DATE
Hogan, Darrick D	406 SCMS / GULAA	478-327-3489 / 497-3489	//SIGNED//Hogan, Darrick D	01 APR 2025

ITEM UNIQUE IDENTIFICATION (IUID) CHECKLIST	
I. IUID DETAILS: DFARS 252.211.7003	
SECTION (c) (1) (i) APPLIES TO THE FOLLOWING:	
ITEM REQUIRING IUID MARKING	
NSN 2925012067723NZ	VERSION NUMBER 2
NOUN STATOR,ENGINE GENER	
INITIATOR Sanor, Dakota R	ORGANIZATION CODE / OFFICE SYMBOL AFLCMC / LPSEC1
COMMERCIAL PHONE 405-736-4778	DSN PHONE 336-4778
CAGE / REFERENCE NUMBER 59501 / 44838 77445 / 4057416 77445 / 4057416G 83311 / 44838 83311 / 44838H3	
MARKING IS TO BE PERFORMED IN ACCORDANCE WITH THE LATEST VERSION OF MIL-STD-130	
MARKING GUIDANCE Recommended Marking Instruction	ENGINEERING DRAWING / ECP / ECO NUMBER
MARKING TYPE Data Plate	MARKING METHOD Data Plate
DESCRIPTION / LOCATION Shall be in the data plate of this item	
REMARKS NAME: Billingsley, Sarah B DATE: 08 JAN 2015 Marking is to be placed on the data plate. See EO 2015A0013-T (available in JEDMICS as a sub-drawing to 44838 rev H).	
ATTACHMENT(S)	
II. EMBEDDED ITEMS	
SECTION (c) (1) (iii) APPLIES TO THE FOLLOWING:	
NSN	NOUN
CAGE / REFERENCE NUMBER	
ITEM IS AN EMBEDDED ITEM FOR NSN / PSEUDO NSN: 2925012067723NZ	
MARKING GUIDANCE	ENGINEERING DRAWING / ECP / ECO NUMBER
MARKING TYPE	MARKING METHOD
DESCRIPTION / LOCATION	
REMARKS	
ATTACHMENT(S)	

DATA ITEM DESCRIPTION

Title: COMPREHENSIVE ENGINE MANAGEMENT SYSTEM (CEMS) REPORTING

Number: DI-MGMT-81324C

AMSC Number: F9543

DTIC Applicable: No

Preparing activity: 71

Approval Date: 20150505

Limitation: N/A

GIDEP Applicable: No

Project Number: MGMT-2015-018

Applicable Forms: CEMS Event Reporting Document, DD Form 2875 (GCSS), DD Form 2875 (CEMS), and Non-Disclosure Statement.

Use/relationship: CEMS reporting is required by all organizations possessing and/or maintaining Air Force (AF) engines or components on behalf of the AF to maintain a complete and accurate worldwide inventory of AF engines, installed assemblies and components. The CEMS reporting data consists of aircraft engine and maintenance status information as directed by the AF propulsion community.

- a) This Data Item Description (DID) contains the instructions for reporting engine, assembly and/or component status data to the AF Accountable Property System of Record (APSR), CEMS. It also contains the format and content preparation instructions for the data reporting generated by the specific and discrete task requirement as delineated in the contract.
- b) This DID is applicable when contractors are required to report engine and/or component status data to CEMS.
- c) Publications referenced below are available on the CEMS web site,
<https://www.my.af.mil/gimmsprod/cpmo/>.
- d) This DID supersedes DI-MGMT-81324B.

Requirements:

1. Reference documents: The applicable issue of the documents cited herein, including their approval dates and dates of any applicable amendments, notices, and revisions, shall be as specified in the contract. Definitions and/or descriptions of the various data codes authorized for entry in the specified blocks of the CEMS Event Reporting Document are contained in United States Air Force Technical Order (TO) 00-25-254-1.

2. Format. Unless an agreed upon approved interface exists, all required input is via the reporting process known as CEMS.

3. Content.

3.1 Access to CEMS: In order to accomplish access to government computer systems for the purpose of reporting the following is required:

- a. The minimum of a favorable National Agency Check with Inquiries (NACI) is required for any contractor accessing Department of Defense (DoD) information systems. Procedures concerning Industrial Security Clearances and Investigations can be found at <http://www.dss.mil/isp/index.html>.
- b. An DD FM 2875 must be completed and sent by fax or signed email to the AF Portal Program Office: gcssaf.opsandsupport@gunter.af.mil, or faxed to the AF Portal Program Office (DSN 596-5771, or faxed to the AF Portal Program Office DSN 596-5771, Commercial 334-416-5771; Option 7) to obtain an AF Portal Account. DD FM 2875, as well as additional information may be obtained at <https://www.my.af.mil>, by accessing "View Account Requirements & Benefits."
- c. After AF Portal access is obtained, a DD Form 2875, a copy of the DoD Information Assurance Awareness Training Certificate (Course: ZZ133098) and a Nondisclosure Statement must be completed requesting access to CEMS and e-mailed to CEMS.PMO.Security@us.af.mil. The form and Nondisclosure Statement may be downloaded from <https://www.my.af.mil/gimmsprod/cpmo/>, by clicking on the "Forms" folder and clicking "System Access." Instructions are included with the form. The DoD Cyber Awareness Challenge (Course: ZZ133098) may be completed:

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

https://golearn.csd.disa.mil/kc/login/login.asp?kc_ident=kc0001&blnAccess=TRUE for Dot-Mil Users and

<http://iase.disa.mil/eta/cyberchallenge/launchPage.htm> for Dot-Com users.

- d. You can only access CEMS via the AF Portal. The CEMS PMO, (405)734-7874, DSN: 884-7874, or Toll Free: 1-800-956-7351, should be contacted for further information.

3.2 Inputs to CEMS: Description of Entries on the CEMS Event Reporting document.

Block 1 - CII Designation. Direct reporting and mail-in enter CII as shown in the CII table.

Block 2 - S/N (10 Max Alpha Numeric characters). Enter the S/N as express below for position 1 thru 4 and using the last 6 characters listed on the data plate. CEMS does not recognize a dash (-). If dashes (-) are encountered on the engine, assembly or part data plate, the dash will be replaced with a zero for reporting purposes. If data plate contains any other special character, contact the CEMS PMO for instructions.

Example: 629-1234 will be input to CEMS as “0062901234.” The standard method of structuring serial numbers in CEMS is as follows:

MM = Manufacturer’s Code (two position)

Z = Zero (0)

C = Engine module symbol as follows:

Basic Engine E

Augmentor A

Fan F

Compressor C

Turbine (LPT) L

Turbine (HPT) H

Gearbox G

Turbine T

X= An alpha or numeric character

NOTE

- With the exception of the F107 engine, all century series engines (i.e. F100, F101, etc.) and T56 engines use structure MMZCXXXXXX, where column 5 through 10 are the values obtained from the last 6 positions on the data plate. The field will be moved to the right and zero filled on the left.
- **Examples:** F100-100 Engine “PW0E680092.” “T56 engine S/Ns prior to 113432 will reflect the old S/N structure in CEMS of MMZZXXXXXX. T56 gearbox S/Ns prior to S/N 33641 will reflect the old S/N structure in CEMS of ZZMCXXXXXX. T56 engine 113432 and beyond will use MMZCXXXXXX.”
- **Example:** (AD0E113432), Gearbox 33641 and beyond will use MMZCXXXXXX.
- **Example:** (AD0G033641), All other aircraft engines use structure MMZZXXXXXX, where column 5 through 10 are values obtained from the last 6 positions on the data plate. The field will be moved to the right and zero filled on the left.
- **Example:** J75-17 Engine “PW00611438.” All tracked assemblies and parts and all non-F100 modules use structure 10 positions. All 10 positions are values obtained from the data plate. The field will be moved to the right and zero filled on the left. The alpha O will be converted to numeric 0 and the alpha I will be converted to numeric 1 for reporting purposes.

Block 3 - Occurrence Date and/or Hour. Enter the actual Julian date and time the status change occurred.

Block 4 - SRAN. Enter SRAN of the activity preparing report.

Block 5 - Command. Enter the applicable major and subcommand codes.

Block 6 - Organization Code. Alpha characters for local use and is one position alpha, excluding "X" or a numeric "1" to indicate engine(s) in a deployed status.

Block 7 - Engine Ownership Account. Enter the one position engine ownership account code. Account codes A, B, C, E, G, K, L, N, P, R, S, and Z are Air Force engines. Transfers between these accounts will be made on routine reports (code R, block 8). Account codes D, F, H, J, T, and W are other than Air Force engines. Transfer between Air Force and other than Air Force accounts will be made on K type report (block 8). All uninstalled engine transfers on K type reports must be documented and a copy of the document maintained as prescribed in referenced TO. If account code J is reported, see instructions (block 19). Engines transferred to classified project (L account, routine report) will not be reported thereafter until returned or until the classified project is canceled. Returns from a classified project will be reported as a receipt to the A-account on a routine report. Engines assigned to ground training (S account) require no subsequent reporting except when engines are installed, removed, or transferred, or when assignment to S account terminates. Engines installed and removed for training are to be considered as installed at all times. Engines received from other than Air Force activities for repair and return are to be retained in the activity's account while on hand. If an exchange of engines with the Air Force is to be accomplished, the transfers between accounts will be made on K type reports.

Block 8 - Engine Type Report. Enter the appropriate report code IAW the referenced TO.

Block 9 - Part Number. Enter the part number from the data plate.

Block 10 - Transaction Code. Circle the appropriate transaction code.

Block 11 - Condition Code. Circle the appropriate engine condition code.

Block 12 - Miscellaneous System Update. Circle the appropriate system update code.

Block 13 - To-From Command and/or SRAN. Enter the shipped to-from SRAN. Report the owning command code for tenant shipments and receipts. Block will be blank for reports of transfer to or from classified projects.

Block 14 - Type of Shipping Device. Optional.

Block 15 - Engine Related How Mal Codes. Enter the engine related How Mal Code that best identifies the symptom that is causing the removal.

Block 16 - Reason for Return to Overhaul. Enter appropriate reason for return to overhaul code.

Block 17 - Reparable Engine S/N. Optional or enter the S/N of the reparable engine being replaced by the serviceable shipment. This number or the word stock will be furnished by the EIM. If a number or the word stock is not furnished by the EIM, enter "Not Furn."

Block 18 - PRIMARY/SECONDARY HOW MAL INDICATOR, P (Primary) S (Secondary) (CIRCLE ONE)

Block 19 - SAP number. On K reports for engines gained to or from a SAP country, enter the six position SAP ID number contained in the supplementary address field, card columns 45 through 50, of the DD Form 1348-1A. If the SAP number is not listed in the supplementary address field, contact the prime EIM.

Block 20 - Document Number-NSN. Enter the debit or credit number from the document covering gain and loss transactions. For all shipments and receipts of uninstalled engines to-from a different SRAN reporting activity, enter the TCN from card columns 30 through 43 of the DD Form 1348-1A or block six of DD Form 1149, REQUISITION AND INVOICE/SHIPPING DOCUMENT. If not received with the engine, contact the previous SRAN EM for the TCN the engine was shipped with.

DI-MGMT-81324C

Also, if the shipment has been reported to CEMS, the TCN will appear on part 2 of the EMDL. For uninstalled reimbursable account transfer (K type report), to a non-Air Force account (SAP, Navy, Army, FAA, etc.), report the requesting activities requisition number obtained from the prime EIM.

Document numbers are constructed following the guidance in DOD 4000 25-1-M, Military Standard Requisitioning and Issue Procedures (MILSTRIP), or per instructions in AFM 23-110 and/or applicable Supply Local Operating Instructions.

Position 1-6	DOD Activity Address - Code of Activity assigning the number e.g. FJ2039 (FJ suffix is used for Air Force reporting and EJ suffix is used for Contractor)
Position 7	Last digit of the calendar year
Position 8-10	Julian day of document assignment
Position 11-12	S/N assigned by activity
Position 13-14	Two digit alpha engine ID code

NSN is constructed as follows:

Position 1-4	Federal Stock Class, e.g., 2840
Position 5-6	Country Code, e.g., 01 (USA)
Position 7-13	National Item Identifier Number (NIIN) e.g., 5869746
Position 14-15	Material Management Code (MMC), e.g., RU, if applicable

Block 21 - Engine Flying Time. For non-parts tracked (status) engines, enter TSO. Time is recorded in days, hours, or minutes as required by engine TMSM. The number is right justified with a single decimal place. The fraction of hours is rounded (up or down) to the nearest tenth of an hour. Time will be reported in whole minutes for the J69-406 engines. Time will be recorded in whole calendar days on the F107 and F112 engines.

Block 22 - Cycle Sortie Count. Enter cycle sortie count.

Block 23 - TMSM. Enter the TMSM for the engine that is being reported. TMSM is defined as a 12 position field for TMS and Modification of a given engine family.

Position 1-3	Type (alphanumeric, right justified, prefix with spaces)
Position 4-7	Model (alphanumeric, right justified, prefix with zeros)
Position 8-10	Series (alphanumeric, right justified, prefix with zeros)
Position 11-12	Modification (alphanumeric, left justified, suffix with spaces)
	Reference TMSM table.

Block 24 - NHA Designation. When entry is required and the NHA is an aircraft, enter the seven position alphanumeric MDS; or enter the NHA seven position alphanumeric CII code. When entry is required and the report initialized (TCC 6N) an uninstalled tracked item, fill all seven positions with nines.

Standard MDS structure is as follows:

Position 1-3	Mission (alphanumeric, right justified, prefix with spaces)
Position 4-6	Design (alphanumeric, right justified, prefix with zeros)
Position 7	Series (alphanumeric)

Block 25 - NHA S/N Structure. For aircraft S/N, use YYNNNNNNNNN where YY is year of manufacture and NNNNNNNN is the tail number prefixed with zeros. When an initialization entry (TCC 6N) is required on an uninstalled tracked item, fill all 10 positions with nines.

DI-MGMT-81324C

Block 26 - Position Number. If the engine being reported is applicable to a single QPA, enter the digit one. For multiple engine aircraft, engines will be numbered from left to right from pilot's position. Missiles and tracked assemblies/parts are exempt from this entry.

Block 27 - Is used when additional information is required on CEMS Event Report, i.e., Reason for Delay Codes.

CEMS EVENT REPORT										
1. CII DESIGNATION	2. SERIAL NUMBER				3. OCCURRENCE 3a. DATE 3b. HOUR		4. SRAN	5. CMD	6. ORG	7. ACCT
8. Type Report	9. PART NUMBER				13. TO/FROM 13a. CMD 13b. SRAN		14. SHIPPING DEVICE			
10. TRANSACTION	11. CONDITION		12. MISC SYSTEM UPDATES			15. ENG RELATED HOW MAL CODE		16. REASON FOR RETURN TO OVHL		17. REPARABLE ENG SERIAL NUMBER
GAIN	SERVICEABLE		COMMAND CODE CHANGE			2C				
NEW PRODUCTION	A	BUILT-UP	B. ACCOUNT CODE CHANGE			2D				
REIMBURSABLE	B	RAW	R. ORG CODE CHANGE			2M				
NON-REIMBURSABLE	C		MDS/POSITION CHANGE			2P				
EXCHANGE	D		REVERSE SHIP/TRANS			2R				
		REPARABLE	ADD TIME			2A				
LOSS		CONDEMNED	C. REACTIVATE CONDEMN (PARTS)			6B				
ATTRITION	W	WITH QEC	F. CONDEMN (PARTS)			6C				
FOR PARTS	X	WITHOUT QEC	G. UPDATE TO UNKN (PARTS)			6D				
SALVAGE/DPDO	Y	MINOR OVHL	K. ENGINE ID CHANGE			6E				
OTHER	Z	MAJOR OVHL	L. AIRCRAFT TIME UPDATE			6F				
		QUICK TURN	Q. MASS LOSS (PARTS)			6G				
INSTALLED			SINGLE ENGINE UPDATE			6H				
RECEIVED	R	INSTALLED	MASS INITIALIZATION (PARTS)			6I				
TRANSFERRED	T	ACTIVE	A. INITIALIZE/SRAN CHG (PARTS)			6N				
TRANSIENT	U	INACTIVE	Z. MAINTENANCE UPDATE			6P				
OTHER	V		SUBTRACT TIME			6S				
			INITIALIZE WINDOW VALUES			6T				
UNINSTALLED			UPDATE			6U				
ENMCS	E		EGT UPDATE (F108 ONLY)			6W				
WORK COMPLETED	F		MANUAL TIME CHANGE			6X				
TEST CELL REJECT	G									
WORK STOPPED	H									
WORK STARTED	J									
REMOVED TRANSIENT	K									
REMOVED OTHER	L									
CHANGE IN MAINT	M									
AWAIT DISPOSITION	N									
ISSUE MAINTENANCE	P									
RECEIVED	R									
SHIPPED	S									
STORAGE		STORAGE								
STORAGE INSTALLED	8	THREE POINT CONNECTION	Z							
CEMS EVENT REPORTING, Dec-14										

End of DI-MGMT-81324C