

Pre-Bid Site Visit Agenda

Fort Hall Indian Irrigation Project
Bannock Pumping Plant Modernization
(Solicitation No. 140A1626B0001)
Bureau of Indian Affairs - Office of Trust
Services Division of Water and Power

Date and Time: June 3, 2026, 11:00 AM Mountain Daylight Time

Location: Part 1: BIA Michaud Unit Office
663 Syphon Rd
Pocatello, ID 83204


Part 2: Bannock Pumping Plant
Adjacent to 1300 Schiller Rd #7
Pocatello, ID 83204

Agenda

Time	Topic	Lead by
<i>Part 1 – Michaud Unit Office</i>		
11:00 am to 11:05 am	Sign-In and Introductions	BIA
11:05 am to 11:20 am	Administrative Procedures	BIA Contracting Officer
11:20 am to 11:45 am	Project Overview	HDR
11:45 am to Noon	Submission of Questions	Prospective Bidders
Noon to 1:00 pm	Lunch (on your own) and Travel to Part 2	
<i>Part 2 – Project Site (Bannock Pumping Plant)</i>		
1:00 pm to 1:30 pm	General Facility Walk Through	BIA/HDR
1:30 pm to 2:30 pm	Description of Project Features	HDR
2:30 pm to 3:00 pm	Submission of Questions	Prospective Bidders
3:30 pm	Adjournment	

ADDITIONAL INFORMATION REGARDING THE MEETINGS:

- The BIA Fort Hall Michaud Unit Building has the following location:
 - Latitude and Longitude Coordinates: 42.935257°, -112.548454°
- Driving directions to the Michaud Unit Building
 - From Interstate I-86, take Exit 58,
 - Travel north on Tank Farm Road for approximately 1 ¾ miles,
 - Turn left onto Siphon Road,
 - Meeting location will be immediately on the right.
- The Bannock Pumping Plant has the following location:
 - Latitude and Longitude Coordinates: 42.836998°, -112.644868°



- Personal Protective (Safety) Equipment is suggested but not required for this event at the project site. Recommended PPE includes, but is not limited to: safety vest, ear protection, eye protection, and hard hat. Attendees will be responsible for providing their own PPE.
- Questions may be submitted during the site visit, but no answers will be given until the amendment is issued. No “side-bar” Q&A is allowed. Bidders may also submit questions electronically following the site visit.