

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE J		PAGE 1 OF 8 PAGES	
2. AMENDMENT/MODIFICATION NUMBER 0001		3. EFFECTIVE DATE 01 MAY 2026		4. REQUISITION/PURCHASE REQUISITION NUMBER		5. PROJECT NUMBER (If applicable)	
6. ISSUED BY W071 ENDIST SEATTLE KO CONTRACTING DIVISION, 4735 EAST MARGINAL WAY SOUTH SEATTLE, WA 98134-2329 UNITED STATES BRANTLEY DOWELL, EMAIL: BRANTLEY.W.DOWELL@USACE.ARMY.MIL TELEPHONE: 2067646952		CODE W912DW		7. ADMINISTERED BY (If other than Item 6) SCD: PAS:		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (Number, street, county, State and ZIP Code)				(X)		9A. AMENDMENT OF SOLICITATION NUMBER W912DW26QA032	
				(X)		9B. DATED (SEE ITEM 11) 06 MAR 2026	
				()		10A. MODIFICATION OF CONTRACT/ORDER NUMBER	
				()		10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE					

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☒ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers ☒ is extended. ☐ is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing items 8 and 15, and returning 1 copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or electronic communication which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by letter or electronic communication, provided each letter or electronic communication makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)
SEE CONTINUATION

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NUMBER AS DESCRIBED IN ITEM 14.

CHECK ONE	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NUMBER IN ITEM 10A.
()	
()	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation data, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
()	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
()	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor ☐ is not ☐ is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

The purpose of this amendment is for the following:

1) Update the PWS to reflect the change in the requirement for turn-key service with the rental of equipment

2) Extended the solicitation until 8 May, 2026 12pm PDT

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) SCOTT W. BRITT	
15B. CONTRACTOR/OFFEROR		16B. UNITED STATES OF AMERICA	
15C. DATE SIGNED		16C. DATE SIGNED	
(Signature of person authorized to sign)		 (Signature of Contracting Officer)	
		01 MAY 2026	

Performance Work Statement

Albeni Falls Dam (AFD)
Water Weight & Water Pumping Equipment
Turnkey Service for Crane Load Testing
Oldtown, ID 83822

GENERAL INFORMATION: ~~The U.S. Army Corps of Engineers requires the rental of water weight and water pumping equipment for crane load testing at Albeni Falls Dam. This includes all necessary equipment for safe and accurate testing, including delivery and pickup to and from Albeni Falls Dam. The rental period is for 5 days.~~

The U.S. Army Corps of Engineers requires the turnkey service of water weight equipment for crane load testing at Albeni Falls Dam to include all necessary equipment and necessary personnel for safe and accurate testing, including delivery, setup, testing assistance, disassembly, and pickup to and from Albeni Falls Dam. The planned duration of the crane load test is two days (2) but the contractor should be prepared for up to a maximum five days (5) if needed.

TEST LOAD: Total Test Load Required: 100 US tons (T). 50T will be applied to each of the 2 crane load blocks for a total of 100T total load.

SPECIFICATIONS: ~~Provide water bags, water pumps, and other equipment (e.g. valves, hoses, fittings, flowmeters, etc.) that are free of invasive species and pollutants and are uncontaminated such that water pumped from the river into the bags for the load test can then be discharged back into the river. The Water Weight Rental equipment shall meet or exceed the following minimum salient characteristics:~~

Supply all water bag equipment, pump(s), rigging, measuring devices, personnel, travel and transport to and from the job site. The water bags, pumps, and other equipment (e.g. valves, manifolds, fittings, hoses, flowmeters, etc.) shall be free of invasive species and pollutants and are uncontaminated such that water pumped from the river into the bags for the load test can be discharged back into the river without treatment. The equipment shall meet or exceed the following minimum salient characteristics:

EQUIPMENT LIST:

1. Water Bags:
 - a. Quantity: 4 bags
 - b. Capacity: 35T per bag
 - c. Accessories: All necessary filling/dumping valves, hoses, straps, and connection hardware.
 - ~~d. Safety Standard: LEEA 051, with a minimum 6:1 design safety factor.~~
 - ~~e. Submit for approval Non-Contaminated Equipment Certifications. Provide certification of equipment cleanliness stating water bags and accessories are free of harmful contaminants and invasive species such as quagga mussels, describing the method by which the bags and equipment were cleaned, the date they were cleaned, and exactly where the equipment has been used, if applicable, since the cleaning date. Bag cleaning methods must be approved by the bag/water weight manufacturer and by the Government. Examples of acceptable cleaning methods that have been approved in the past are:~~

- ~~i. Cleaning by heat, holding all equipment and all surfaces of bags above a temperature of 140 degrees F for a minimum of 1 minute, as verified by infrared temperature reading.~~
- ~~ii. Cleaning by freezing, holding all equipment and all surfaces of bags below a temperature of 14 degrees F for a minimum of 4 hours, as verified by infrared temperature reading.~~

2. Water Pump(s):

- ~~a. Quantity: Two (2) pumps (redundant pumps are required due to the critical timing and restricted duration of the test)~~ **Pump type and quantity are the responsibility of the contractor.**
- b. Pump(s) shall be capable of pumping water from the river (forebay). ~~and filling the bags to the test load in four (4) hours or less.~~
- c. Size pumps, piping/headers and valves such that the total time to fill the water bags from 0-100% for the full 100 ton total test weight (+5%/-0%) is no longer than four hours.
- d. Use basket strainers that are approved by the pump manufacturer on the pump suction.

3. Safety & Environmental:

- a. Observe LEEA 051, with a minimum 6:1 design safety factor.
- b. Non-Contaminated Equipment Certification Requirement:
 - i. Provide certification of equipment cleanliness stating water bags, pumps, hoses, piping, and associated equipment are free of harmful contaminants and invasive species, such as quagga mussels.
 - ii. Describe the method by which the bags, pumps, and associated equipment were cleaned and the date they were cleaned. Bag cleaning methods shall follow the manufacturer's cleaning instructions.
 - iii. Prior to use at AFD, the Government will review and approve the cleaning process(es).
 - iv. Prior to use, the Government shall review and approve the certification(s).
 - v. Examples of acceptable cleaning methods are 1) cleaning by heat, holding the bags and water-contact equipment at 140F (or above) for a minimum of one (1) minute, as verified by infrared temperature reading(s), or 2) cleaning by freezing, holding the bags and water-contact equipment at 14F (or below) for a minimum of 4 hours, as verified by infrared temperature reading.

4. Shackles:

- a. Quantity: 2 **(or as needed at the discretion of the contractor)**
- b. Capacity: 85T WLL or greater per shackle

5. Master Links:

- a. Quantity: 2 **(or as needed)**
- b. Purpose: Connect shackles to Pins on crane load blocks. The load block pin is 5.25 inches in diameter, with 4.25" length between cheek plates. A drawing of the load block is provided in image A. Master links must fit over the load block pin. The load blocks do not have hooks.
- c. If the contractor can verify shackles will fit on crane load pins without master links, it is optional to not supply master links.
- d. Capacity: 85T WLL or greater.

6. Flow Meters with Current Calibration Certificates:
 - a. Quantity: 2 (or as needed)
 - b. Type: Certified Flow meter (used as a measuring device during filling/dumping).
7. Multi-Manifold:
 - a. Quantity: 1
 - b. Purpose: For efficient, controlled filling of the water bags.
 - c. Connection type: 2-1/2 inch male NST for use with female NST fittings on fire hose.
 - d. **Hoses:** ~~Filling and dump hoses for connection from water bags to multi manifold, sufficient length for safe operation.~~ **Suction and pressure hoses and piping for connection from the pumps, to the manifolds, and to the water bags. Contractor is ultimately responsible for sufficient types, sizes, and number of hoses and piping to fill and drain the bags.**
8. Load Cells with Current Calibration Certificates:
 - a. Quantity: 2
 - b. Type: Calibrated load cells of sufficient capacity for 50T load test verification.
 - c. All shackles or connecting devices to be placed in line between the water weights and the crane load blocks. All connecting devices must be rated 85T WLL or greater.

ADDITIONAL REQUIREMENTS:

- Contractor should be prepared for twelve (12) hours on site each day.
- Contractor's equipment shall be in good working order and certified for safe operation.
- Equipment must meet all relevant safety standards and regulations, including but not limited to LEEA 051.
- **All rigging hardware, including but not limited to master links and shackles, must conform to ASME B30.26 Rigging Hardware Safety Standard for Cableways, Cranes, Derricks, Hoists, Hooks, Jacks, and Slings.**
- The vendor is responsible for ensuring that all equipment is compatible as a working system and suitable for the intended crane load testing application.
- Contractor must thoroughly inspect and validate the entire system before delivery.
- In the event of an equipment fault or breakdown, contractor's personnel will make every effort to repair or replace the equipment and work to maintain the testing schedule.
- Equipment, personnel, transport and all travel expenses are included in the offer.
- ~~Contractor will provide written instructions, drawings, and diagrams on the proper and safe use of the water weight equipment~~

SUBMITTALS:

- Contractor will submit descriptive materials (such as brochures, illustrations, drawings, and data sheets) to demonstrate compliance with required specifications. Submittals shall include manufacturer's catalog cut sheets, pump performance, specification sheets, calibration data, and load ratings for all relevant components.
- Contractor shall submit personnel certifications for approval by the government.

~~WARRANTY:~~

- ~~Contractor warrants that the equipment will be in good working order and free from defects at the time of delivery~~
- ~~Contractor must thoroughly inspect and validate the entire system before delivery~~

ACCEPTANCE OF MATERIALS:

- ~~Materials will be inspected at the delivery point before acceptance.~~
- ~~Contractor must maintain product condition until the point of acceptance~~
- ~~Only equipment in good working condition will be accepted, no damaged or faulty equipment~~

TRANSPORT AND DELIVERY SCHEDULE:

~~The successful bidder shall deliver all components to Albeni Falls Dam on a weekday, with the date to be determined by the Government after contract award, no earlier than April 7th, 2026, and no later than May 18th, 2026.~~

~~The rental period is 5 calendar days, starting on the delivery date, and the contractor will pick up all components 5 days after delivery.~~


The successful bidder shall be available to deliver equipment, setup their portion of the test, then assist with the performance of the load testing. Testing will commence on a weekday, with the date to be determined by the Government after contract award. The government anticipates testing to occur on or about Monday, June 8th, 2026.

The turnkey service is for up to 5 calendar days, starting on the delivery date, and the contractor will demobilize and remove their equipment upon completion of the testing.

DELIVERY CONTACT & LOCATION:

US Army Corps of Engineers
ATTN: Jeff Smutny or Christine Kimel
Albeni Falls Dam
2376 E. Hwy 2
Oldtown, ID 83822

Image A, Drawing of Load Block (Following Page)



Item	Supplies/Services	Quantity	Unit	Unit Price	Amount
0001	Turnkey Water Weight Rental Services: Up to 5 Days of Services, with 12 hours on site each day The quantity is an estimated not-to-exceed amount and that payment will be made only for actual days of on-site performance in accordance with the PWS.	5	Work Days		

SF 30 BLOCK 14 CONTINUATION PAGE**SUMMARY OF CHANGES****Solicitation/Contract Form Continuation****The following changes have been made:**

INFORMATION	FROM	TO
Response Due Time	12:00 PM	03:00 PM
Response Due Date	12 Mar 2026	06 May 2026

Continuation of Supplies or Services and Prices/Costs**The following CLIN(s) / SLIN(s) / ELIN(s) were modified:**

0001

INFORMATION	FROM	TO	AMOUNT +/-
Description	Water Weight Rental Services 5 Days Rental of: Provide Water Bags, Pumps, Shackles, Master Links, Flow Meters, Multi-Manifold, Load Cells, etc with compliance to the Statement of Work Equipment and what it entails	Turnkey Water Weight Rental Services: Up to 5 Days of Services, with 12 hours on site each day The quantity is an estimated not-to-exceed amount and that payment will be made only for actual days of on-site performance in accordance with the PWS.	
Quantity	1	5	+4
Unit of Measure	Job	Work Days	

Continuation of Deliveries or Performance**The delivery information for the following CLIN(s) / SLIN(s) / ELIN(s) were modified:**

0001

INFORMATION	FROM	TO
Period of Performance	07 Apr 2026 to 18 May 2026	08 Jun 2026 to 26 Jun 2026

Contract Clauses

Additional Information/Notes

The following clauses were added:

FAR Clauses Incorporated by Reference

Number	Title	Effective Date	Alternate/ Deviation	Variation Effective Date
52.209-6	Protecting the Government's Interest When Subcontracting With Contractors Debarred, Suspended, Proposed for Debarment, or Voluntarily Excluded. (Deviation 2026-O0038)	Feb 2026		

The following clauses were modified:

52.204-13 System for Award Management-Maintenance. (Deviation 2026-O0038) Feb 2026

52.212-4 Terms and Conditions-Commercial Products and Commercial Services. (Deviation 2026-O0038) Feb 2026

52.219-6 Notice of Total Small Business Set-Aside. (Deviation 2026-O0038) Feb 2026

52.222-19 Child Labor-Cooperation with Authorities and Remedies. (Deviation 2026-O0038) Mar 2026

Date Changed From: Feb 2026 To: Mar 2026

52.222-36 Equal Opportunity for Workers with Disabilities. (Deviation 2026-O0038) Feb 2026

52.222-40 Notification of Employee Rights Under the National Labor Relations Act. (Deviation 2026-O0038) Feb 2026

52.222-41 Service Contract Labor Standards. (Deviation 2026-O0038) Feb 2026

52.222-42 Statement of Equivalent Rates for Federal Hires. May 2014 hereby reads as follows:

Statement of Equivalent Rates for Federal Hires (May 2014)

In compliance with the Service Contract Labor Standards statute and the regulations of the Secretary of Labor (29 CFR Part 4), this clause identifies the classes of service employees expected to be employed under the contract and states the wages and fringe benefits payable to each if they were employed by the contracting agency subject to the provisions of 5 U.S.C.5341 or 5332.

This Statement is for Information Only: It is not a Wage Determination

Employee Class	Monetary Wage-Fringe Benefits
----------------	-------------------------------

-------	-------

-------	-------

-------	-------

--	--

(End of clause)

52.222-50 Combating Trafficking in Persons. (Deviation 2026-O0038) Feb 2026

52.222-55 Minimum Wages for Contractor Workers Under Executive Order 14026. (Deviation 2026-O0038) Feb 2026

52.222-62 Paid Sick Leave Under Executive Order 13706. (Deviation 2026-00038) Feb 2026

52.225-1 Buy American-Supplies (Deviation 2026-O0038) Feb 2026

52.233-3 Protest after Award. (Deviation 2026-O0038) Feb 2026

52.233-4 Applicable Law for Breach of Contract Claim. (Deviation 2026-00038) Feb 2026

The following clauses were deleted:

DFARS Clauses Incorporated by Reference

Number	Title	Effective Date	Alternate/ Deviation	Variation Effective Date
252.247-7023	Transportation of Supplies by Sea.	Oct 2024		

Addendum to Contract Clauses

Additional Information/Notes

The following clauses were added:

FAR Clauses Incorporated by Reference

Number	Title	Effective Date	Alternate/ Deviation	Variation Effective Date
52.204-91	Contractor Identification. (Deviation 2026-O0038)	Feb 2026		
52.222-90	Addressing DEI Discrimination by Federal Contractors. (Deviation 2026-O0038)	Apr 2026		

The following clauses were modified:

52.209-10 Prohibition on Contracting With Inverted Domestic Corporations. (Deviation 2026-O0038) Feb 2026

52.222-3 Convict Labor. (Deviation 2026-O0038) Feb 2026

52.223-23 Sustainable Products. (Deviation 2026-O0038) Feb 2026

52.240-91 Security Prohibitions and Exclusions. (Deviation 2026-O0038) Feb 2026

52.240-93 Basic Safeguarding of Covered Contractor Information Systems. (Deviation 2026-O0038) Feb 2026

52.244-6 Subcontracts for Commercial Products and Commercial Services. (Deviation 2026-

O0038) Apr 2026
Date Changed From: Feb 2026 To: Apr 2026

List of Contract Documents, Exhibits, or Attachments

The attachments table has changed from:

Identifier	Document Name	Document Description	Reference Identifier	Date	Line Item	Page Numbers	Document Type	Provided Under Separate Cover
0001	Statement of Work	Statement of Work		04 Mar 2026			Attachment	No
0002	Wage Determination	Wage Determination		05 Mar 2026			Attachment	No

To:

Identifier	Document Name	Document Description	Reference Identifier	Date	Line Item	Page Numbers	Document Type	Provided Under Separate Cover
0001	PWS Updated	Statement of Work		01 May 2026			Attachment	No
0002	Wage Determination	Wage Determination		05 Mar 2026			Attachment	No

The following contract documents were added:

PWS Updated

The following contract documents were deleted:

Statement of Work

The following contract documents Page Counts were changed:

DOCUMENT PAGE COUNTS		
DOCUMENT NAME	FROM	TO

PWS Updated		none
-------------	--	------

Solicitation Provisions

Additional Information/Notes

The following clauses were modified:

52.204-7 System for Award Management-Registration. (Deviation 2026-O0038) Feb 2026

52.212-1 Instructions to Offerors-Commercial Products and Commercial Services. (Deviation 2026-O0038) Feb 2026

Addendum to Solicitation Provisions

Additional Information/Notes

The following clauses were added:

FAR Clauses Incorporated by Reference

Number	Title	Effective Date	Alternate/ Deviation	Variation Effective Date
52.203-18	Prohibition on Contracting with Entities that Require Certain Internal Confidentiality Agreements or Statements-Representation.	Jan 2017		

The following clauses were modified:

52.240-90 Security Prohibitions and Exclusions Representations and Certifications. (Deviation 2026-O0038) Feb 2026