

Category	Code	Taxon	Common Name	Ottawa NF	State	Notes
Plant	ADFU	Adlumia fungosa	Climbing fumitory	Extirpated	Threatened	One undated old collection.
Lichen	AHAU	Ahtiana aurescens	Eastern Candlewax Lichen	RFSS	Not listed	
Plant	ALSCS	Allium schoenoprasum var. sibiricum	Wild chives	No records	Threatened	
Plant	AMRO	Amerorchis rotundifolia	Round-leaved orchis	No records	Endangered	
Lichen	ANCO25	Anzia colpodes	Black foam lichen	Extirpated	Not listed	Last seen in 1968.
Plant	APAM	Apios americana	Groundnut	No records	Not listed	Collected from the Bad River in 1996.
Plant	ARLU	Artemisia ludoviciana	White sage	Watch	Threatened	
Plant	ARSE4	Artemisia serrata	Sawtooth wormwood	Watch	Threatened	
Plant	ASRH2	Asplenium rhizophyllum	Walking fern	No records	Threatened	
Plant	ASTR10	Asplenium trichomanes-ramosum	Brightgreen spleenwort	No records	Special Concern	= Asplenium viride
Plant	ASCA11	Astragalus canadensis	Canadian milk-vetch	RFSS	Special Concern	
Plant	ASNE2	Astragalus neglectus	Cooper's milk-vetch	RFSS	Special Concern	
Plant	BIDI	Bidens discoidea	Small beggarticks	Watch	Not listed	
Plant	BOAC2	Botrychium acuminatum	Pointed moonwort	No records	Not listed	
Plant	BOAS2	Botrychium ascendens	Trianglelobe moonwort	No records	Not listed	
Plant	BOCR	Botrychium crenulatum	Scalloped moonwort	No records	Not listed	
Plant	BOLU	Botrychium lunaria	Common moonwort	No records	Not listed	
Plant	BOHE5	Botrychium michiganense	Michigan moonwort	RFSS	Threatened	= Botrychium hesperium (BOHE5)
Plant	BOMI	Botrychium minganense	Mingan moonwort	RFSS	Not listed	
Plant	BOMO	Botrychium mormo	Goblin moonwort	RFSS	Endangered	
Plant	BOON	Botrychium oneidense	Blunt-lobed grapefern	RFSS	Not listed	
Plant	BOPA12	Botrychium pallidum	Pale moonwort	No records	Special Concern	
Plant	BOPS	Botrychium pseudopinnatum	False northwestern moonwort	No records	Not listed	
Plant	BORU	Botrychium rugulosum	Ternate grapefern	RFSS	Not listed	
Plant	BOSI	Botrychium simplex	Little moonwort	RFSS	Not listed	Including B. tenebrossum.
Plant	CASTI3	Calamagrostis stricta ssp. inexpansa	New England Northern Reed Grass	RFSS	Not listed	= C. lacustris. We do not have C. stricta ssp. stricta.
Plant	CAHE2	Callitriche hermaphrodita	Autumnal water-starwort	Watch	Special Concern	
Plant	CAHE3	Callitriche heterophylla	Large water-starwort	Watch	Threatened	
Lichen	CAPA77	Caloplaca parvula	Firedot Lichen Species	RFSS	Not listed	
Plant	CANA	Caltha natans	Floating marsh marigold	No records	Endangered	ADDED 2024.
Plant	CABU	Calypso bulbosa	Fair slipper	RFSS	Threatened	
Plant	CAMA36	Cardamine maxima	Large toothwort	Watch	Special Concern	= Dentaria maxima
Plant	CAPR3	Cardamine pratensis	Cuckoo-flower	Watch	Not listed	Sue recommended we add to watch list.
Plant	CAAS2	Carex assiniboinensis	Assiniboia sedge	Watch	Threatened	
Plant	CABA3	Carex backii	Back's sedge	Delisted	Not listed	Was RFSS on the Ottawa NF in 2008.
Plant	CAGY2	Carex gynocrates	Northern bog sedge	No records	Not listed	
Plant	CALA19	Carex laxiflora	Loose-flowered Sedge	Watch	Not listed	Discovered on the ONF in 2022.
Plant	CALE8	Carex lenticularis	Lakeshore sedge	Watch	Not listed	Sue recommended we add to watch list.
Plant	CALI	Carex livida	Livid sedge	No records	Not listed	
Plant	CAMI15	Carex michauxiana	Michaux's sedge	No records	Not listed	
Plant	CATR8	Carex trichocarpa	Hairy-fruited sedge	No records	Special Concern	
Plant	CAVA2	Carex vaginata	Sheathed sedge	Watch	Not listed	
Plant	CAWO2	Carex woodii	Pretty segde	Watch	Not listed	Sue recommended we add to watch list.
Plant	CEEC2	Ceratophyllum echinatum	Spineless hornwort	Watch	Not listed	
Plant	CLOC2	Clematis occidentalis	Purple clematis	Watch	Not listed	

Category	Code	Taxon	Common Name	Ottawa NF	State	Notes
Plant	COPA3	Collinsia parviflora	Small blue-eyed mary	Watch	Special Concern	
Plant	COAM	Conopholis americana	American cancer-root	Watch	Not listed	Should we stop tracking this one?
Plant	CRDO2	Crataegus douglasii	Douglas's hawthorn	No records	Special Concern	Planted at Black River Harbor.
Plant	CRST2	Cryptogramma stelleri	Slender cliff-brake	Watch	Not listed	
Plant	CYAR5	Cypripedium arietinum	Ram's head lady's-slipper	RFSS	Not listed	
Plant	CYPAM3	Cypripedium parviflorum var. makasin	Smaller Yellow Lady's Slipper	RFSS	Not listed	
Plant	CYPAP3	Cypripedium parviflorum var. pubescens	Greater yellow lady's slipper	Watch	Not listed	Should we stop tracking this one?
Plant	CTRE6	Cypripedium reginae	Showy lady's slipper	RFSS	Not listed	
Plant	CYLA4	Cystopteris laurentiana	Laurentian fragile fern	P-RFSS	Special Concern	Discovered on the ONF in 2022. N2N3 & G3.
Plant	DAIN	Danthonia intermedia	Wild oatgrass	No records	Special Concern	
Plant	DRAN	Drosera anglica	English sundew	No records	Special Concern	
Plant	DREX2	Dryopteris expansa	Spreading woodfern	Watch	Not listed	
Plant	DRFI2	Dryopteris filix-mas	Male fern	Watch	Special Concern	
Plant	DRFR	Dryopteris fragrans	Fragrant cliff woodfern	Watch	Special Concern	
Plant	DRGO3	Dryopteris goldiana	Goldie's wood fern	Watch	Not listed	
Plant	DRMA4	Dryopteris marginalis	Marginal wood fern	Watch	Not listed	No specific sites mapped.
Plant	ELOL	Eleocharis olivacea	Olivaceous spike-rush	No records	Not listed	
Plant	ELQU2	Eleocharis quinqueflora	Few-flowered spikerush	No records	Not listed	
Plant	ELGL	Elymus glaucus	Blue wild-rye	Extirpated	Special Concern	Last seen in 1979. McCormick Wilderness.
Plant	ERAC2	Erigeron acris	Fleabane	No records	Extirpated	
Plant	ERCH7	Eriophorum chamissonis	Russet cotton-grass	Watch	Threatened	= Eriophorum russeolum
Plant	ERAL9	Erythronium albidum	White trout-lily	Watch	Not listed	
Bryophyte	FRSE	Frullania selwyniana	Selwyn's Scalewort	RFSS	Not listed	
Plant	GASP5	Galearis spectabilis	Showy orchis	RFSS	Threatened	= Orchis spectabilis
Plant	GABR6	Galium brevipes	Limestone swamp bedstraw	No records	Not listed	
Plant	GELI3	Gentiana linearis	Narrow-leaved gentian	Watch	Threatened	
Plant	GELI2	Geocaulon lividum	False toadflax	No records	Not listed	
Plant	GRAU	Gratiola aurea	Hedge-hyssop	Watch	Threatened	= Gratiola lutea
Plant	GYJE	Gymnocarpium jessoense	Northern oak fern	No records	Endangered	
Plant	GYRO	Gymnocarpium robertianum	Limestone oak fern	No records	Threatened	
Plant	HEMO2	Helianthus mollis	Downy sunflower	Watch	Threatened	We consider our one site introduced.
Plant	HIOD	Hierochloa odorata	Sweet Grass	Watch	Not listed	
Plant	HUAP	Huperzia appalachiana	Mountain fir-moss	No records	Special Concern	
Plant	HUSE	Huperzia selago	Fir clubmoss	RFSS	Special Concern	
Plant	HYVI	Hydrophyllum virginianum	Virginia waterleaf	Watch	Not listed	
Plant	HYPR	Hypericum prolificum	Shrubby St. John's-wort	Watch	Not listed	
Lichen	HYRE4	Hypotrachyna revoluta	Powdered Loop Lichen	Watch	Not listed	Fryday & Wetmore (2002)
Plant	JUCI	Juglans cinerea	Butternut	RFSS	Not listed	
Plant	JUST	Juncus stygius	Moor rush	Watch	Endangered	
Plant	LIL0	Liparis loeselii	yellow widelip orchid	Watch	Not listed	
Plant	LIAU2	Listera auriculata	Suricled twayblade	No records	Not listed	
Plant	LIUN	Littorella uniflora	American shore-grass	RFSS	Special Concern	
Plant	LYVI4	Lycopus virginicus	Virginia water horehound	No records	Special Concern	Known from Ewen.
Plant	LYHY	Lysimachia hybrida	Swamp candles	Extirpated	Extirpated	Last seen in 1919.
Plant	MABR5	Malaxis brachypoda	White adder's mouth	No records	Not listed	= M. monophylla var. brachypoda

Category	Code	Taxon	Common Name	Ottawa NF	State	Notes
Plant	MEPA	Mertensia paniculata	Northern bluebell	Watch	Special Concern	Added 2024.
Plant	MIGU	Mimulus guttatus	Western monkey-flower	RFSS	Special Concern	
Plant	MIMO3	Mimulus moschatus	muskflower	Watch	Not listed	= Erythranthe moschata
Plant	MOMA3	Moehringia macrophylla	Big-leaf sandwort	RFSS	Threatened	= Arenaria macrophylla
Plant	MUUN	Muhlenbergia uniflora	bog muhly	Watch	Not listed	
Plant	MYAL3	Myriophyllum alterniflorum	Alternate-leaved water-milfoil	Watch	Special Concern	
Plant	MYFA2	Myriophyllum farwellii	Farwell's water-milfoil	Watch	Not listed	Delisted by MI in 2023.
Plant	NEAQ2	Neobekia aquatica	Lakecress	No records	Special Concern	= Armoracia lacustris & Rorippa aquatica
Plant	NUPU2	Nuphar pumila	Small yellow pond-lily	RFSS	Endangered	= Nuphar microphylla
Plant	OMSY	Omalotheca sylvatica	Woodland cudweed	Watch	Threatened	= Gnaphalium sylvaticum
Plant	OPPU3	Ophioglossum pusillum	Northern adder's-tongue	RFSS	Not listed	
Plant	ORUN	Orobanche uniflora	One-flowered broomrape	Watch	Not listed	
Plant	PAIN11	Packera indecora	Rayless mountain ragwort	No records	Threatened	= Senecio indecorus
Plant	PAQU	Panax quinquefolius	American ginseng	RFSS	Threatened	
Plant	PAPA8	Parnassia palustris	Marsh Grass-of-Parnassus	No records	Threatened	
Plant	PEAT2	Pellaea atropurpurea	Purple cliff-brake	No records	Threatened	
Plant	PACA8	Persicaria careyi	Carey's smartweed	Extirpated	Threatened	= Polygonum careyi. Last seen in 1987.
Plant	PEFRS5	Petasites frigidus var. sagittatus	Sweet-coltsfoot	RFSS	Threatened	= Petasites sagittatus
Plant	PHHE11	Phegopteris hexagonoptera	Broad Beech Fern	RFSS	Not listed	
Plant	PIVU	Pinguicula vulgaris	Butterwort	No records	Special Concern	
Plant	PICA19	Piptatheropsis canadensis	Canada rice-grass	P-RFSS	Threatened	= Piptatherum canadense & Oryzopsis canadensis
Plant	PLDI3	Platanthera dilatata	Tall white bog orchid	Watch	Not listed	ADDED 2024.
Plant	PLOR4	Platanthera orbiculata	Lesser Roundleaved Orchid	Watch	Not listed	ADDED 2024.
Plant	POOCL	Polemonium occidentale ssp. lacustre	Western Jacob's ladder	No records	Not known to occur	RFSS on the Cheq-Nic.
Plant	POLO4	Polystichum lonchitis	Northern hollyfern	Watch	Not listed	
Plant	POCO12	Potamogeton confervoides	Alga pondweed	RFSS	Special Concern	
Plant	POVA3	Potamogeton vaseyi	Vasey's Pondweed	Watch	Threatened	
Plant	PRMI	Primula mistassinica	Bird's-eye Primrose	RFSS	Not listed	
Plant	PRHOH	Prosartes hookeri var. oregana	Fairy bells	RFSS	Threatened	
Plant	PTAN2	Pterospora andromedea	Pine-drops	RFSS	Not listed	
Bryophyte	PYTE4	Pylaisiadelphina tenuirostris	Pylaisiadelphina moss	Watch	Not listed	Removed from Ottawa RFSS list in 2024.
Plant	PYAM	Pyrola americana	Round-leaved pyrola	Watch	Not listed	ADDED 2024. = Pyrola rotundifolia.
Plant	PYAS	Pyrola asarifolia	Pink pyrola	Watch	Not listed	
Plant	PYMI	Pyrola minor	Lesser pyrola	No records	Special Concern	
Plant	QUAL	Quercus alba	White oak	Watch	Not listed	
Plant	QUEL	Quercus ellipsoidalis	Northern pin oak	Watch	Not listed	
Plant	QUMA2	Quercus macrocarpa	Bur oak	Watch	Not listed	
Plant	RACY	Ranunculus cymbalaria	Seaside crowfoot	No records	Extirpated	
Plant	RAGM	Ranunculus gmelinii	Small Yellow Water Crowfoot	RFSS	Special Concern	
Plant	RARH	Ranunculus rhomboideus	Prairie buttercup	RFSS	Threatened	
Plant	RHFU	Rhynchospora fusca	Brown beaksedge	Watch	Not listed	
Plant	RIOX	Ribes oxycanthoides	Northern gooseberry	Watch	Special Concern	
Plant	SANO	Sagina nodosa	Pearlwort	No records	Threatened	
Plant	SAPE3	Salix pellita	Satiny willow	Watch	Threatened	One questionable 1982 record.
Bryophyte	SCPE9	Schistostega pennata	schistostega moss	Extirpated	Not listed	Last seen in 1975.

Category	Code	Taxon	Common Name	Ottawa NF	State	Notes
Plant	SCTO3	Schoenoplectus torreyi	Torrey's bulrush	Watch	Special Concern	One known site.
Plant	SINI	Silene nivea	Evening campion	RFSS	Threatened	
Plant	SIMOM	Sisyrinchium montanum var. montanum	Mountain Blue-eyed Grass	No records	Not listed	ADDED 2024.
Plant	SIST4	Sisyrinchium strictum	Strict Blue-eyed Grass	RFSS	Threatened	
Plant	SMHE	Smilax herbacea	Smooth carrion-flower	Watch	Special Concern	ADDED 2024.
Plant		Spinulum canadense	Northern clubmoss	No records	Special Concern	ADDED 2024. No USDA code yet.
Plant	STPI6	Stachys pilosa	Hairy hedge-nettle	Watch	Special Concern	ADDED 2024.
Lichen	STBE2	Sticta beauvoisii	Beauvois' Spotted Felt Lichen	Extirpated	Not listed	Last seen in 1975.
Plant	STAM2	Streptopus amplexifolius	Twisted-stalk	Watch	Not listed	
Plant	THVEC	Thalictrum venulosum var. confine	Veiny meadow-rue	Watch	Not listed	
Plant	THNO	Thelypteris noveboracensis	New York fern	Watch	Not listed	= Amauropelta n. RFSS delisted 2024.
Plant	TICO	Tiarella cordifolia	Heartleaf foamflower	Watch	Not listed	
Plant	TRSP2	Trisetum spicatum	Downy oat-grass	No records	Special Concern	
Plant	ULTH	Ulmus thomasii	Rock elm	Watch	Not listed	
Lichen	USLO50	Usnea longissima	Beard lichen	Watch	Not listed	Removed from Ottawa RFSS list in 2024.
Plant	UTGE	Utricularia geminiscapa	Hidden-fruited bladderwort	Watch	Not listed	
Plant	UTGI	Utricularia gibba	Humped bladderwort	Watch	Not listed	Should we stop tracking this one?
Plant	UTRE	Utricularia resupinata	Lavender bladderwort	Watch	Not listed	
Plant	VACE	Vaccinium cespitosum	Dwarf bilberry	RFSS	Threatened	
Plant	VEVI4	Veronicastrum virginicum	Culver's-root	Watch	Not listed	
Plant	VIDE	Viburnum edule	Squashberry	No records	Threatened	
Plant	VILA4	Viola lanceolata	Lance-leaved violet	Watch	Not listed	
Plant	VINO	Viola novae-angliae	New England violet	RFSS	Threatened	Both ssp. grisea & ssp. novae-angliae.
Plant	WOAL	Woodsia alpina	Northern woodsia	No records	Endangered	
Plant	WOOB2	Woodsia obtusa	Blunt-lobed woodsia	No records	Threatened	
Plant	ZIAQ	Zizania aquatica	Southern wild-rice	No records	Threatened	
Plant	ZIPA3	Zizania palustris	Northern wild-rice	Watch	Not listed	
Plant	ZIAP	Zizia aptera	Prairie golden alexanders	RFSS	Threatened	
163 species total. 99 are RFSS or State-listed. 64 are not.						
New populations that are RFSS, P-RFSS, Ottawa NF extirpated, or State-listed should be documented with a Michigan Special Plant Survey Form. Other species may be documented with GPS location, date, observer, area, at least one photo, and notes on abundance and habitat.						

Contract Invasive Plant Priority List, Ottawa National Forest 2025

Priority	Common name	Scientific name
High	Japanese barberry	<i>Berberis thunbergii</i>
High	Glossy buckthorn	<i>Frangula alnus</i>
High	Bell's honeysuckle	<i>Lonicera × bella</i>
High	Morrow's honeysuckle	<i>Lonicera morrowii</i>
High	Tartarian honeysuckle	<i>Lonicera tartarica</i>
High	Eurasian watermilfoil	<i>Myriophyllum spicatum</i> *
High	Common buckthorn	<i>Rhamnus cathartica</i>
New Invader/High	Siberian peashrub	<i>Caragana arborescens</i>
New Invader/High	Houndstongue	<i>Cynoglossum officinale</i>
New Invader/High	Paradise plant	<i>Daphne mezereum</i>
New Invader/High	Cutleaf teasel	<i>Dipsacus laciniatus</i>
New Invader/High	Autumn olive	<i>Elaeagnus umbellata</i>
New Invader/High	Giant hogweed	<i>Heracleum mantegazzianum</i> **, *
New Invader/High	Paleyellow iris	<i>Iris pseudacorus</i>
New Invader/High	Purple moor grass	<i>Molinia caerulea</i>
New Invader/High	Common reed	<i>Phragmites australis</i>
New Invader/High	Burnet-saxifrage	<i>Pimpinella saxifraga</i>
New Invader/High	Japanese knotweed	<i>Polygonum cuspidatum</i> *
New Invader/High	Giant knotweed	<i>Polygonum sachalinense</i>
New Invader/High	Curlyleaf pondweed	<i>Potamogeton crispus</i> *
New Invader/High	Tansy ragwort	<i>Senecio jacobaea</i>
New Invader/High	Japanese hedgeparsley	<i>Torilis japonica</i>
Medium	Bishop's goutweed	<i>Aegopodium podagraria</i>
Medium	Garlic mustard	<i>Alliaria petiolata</i>
Medium	Wild chervil	<i>Anthriscus sylvestris</i>
Medium	European swamp thistle	<i>Cirsium palustre</i>
Medium	Leafy spurge	<i>Euphorbia esula</i>
Medium	Dames rocket	<i>Hesperis matronalis</i>
Medium	Flat pea	<i>Lathyrus sylvestris</i>
Medium	Purple loosestrife	<i>Lythrum salicaria</i> *
Medium	Wild parsnip	<i>Pastinaca sativa</i>
Medium	Reed canarygrass	<i>Phalaris arundinacea</i>
Medium	Scots pine	<i>Pinus sylvestris</i>
Medium	Crown-vetch	<i>Securigera varia</i>
Medium	Garden valerian	<i>Valeriana officinalis</i>

* Michigan listed noxious weed, or Michigan prohibited or restricted species. ** Federally listed noxious weed.

WATCH: *Butomus umbellatus* (flowering rush), *Conium maculatum* (poison hemlock), *Dipsacus fullonum* (Common teasel), *Hydrocharis morsus-ranae* (European frogbit), *Sorbaria sorbifolia* (false spiraea). None of these are known on the Ottawa.

Record locations of invasive species on the ONF Invasive Plant Priority List (not including low priority species). Contractor need not record sites of two Medium priority species: *Cirsium palustre* and *Phalaris arundinacea*; they are abundant. 38 species should be recorded (7 high, 15 new invader, 11 medium, 5 watch).

Contractors may use the Ottawa National Forest Weed Reporting Form to document new invasive plant sites. Note the six required fields: species, location (GPS latitude & longitude, NAD83), gross area, percent cover, observer, and date. Additional information such as number of plants and location details are encouraged but not required. Contractors may fill out a form for each site or prepare an Excel spreadsheet with rows for all sites and columns for all required fields. If Contractors find any other exotic plants that seem noteworthy or to be cause for concern, please

note them in the stand tracker. For example, you might mention an uncommon exotic plant not on the list, or abundant *Cirsium palustre* along a road or in a wetland.

LOW PRIORITY: *Arctium minus* (burdock), *Berteroa incana* (hoary alyssum), *Bromus inermis* (smooth brome), *Centaurea stoebe* (spotted knapweed), *Cirsium arvense** (Canada thistle), *Cirsium vulgare* (bull thistle), *Dactylis glomerata* (orchard grass), *Daucus carota** (Queen Anne's lace), *Galeopsis tetrahit* (hemp-nettle), *Hieracium aurantiacum* (orange hawkweed), *Hieracium piloselloides* (tall hawkweed), *Hypericum perforatum* (common St. Johnswort), *Lapsana communis* (nipplewort), *Leucanthemum vulgare* (oxeye daisy), *Linaria vulgaris* (butter-and-eggs), *Lotus corniculata* (bird's-foot trefoil), *Lupinus polyphyllus* (bigleaf lupine), *Melilotus officinalis* (sweet-clover), *Myosotis scorpioides* (true forget-me-not), *Ranunculus acris* (tall buttercup), *Robinia pseudoacacia* (black locust), *Rumex crispus* (curly dock), *Salix fragilis* & *S. X rubens* (crack willow), *Solanum dulcamara* (climbing nightshade), *Sonchus arvensis** (field sowthistle), *Tanacetum vulgare* (common tansy), *Vinca minor* (common periwinkle).

Red text are low priority species we may still track in GIS, especially if the infestation is somehow noteworthy. But recording Low Priority species is not required.

Ottawa National Forest Invasive Plant Reporting Form

Weed Species: _____ **Occurrence number:** _____

Project name: _____ **Site name:** _____

Location (Fill in either the legal description, latitude and longitude, UTM, or attach a map)

Legal Description: Twp _____ Rng _____ Sec _____ $\frac{1}{4}$ sec _____ $\frac{1}{4}\frac{1}{4}$ sec _____

Latitude _____ **Longitude** _____

UTM _____

District: _____ **Compartment:** _____ **Stand:** _____

Directions to site (or include a detailed map) : _____

Owner: _____ **County:** _____

Infested gross area (acres): _____

% Gross Area Infested (typically 100%): _____

living room = .004 acres (12' x 16')
baseball diamond = 0.2 acres (90' x 90')
football field = 1.1 acres (300' x 160')

% Cover (canopy cover of the weed, 1 to 100): _____

Count: _____ (Circle one: plants or stems)

Dominant life form (circle one): Forbs, Graminoids, Nonvascular plants, Shrubs, Trees

Phenology (circle one): Pre-flowering , Flowering , Fruiting , Senescent

Distribution (circle one): Clumpy , Scattered patchy , Scattered even , Linear

Observer: _____ **Date observed:** _____

Address: _____ **Phone:** _____

Comments: _____

Ottawa National Forest Weed Reporting Form: Field Definitions

These definitions are primarily taken from the 2005 Invasive Plant Inventory, Monitoring and Mapping Protocol Field Guide, available at the NRIS FSWeb web page: <http://fsweb.nris.fs.fed.us/index.shtml>

Weed species: Enter the scientific or common name for the weed species observed. Priority weeds to report include garlic mustard, Japanese barberry, non-native honeysuckles, purple loosestrife, non-native buckthorns, Eurasian water-milfoil, curlyleaf pondweed, Japanese knotweed, giant knotweed, wild chervil, crown vetch, garden valerian, leafy spurge, autumn olive, large knapweed or thistle infestations, and major infestations of any other non-native species.

Project name: If the observation of this weed was not associated with any specific project or inventory, then enter "None".

Occurrence number: Will be completed in the office.

Site name: Enter a name for the site. For example, "Bobcat Lake Campground."

Location: Fill in either the legal description, latitude and longitude, or UTM. If using GPS, set your receiver to map datum = NAD83.

Directions to site: Include other location details, such as the name of an associated road, lake, or stream.

Owner: Record the landownership where the site is located. For example, "USFS" for Ottawa National Forest land.

Infested gross area: Defined by drawing a line around the general perimeter of the infestation.

Percent (%) gross area infested: Proportion of the gross area that contains the target invasive weed. Typically = 100%. If, for some reason, your polygon is larger than the infestation boundary, use less than 100% (e.g. linear infestations within a larger area).

Percent (%) cover: The canopy cover of the weed within the infested gross area. Use a whole number, 1 to 100.

Infested area: Not on the form. Gross area X percent infested = Infested Area. Infested Area was redefined in 2009 as the area of land, in acres, containing a single invasive species delineated by the actual perimeter of the infestation or population as defined by the outer edge of the canopy cover of the plants or the visible population of other taxa, excluding adjacent areas not infested and outside the perimeter of the population. Now infested area will usually equal gross area.

Count: The total number of plants or stems across the population or infestation. Estimates are okay, although we cannot enter a range of numbers.

Dominant life form: Dominant life form on the site (not the life form of the weed). Dominant life form is defined as the characteristic form or appearance of a species at maturity.

Phenology: The stage of plant development of the weed related to buds, flowers, or fruit. The field indicates the phenology of most of the plants at the time of sampling.

Distribution: The spatial distribution of individual plants within a population and across the landscape

Comments: Include other details, such as a description of the habitat and surroundings, associated species, and specific resource concerns. Please note if you conducted any treatment (pull, spray) of the weeds.

Instructions for Reporting Plants of Cultural Significance

Ottawa National Forest, 26 February 2026

The Ottawa NF uses plant surveys to record locations of not just rare and invasive plants, but also plants of cultural significance. Our original list of plants of cultural significance came from the GLIFWC Climate Change Team (2023)¹, with some changes in consultation with Tribal partners. The 2026 list adds more species in support of the Gete Miinikaanan Project (red text).

Ojibwemowin	English	Scientific Name	Method
Wiikenh	Sweet Flag	<i>Acorus americanus</i>	A
Bagwaji'zhigaagawanzh	Wild Leek	<i>Allium tricoccum</i>	D
Gozigwaakominagaawanzh	Serviceberry	<i>Amelanchier spp.</i>	D
Wiingashk	Sweetgrass	<i>Anthoxanthum hirtum</i>	A
Opin	Ground Nut	<i>Apios americana</i>	A
Mashkodewashk	Wild Sage	<i>Artemisia ludoviciana</i>	A
Namepin	Wild Ginger	<i>Asarum canadense</i>	A
Ininiwanzh	Milkweed	<i>Asclepias syriaca</i>	D
Wiigwaasaatig	Paper Birch	<i>Betula papyrifera</i>	C
Miskwaabiimizh	Red-osier Dogwood	<i>Cornus sericea</i>	D
Ode'imin	Strawberry	<i>Fragaria virginiana</i> ; <i>F. vesca</i>	D
Aagimaak	White Ash	<i>Fraxinus americana</i>	E
Baapaagimaak	Black Ash	<i>Fraxinus nigra</i>	E
Nsakemizhiins	Witch Hazel	<i>Hamamelis virginiana</i>	A
Ashkibwaa	Sunchoke	<i>Helianthus tuberosus</i>	A
Gaagigebag	Princess Pine	<i>Lycopodium obscurum</i> , <i>L. dendroideum</i> , <i>L. hickeyi</i>	D
Anaaganabag	Ostrich Fern	<i>Matteuccia struthiopteris</i>	D
Zaasab	Wild Bergamot	<i>Monarda fistulosa</i>	D
Jiisens	American Ginseng	<i>Panax quinquefolius</i>	A
Bagesaanaatig	Wild Plum	<i>Prunus americana</i> ; <i>Prunus nigra</i>	A
Bawa'iminagaawanzh	Pin cherry	<i>Prunus pensylvanica</i>	D
Amikominaatig & Zhaboominagaawanzhiig	Currants & Gooseberries	<i>Ribes americanum</i> , <i>R. triste</i> , <i>R. lacustre</i> , <i>R. cynosbati</i> , <i>R. glandulosum</i> , <i>R. hudsonianum</i> , <i>R. hirtellum</i>	D
Odatagaagominagaawanzh	Blackberry	<i>Rubus allegheniensis</i> , <i>R. canadensis</i> , <i>R. pensilvanicus</i>	D
Datgaagminan	Thimbleberry	<i>Rubus parviflorus</i>	D
Bagwajipin	Broadleaf Arrowhead	<i>Sagittaria latifolia</i>	B
Miskojiibik	Bloodroot	<i>Sanguinaria canadensis</i>	B
Miin	Blueberry	<i>Vaccinium angustifolium</i> ; <i>V. myrtilloides</i>	D
Aniibimin	Large Cranberry	<i>Vaccinium macrocarpon</i>	A
Manoomin	Northern Wild Rice	<i>Zizania palustris</i>	A

¹ GLIFWC Climate Change Team. 2023. Aanji-bimaadiziimagak o'ow aki. Great Lakes Indian Fish and Wildlife Commission, Odanah, Wisconsin. 332 p. <https://glifwc.org/ClimateChange/VulnerabilityAssessment.html>

We have assigned each species one of **five** recording methods:

- A. Record all locations by date, location, and abundance.
- B. Record large patches by date and location. Contractor may define large patches and stop after five locations. Mentioning in stand tracker is optional.
- C. Paper Birch. Record date and location of trees greater than 12 inches diameter, **without excessive curving, branching, or branch scars below 8 feet**. Contractor may stop after five locations total.
- D. Record large patches that are easily accessible (near a road open to motor vehicles). Record date and location. Contractor may stop after five locations total.
- E. White & Black Ash: **Note large stands of dead or dying individuals located near to roadways, to allow for sustainable harvest. Note apparently healthy or resistant individuals or populations for conservation.**

Four plants of cultural significance are also designated as rare species on the Ottawa NF. Also follow rare plant species reporting requirements, including photos, for those species:

- Opin, Ground Nut, *Apios americana*
- Mashkodewashk, Wild Sage, *Artemisia ludoviciana*
- Jiisens, American Ginseng, *Panax quinquefolius*
- Manoomin, Northern Wild Rice, *Zizania palustris*

**Ottawa National Forest Botany Program
Protocol for Rare Plant Surveys**

3/17/26 Update Ian Shackleford

I. Survey Protocol

Pre-field review

Review topographic maps; aerial photographs; compartment maps; stand type and other information prior to field work to select the most likely rare plant habitat areas within your survey area. Use rare plant guides; element stewardship abstracts; floras; and other relevant information to determine which listed species are likely to occur in the project area. Review locations of documented element occurrences in/near your survey area. Select access routes and check with COR or District personnel regarding condition of roads, trails, location of gates, etc. Contact Ranger or COR if administrative use of roads not on Motor Vehicle Use Map (MVUM) is needed.

Stand type legend:

Code	Forest/Cover Type
01	jack pine
02	red pine
03	white pine
04	eastern white pine - hemlock
05	hemlock
08	white spruce
11	balsam fir - aspen/paper birch
12	black spruce
14	northern white cedar
15	tamarack
16	white spruce - balsam fir
17	upland black spruce
18	mixed swamp conifer (fir, hemlock, black spruce, tamarack, white cedar)
19	northern white cedar - aspen/paper birch
20	northern hardwoods - hemlock
21	mixed northern hardwoods
22	upland northern white cedar
24	balsam fir
30	mixed pines
41	eastern white pine - northern red oak/white ash
43	oak - eastern white pine
47	oak - aspen
48	jack pine - oak
49	red pine - oak
55	northern red oak
70	sugar maple & black cherry
71	black ash - American elm/red maple
76	red maple (wet site)
79	mixed lowland hardwoods

80	sugar maple -northern red oak
81	sugar maple - yellow birch
82	sugar maple - basswood
84	red maple (dry site)
85	sugar maple
87	sugar maple - yellow birch/hemlock
89	mixed upland hardwoods
91	quaking aspen
92	paper birch
93	bigtooth aspen
95	aspen - white spruce /balsam fir
97	lowland shrubs (alder, dogwood, willow)
98	upland shrubs
99	open (could be upland or lowland)

Stand size density legend:

Code	Stocking
0	nonstocked (<16% stocked)
1	seedling/sapling (16-39%)
2	seedling/sapling (40-69%)
3	seedling/sapling (>70%)
4	poletimber (16-39%)
5	poletimber (40-69%)
6	poletimber (>70%)
7	sawtimber (16-39%)
8	sawtimber (40-69%)
9	sawtimber (>70%)
poletimber = 5-8.9" DBH for aspen & conifers; 5-10.9" DBH for hardwoods	
sawtimber = >= 9" DBH for aspen & conifers; >= 11" DBH for hardwoods	

Field surveys

Conduct field surveys on a controlled intuitive or meander basis. That is, crisscross the survey stands while detouring to the most likely habitats for listed plants, such as rock outcrops, wetland inclusions, etc. Check both homogenous and heterogenous parts of stands, paying particular attention to ecotones. Sample the full range of habitats and site conditions included in the survey stands. Conduct one or two rounds of surveys in hardwood and other mesic stands, with greater potential for rare plants. Surveys should occur between May 15 and July 14 and July 15 and September 15, with repeat surveys at least 3 weeks apart. In drier cover types with lower potential for rare plants, and for projects with lesser disturbance (such as wildlife openings, special use permits, culvert replacements), conduct only one round of survey, between May 15 and Sept. 15. Follow different routes on repeat surveys to obtain greater stand coverage (unless rechecking specific areas or species of interest).

Mark in the field (e.g. with flagging tape) and/or take a GPS waypoint for particular areas or plant populations noted while surveying that need special attention in a subsequent survey, so you can easily relocate them. Use

Botany assigned-color flagging: yellow/black diagonal stripe (can be tied with orange for greater visibility but do not flag with orange alone). Do not extensively mark populations of listed plants other than temporarily, to avoid drawing undue attention to these areas.

For small populations, where, in the Contractor's professional judgment, it would be difficult to relocate the population using handheld GPS readings (accurate to about 50 feet under tree canopy) and description of landmarks, complete an additional monumenting process as follows. Locate three live and healthy-appearing witness trees, at least 5 inches in diameter at breast height, close to the rare plant population but in varying directions from the population. Record the species and dbh of these witness trees. Then measure and record the distance from the population to each of the three trees, and the bearing from the population to the tree. For example, the site record might read "8 inch red maple at 34 feet and 70 degrees, 12 inch white spruce at 25 feet and 180 degrees, 5 inch balsam at 15 feet and 290 degrees". At the base of the three witness trees, nail a metal tag in the direction facing the population. Tags and nails will be supplied.

Record a GPS track for your survey (use NAD83 datum). Submit tracks in format compatible with the Ottawa GIS, showing dates surveyed. Check with COR to ensure compatibility of computer systems.

II. Final Report

Ottawa National Forest employees and volunteers may continue using the "Plant Survey General Form" and "Plant Survey Species Form" as described in recent protocols for rare plant surveys. For plant survey contracts, we instead seek a final report. The final report must be a Microsoft Word document and will include:

- A summary of the area surveyed. List the Ranger Districts and Counties in which the surveys occurred, number of stands, and total acres surveyed. Identify everyone that conducted the surveys.
- List all habitats encountered, following "A Field Guide to the Natural Communities of Michigan" by Cohen et al. (2015). Discuss each habitat, including tree canopy species, subcanopy, and typical species found in each habitat. Discuss any noteworthy plants and features such as geomorphology for each habitat.
- A section on rare plants, listing all rare plants found. Remember all RFSS and State-listed plant populations must also be documented with an MNFI Special Plant Survey Form. Other rare plants identified in the 2026 ONF Rare Plants List require less detail: GPS location, date, observer, area, at least one photo, and notes on abundance and habitat. Give details in the final report, or indicate where the details can be found (such as a separate Excel file, a GIS shapefile, or iNaturalist observations).
- A section listing all plant specimens collected as part of the surveys, to be submitted to an herbarium. See collecting details below.
- A section on invasive plants. If a population of an Ottawa non-native invasive plant (NNIP) species of concern is found, information about the plant identity, number of individuals, location, infestation extent and habitat characteristics will be recorded. Contractor may use the Ottawa National Forest Weed Reporting form (see attachments). Alternatively, an Excel spreadsheet with all the required fields on the Weed Reporting form may be used. The final report should list the species found and where to find the site details.
- A section on plants of cultural concern. See separate "Instructions for Reporting Plants of Cultural Significance."
- A section on conservation and management recommendations for the project area.

- A section on other observations, such as wildlife, historic sites, dump sites, or signs of improper human activity.

III. Species List

Prepare one comprehensive species list for all vascular plants observed under this contract. For contractors, this replaces the “Plant Survey Species Form” we previously required for each habitat type. Include the scientific and common name for each species. Score the abundance of each species as follows: A for abundant, C for common, F for frequent, O for occasional, T for trace. Sort the species list by trees, shrubs/subshrubs/vines, forbs, graminoids, and ferns & allies. The species list should include identification of grasses and sedges to species. Listing plants to the genus level is only acceptable when flowers or other necessary features were not found during the course of the contract. Additional notes for each species are optional, but could include collection numbers or details on where uncommon plants were observed. Listing bryophyte, lichen, and fungal species is optional. Submit as either a Microsoft Word form or Excel spreadsheet.

IV. Plant Collections

For those species that you collect to press and submit to an herbarium, record details while in the field for an herbarium label. Details should include:

- Collector's name
- Collection number
- Tentative ID
- Precise location where the plant is collected. Include latitude and longitude, as well as relevant details such as road numbers or local landmarks;
- Habitat, topography, geology, soil moisture or water regime, aspect;
- Color and apparent health or vigor (details that may not be evident when the specimen is old and dry)
- Abundance
- Associated species
- Anomalies
- Other details of interest

Subsequently, you must prepare a **typed** label for the voucher specimen and include it in the newspaper with the plant. **FOLLOW ETHICAL COLLECTING PRACTICES** and take good care of your specimens so that the herbarium sheet prepared with them will be as informative as possible. Specimens should easily fit within a standard folded ½ page of newspaper; do not extend the newspaper folder with additional paper. Please review Dr. Ed Voss’ article on labeling prior to preparing labels (1999). Typed labels may be submitted on paper or electronically; if the latter, the Forest will print onto high quality paper and submit with specimens.

NOTE: As a federal employee, or contractor to the Ottawa National Forest, you do not need a permit to collect plants on Ottawa national forest system lands, even if the plants are included on the State of Michigan special plants list. Michigan Natural Features Inventory (MNFI) disagrees with this. The issue has been discussed and no agreement reached with MNFI, but this is USDA Forest Service policy verified by the Office of General Counsel. If you collect MI-listed plants off the Forest or on private land within the Forest, you do need a collection permit from the DNR.

RARE PLANT SEARCH TIMES

SPECIES	APRIL				MAY				JUNE				JULY				AUGUST				SEPTEMBER				OCTOBER				NOVEMBER			
<i>Ahtiana aurescens</i>	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
<i>Asplenium rhizophyllum</i>	+	+	+	+	+	+	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	+	+	+	+	+	+		
<i>Astragalus canadensis</i>									+	+	+	+	X	X	X	X	X	X	X	X	X	X										
<i>Astragalus neglectus</i>									+	+	X	X	X	X	X	X	X	X	X	X	X	X										
<i>Bidens discoidea</i>															+	X	X	X	X	X	X											
<i>Botrychium lunaria</i>							+	+	X	X	X	X	X	X	X	X	+	+														
<i>Botrychium michiganense</i>									X	X	X	X	X	X	X	X	X	X	X	X	X	X										
<i>Botrychium minganense</i>								X	X	X	X	X	X	X	X	+	+	+	+													
<i>Botrychium mormo</i>												+	+	+	+	X	X	X	X	X	X	X	X	X	X	+	+	+	+	+		
<i>Botrychium oneidense</i>					+	+	+	+	Old leaves?						+	+	X	X	X	X	X	X	X	X	X	X	+	+	+	+		
<i>Botrychium pallidum</i>								+	X	X	X	X	X	X	X	X																
<i>Botrychium rugulosum</i>								X	X	X	+	+	+	+	+	+	+	+	X	X	X	X	X	X	X	X	+	+	+	+		
<i>Botrychium simplex</i>									+	X	X	X	X	X	X	X	X	+	+	+	+	+	+									
<i>Calamagrostis lacustris</i>									+	+	+	+	X	X	X	X	X	X	X	X												
<i>Calypso bulbosa</i>							+	X	X	X	+																					
<i>Cardamine maxima</i>					+	X	X	X	X	+	+	+	+	+	+																	
<i>Carex backii</i>									X	X	X	X	X	X	X	X																
<i>Crataegus douglasii</i>				+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	X	X	X	X	X	X	+	+	+	+	+	+		
<i>Cypripedium arietinum</i>							+	X	X	X	+																					
<i>Cypripedium parviflorum var. makasin</i>							+	X	X	X	X	X	+																			
<i>Cypripedium reginae</i>							+	X	X	X	X	X	+																			
<i>Cystopteris laurentiana</i>											X	X	X	X	X	X	X	X	X	X												
<i>Dryopteris expansa</i>																																
<i>Eleocharis olivacea</i>															X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
<i>Erythronium albidum</i>				+	X	X	X	X	+	+	+																					
<i>Frullania selwyniana</i>	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
<i>Galearis spectabilis</i>							+	X	X	X	X	+																				
<i>Geocaulon lividum</i>											+	+	X	X	X	X	X	X	X	X												
<i>Huperzia selago</i>	+	+	+	+	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	+	+	+	+		
<i>Juglans cinerea</i>							X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X										
<i>Juncus stygius</i>													X	X	X	X	X	X	X	X	X	X										
<i>Juncus vaseyi</i>								+	+	+	+	X	X	X	X	X	X	X	X	X												
<i>Listera auriculata</i>											X	X	X	X	X	X	X	X														
<i>Littorella uniflora</i>												+	+	+	X	X	X	X	X	+												
<i>Malaxis brachypoda</i>										+	X	X	X	X	X	X	X	X	X	+												
<i>Mimulus guttatus</i>								+	+	X	X	X	X	X	X	X	X	X	X	+	+											
<i>Moehringia macrophylla</i>								X	X	X	X	X	X	X	X																	
<i>Muhlenbergia uniflora</i>											+	X	X	X	X	X	X	X	X	+	+											

X = Optimum time to search

+ = OK time with good conditions, or search time is uncertain

31 July 2025

This is not a comprehensive list of rare plants known or suspected on the Ottawa NF.

RARE PLANT SEARCH TIMES

SPECIES	APRIL				MAY				JUNE				JULY				AUGUST				SEPTEMBER				OCTOBER				NOVEMBER			
<i>Myriophyllum farwellii</i>									+	+	+	+	X	X	X	X	X	X	X	X												
<i>Neobekia aquatica</i>									X	X	X	X	X	X	X	X	X	X	X	X												
<i>Nuphar pumila</i>									+	+	+	+	X	X	X	X	X	+	+													
<i>Ophioglossum pusillum</i>							+		+	X	X	X	X	X	X	X	X	X	+	+	+	+	+	+								
<i>Orobanche uniflora</i>									+	X	X	X	+	+																		
<i>Oryzopsis canadensis</i>										X	X	X	X	X	X	X	+	+	+	+	+	+	+	+								
<i>Panax quinquefolius</i>									X	X	X	X	X	X	X	X	X	X	X	X	+	+	+	+								
<i>Petasites frigidus</i> var. <i>sagittatus</i>					+	+	X	X	X	X	X	X	X	X	X	X	X	X	X	+												
<i>Phegopteris hexagonoptera</i>							+	+	X	X	X	X	X	X	X	X	X	X	X	X	X	X										
<i>Piptatheropsis canadensis</i>													+	X	X	X	X	+														
<i>Polemonium occidentale</i>												+	X	X	+	+																
<i>Polygonum careyi</i>									+	+	+	+	X	X	X	X	X	X	X	X												
<i>Potamogeton confervoides</i>														+	X	X	X	X	X	X	X	X	X	+	+							
<i>Prosartes hookeri</i> var. <i>oregana</i>									X	X	X	X	+	+	+	+	+	+	+	+	+	+										
<i>Pterospora andromeda</i>				Old stems	+	+	+	+	+	+	X	X	X	X	X	X	X	X	X	X												
<i>Pyrola asarifolia</i>										X	X	X	X	X	X	X	+															
<i>Pyrola minor</i>													+	X	X	X	X	X	+													
<i>Ranunculus gmelinii</i>												+	X	X	X	X	X	X	X	X	+	+										
<i>Ranunculus rhomboideus</i>					X	X	X	X	X	X	X																					
<i>Salix pellita</i>							+	+	+	+	+	+	+	+	X	X	X	X	X	X	X	X	+	+								
<i>Scirpus subterminalis</i>												+	+	X	X	X	X	X	X	X	X	X	X	X	X							
<i>Silene nivea</i>														X	X	X	X	X	X	X	X	X	X	+	+							
<i>Sisyrinchium strictum</i>											+	+	X	X	X	X	X	X	X	+												
<i>Thelypteris noveboracensis</i>							+	+	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X						
<i>Tiarella cordifolia</i>					+	+	X	X	X	X	X	X	+	+	+	+	+	+	+	+	+	+										
<i>Utricularia geminiscapa</i>											+	+	X	X	X	X	X	X	X	X	+	+										
<i>Vaccinium cespitosum</i>					X	X	X	X	X	X	X	X	X	X	X	X	+	+	+	+	+	+										
<i>Viola lanceolata</i>							+	+	X	X	X	X	X	X	X	X	X	X	X													
<i>Viola novae-angliae</i>							+	X	X	X	+	+																				
<i>Zizia aptera</i>							+	X	X	X	X	X	+																			

X = Optimum time to search
+ = OK time with good conditions, or search time is uncertain

31 July 2025
This is not a comprehensive list of rare plants known or suspected on the Ottawa NF.

Silver Branch Plant Survey 3: Stand Tracker Example

Dist	Comp	Stand	Acres	EV Code	YOO	Date1	Date2	Comments
3	21	35	7.0	18	1930			
3	21	41	26.0	11	1980			
3	21	64	4.7	18	1930			
3	21	73	3.8	11	1930			
3	21	77	18.2	91	1980			
3	22	6	33.8	91	1985			
3	22	23	17.4	11	1945			
3	22	24	12.4	91	1989			
3	22	53	16.4	18	1943			
3	22	54	18.2	89	1987			
3	22	55	21.8	18	1918			
3	22	56	31.1	11	1986			
3	26	2	22.7	11				
3	26	19	11.6	91	2001			
3	26	27	24.7	95	1998			
3	26	32	14.4	95	2001			
3	26	35	8.2	95	1970			
3	26	36	9.2	92	1930			
3	26	43	20.1	91	2001			
3	29	15	20.1	95	1945			
3	29	40	14.8	89				
3	30	8	41.5	18	1984			
3	30	15	9.8	91	1986			

Silver Branch Plant Survey 3: Stand Tracker Example

3	30	17	28.7	89	1930			
3	30	28	41.7	11	1927			
3	30	30	14.3	18	1996			
3	30	37	33.8	11	1995			
3	30	38	5.4	18	1995			
3	30	39	13.0	95	1946			
3	30	48	10.3	11	1930			
3	31	1	5.4	11	1984			
3	31	2	24.7	91	1984			
3	31	3	25.3	89				
3	31	5	11.2	95	1910			
3	31	8	18.7	89				
3	31	10	11.8	89				
3	31	11	6.1	89	1905			
3	31	16	8.7	89				
3	31	18	24.1	2				
3	31	25	8.0	91	1953			
3	31	28	8.6	91	1991			
3	31	31	28.2	95	1991			

Ottawa National Forest Plant Surveys Stand Tracker Instructions

Here are details and recommendations to accompany the Stand Tracker spreadsheet.

Dist = District. The Ottawa NF has six Ranger Districts. 1 = Bergland, 2 = Bessemer, 3 = Iron River, 4 = Kenton, 5 = Ontonagon, 6 = Watersmeet.

Comp = Compartment.

EV Code = Existing Vegetation. Formerly known as forest type or cover type. See the Protocol for Rare Plant Surveys for a list of all the codes.

YOO = Year Of Origin.

Prop Tr = Proposed treatment. Common codes include the following.

4117 = Stand clearcut	4210 = Improvement cut
4131 = Shelterwood cut	4220 = Commercial thinning
4151 = Single-tree selection cut	6131 = Rehabilitate openings

Comments. Please write something for every stand. Noteworthy items may include:

- Habitat. Which habitat from the General Form and which Species Form goes with this stand?
- Earthworms. Does the stand have great earthworm impacts? Or a lack of earthworms?
- Are there any rock features in the stand? List type, abundance, etc.
- Large trees.
- Abundant oak trees.
- Fire scars.
- Abundance of down wood.
- Steep slopes.
- Embedded wetlands.
- Sedge lawns.
- Not as typed (stand does not match the reported EV code).
- Garbage to be removed or deer blinds. Please record a GPS point too.
- Heritage sites likely greater than 50 years old. Please record a GPS point too.
- Non-native invasive plants. Also see contract specifications for reporting details.
- Plants of interest. Rare plants, *Asclepias* spp., *Quercus ellipsoidalis*, *Quercus macrocarpa*, *Taxus canadensis*, *Botrychium* spp.
- High potential for rare plants. Stand should receive another survey.
- Large abundance of plants of cultural significance, especially wild ginger, white ash, bloodroot, blueberries, and basswood.
- Justification for doing a second survey or not doing a second survey.
- Pockets of mature aspen within other forest types (please GPS as well).