

SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL ITEMS OFFEROR TO COMPLETE BLOCKS 12, 17, 23, 24, & 30				1. REQUISITION NUMBER		PAGE 1 OF 103	
2. CONTRACT NO.		3. AWARD/ EFFECTIVE DATE	4. ORDER NUMBER		5. SOLICITATION NUMBER 140D0425R0071		6. SOLICITATION ISSUE DATE 06/25/2025
7. FOR SOLICITATION INFORMATION CALL:		a. NAME Sonja Crockett			b. TELEPHONE NUMBER (No collect calls) 0000000000		8. OFFER DUE DATE/LOCAL TIME 07/25/2025 1400 ED
9. ISSUED BY Interior Business Center, AQD Acquisition Services Directorate 381 Elden Street Suite 2000A Herndon VA 20170				CODE D27 10. THIS ACQUISITION IS ☒ UNRESTRICTED OR ☐ SET ASIDE: % FOR: ☐ SMALL BUSINESS ☐ WOMEN-OWNED SMALL BUSINESS (WOSB) NORTH AMERICAN INDUSTRY CLASSIFICATION STANDARD (NAICS): ☐ HUBZONE SMALL BUSINESS ☐ ECONOMICALLY DISADVANTAGED WOMEN-OWNED SMALL BUSINESS (EDWOSB) 115310 ☐ SERVICE-DISABLED VETERAN-OWNED SMALL BUSINESS (SDVOSB) ☐ 8(A) SIZE STANDARD: \$11.5			
11. DELIVERY FOR FREE ON BOARD (FOB) DESTINATION UNLESS BLOCK IS MARKED ☒ SEE SCHEDULE		12. DISCOUNT TERMS		13a. THIS CONTRACT IS A RATED ☐ ORDER UNDER THE DEFENSE PRIORITIES AND ALLOCATIONS SYSTEM - DPAS (15 CFR 700)		13b. RATING 14. METHOD OF SOLICITATION ☐ REQUEST FOR QUOTE (RFQ) ☐ INVITATION FOR BID (IFB) ☒ REQUEST FOR PROPOSAL (RFP)	
15. DELIVER TO CODE 0008718777				16. ADMINISTERED BY See Schedule CODE D27			
17a. CONTRACTOR/ OFFEROR		CODE	FACILITY CODE	18a. PAYMENT WILL BE MADE BY CODE			
TELEPHONE NO.				17b. CHECK IF REMITTANCE IS DIFFERENT AND PUT SUCH ADDRESS IN OFFER			
18b. SUBMIT INVOICES TO ADDRESS SHOWN IN BLOCK 18a UNLESS BLOCK BELOW IS CHECKED ☐ SEE ADDENDUM							
19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES			21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
	ADMINISTERED BY: Interior Business Center, AQD Acquisition Services Directorate 381 Elden Street Suite 2000A Herndon VA 20170 USA The intent of this solicitation is to solicit Exclusive Use Smokejumper Flight Services for the Bureau of Land Management (BLM) for the suppression of wildfires. Period of Performance: 03/01/2026 to 02/28/2031 (Use Reverse and/or Attach Additional Sheets as Necessary)						
25. ACCOUNTING AND APPROPRIATION DATA						26. TOTAL AWARD AMOUNT (For Government Use Only)	
☒ 27a. SOLICITATION INCORPORATES BY REFERENCE (FEDERAL ACQUISITION REGULATION) FAR 52.212-1, 52.212-4. FAR 52.212-3 AND 52.212-5 ARE ATTACHED. ADDENDA						☒ ARE ☐ ARE NOT ATTACHED.	
☐ 27b. CONTRACT/PURCHASE ORDER INCORPORATES BY REFERENCE FAR 52.212-4. FAR 52.212-5 IS ATTACHED. ADDENDA						☐ ARE ☐ ARE NOT ATTACHED.	
☒ 28. CONTRACTOR IS REQUIRED TO SIGN THIS DOCUMENT AND RETURN 1 COPIES TO ISSUING OFFICE. CONTRACTOR AGREES TO FURNISH AND DELIVER ALL ITEMS SET FORTH OR OTHERWISE IDENTIFIED ABOVE AND ON ANY ADDITIONAL SHEETS SUBJECT TO THE TERMS AND CONDITIONS SPECIFIED.				☐ 29. AWARD OF CONTRACT: REFERENCE OFFER DATED . YOUR OFFER ON SOLICITATION (BLOCK 5), INCLUDING ANY ADDITIONS OR CHANGES WHICH ARE SET FORTH HEREIN, IS ACCEPTED AS TO ITEMS:			
30a. SIGNATURE OF OFFEROR/CONTRACTOR				31a. UNITED STATES OF AMERICA (SIGNATURE OF CONTRACTING OFFICER)			
30b. NAME AND TITLE OF SIGNER (Type or print)		30c. DATE SIGNED		31b. NAME OF CONTRACTING OFFICER (Type or print)		31c. DATE SIGNED	
				Angelina Clements			

19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES	21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
00001	Exclusive Use Smokejumper Flight Services March 1, 2026 - February 28, 2031 TOTAL CEILING VALUE: \$26,000,000.00 Product/Service Code: F003 Product/Service Description: NATURAL RESOURCES/CONSERVATION- FOREST-RANGE FIRE SUPPRESSION/PRESUPPRESSION				

32a. QUANTITY IN COLUMN 21 HAS BEEN

☐ RECEIVED ☐ INSPECTED ☐ ACCEPTED, AND CONFORMS TO THE CONTRACT, EXCEPT AS NOTED: _____

32b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE		32c. DATE	32d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE	
32e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE			32f. TELEPHONE NUMBER OF AUTHORIZED GOVERNMENT REPRESENTATIVE	
			32g. E-MAIL OF AUTHORIZED GOVERNMENT REPRESENTATIVE	
33. SHIP NUMBER	34. VOUCHER NUMBER	35. AMOUNT VERIFIED CORRECT FOR	36. PAYMENT	37. CHECK NUMBER
☐ PARTIAL ☐ FINAL			☐ COMPLETE ☐ PARTIAL ☐ FINAL	
38. S/R ACCOUNT NUMBER	39. S/R VOUCHER NUMBER	40. PAID BY		
41a. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT			42a. RECEIVED BY (<i>Print</i>)	
41b. SIGNATURE AND TITLE OF CERTIFYING OFFICER		41c. DATE	42b. RECEIVED AT (<i>Location</i>)	
			42c. DATE REC'D (YY/MM/DD)	42d. TOTAL CONTAINERS

SECTION A – REQUIREMENTS AND PRICING

CONTRACT ACRONYMS

AC	Advisory Circular	IBC	Interior Business Center
AD	Airworthiness Directive	ICAO	International Civil Aviation Organization
AMS	Aviation Management System	ICS	Intercom System
A&P	Airframe and Power Plant	IFR	Instrument Flight Rules
APCO	Association of Public-Safety Communications Officials	IP	Institute of Petroleum
AQD	Acquisition Services Directorate	IPP	Invoice Processing Platform
ASM	Aviation Safety Manager	MMSB	Manufacturer's Mandatory Service Bulletins
ASO	Aviation Safety Office	NFPA	National Fire Protection Association
ASTM	American Society for Testing and Material	NTSB	National Transportation Safety Board
ATC	Air Traffic Control	NWCG	National Wildfire Coordinating Group
AUR	Aircraft Use Report	OAS	Office of Aviation Services
CFR	Code of Federal Regulations	PA	Public Address System
CO	Contracting Officer	PA	Pressure Altitude
COR	Contracting Officer's Representative	PFD	Personal Flotation Device
CFR	Code of Federal Regulations	PIC	Pilot-In-Command
CTCSS	Continuous Tone Coded Squelch System	PPE	Personal Protective Equipment
DM	Degrees/Minutes/Decimal Minutes	PSD	Plastic Sphere Dispenser
DOI	Department of Interior	PSI	Pounds per Square Inch
DOT	Department of Transportation	PTT	Push-To-Talk
ELT	Emergency Locator Transmitter	RFP	Request for Proposals
EPA	Environmental Protection Agency	RPM	Revolutions Per Minute
ERG	Emergency Response Guidebook	SIC	Second-In-Command
FAA	Federal Aviation Administration	SFI	Safety Foundation Incorporated
FAR	Federal Acquisition Regulations	SMS	Safety Management System Plan
FS	Forest Service	STEP	Single-skid, Toe-In and Hover Exit/Entry Procedures
FTR	Federal Travel Regulations	TBO	Time Between Overhaul
GVW	Gross Vehicle Weight	TERO	Tribal Employment Rights Ordinances
GPM	Gallons Per Minute	TSO	Technical Service Order
GPS	Global Positioning System	UL	Underwriter's Laboratory
HIGE	Hover-In-Ground Effect	USDA	United States Department of Agriculture
HOGE	Hover-Out-of-Ground Effect	VFR	Visual Flight Rules
IAT	Interagency Aviation Training	VNE	Velocity Never Exceed
		VOX	Voice Activation
		VSWR	Voltage Standing Wave Ratio

SECTION A – REQUIREMENTS AND PRICING

SCHEDULE OF SUPPLIES/SERVICES

A1 – Item Requirement

The Department of Interior (DOI), Bureau of Land Management (BLM), requires contractor-operated and maintained aircraft for exclusive use smokejumper support. The aircraft will be used for transporting and dropping smokejumpers, transporting, and dropping paracargo, reconnaissance, testing of parachutes, and other aerial equipment, transportation of personnel and cargo in support of fire suppression activities, search and rescue, natural resources missions, and other administrative and related resources activities as directed by the Government. Each aircraft will be fully-contractor-operated, and contractor-maintained. The Contractor will provide both scheduled and nonscheduled maintenance as required to keep the aircraft airworthy in with Federal Aviation Administration (FAA) regulations and DOI policy.

The designated base of operations for the aircraft is Boise, Idaho; however, the aircraft will be subject to dispatch anywhere in the contiguous United States and Alaska. The resulting Indefinite-Delivery, Indefinite-Quantity (IDIQ) contract's performance period will include a five (5)-year ordering period, and a possible 6-month extension under FAR Clause 52.217-8. The Contractor shall be required to respond and commence operations at Boise, ID, or other locations as mutually agreed upon within a maximum of 24 hours from the time the Government contacts the Contractor.

<u>Designated Base:</u>	Boise, ID
<u>Bureau:</u>	Bureau of Land Management (BLM)
<u>Performance Period:</u>	Five (5)-year ordering period, March 01, 2026 – February 28, 2031.
<u>Aircraft Required:</u>	High wing turbine-powered multiengine land airplane equipped as specified in Section B for smokejumper operations.
<u>Crew Compliment Required:</u>	Pilot-in-command (PIC) and relief PIC.
<u>Minimum Aircraft Requirements:</u>	

- Must have a Standard Airworthiness Certificate.
- Aircraft certified under Civil Air Regulation Part 3, or 14 CFR 23 or 25.
- An aircraft make and model for which engineering and logistical support, for continued airworthiness, is provided from the current type certificate holder or supplemental type certificate holder.
- Certified for Single Pilot operation. Copilot seat must be made available to the spotter during smokejumper missions.
- Visual Flight Rules (VFR)/Instrument Flight Rules (IFR), Day/Night.
- Payload of 3,400 pounds with 2.5 hours of fuel plus a 30-minute fuel reserve, 200 pounds per pilot, and 25-pound survival kit when equipped for smokejumper operations as required per Section B.
- Capable of operating as configured above from 3,000-foot gravel runway at 2000 feet pressure altitude and 25° Celsius.
- Minimum airspeed of 175 Knots True Air-Speed (KTAS) at 8,000' pressure altitude.
- Minimum seating for eight smokejumpers on Simula seats or other approved seats for smokejumpers plus two payload seats.
- Side-facing exit aft of main landing gear with FAA approval for aircraft operation with door removed or in-flight opening of this exit door.
- Interagency Smokejumper Aircraft Screening and Evaluation Subcommittee (SASES) approved ([Smokejumper Aircraft Screening and Evaluation Subcommittee | NWCG](#)).

SECTION A – REQUIREMENTS AND PRICING

A2 – Schedules of Services and Prices/Cost

IMPORTANT INFORMATION: Offerors must complete and submit a pricing schedule for the item(s) they wish to be considered for. The Government plans to award up to two (2) contract(s) with an annual exclusive use period of 90 days. After the 90-day exclusive use period expires, aircraft services may be extended at the discretion of the Government.

Offerors shall complete the shaded areas below.

AIRCRAFT #1

DESIGNATED BASE Boise, Idaho		ESTIMATED START DATE: April 13, 2026			ESTIMATED END DATE: July 12, 2026	
OFFEROR NAME						
AIRCRAFT FOR THIS PRICING SCHEDULE		Make/Model:			FAA Registration #:	
	DESCRIPTION	PAY ITEM CODE	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
1A	Daily Availability Availability days subject to aircraft availability (See C14)	AV	Guaranteed 90	DAYS	\$	\$
1B	Estimated Flight Hours	FT	Estimated 150	FLIGHT HOURS	\$	\$
1C	Estimated Flight Hours (DRY without fuel) Price per flight hour for Alaska (See Note 1)	FD	Estimated 10	FLIGHT HOURS	\$	\$
1D	EXTENSION (Optional) Price per day for AVAILABILITY During Extension Period (See C15)	AV	Estimated 90	DAYS	Not to exceed 1A \$	\$
1E	EXTENSION (Optional) Estimated Flight Hours	FT	Estimated 50	FLIGHT HOURS	Not to exceed 1B \$	\$
1F	EXTENSION (Optional) Estimated Flight Hours (DRY without fuel) Price per flight hour for Alaska (See Note 1)	FD	Estimated 10	FLIGHT HOURS	Not to exceed 1C \$	\$
1G	Additional pay items (T&M line item) The additional pay item estimated amount is calculated by the agency, and is for funding purposes only. The amount implies no guarantee.			See Additional Pay Items Schedule for Rates		Estimated 10% of total Daily Availability and Flight Time
	ORDERING DATES: March 1, 2026 – February 28, 2027				ESTIMATED SUBTOTAL	\$

Note 1: Flight rate (FD) should be bid Dry, without fuel for flight services in Alaska. All fuel will be provided by the Government, or the Contractor will be reimbursed for contractor-provided fuel in accordance with the contract.

SECTION A – REQUIREMENTS AND PRICING

ANNUAL EXCLUSIVE USE PERIOD Continuous Period of 90 Days		ESTIMATED START DATE: April 12, 2027			ESTIMATED END DATE: July 11, 2027	
	DESCRIPTION	PAY ITEM CODE	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
2A	Daily Availability Availability days subject to aircraft availability	AV	Estimated 90	DAYS	\$	\$
2B	Estimated Flight Hours	FT	Estimated 150	FLIGHT HOURS	\$	\$
2C	Estimated Flight Hours (DRY without fuel) Price per flight hour for Alaska	FD	Estimated 10	FLIGHT HOURS	\$	\$
2D	EXTENSION (Optional) Price per day for AVAILABILITY During Extension Period	AV	Estimated 90	DAYS	Not to exceed 2A \$	\$
2E	EXTENSION (Optional) Estimated Flight Hours	FT	Estimated 50	FLIGHT HOURS	Not to exceed 2B \$	\$
2F	EXTENSION (Optional) Estimated Flight Hours (DRY without fuel) Price per flight hour for Alaska	FD	Estimated 10	FLIGHT HOURS	Not to exceed 2C \$	\$
2G	Additional pay items (T&M line item) The additional pay item estimated amount is calculated by the agency, and is for funding purposes only. The amount implies no guarantee.			See Additional Pay Items Schedule for Rates		Estimated 10% of total Daily Availability and Flight Time
	ORDERING DATES: March 1, 2027 – February 29, 2028				ESTIMATED SUBTOTAL	\$

SECTION A – REQUIREMENTS AND PRICING

ANNUAL EXCLUSIVE USE PERIOD Continuous Period of 90 Days		ESTIMATED START DATE: April 17, 2028			ESTIMATED END DATE: July 16, 2028	
	DESCRIPTION	PAY ITEM CODE	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
3A	Daily Availability Availability days subject to aircraft availability	AV	Estimated 90	DAYS	\$	\$
3B	Estimated Flight Hours	FT	Estimated 150	FLIGHT HOURS	\$	\$
3C	Estimated Flight Hours (DRY without fuel) Price per flight hour for Alaska	FD	Estimated 10	FLIGHT HOURS	\$	\$
3D	EXTENSION (Optional) Price per day for AVAILABILITY During Extension Period	AV	Estimated 90	DAYS	Not to exceed 3A \$	\$
3E	EXTENSION (Optional) Estimated Flight Hours	FT	Estimated 50	FLIGHT HOURS	Not to exceed 3B \$	\$
3F	EXTENSION (Optional) Estimated Flight Hours (DRY without fuel) Price per flight hour for Alaska	FD	Estimated 10	FLIGHT HOURS	Not to exceed 3C \$	\$
3G	Additional pay items (T&M line item and optional extension) The additional pay item estimated amount is calculated by the agency, and is for funding purposes only. The amount implies no guarantee.			See Additional Pay Items Schedule for Rates		Estimated 10% of total Daily Availability and Flight Time
	ORDERING DATES: March 1, 2028 – February 28, 2029				ESTIMATED SUBTOTAL	\$

SECTION A – REQUIREMENTS AND PRICING

ANNUAL EXCLUSIVE USE PERIOD Continuous Period of 90 Days		ESTIMATED START DATE: April 16, 2029			ESTIMATED END DATE: July 15, 2029	
	DESCRIPTION	PAY ITEM CODE	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
4A	Daily Availability Availability days subject to aircraft availability	AV	Estimated 90	DAYS	\$	\$
4B	Estimated Flight Hours	FT	Estimated 150	FLIGHT HOURS	\$	\$
4C	Estimated Flight Hours (DRY without fuel) Price per flight hour for Alaska	FD	Estimated 10	FLIGHT HOURS	\$	\$
4D	EXTENSION (Optional) Price per day for AVAILABILITY During Extension Period	AV	Estimated 90	DAYS	Not to exceed 4A \$	\$
4E	EXTENSION (Optional) Estimated Flight Hours	FT	Estimated 50	FLIGHT HOURS	Not to exceed 4B \$	\$
4F	EXTENSION (Optional) Estimated Flight Hours (DRY without fuel) Price per flight hour for Alaska	FD	Estimated 10	FLIGHT HOURS	Not to exceed 4C \$	\$
4G	Additional pay items (T&M line item and optional extension) The additional pay item estimated amount is calculated by the agency, and is for funding purposes only. The amount implies no guarantee.			See Additional Pay Items Schedule for Rates		Estimated 10% of total Daily Availability and Flight Time
	ORDERING DATES: March 1, 2029 – February 28, 2030				ESTIMATED SUBTOTAL	
						\$

SECTION A – REQUIREMENTS AND PRICING

ANNUAL EXCLUSIVE USE PERIOD Continuous Period of 90 Days		ESTIMATED START DATE: April 15, 2030			ESTIMATED END DATE: July 14, 2030		
	DESCRIPTION	PAY ITEM CODE	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT	
5A	Daily Availability Availability days subject to aircraft availability	AV	Estimated 900	DAYS	\$	\$	
5B	Estimated Flight Hours	FT	Estimated 150	FLIGHT HOURS	\$	\$	
5C	Estimated Flight Hours (DRY without fuel) Price per flight hour for Alaska	FD	Estimated 10	FLIGHT HOURS	\$	\$	
5D	EXTENSION (Optional) Price per day for AVAILABILITY During Extension Period	AV	Estimated 90	DAYS	Not to exceed 5A \$	\$	
5E	EXTENSION (Optional) Estimated Flight Hours	FT	Estimated 50	FLIGHT HOURS	Not to exceed 5B \$	\$	
5F	EXTENSION (Optional) Estimated Flight Hours (DRY without fuel) Price per flight hour for Alaska	FD	Estimated 10	FLIGHT HOURS	Not to exceed 5C \$	\$	
5G	Additional pay items (T&M line item and optional extension) The additional pay item estimated amount is calculated by the agency, and is for funding purposes only. The amount implies no guarantee.			See Additional Pay Items Schedule for Rates		Estimated 10% of total Daily Availability and Flight Time	
	ORDERING DATES: March 1, 2030 – February 28, 2031				ESTIMATED SUBTOTAL		\$

SECTION A – REQUIREMENTS AND PRICING

Offerors shall complete the shaded areas below:

AIRCRAFT #2

DESIGNATED BASE Boise, Idaho		ESTIMATED START DATE: May 11, 2026		ESTIMATED END DATE: August 9, 2026		
OFFEROR NAME						
AIRCRAFT FOR THIS PRICING SCHEDULE		Make/Model:		FAA Registration #:		
	DESCRIPTION	PAY ITEM CODE	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
1A	Daily Availability Availability days subject to aircraft availability (See C14)	AV	Guaranteed 90	DAYS	\$	\$
1B	Estimated Flight Hours	FT	Estimated 150	FLIGHT HOURS	\$	\$
1C	Estimated Flight Hours (DRY without fuel) Price per flight hour for Alaska (See Note 1)	FD	Estimated 10	FLIGHT HOURS	\$	\$
1D	EXTENSION (Optional) Price per day for AVAILABILITY During Extension Period (See C15)	AV	Estimated 90	DAYS	Not to exceed 1A \$	\$
1E	EXTENSION (Optional) Estimated Flight Hours	FT	Estimated 50	FLIGHT HOURS	Not to exceed 1B \$	\$
1F	EXTENSION (Optional) Estimated Flight Hours (DRY without fuel) Price per flight hour for Alaska (See Note 1)	FD	Estimated 10	FLIGHT HOURS	Not to exceed 1C \$	\$
1G	Additional pay items (T&M line item and optional extension) The additional pay item estimated amount is calculated by the agency, and is for funding purposes only. The amount implies no guarantee.			See Additional Pay Items Schedule for Rates		Estimated 10% of total Daily Availability and Flight Time
	ORDERING DATES: March 1, 2026 – February 28, 2027				ESTIMATED SUBTOTAL	\$

Note 1: Flight rate (FD) should be bid Dry, without fuel for flight services in Alaska. All fuel will be provided by the Government, or the Contractor will be reimbursed for contractor-provided fuel in accordance with the contract.

SECTION A – REQUIREMENTS AND PRICING

ANNUAL EXCLUSIVE USE PERIOD Continuous Period of 90 Days		ESTIMATED START DATE: May 10, 2027			ESTIMATED END DATE: August 8, 2027	
	DESCRIPTION	PAY ITEM CODE	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
2A	Daily Availability Availability days subject to aircraft availability	AV	Estimated 90	DAYS	\$	\$
2B	Estimated Flight Hours	FT	Estimated 150	FLIGHT HOURS	\$	\$
2C	Estimated Flight Hours (DRY without fuel) Price per flight hour for Alaska	FD	Estimated 10	FLIGHT HOURS	\$	\$
2D	EXTENSION (Optional) Price per day for AVAILABILITY During Extension Period	AV	Estimated 90	DAYS	Not to exceed 2A \$	\$
2E	EXTENSION (Optional) Estimated Flight Hours	FT	Estimated 50	FLIGHT HOURS	Not to exceed 2B \$	\$
2F	EXTENSION (Optional) Estimated Flight Hours (DRY without fuel) Price per flight hour for Alaska		Estimated 10	FLIGHT HOURS	Not to exceed 2C \$	\$
2G	Additional pay items (T&M line item) The additional pay item estimated amount is calculated by the agency, and is for funding purposes only. The amount implies no guarantee.			See Additional Pay Items Schedule for Rates		Estimated 10% of total Daily Availability and Flight Time
	ORDERING DATES: March 1, 2027 – February 29, 2028			ESTIMATED SUBTOTAL		\$

SECTION A – REQUIREMENTS AND PRICING

ANNUAL EXCLUSIVE USE PERIOD Continuous Period of 90 Days		ESTIMATED START DATE: May 15, 2028			ESTIMATED END DATE: August 13, 2028	
	DESCRIPTION	PAY ITEM CODE	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
3A	Daily Availability Availability days subject to aircraft availability	AV	Estimated 90	DAYS	\$	\$
3B	Estimated Flight Hours	FT	Estimated 150	FLIGHT HOURS	\$	\$
3C	Estimated Flight Hours (DRY without fuel) Price per flight hour for Alaska	FD	Estimated 10	FLIGHT HOURS	\$	\$
3D	EXTENSION (Optional) Price per day for AVAILABILITY During Extension Period	AV	Estimated 90	DAYS	Not to exceed 3A \$	\$
3E	EXTENSION (Optional) Estimated Flight Hours	FT	Estimated 50	FLIGHT HOURS	Not to exceed 3B \$	\$
3F	EXTENSION (Optional) Estimated Flight Hours (DRY without fuel) Price per flight hour for Alaska	FD	Estimated 10	FLIGHT HOURS	Not to exceed 3C \$	\$
3G	Additional pay items (T&M line item and optional extension) The additional pay item estimated amount is calculated by the agency, and is for funding purposes only. The amount implies no guarantee.			See Additional Pay Items Schedule for Rates		Estimated 10% of total Daily Availability and Flight Time
	ORDERING DATES: March 1, 2028 – February 28, 2029				ESTIMATED SUBTOTAL	\$

SECTION A – REQUIREMENTS AND PRICING

ANNUAL EXCLUSIVE USE PERIOD Continuous Period of 90 Days		ESTIMATED START DATE: May 14, 2029			ESTIMATED END DATE: August 12, 2029	
	DESCRIPTION	PAY ITEM CODE	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
4A	Daily Availability Availability days subject to aircraft availability	AV	Estimated 90	DAYS	\$	\$
4B	Estimated Flight Hours	FT	Estimated 150	FLIGHT HOURS	\$	\$
4C	Estimated Flight Hours (DRY without fuel) Price per flight hour for Alaska	FD	Estimated 10	FLIGHT HOURS	\$	\$
4D	EXTENSION (Optional) Price per day for AVAILABILITY During Extension Period	AV	Estimated 90	DAYS	Not to exceed 4A \$	\$
4E	EXTENSION (Optional) Estimated Flight Hours	FT	Estimated 50	FLIGHT HOURS	Not to exceed 4B \$	\$
4F	EXTENSION (Optional) Estimated Flight Hours (DRY without fuel) Price per flight hour for Alaska	FD	Estimated 10	FLIGHT HOURS	Not to exceed 4C \$	\$
4G	Additional pay items (T&M line item and optional extension) The additional pay item estimated amount is calculated by the agency, and is for funding purposes only. The amount implies no guarantee.			See Additional Pay Items Schedule for Rates		Estimated 10% of total Daily Availability and Flight Time
	ORDERING DATES: March 1, 2029 – February 28, 2030			ESTIMATED SUBTOTAL		\$

SECTION A – REQUIREMENTS AND PRICING

ANNUAL EXCLUSIVE USE PERIOD Continuous Period of 90 Days		ESTIMATED START DATE: May 13, 2030			ESTIMATED END DATE: August 11, 2030	
	DESCRIPTION	PAY ITEM CODE	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
5A	Daily Availability Availability days subject to aircraft availability	AV	Estimated 900	DAYS	\$	\$
5B	Estimated Flight Hours	FT	Estimated 150	FLIGHT HOURS	\$	\$
5C	Estimated Flight Hours (DRY without fuel) Price per flight hour for Alaska	FD	Estimated 10	FLIGHT HOURS	\$	\$
5D	EXTENSION (Optional) Price per day for AVAILABILITY During Extension Period	AV	Estimated 90	DAYS	Not to exceed 5A \$	\$
5E	EXTENSION (Optional) Estimated Flight Hours	FT	Estimated 50	FLIGHT HOURS	Not to exceed 5B \$	\$
5F	EXTENSION (Optional) Estimated Flight Hours (DRY without fuel) Price per flight hour for Alaska	FD	Estimated 10	FLIGHT HOURS	Not to exceed 5C \$	\$
5G	Additional pay items (T&M line item and optional extension) The additional pay item estimated amount is calculated by the agency, and is for funding purposes only. The amount implies no guarantee.			See Additional Pay Items Schedule for Rates		Estimated 10% of total Daily Availability and Flight Time
	ORDERING DATES: March 1, 2030 – February 28, 2031			ESTIMATED SUBTOTAL		\$

SECTION A – REQUIREMENTS AND PRICING

A3 – Additional Pay Items

ADDITIONAL PAY ITEMS SCHEDULE

SCHEDULE SUB-ITEM	ADDITIONAL PAY ITEMS	PAY ITEM CODE	QUANTITY	UNIT	RATE
i	Extended Standby – Pilot	EP	INDEFINITE	HOURL	\$65.00
ii	Fuel Charge	FC	INDEFINITE	EACH	Actual Cost
iii	Special Charges – Miscellaneous Allowable Expenses for transportation costs, landing fees, rental cars, etc..	SC	INDEFINITE	EACH	Actual Cost

A3.1 Minimum Guarantee - The minimum guarantee under the contract, as required by contract clause 52.216-22, is the total amount for Daily Availability during the first 90-day exclusive use period ONLY, as awarded on the first task order.

A3.2 The start date for exclusive use period may be changed by the issuance of a Task Order in accordance with C14.

A3.3 Northbound flight time thru Canada shall be paid at the wet flight rate until the first enroute stop is required for fuel. The Contractor shall close out the OAS-23 Flight Use report at this time and enter fuel on board. (Contractor will be provided a credit for fuel on board, using the price per gallon contained in the contract) The Contractor shall begin a new OAS-23 Flight Use Report upon resuming flight through Canada. This flight time shall be at the dry flight rate specified in the schedule of items. The Contractor shall be reimbursed for fuel acquired upon submission of an itemized fuel receipt that identifies the purchase location, type of fuel purchased, gallons purchased, price per gallon, and total cost. Conversion of Canadian currency to US currency shall be made at time of payment.

Southbound flight time thru Canada shall be paid at the dry flight rate until the first enroute stop is required in the Conterminous Lower 48 States. The Contractor shall close out the invoice at this time and enter total remaining Government fuel on board. (A deduction will be made for the remaining Government reimbursed fuel at this time) The Contractor shall begin a new invoice line upon resuming flight thru the Conterminous Lower 48 States. The Contractor shall be paid the wet flight rate from this point until such time as they are released from service.

The cost of fuel purchased and provided by the Contractor in lieu of Government-furnished fuel while operating in Alaska will be reimbursed to the Contractor as provided below:

The Contractor shall not charge any fuel acquired under this contract directly to the Government. All fuel not otherwise furnished by the Government must be purchased by or charged to the Contractor. The purchase must be approved by the Contracting Officer (CO). Fuel related costs shall be recorded as a line entry (i.e., date, fuel charge, dollar amount, and use-item code fuel charge [FC]), shall be used and shall be supported by paid legible, itemized invoices from the supplier. Certified true copies may be submitted in lieu of the original invoice.

Government-furnished fuel utilized by the Contractor in support of maintenance flights, repositioning aircraft, crew transportation, or any other flight for the convenience of the Contractor, will result in a deduction from the Contractor using the Contractor's proposed wet flight rate specified in Section A times the flight time for the Contractor's benefit.

The Government will furnish, transport and store all aircraft fuel required at no expense to the Contractor.

A3.4 Exhibits that will be applicable under the contract are included at the end of Section C; exhibits that are only applicable during the solicitation phase of this procurement are included at the end of Section E

SECTION A – REQUIREMENTS AND PRICING

FOR GOVERNMENT USE ONLY – DO NOT WRITE IN THIS AREA

The CO will complete at time of award and again when fuel adjustments are made.

Requested and Effective Date This Adjustment		Type Aircraft		☐ Jet Fuel
Base Price		Reference Price		
Effective Date	Insert (award) date	Effective Date		
Source Document	ORIGINAL CONTRACT	Source Document		
Difference	\$ X consumption rate of			
Old Flight Rate	varies	New Flight Rate	Increase Due	
Re-established Base Price		Effective Date		

Full Service Fuel prices obtained from <http://www.airnav.com/fuel>

**Fuel prices listed below will be used to establish the base fuel price at award.

Boise, Idaho (KBOI)	Jackson Jet Center	Average \$6.58
---------------------	--------------------	----------------

SECTION B – TECHNICAL SPECIFICATIONS

GENERAL REQUIREMENTS

B1 Scope of Contract

B1.1 The intent of this contract is to obtain fully contractor-operated and maintained exclusive use (EU) fixed wing Smokejumper platform within the contiguous 48 States and Alaska. Contractor services include provision of an airplane, pilot(s), fuel, aircraft maintenance support, and all other associated equipment, as prescribed in this solicitation. Aircraft will be used for transporting and dropping smokejumpers, transporting and dropping paracargo, reconnaissance, testing of parachutes, and other aerial equipment, transportation of personnel and cargo in support of fire suppression activities, search and rescue, natural resources missions, and other administrative and related resources activities as directed by the Government.

B1.2 The Government and Contractor must establish an effective working relationship to successfully complete this contract. The Contractor's employees' cooperation, professionalism, and positive attitude toward aviation safety and accomplishment of the mission are an integral element of this relationship.

B1.3 The Government has interagency and cooperative agreements with other Federal agencies, State agencies, and private landholders and may dispatch aircraft under this contract for such cooperative use.

B1.4 Aircraft may be dispatched to or from Alaska. Because deployment to or from Alaska usually requires transit through Canada, contractor personnel are required to possess current passports if transiting through Canada. For additional Alaska-specific equipment and/or operational requirements, refer to the Alaska Supplement Exhibit (see Section C – Exhibit 4).

B1.5 During any task order period, aircraft furnished shall be subject to the exclusive use of the Government

B2 Certification

The Contractor must obtain and keep current all the following required certificates and must ensure that contract aircraft are operated and maintained in compliance with those certificates at all times:

B2.1 A Title 14 of the Code of Federal Regulations (CFR) Air Carrier Certificate or Operating Certificate which authorizes the Contractor to operate in the category and class of aircraft and under flight conditions required by this contract (e.g., airplane, multiengine, visual flight rules (VFR), instrument flight rules (IFR), day/night, passengers, and cargo).

B2.2 The aircraft must be carried on the list required by 14 CFR Part 135.63 or Operations Specifications Part D, "Aircraft Listing," as appropriate.

B2.3 The contract aircraft must have a Standard Airworthiness Certificate and have engineering support for continued air worthiness from the current type certificate holder or supplemental type certificate holder. Installation of any equipment required by this contract must be FAA approved.

B2.4 The Contractor must have Operations Specifications that permit all Contiguous United States and Alaska operations.

B2.5 The aircraft must have a Standard Airworthiness Certificate issued under 14 CFR 21.183.

B2.6 The installation of any special equipment called for by this contract must be FAA approved. Approval may be in accordance with an STC or FAA field approval. This includes Government-furnished equipment (GFE): Simula seats. The Contractor may offer an alternative to the side facing Simula bench seat. (See B6.5)

SECTION B – TECHNICAL SPECIFICATIONS

B2.7 The aircraft may also have a restricted airworthiness certificate issued under 14 CFR 21.25 and 21.185 to include the special purpose of forest and wildlife conservation (fire suppression) work. Aircraft with a restricted airworthiness certificate must also have a standard airworthiness certificate. Multiple Airworthiness Certificates are issued in accordance with 14 CFR 21.187.

B2.7.1 When the aircraft is configured for smokejumper operations it may be operated in the restricted airworthiness category.

B2.7.2 Installation of Government Simula seats and operations with an open door may necessitate the aircraft to be operated in the restricted category.

B2.7.3 If the aircraft is to be operated with a restricted airworthiness certificate the Contractor must have a certificate of waiver or authorization issued from the FAA to the Contractor authorizing operation of a Restricted Category aircraft over densely populated areas. The specific regulation required to be waived is: 14 CFR 91.313(e)(1)(2) and (3).

B2.8 For contracts less than 90 days, the Contractor must have a certificate of waiver or authorization issued from the FAA to the Contractor authorizing operations at less than minimum safe altitudes as prescribed in 14 CFR 91.119 (a)(b) and c). Paracargo operations are conducted between 150 feet AGL and 400 feet AGL. Paracargo is dropped in congested areas, other than congested areas and in sparsely populated areas as required to support firefighting operations.

B2.9 A Contractor from the lower 48 dispatched to Alaska needs to have Operations Specifications that permit Alaska operations.

B2.10 See Section C - Exhibit 4, Alaska Supplement – First Aid and Survival Kits.

B3 Order of Precedence - Specifications

In the event of inconsistencies within the technical specification, the following order shall be used in such resolution: (i) Typed provisions of these specifications; (ii) DOI OAS Office of Aviation Services supplements and/or exhibits incorporated by reference; (iii) 14 CFR incorporated by reference; (iv) aircraft manufacturer's specifications; (v) other documents incorporated by reference.

B4 Contracts and Task Orders

B4.1 The Contractor must maintain a complete, current copy of the contract, modifications, and task orders (if applicable) in each contract aircraft throughout the performance period.

B4.2 The pilot must have task order information (i.e. task number, performance period) in his/her possession prior to any flights under this contract and make this information available to government representatives on request.

B4.3 Electronic copies of contracts and task orders may be used. The Contractor must ensure that the contract is current including all modifications and are uploaded on an appropriate viewing device (e.g., laptop or tablet), which must be charged and made available at the aircraft for reference by government representatives upon request. Further, the Contractor must agree to hold the government harmless for any inadvertent or accidental damage to the device.

SECTION B – TECHNICAL SPECIFICATIONS

EQUIPMENT REQUIREMENTS

B5 Condition of Equipment

The contractor-furnished aircraft and all other required equipment must be operable, free of damage, and in good repair. Aircraft systems and components shall be free of leaks except where specified by the manufacturer.

B5.1 Prior to inspection and acceptance, the Contractor must permanently repair or replace all windows and windshields that have been temporarily repaired. All windows and windshields must be maintained at all times and must be clean and free of scratches, cracks, crazing, distortion, repairs, or tinting which hinder visibility.

B5.2 The aircraft interior must be clean and neat with no unrepaired tears, rips, or other damage. The exterior finish, including the paint, must be clean, neat, and in good condition. Any corrosion must be within manufacturer or FAA acceptable limits.

B5.3 The internal cabin area near the exit door and the external fuselage aft of and below the exit door shall be free of protrusions and sharp edges. The Government will install a jump door "boot" (i.e., fiberglass/Teflon fairing) that covers the aft and bottom edges of the door opening. Protrusions and sharp edges that cannot be removed shall be adequately protected to prevent snagging or chaffing of equipment.

B5.4 See the Unacceptable Lap Belt and Shoulder Harness Conditions Exhibit for examples of lap belt and shoulder harness conditions that are not acceptable (See Section C – Exhibit 3)

B6 Aircraft Equipment Requirements

The Contractor must provide one or more fully compliant aircraft that is equipped as shown below:

B6.1 Standard equipment.

B6.1.1 A first aid kit containing items specified in the First Aid and Survival Kits Exhibit shall be installed in the cabin (see Section C – Exhibit 4).

B6.1.2 A survival kit containing items specified in the First Aid and Survival Kits Exhibit shall be carried aboard the aircraft on all flights and shall be included in weight and balance/load calculations (see Section C – Exhibit 4).

B6.1.3 Fire extinguisher(s), as required by 14 CFR Part 135, for the purposes of this contract, must be a handheld bottle, minimum 2-B:C rating, mounted and accessible to the flight crew while seated. The fire extinguisher must be maintained in accordance with *National Fire Protection Association (NFPA) Manual 10, Standards for Portable Fire Extinguishers* or the Contractor's 135 operations manual.

B6.1.4 FAA-approved seats, seatbelts, and shoulder harnesses for the pilot and copilot.

B6.1.5 The aircraft must be approved for at least nine (9) passengers. Standard seating configuration is four government installed two person Simula bench seats and one Contractor provided single person passenger seat at the right side most aft position. The Contractor must provide one additional passenger seat for the left side of the passenger compartment. Contractor provided seats must be FAA-approved seats and must be removable to allow for a cargo configuration.

B6.1.6 Federal Aviation Administration-approved anti-collision lighting to include at least one high visibility strobe light.

B6.1.7 High visibility, pulsating, forward-facing, conspicuous light.

SECTION B – TECHNICAL SPECIFICATIONS

B6.1.8 FAA-approved cargo restraints, cargo nets, and cargo straps for cargo tiedown in cabin and baggage compartment areas. (DO-228 only).

B6.1.9 Cabin heater.

B6.1.10 The aircraft must be equipped in accordance with 14 CFR Parts 91 and 135 for carrying passengers day and night, VFR and IFR.

B6.1.11 In lieu of GFE-Simula seats (see B6.5.1) the Contractor may provide side facing bench style seats with storage space under them for at least eight (8) smokejumpers.

B6.1.12 Reserved.

B6.2 Contractor-furnished specialized equipment.

B6.2.1 A horizontally mounted parachute static line attach cable or track constructed and installed in accordance with National Technology & Development Program (NTDP) drawings and FAA STC, or manufacturer's specifications (as applicable).

B6.2.2 A vertically mounted parachute static line attach cable with support strut constructed and installed in accordance with NTDP drawings and FAA STC.

B6.2.3 An external step and step attachment constructed and installed in accordance with NTDP drawings, applicable to the aircraft with a door height less than 52 inches.

B6.2.4 A handrail of smooth contour that shall encircle the entire top and the upper half of the forward side of the left side jumper exit/paracargo door opening. The handrail shall be designed and installed so as not to restrict the size of the door opening and not to hinder the opening or removal of the door. The handrail must be constructed and installed in accordance with NTDP drawings or manufacturer's specifications.

Note: Upon request, the Government will provide drawings for appropriate aircraft showing specifications, locations, and general installation details. Two static line attach anchors may not be required in all aircraft. Some aircraft will not need the jump-step or anchor points.

B6.2.5 A sheath knife (minimum blade length 4.5 inches) easily accessible, securely mounted on the bulkhead or cabin sidewall aft of the exit door.

B6.2.6 Reserved

B6.2.7 Heavy-duty floor stressed to 200 pounds per square foot or installed wooden or metal deck plating as necessary to achieve this load capacity.

B6.2.8 Placards. The aircraft must have placards which denote prescribed smokejumper drop speed and flap setting. The placard must be permanent with letters 3/8-inch minimum height. The placard shall be clearly visible at the pilot-in-command position and the spotter station.

B6.2.9 Standard Douglas (Brownline) or similar - type seat track and a minimum of 12 cargo tiedown rings and two ratcheting type cargo straps (6,000-pound minimum capacity at least 15 feet long) to adequately secure multiple bundle cargo loads.

B6.2.9.1 The standard Douglas-type seat track or similar will be installed over the ***left and right*** under floor seat rails from passenger compartment forward bulkhead rearward to most aft bulkhead.

SECTION B – TECHNICAL SPECIFICATIONS

B6.2.9.1.1 The **left track** will be installed in sections with openings between sections to permit the legs of the fold-up utility seats to engage the cutouts in the aircraft floor.

B6.2.9.1.2 In addition to the floor-mounted seat track, tracks of the same specifications will be installed along each cabin side-wall directly below the fold-up seat attach fittings and extend from the forward most factory-installed nut plate location to the location of the most rearward fold-up seat attach fittings on each side. This seat track may be "notched" as necessary immediately below each seat fitting to allow structural clearance for parts of the seat assembly.

B6.2.9.1.3 Aft track segment for use with smoke-jumper restraint system must be installed. (See paragraph 6.5.4, MTDP Smokejumper Aircraft Accessories Equipment Drawings List, drawing MTDP 805.

B6.2.10 Aircraft must have the same capability, FAA approved, as referenced in paragraph B6.2.9. The seat track arrangement is similar to that used for mounting standard commuter seats and is intended for cargo tiedown rings.

B6.3 Side Door Requirements.

B6.3.1 Minimum dimensions: height 36 inches, width 25 inches.

B6.3.2 Must be aft of the main landing gear.

B6.3.3 Must be constructed and insulated to reduce heat loss and reduce wind noise in flight.

B6.3.4 Must be a utility/cargo-type door (not airstair door) approved for standard operations, passenger and cargo.

B6.3.5 Must be FAA approved for in-flight opening or removable. A jump door "boot" (i.e., fiberglass/Teflon fairing) must be installed to cover the aft and bottom edges of the door opening.

Note: B6.3.4 and B6.3.5 may be to the same door or two separate doors that are interchangeable. Upon request the government will provide drawings showing these specifications.

B6.3.6 An external fabric door may be used for security and weather when the aircraft is parked but may not be used for flight.

B6.3.7 No protrusions are permitted between the jump door and the tail of the aircraft that might interfere with the parachute deployment or retrieval of static lines and deployment bags.

B6.4 A complete set of current aeronautical charts covering the expected area of operations.

Note: Electronic flight bags are acceptable if authorized by the FAA in the company's operation specifications

B6.4.1 Complete set of current aeronautical charts and navigation publications covering areas of operation within Alaska and Canada when in transit.

B6.5 Government Equipment and Drawings. To be furnished to Contractor prior to use or at a mutually agreed upon time.

B6.5.1 Smokejumper side-facing seats, Simula seats. A Government accepted vendor provided alternative may be used in lieu of the Simula seats.

B6.5.1.1 The Contractor may provide FAA approved side facing bench style seats with storage space under them for at least eight (8) smokejumpers, in lieu of GFE-Simula seats.

SECTION B – TECHNICAL SPECIFICATIONS

B6.5.2 *The Professional Smokejumper Pilot and Spotter* video program,

1. Part One: <https://www.youtube.com/watch?v=q0Lg7GdrBQ8&feature=youtu.be>
2. Part Two: <https://www.youtube.com/watch?v=cWzt8ip9dls&feature=youtu.be>
3. Part Three: <https://www.youtube.com/watch?v=K--MEfjgAQc&feature=youtu.be>
4. Part Four: https://www.youtube.com/watch?v=_aENhhaPsrc&feature=youtu.be

B6.5.3 Spotters' helmets.

B6.5.4 Drawings necessary for smokejumper aircraft accessories (when requested). The following drawings are available:

B6.5.4.1 Primary vertical anchor, secondary horizontal anchor jump-step, step attachment, and other accessories. Drawings for these items are available from the USDA Forest Service, National Technology and Development Program (NTDP), 5785 Hwy 10 W, Missoula, Montana 59808, Attention: NTDP Smokejumper Equipment Specialist, telephone 406-329-3900.

B6.5.5 Door boot. (See B5.3)

B6.5.6 If an inflight door is not installed, a 1½- to 2-inch safety strap across the door opening that may be easily and swiftly connected/disconnected in flight.

B7 Avionics Requirements

B7.1 General.

B7.1.1 The Contractor must provide, install, and maintain the following systems in accordance with the manufacturer's specifications and the installation and maintenance standards of Section B7. Detailed avionics systems performance requirements are listed in *Avionics Operational Test Standards*([FS/OAS A24F](#)) (copies available upon request from OAS Avionics, or the most recent list may be found online at: <https://www.nifc.gov/resources/NIICD/niicd-documents>.)

B7.2 Avionics Installation and Maintenance Standards.

B7.2.1 Strict adherence to the recommendations in the following FAA Advisory Circulars is required: AC 43.13-1B Chapter 11, "Aircraft Electrical Systems," and Chapter 12, "Aircraft Avionics Systems"; AC 43.13-2B Chapter 1, "Structural Data," Chapter 2, "Communication, Navigation, and Emergency Locator Transmitter System Installations," and Chapter 3, "Antenna Installation."

B7.2.2 All avionics systems requiring an antenna must be installed with a properly matched, aircraft-certified antenna, unless otherwise specified. Antennas must be polarized as required by the avionics system and must have a voltage standing wave ratio (VSWR) of 3.0 to 1 or better.

B7.2.3 Although the contract aircraft may not be certified for flight under instrument flight rules (IFR), the aircraft's static pressure system, altimeter instrument system, and automatic pressure altitude reporting system must be maintained in accordance with the IFR requirements of 14 CFR Part 91.411 and inspected and tested every 24 calendar months, as specified by 14 CFR Part 43, appendices E and F.

B7.2.4 Transmitters shall not open squelch on, or interfere with, other AM or FM transceivers in the aircraft which are monitoring different frequencies. So-called "Transmit Interlock" functions shall not be used with communication transceivers.

SECTION B – TECHNICAL SPECIFICATIONS

B7.2.5 All installed transceivers must be placarded with designations matching the transmitter/receiver controls on the installed audio control system(s).

B7.3 Communications Systems.

B7.3.1 One automatic-fixed Emergency Locator Transmitter (ELT), certified under TSO-C126 (or newer) which must be installed in a conspicuous or marked location, and meet the same requirements as those detailed for aircraft in 14 CFR 91.207 (excluding section f). If not powered by its own, integral battery, the ELT remote switch/light must be powered by unswitched aircraft power. ELT antennas must be mounted externally to the aircraft unless installed in a location approved by the aircraft manufacturer. TSO-C126 and newer ELTs require documentation of current registration with the National Oceanic and Atmospheric Administration (NOAA), or the national civil aviation authority with which the aircraft is registered.

B7.3.2 Two panel-mounted VHF-AM (VHF-1, VHF-2) aeronautical transceivers, each with a minimum of 760 channels covering 118.000 to 136.975 MHz. The transceivers must have channels selectable in no greater than 25 kHz increments and a minimum of 5 watts carrier output power. The transceivers' operational controls must be mounted so they are readily visible and accessible to the pilot. Although not required by Federal Aviation Regulations, the aircraft's radio call sign (normally the aircraft registration number) must be displayed on the instrument panel, in view of the flight crew.

B7.3.3 Two P25-compliant VHF-FM transceivers. Each transceiver (FM-1, FM-2) must provide selection of narrowband analog (12.5 kHz) or narrowband digital (12.5kHz) operation on each of a minimum of 100 channels. Each transceiver's operational controls must be located and arranged so that the pilot and observer/copilot, when seated, have full and unrestricted movement of each control without interference from their clothing, the cockpit structure, or the flight controls.

B7.3.3.1 Each VHF-FM transceiver's operational frequency range must include the band of 136.0000 MHz to 173.9975 MHz. The operator(s) must be able to program any usable channels within that band, along with any required CTCSS tones, National Access Codes (NAC's), or Talk Group ID's (TGID's), while in flight. Each VHF-FM transceiver must also incorporate a separate, programmable GUARD receiver, with accompanying GUARD transmit capability. Unless instructed by the Government for use on a specific project, all frequencies programmed for use under this Contract must be in the narrowband analog mode.

B7.3.3.2 Carrier output power for each VHF-FM transceiver must be 10 watts nominal value (original design specification). Each transceiver must be capable of displaying receiver and transmitter operating frequency, alpha-numeric channel labels, and must provide both receiver and transmitter activation indicators for MAIN and GUARD. Simultaneous monitoring of both MAIN and GUARD receivers is required. Scanning of the GUARD frequency is not acceptable.

B7.3.3.3 Prior to acceptance under this contract, at least one VHF-FM transceiver must be programmed with the narrowband analog GUARD receive and transmit frequencies of 168.625 MHz, with a 110.9 Hz CTCSS tone on transmit only.

B7.3.3.4 The following VHF-FM aeronautical transceivers are known to meet the above requirements:

Technisonics: TDFM-136, TDFM-136A, TDFM-136/NV, TDFM-136A/NV, TDFM-136B, TDFM-136B/NV

Cobham (formerly NAT): NPX-136D-070

B7.3.3.5 Each required VHF-FM transceiver must be equipped with a conveniently located programming port, to facilitate programming via a government-owned laptop computer. The port(s) must be protected from accidental damage via contact, be hard-wired to the transceiver(s), not require switching of any cables for utilization, and must be conveniently located for ease of use. The Contractor must also furnish appropriate cables of adequate

SECTION B – TECHNICAL SPECIFICATIONS

length, and/or any necessary adapters, to interconnect the aircraft programming ports to the serial and/or USB port(s) of the Government laptop computers as required.

NOTE: The “DIN” type connector receptacle on the front panel of some TDFM-136-series radios is part of an encryption feature and may not function as a programming port connector. This connector can be utilized for channel programming on model TDFM-136A, serial numbers FDA1200 and higher, and model TDFM-136B **ONLY**.

B7.3.4 Provisions for Auxiliary VHF-FM (AUX-FM) portable radio

B7.3.4.1 Interface for installing and properly operating an auxiliary VHF-FM portable radio through the aircraft's audio control system(s). The interface must consist of the appropriate wiring from the audio control system, terminated in an ITT/Cannon type MS3112E12-10S 10-pin connector conveniently located for use by the observer/copilot, and utilizing the contact assignments as specified by drawing FS/OAS A-17 in Section C - Exhibit 8.

B7.3.4.2 One weatherproof, external, broadband antenna covering the 150-174 MHz band, with associated RG-58A/U (or equivalent) coaxial cable and connector, terminated in a bulkhead-mounted, female BNC connector (type UG-290A), conveniently located for use by the observer/copilot adjacent to the above 10-pin connector (Comant model CI-177 or equal).

B7.3.4.3 Mounting facilities for securely installing the auxiliary VHF-FM portable radio in the cockpit in accordance with the FAA AC 43.13-2B specifications. Locate and arrange the mounting facilities so that a seated observer/copilot has full and unrestricted movement of the radio's controls, without interference from the 18-inch adapter cable, clothing, cockpit structure, or flight controls.

B7.3.4.4 Positive-polarity microphone excitation voltage provided to the AUX-FM system from the aircraft DC power system through a suitable resistor network. A blocking capacitor must be provided to prevent the portable radio microphone excitation voltage from entering the system. Sidetone for the AUX-FM must also be provided (NAT model AA34-300, Premier model PA-34, or equivalent).

B7.3.4.5 The Contractor must provide an auxiliary FM adapter cord assembly to interface the connectors and circuits necessary to operate the BK KNG-P150/KNG-P150S/KNG2-P150 radio through the MS 3112E-12-10S connector in the aircraft. The FS/OAS drawing A-15 in Section C - Exhibit 6 is provided as one possible interface.

B7.3.4.6 In lieu of the above AUX-FM requirements, the Contractor may substitute an additional VHF-FM aeronautical transceiver (FM-3) which meets the requirements for the VHF-FM aeronautical transceiver(s) as detailed above.

B7.3.5 Automated Flight Following (AFF) Program

B7.3.5.1 One satellite-based aircraft tracking hardware for each aircraft offered, compatible with the government's AFF Program (<https://www.aff.gov>). Not all available satellite-based tracking systems are compatible with the Government's AFF Program, nor meets AFF's requirements. The Contractor must ensure that the aircraft hardware offered is compatible with AFF.gov. For questions about current compatibility requirements, select the “HELP” button at <https://www.aff.gov>.

B7.3.5.2 The AFF aircraft hardware must be powered by the aircraft's electrical system, installed per the manufacturer's installation manual, and operational in all phases of flight. AFF aircraft hardware must utilize as a minimum: Satellite communications, an externally or internally mounted antenna, provide data to the Government's AFF viewing software, use aircraft power via a dedicated circuit breaker for power protection, and be mounted so as to not endanger any occupant from AFF aircraft hardware during periods of turbulence.

SECTION B – TECHNICAL SPECIFICATIONS

Antennas should be placed where they have the best view of the overhead sky as possible. Externally mounted antennas are recommended to improve system performance. Any visual indicators for remotely installed units must be mounted so that they can be easily viewed by the pilot.

B7.3.5.3 AFF communications must be always fully operational in all areas of operation. Contractors working in or accepting dispatches to the State of Alaska, Southern Canada, or Western Canada must have an AFF system capable of being always tracked in these locations. Not all manufacturers' AFF equipment communication links will operate effectively in all geographic areas.

B7.3.5.4 The Contractor must maintain a subscription service through the AFF aircraft hardware provider allowing AFF position reporting for satellite tracking via the Government AFF viewing software. The position-reporting interval must be every two minutes while the aircraft is in flight. The Contractor must register their AFF aircraft hardware with the Government through <https://www.aff.gov> providing complete tail number; manufacturer and serial number of the AFF transceiver; aircraft make and model; and Contractor contact information. If the Contractor relocates previously registered AFF aircraft hardware into another aircraft, then the Contractor must contact the government's AFF Program making the appropriate changes prior to aircraft use. In all cases, the Contractor must ensure that the correct aircraft information is indicated within AFF. The Contractor must notify the Government of system changes, scheduled maintenance, and planned service outages.

B7.3.5.5 Registration contact information, a web accessible feedback form, and additional information is available at: <https://www.aff.gov>.

B7.3.5.6 Prior to the aircraft's annual contract inspection, the Contractor must ensure compliance with all AFF systems requirements. The Contractor must additionally perform an operational check of the system. As a minimum, the operational check must consist of confirming the aircraft being tested is displayed in AFF.gov (indicating it is currently transmitting data to AFF.gov) and that all information displayed in AFF.gov is current. A username and password are required to access AFF.gov. Log on to the AFF website at <https://www.aff.gov> to request a username and password.

B7.3.5.7 If AFF becomes inoperable/unreliable the aircraft may, at the discretion of the Government, remain available for service utilizing radio/voice system for flight following. The Contractor will return the AFF system to full operational capability within 72 hours after the inoperative/unreliable unit is first discovered as defective.

B7.3.5.8 AFF Systems must comply with supplemental requirements contained in Specification Section Supplement document available at: https://www.aff.gov/support/Specification_Section_Supplement.pdf.

B7.4. Navigation Systems – VFR GPS Systems

B7.4.1 At least one of the following VFR navigations systems must be installed:

B7.4.1.1 One permanently installed, panel-mounted GPS system utilizing an approved, fixed external aircraft antenna. The navigational databases must be updated at least annually.

B7.4.1.2 One portable Aviation GPS unit (Garmin GPS 660 or 760 etc..) utilizing aviation-based software providing overhead orientation. Unit must be connected to remote antenna separate from GPS unit. Navigational databases must be updated at least annually.

B7.4.1.3 One tablet or mobile device, minimum size of 3.0 inches wide x 1.5 inches high, utilizing aviation application software (Foreflight, Gamin Pilot etc..) that incorporates overhead orientation and georeferencing of aircraft position on the map. The display must show aircraft position in relation to airspace boundaries, including military, controlled, and restricted areas. Application software must allow for disabling of internal GPS sourcing and allow for sourcing of external remote GPS antenna signal. Application software subscription must be current.

SECTION B – TECHNICAL SPECIFICATIONS

B7.4.2 All GPS systems must allow for continuous application of aircraft electrical power through circuit protected source.

B7.4.3 All GPS Systems must use WGS-84 datum and reference latitude and longitude coordinates in degrees, minutes, decimal minutes mode.

B7.4.4 All GPS Systems must ensure secure mounting and shall be located in a position to provide the PIC a clear view of aircraft panel and the unit display and unrestricted access to aircraft and unit controls.

B7.4.5 Portable Aviation GPS units, GPS tablets, or mobile GPS device systems will not be used for aircraft primary navigation in aircraft conducting IFR operations.

B7.4.6 All GPS Systems must be able to display, in real time the GPS tracks of all flights. This data must be transferable to the Government upon request by the Government. All transferred data must include the date of each flight, along with a graphical overlay of the flight track on an aeronautical chart covering the area of operations.

B7.4.7 Reserved

B7.4.8 For panel mounted GPS display only. The display may also be configured to display the TCAS/TAS/TCAD data described in B7.6.2.

B7.4.9 The aircraft must be equipped with the navigational equipment required for IFR operations as specified in 14 CFR 135.165, including, but not limited to, the following:

B7.4.9.1 Two VHF, VOR/LOC aeronautical navigation receivers with indicators (NAV-1, NAV-2), each with a minimum of 100 navigation receive channels.

B7.4.9.2 One glideslope (GS) system, with a minimum of 40 receive channels.

B7.4.9.3 One marker beacon receiver system with three-light indicator must be installed. The audio warning must be provided to the flight crew's earphones. The marker beacon receiver system is not required, if the aircraft is equipped with approved substitute equipment as described 14 CFR 91.175 (k).

Note: 14 CFR 91.175 (k) Approved substitute equipment is described as compass locator; precision approach radar (PAR) or airport surveillance radar (ASR); DME, VOR, or nondirectional beacon fixes authorized in the standard instrument approach procedure; or a suitable RNAV system in conjunction with a fix identified in the standard instrument approach procedure.

B7.4.5 One Automatic Direction Finder (ADF) receiver system, with indicator, covering the frequency range of 200 to 1,699 kHz as a minimum.

Note: The ADF system is not required when both IFR GPSs above are operable.

B7.4.6 One Distance Measuring Equipment (DME) system, with a minimum of 200 channels.

B7.4.7 One Horizontal Situation Indicator (HSI) or equivalent digital instrument system. The CDI must be interfaced to other aircraft systems to display VOR/LOC and GPS information on the CDI.

B7.4.7 One Horizontal Situation Indicator (HSI) or equivalent digital instrument system., which is fully integrated to the autopilot, equipped with a Course Deviation Indicator (CDI) which provides selection of both VOR/LOC or GPS information.

SECTION B – TECHNICAL SPECIFICATIONS

B7.4.8 One Radio Magnetic Indicator (RMI) or equivalent digital instrument presentation incorporated with NAV-1/ADF/GPS on single needle, and NAV-2/ADF/GPS on double needle.

B7.4.9 Three-axis auto-pilot system, integrated with the HSI One Horizontal Situation Indicator (HSI) or equivalent digital instrument system as required by B7.4.7.

B7.5 Audio Systems

B7.5.1 Three audio control systems must be provided for use by the pilot, observer/copilot and the two aft spotters. Each system must provide separate controls for selection of receiver audio outputs and transmitter microphone/PTT audio inputs for all installed transceivers, the ICS, and PA systems. Each system must also provide separate audio level controls for adjustment of both the ICS and the receiver audio output levels.

B7.5.1.1 Transmitter selection and operation. Separate transmitter selection controls must be provided for the microphone/PTT inputs at each of the three stations. The systems must be configured so that each of the three users may simultaneously select and utilize a different transmitter or the PA system via their respective microphone/PTT. Whenever a transmitter is selected, the companion receiver audio must automatically be selected for the corresponding earphone. Transmitter sidetone audio must be provided for the user as well as for cross-monitoring via the corresponding receiver selection switch on the other audio control system.

B7.5.1.2 Receiver selection and operation. Separate controls must be provided for each user to select audio from one or any combination of available receivers. The receiver audio output must be free of excessive distortion, hum, noise, and crosstalk, and must be amplified sufficiently to facilitate ease of use in a noisy cockpit/cabin environment.

B7.5.1.3 The controls of the audio system(s) must be located and arranged so that each user when seated, has full and unrestricted movement of each control without interference from their clothing, the aircraft structure, or the flight controls. Labeling and marking of controls must be clear, understandable, legible, and permanent. Electronic label maker marking is acceptable.

B7.5.2 An ICS for the pilot, observer/copilot, and all aft cabin positions. ICS audio must mix with, but not mute, selected receiver audio. An ICS audio level control must be provided for each position above. Adjustment of the ICS audio level at any position must not affect the level at any other position. A "hot mic" capability, controlled via an activation switch or voice activation (VOX), must be provided for the pilot and copilot/observer positions. ICS sidetone audio must be provided for the earphones corresponding with the microphone in use. The ICS audio output must be free of excessive distortion, hum, noise, and crosstalk and must be amplified sufficiently to facilitate ease of use in a noisy cockpit/cabin environment.

B7.5.3 Earphones, microphones, PTT's, and jacks designed for operation with 600-ohm earphones and carbon-equivalent, noise-canceling boom type microphones (Gentex electret type Model 5060 2, military dynamic type M87/AIC with CE 100 TR preamplifier, or equivalent) must be furnished at all required positions.

B7.5.3.1 Reserved.

B7.5.3.2 J-033 and J-034 type connector jacks must be provided at all required positions in the aircraft to accept the PJ-055B and PJ-068 type connector plugs as utilized with the headset/ microphone.

B7.5.3.3 Push-to-talk (PTT) operation: separate PTT switches must be provided for radio transmitter and ICS microphone operation at the pilot, copilot/observer, and each of the two aft spotter positions. The pilot's PTT switches must be mounted on the control yoke. NOTE: PTT switches other than those mounted on the flight controls must be furnished at the copilot/observer position. The PTT switches for each of the two spotter positions must be mounted on the cord to the earphone/microphone connector. A cord of coiled construction, capable of

SECTION B – TECHNICAL SPECIFICATIONS

stretching to a length of 20 feet, must be furnished for use at one spotter position. The Contractor must furnish an additional spare PTT switch/cord assembly for the spotter positions.

B7.5.3.4 Public Address (PA) system. The pilot, copilot/observer, and spotters must be able to convey messages to the occupants of the cabin by means of a PA system which utilizes the same microphone as utilized for radio and ICS communications. The PA system must include the following:

5. An amplifier with output adequate to convey intelligible messages to all cabin occupants, including fully outfitted smokejumpers, while in flight at cruise speed with open jump door.
6. One or more cabin speakers, as necessary.
7. Audio system controls which enable routing of transmit and receive audio, from one or any combination of required radios, as well as ICS messages from the pilot, copilot/observer, or spotter positions, through the cabin speakers.
8. A PA audio level control at the spotter position audio control panel which enables adjustment of the audio level on all cabin speakers.

B7.6 Other Avionics

B7.6.1 One air traffic control (ATC) transponder and altitude reporting system meeting the requirements of 14 CFR Part 91.215 (a) and (b) and inspected and tested every 24 months in accordance with 14 CFR 91.413.

B7.6.2 The aircraft must be equipped with an FAA Technical Standard Order (TSO) approved traffic awareness and avoidance system (TCAS/TAS/TCAD/etc.) featuring active interrogation of threat aircraft. The system's antennas must be mounted on the aircraft to minimize airframe shadowing and provide 360-degree coverage. The system must also incorporate visual alerts for both pilot and co-pilot and an aural alerting feature which announces an alert of threat aircraft whenever such aircraft enter a zone of a programmable size with range selections from no more than two nautical miles to at least ten nautical miles around the aircraft. The audio alert output must be interconnected to the aircraft's audio system in such a manner that all ICS-equipped positions will receive the alert. If the aircraft is equipped with a Multi-Function Display (MFD), GPS, or other system capable of displaying threat aircraft output data, the system must also be interfaced to such.

B7.6.2.1 The system must be installed in accordance with an STC, or FAA Field Approval based upon an existing STC and the manufacturers installation manual. Installation of the system must be accomplished by a certified avionics repair station which has been approved for such by the system's manufacturer. The system must be maintained for continued airworthiness but may be listed in an approved Minimum Equipment List (MEL), provided the MEL does not permit the system to be inoperable for a period exceeding 15 days.

B7.6.2.2 The following systems are known to meet the above requirements:

TCAS: Any TSO'd system which provides a range selection of 2 nautical miles or less.

TAS: Bendix-King KTA 870, Goodrich Skywatch HP

TCAD: Avidyne TAS600/605/615/620 (formerly Ryan International TCAD 9900BX) only when a separate, approved Multi-Function Display (MFD) is used to display threat aircraft data.

B7.6.2.3 Satellite-based Traffic Information Systems (TIS), and Automatic Dependent Survey Type "B" (ADS-B) systems do not meet the above requirements.

B7.6.3 Reserved

B7.6.4 Reserved

SECTION B – TECHNICAL SPECIFICATIONS

B7.6.5 Terrain Awareness and Warning System (TAWS). Any aircraft furnished must be equipped with a TAWS meeting, as a minimum, the requirements specified in 14 CFR 91.223 for six to nine passenger seats, regardless of any exceptions for status as a Public Aircraft operation or firefighting operation. Additionally, the system must be equipped with a feature, selectable or de-selectable in flight, which inhibits the system's aural warning.

B7.6.6 Automatic Dependent Surveillance – Broadcast (ADS-B)

B7.6.6.1 All aircraft must be equipped to meet the ADS-B OUT requirements of 14 CFR 91.225. ADS-B OUT systems must be approved to either TSO-C154c (978MHz Universal Access Transceiver [UAT]) or TSO-C166b (1090MHz Extended Squitter [1090ES]). Aircraft operating outside of the United States must be equipped with systems approved to TSO-C166b.

B7.6.6.2 ADS-B IN system is required, system furnished must be TSO-approved, use diversity antennas on both the top and bottom of the aircraft, receive both UAT and 1090ES, and be interfaced to a multifunction display (MFD) or tablet or mobile device, minimum size of 3.0 inches wide x 1.5 inches high capable of displaying TIS-B traffic and FIS-B weather.

B7.6.7 Each aircraft must be equipped to meet the Radar Altimeter (RAD ALT) requirements of 14 CFR 135.160, where applicable. Radar Altimeter (RAD ALT), indicator must display of a minimum of from 20 to 2000 feet, variable decision height selection, and both visual (indicator light) aural (via the audio control systems) alert of arrival at decision height.

B7.6.8 The aircraft must be equipped with one permanently installed circuit breaker-protected, dual USB charging port for powering Electronic Flight Bags (EFBs), GPS devices, tablets, etc. The ports must be approved under TSO-C71, each be equipped with USB-A connectors, each providing a maximum of 2.1A power at 5VDC and mounted in a location convenient to the pilot and copilot/observer positions. (Cigarette lighter adapter is not acceptable).

B8 Reserved

PERSONNEL REQUIREMENTS

B9 Pilot Requirements

B9.1 The Contractor must furnish a flight crew for each day the aircraft is required to be available. A flight crew is one pilot-in-command (PIC).

B9.2 The PIC must be familiar with this contract and all applicable task orders issued under this contract.

B9.2.1 The PIC must be able to provide contract and/or task order information to the, OAS Technical Inspector, COR, project inspector (PI), or Government manager as requested.

B10 Pilot Qualifications

B10.1 General.

Pilot flight hours will be verified from an employer certified pilot log. Further verification of flight hours may be required at the COR's discretion.

B10.2 Minimum Qualifications.

The Contractor must provide a pilot(s) who meets the following minimum qualifications and who possesses the required certificates and evidence of having satisfactorily passed the evaluations for the required tasks:

SECTION B – TECHNICAL SPECIFICATIONS

B10.2.1 An FAA commercial pilot certificate or higher with airplane category, appropriate class(es) and instrument rating for offered aircraft.

B10.2.2 A current first-class medical certificate issued in accordance with 14 CFR Part 67.

B10.2.3 A current FAA competency check completed in accordance with 14 CFR 135.293(a and b) in the same make and model as the contract aircraft, a current 14 CFR 135.299 line check, and a current 14 CFR 135.297 instrument proficiency check or 14 CFR 121 equivalents.

B10.2.4 Pilots assigned as PIC must have previously possessed an interagency smokejumper and paracargo pilot-in-command card. Smokejumper pilots are required to demonstrate to an interagency inspector pilot, per the Interagency Mission Certification Standards (IMCS), their proficiency annually and prior to being accepted as pilot-in-command. The flight evaluation will be in an aircraft supplied by the Contractor, at no expense to the Government. The satisfactory completion of the evaluation flight will not substitute for any of the total flight hour requirements listed in this contract. Pilots without previous smokejumper and paracargo experience may be qualified for smokejumper and paracargo missions by accomplishing the Smokejumper (SMJ) PIC trainee requirements. (See B10.3)

B10.2.5 Proficient operation of all equipment identified in Section B (e.g., aircraft, FM radios and GPS). The agencies require pilots to demonstrate this proficiency during an evaluation flight.

B10.2.6 The Contractor must submit an Airplane Pilot Qualifications and Approval document (OAS-64A or FS 5700-20) for each pilot offered for approval (with supplements if requested).

B10.2.7 The Contractor must complete an OAS-64A for each contract pilot. The OAS-64A must be submitted to the OAS Inspector Pilot annually, and prior to any carding or pilot inspection event.

The OAS 64A can be found at: <https://www.doi.gov/aviation/library/forms#inspforms>

B10.2.8 PICs must have logged minimum flying time as follows:

(a)	1,500 hours Total pilot time.
(b)	1,200 hours PIC, airplanes.
(c)	200 hours PIC category and class to be flown.
(d)	75 hours PIC actual or simulated instrument flight time (including 50 hours in flight).
(e)	100 hours PIC night flying to include the recent flight experience requirements of Federal Aviation Regulation 61.57(d).
(f)	250 hours PIC large airplane when applicable. (More than 12,500 pounds. Maximum certificated takeoff weight.)
(g)	100 hours PIC turbo prop.
(h)	200 hours...of low-level flight (below 500 feet AGL) in airplanes performing fire retardant drops,

SECTION B – TECHNICAL SPECIFICATIONS

dispensing agricultural materials, paracargo drops, wildlife surveys, or low-level military operations such as close air support or attack missions.
(i) 100 hours Total time in category, preceding 12 months.
(j) 10 hours PIC class in the preceding 60 days.
(k) 50 hours PIC in make and model of aircraft to be used on this contract (25 hours if the pilot has attended a formal transition-training course which includes classroom ground school in make and model and a flight evaluation.) (See B10.2.9)

Notes:

- RE: B10.2.8(k) Vendor in house FAA approved 14 CFR Part 135 training courses do not qualify for the 50% reduction.
- See OPM-23 for DOI Like Make and Model Groups

B10.3 SMJ PIC Trainee Requirements.

B10.3.1 SMJ PIC trainees must receive a minimum ten hours of specialized flight training in the offered aircraft: At least 5 hours of initial training must be completed at the Contractor's expense, preferably before the start of the contract. And a maximum of 5 hours after the start of contract, at the Governments expense, to finish the training. All training must be documented on the SMJ pilot training form (see exhibit) and must be done under the supervision of a SMJ Pilot Instructor, qualified in-accordance-with B10.5.

B10.3.2 The initial 5 hours of SMJ PIC flight training must include at least the following areas:

- a. Emergency procedures at gross weight.
- b. Simulated Smokejumper maneuvers including streamers, personnel drops and paracargo.

B10.3.3 At the start of contract before orientation SMJ PIC trainees must demonstrate to an OAS inspector pilot their proficiency in the aircraft to be flown on contract. The flight evaluation will be in an aircraft supplied by the Contractor, at no expense to the Government. The satisfactory completion of the evaluation flight will not substitute for any of the specialized training requirements or flight hours listed in this contract.

B10.3.4 SMJ PIC trainees must attend an orientation session conducted by the Bureau of Land Management (BLM) on SMJ procedures. This session will consist of approximately 9 hours of classroom study with an SMJ instructor pilot (IP) and a check spotter. The orientation will consist of at least the following subjects:

- a. Smokejumper mission
- b. Smokejumper equipment
- c. Cargo delivery systems
- d. Spotter procedures
- e. Communications
- f. [Interagency Smokejumper Pilots Operations Guide \(ISPOG\)](#)

SECTION B – TECHNICAL SPECIFICATIONS

B10.3.5 SMJ PIC trainees who successfully complete the above orientation will then continue the specialized flight training with the Contractor's SMJ Instructor Pilot or a Government SMJ IP when mutually agreed upon in an aircraft approved under this contract. The training will consist of at least the following:

- a. Emergencies in case of a jumper in tow or cargo in tow.
- b. Simulated drop patterns for steamers, jumpers, and cargo.
- c. Actual streamer drops.
- d. Actual personnel drops.
- e. Actual paracargo drops.
- f. Calculation of density altitude and aircraft performance in mountainous terrain.
- g. Three actual or simulated fire missions with a SMJ IP and Check Spotter.

B10.3.6 Before a SMJ PIC trainee is approved for use on this contract a Smokejumper and Paracargo flight evaluation from an Interagency Smokejumper Pilot Inspector, in accordance with the Interagency Mission Certification Standards is required. The flight evaluation will be in an aircraft supplied by the Contractor, at no expense to the Government. The satisfactory completion of the evaluation flight will not substitute for any of the specialized training requirements or flight hours listed in this contract.

B10.5 Smokejumper Instructor Pilot.

B10.5.1 The Contractor must furnish at least one experienced SMJ PIC designated as an SMJ IP to manage smokejumper pilot performance and conduct smokejumper pilot training. This may include smokejumper pilot trainee development or recurrent training of qualified smokejumper pilots. At the Contractor's expense, a SMJ IP must be available at the aircraft's base of operations within 24 hours of request by the Government during performance under this contract.

B10.5.2 The SMJ IP must demonstrate their ability to an OAS pilot inspector and be approved as a smokejumper instructor pilot under this contract.

B10.5.3 Each designated SMJ IP must be knowledgeable of all practices and procedures related to aerial delivery of smokejumper personnel and equipment and must have the ability to instruct smokejumper pilots.

B10.5.4 Each designated SMJ IP must have successfully completed at least 30 missions in the last 5 years or 10 missions within the last 24 months as a DOI/USFS-approved smokejumper PIC.

B10.5.5 Each designated SMJ IP must have completed at least five smokejumper missions in the geographic areas and atmospheric conditions similar to the area where instruction will be given.

B11 Personnel Duty Limitations

B11.1 Federal agencies may issue a notice reducing one or more of the following: the assigned duty period, maximum flight hours, length of personnel duty days. The notice issued may also increase the number of days off and may be issued either for a specific geographic area or on an agency-wide basis.

B11.2 The Contractor must monitor personnel for fatigue, or other issues, and remove from duty personnel showing signs of fatigue, or other issues, regardless of daily duty or flight limitations.

B12 Flight Crewmembers Duty and Flight Limitations

B12.1 Duty Day.

B12.1.1 Assigned duty of any kind must not exceed 14 hours in any 24-hour period. "Duty" includes flight time, time spent performing maintenance and preventative maintenance, ground duty of any kind, and standby. Local

SECTION B – TECHNICAL SPECIFICATIONS

travel up to a maximum of 30 minutes each way between the worksite and place of lodging will not be considered duty time. Flight crewmembers will be subject to the following duty hour limitations:

B12.1.2 A maximum of 14 consecutive duty hours during any assigned duty period.

B12.1.2.1 All flight crewmembers shall have two 24-hour periods of rest (off duty) within any 14 consecutive calendar days. In the conterminous United States, these two 24-hour rest periods shall be 2 calendar days off duty.

B12.1.2.2 Each pilot must be given a minimum of 10 consecutive hours of rest (off duty) prior to any assigned duty period.

B12.1.2.3 Regardless of the above limits, pilots are expected to notify the Contracting Officer's Representative (COR) if they become fatigued prior to reaching the duty day limit.

B12.2 Flight Limitations.

B12.2.1 Each crewmember must report all flight time, regardless of how or where performed, except personal pleasure flying. Crewmembers and relief crewmembers reporting for duty may be required to furnish a record of all duty and/or flight time during the previous 14 days. This record will be used to administer flight and duty time limitations.

B12.2.2 Flight time to and from a duty station as a flight crewmember (commuting) must be reported and counted toward limitations if it is flown on a duty day. Flight time includes but is not limited to military flight time, charter, flight instruction, 14 CFR Part 61.56 flight review, flight examinations by FAA designees, any flight time for which a flight crewmember is compensated, or any other flight time of a commercial nature whether compensated or not.

B12.2.3 Flight crewmembers will be limited to the following flight hour limitations, which must fall within their duty hour limitations:

B12.2.3.1 A maximum of 8 hours flight time (10 hours flight time for a crew of two when flying point-to-point missions) during any assigned duty period.

B12.2.3.2 A maximum of 42 hours flight time (50 hours flight time for a crew of two when flying point-to-point missions) during any consecutive 6-day period. When a pilot acquires 36 or more flight hours (42 or more flight hours for a crew of two when flying point-to-point missions) in a consecutive 6-day period, the pilot(s) will be given the following 24 hour period off duty for rest, after which a new 6-day cycle will begin.

B13 Mechanic Requirement

A mechanic must maintain the aircraft in accordance with the Contractor's FAA-approved maintenance program. The mechanic does not need to remain at the designated/alternate base but must be available when aircraft maintenance is required.

B14 Mechanic Qualifications

The Contractor may enter into an agreement with a qualified mechanic or maintenance facility. The mechanic provided to support this contract must possess the required certificates and the minimum qualifications shown below:

B14.1 The mechanic must have a valid FAA mechanic certificate with airframe and powerplant (A&P) ratings and must have held the certificate, or foreign equivalent, with both ratings for a period of 24 months.

SECTION B – TECHNICAL SPECIFICATIONS

B14.2 The mechanic must have been actively engaged in aircraft maintenance as a certificated mechanic for at least 18 months out of the last 24 months.

B14.3 The mechanic must have 12 months experience as an A&P mechanic, or foreign equivalent, in maintaining the same category (i.e., airplane/rotorcraft) of aircraft as the contract aircraft (3 of those 12 months must have been in the preceding 24 months).

B14.4 Reserved

B14.5 The mechanic must have 12 months maintenance experience on the same make and model as the contract aircraft or satisfactory completion of a manufacturer, or equivalent, maintenance course for the same make and model as the contract aircraft.

B15 Mechanic Duty Limitations

Contractor supplied mechanics deployed to the aircraft's operating location (on-site) for field maintenance must not exceed the following duty limitations:

B15.1 Within any 24-hour period, mechanics must have a minimum of 8 consecutive hours off duty immediately prior to the beginning of any duty day. Local travel up to a maximum of 30 minutes each way between the worksite and place of lodging will not be considered duty time.

B15.2 Mechanics must have 2 full days off duty during any 14-day period during the performance of this contract. Off duty days need not be consecutive.

B15.3 "Duty time" includes availability and work or alert status at any job site for which a mechanic is compensated, or any other time of a commercial nature whether compensated or not.

B15.4 The Government may further restrict duty hours and may remove the mechanic for fatigue or other causes before reaching their daily duty limitations.

B15.5 The mechanic is responsible for keeping the Government apprised of his or her duty limitation status.

B15.6 Relief or substitute mechanics reporting for duty may be required to furnish a record of all duty time during the previous 14 days.

B16 Reserved

B17 Reserved

B18 Relief Crew Requirement

B18.1 The Contractor must provide a qualified relief crew consisting of a pilot and copilot (if required by make and model offered) that is available to perform duties during the regular crewmember's scheduled days off.

B18.2 The Contractor must provide a planned schedule of relief duty days to the COR at the start of the exclusive use period. Relief crewmembers must arrive at the designated base before the scheduled duty period begins to ensure compliance with rest periods set forth herein.

B18.3 It is at the discretion of the Government to order relief crews when operating in Alaska. The Government will provide 72-hour notice to the Contractor of their intent to order relief crew members for the primary crews' mandatory days off. If ordered by the Government, the Contractor shall be reimbursed as provided under C23 of the contract. The Contractor will continue to receive payment of availability in the event no relief crew is ordered.

SECTION B – TECHNICAL SPECIFICATIONS

OPERATIONS

B19 Pilot Authority and Responsibility

The Contractor must ensure that the pilot is responsible for (1) operating the aircraft within its operating limits, (2) the safety of the aircraft, (3) its occupants, and (4) the cargo. The contract pilot:

B19.1 Must have the authority to represent the Contractor in all matters except changes in price and time unless the CO is notified otherwise, in writing, prior to performance. The pilot must be familiar with the contract and all applicable task orders assigned to this contract and must be able to provide contract and/or task order information to the project inspector (PI) or manager as requested.

B19.2 Must comply with Government directions except, when in the pilot's judgment, such compliance would violate Federal or State regulations or contract terms and conditions. The pilot has final authority to determine whether the flight can be accomplished safely and must refuse any flight or landing that is considered hazardous or unsafe.

B19.3 Must not permit any passenger to ride in the aircraft or any cargo to be loaded therein unless authorized by the COR or their authorized representative.

B19.4 Is responsible for computing the aircraft's weight and balance for all flights and for ensuring that the gross weight and center of gravity do not exceed the aircraft's limitations. The pilot must also properly secure all cargo.

B19.5 Must calculate aircraft performance to include:

1. Takeoff, accelerate stop and landing distances required versus runway available.
2. Single engine climb performance. Aircraft must be loaded and configured to provide at least 0.6% single engine gross climb gradient on takeoff. This only applies when in the smokejumper/paracargo configuration (Restricted Category) otherwise the manufacturer and/or FAA limitations must be complied with.

Note: Under no circumstances will a takeoff be attempted if existing environmental and runway conditions at takeoff cannot be accurately addressed in the aircraft flight manual (AFM) or pilot's operating handbook (POH).

B19.6 May not perform preventative maintenance in accordance with 14 CFR 43.3(h) unless authorized by the Contractor's FAA-issued operations specifications.

B19.7 May function as a mechanic when the aircraft is not available due to unscheduled maintenance provided the pilot holds an A&P certificate and meets all of the mechanic qualifications required by the Contractor's operations specifications.

B19.8 Must not perform scheduled maintenance and inspections when on duty as the primary or relief pilot.

B19.9 Duty time will apply against the pilot's duty day limitations any time during which the pilot is engaged in mechanic duties performing unscheduled maintenance, or as an authorized pilot performing preventative maintenance. All time in excess of 2 hours (not necessarily consecutive) will be applied against the pilot's flight hour limitations. After 2 hours, every hour spent as a mechanic, or as an authorized pilot performing preventative maintenance, will be applied against pilot flight time limitation on a one to one basis.

SECTION B – TECHNICAL SPECIFICATIONS

B20 Flight Operations

The Contractor must operate in accordance with their approved FAA Operations Specifications and all portions of 14 CFR Part 91 (including those portions applicable to civil aircraft) and each certification required under Section B2 unless otherwise authorized by the CO. The Contractor must ensure that all personnel operate in compliance with the following requirements:

B20.1 Manifesting. The pilot-in-command (PIC) must ensure that a manifest of all crewmembers and passengers on board has been completed and that a copy of this manifest shall remain at the point of initial departure. Manifest changes will be left at subsequent points of departure when practicable. A single manifest of all passengers involved may be left with an appropriate person in those instances when multiple short flights will be made within a specific geographical area and will involve frequent changes of passengers.

B20.2 Passenger Briefings. Before each takeoff, the PIC shall ensure that all passengers have been briefed in accordance with the briefing items contained in 14 CFR 135. Briefings for short flights do not need to be repeated unless new passengers come aboard. The briefing must describe the location/use of the following:

1. Emergency locator transmitter (ELT)
2. First aid kit
3. Personal protective equipment
4. Crew Resource Management

B20.3 Dual controls. The pilot shall brief passengers, seated in a pilot station, to remain clear of the flight controls at all times.

B20.4 Day/Night Use. Both day and night flight may be required by this contract.

B20.5 Flight Plans. Pilots must file and operate on an FAA, International Civil Aviation Organization (ICAO), or DOI bureau flight plan. Contractor flight plans are not acceptable. Flight plans must be filed prior to takeoff when possible.

B20.6 Flight Following. Pilots are responsible for flight following with the FAA, ICAO, and/or in accordance with the agency's approved flight following procedures. Check-in intervals must not exceed one-hour intervals under normal circumstances. AFF must be on and operational on all flights conducted under this contract except as allowed under B7.3.5.6.

B20.7 Smoking (including electronic cigarettes and personal vaporizers) will not be allowed in or within 50 feet of the aircraft.

B21 Security of Aircraft and Equipment

B21.1 The Contractor is solely responsible for the security of their contract aircraft, vehicles, and associated equipment.

B21.2 Any aircraft used under this contract must be physically secured and disabled via a dual-lock method whenever the aircraft is unattended. Any combination of two different anti-theft devices designed to lock aircraft flight control surfaces when not in use, or designed to secure an aircraft to the ground, is acceptable, provided they are appropriate for the aircraft. Operational environments and personnel safety must be considered when selecting the locking devices and methods to be used.

SECTION B – TECHNICAL SPECIFICATIONS

B21.2.1 Removal and/or disabling of locking devices and methods must be incorporated into preflight checklists to prevent accidental damage to the aircraft. The devices must be installed in a manner that precludes their inadvertent interference with in-flight operations.

B21.2.2 Using other means of securing or disabling an aircraft is acceptable, provided it achieves a level of security equal to or greater than the following example locking devices and methods:

- Locking hangar door
- Keyed ignition switch
- Keyed starter switch
- Keyed master power switch
- Hidden battery cutoff switches
- Throttle/power lever lock
- Mixture/fuel lever lock
- Locking fuel cutoff
- Locking tie-down cable
- Locking control surface “gust-lock”
- Propeller lock
- Propeller chain lock
- Propeller cable lock
- Locking wheel lock or chock
- Locking “club-type” devices for control yoke

The following locking devices and security methods do not satisfy the physical security requirements:

- Locking aircraft doors
- Fenced or gated parking area

B22 Personal Protective Equipment (PPE)

The Contractor must provide and require personnel to wear PPE in accordance with The Interagency Aviation Life Support Equipment (ALSE), Chapter 2 Personal Protective Equipment.

The DOI/USFS ALSE Guide/Handbook and the certificates of compliance are available on the OAS website at: <https://www.doi.gov/aviation/library/guides>

Note: The use of flight helmets for pilots is waived for the Smokejumper special mission.

B22.1 Personnel involved in the handling of potentially hazardous materials must wear protective equipment.

B23 PPE for Ground Operations

B23.1 While within the safety circle (50 feet) of an operating aircraft, all personnel must wear the following PPE:

B23.1.1 Shirt with long sleeves overlapping gloves, long trousers with legs overlapping boots, hardhat/flight helmet with chinstrap fastened, hearing, and eye protection.

Note: Maintenance personnel working on a running aircraft are exempt from glove, long-sleeve, and hardhat/flight helmet requirements.

SECTION B – TECHNICAL SPECIFICATIONS

B23.2 During all fueling operations, fuel-servicing personnel must wear a long-sleeved shirt, long trousers, boots, and gloves. The shirt and pants must be made of 100% cotton or other natural fiber or labeled as non-static.

B24 Transportation of Hazardous Materials

B24.1 Regardless of any FAA Air Carrier Operations Manual declaration of Will or Will Not Carry, the Contractor may be required to transport hazardous materials. Such transportation must be in accordance with 49 CFR, Department of Transportation Special Permit DOT-SP-9198, and the *NWCG Standards for Aviation Transport of Hazardous Materials*.

B24.2 A copy of the current DOT Special Permit, DOI Grantee Status Letter, NWCG Standards, and *DOT Emergency Response Guidebook* must be carried aboard each aircraft transporting hazardous materials.

B24.3 The Contractor must ensure that each employee who may perform a function subject to this DOT Special Permit has completed the Interagency Aviation Training Module A-110, Aviation Transportation of Hazardous Materials, within the previous 3 years. The training can be completed online at <http://www.iat.gov>. The Contractor must document this training in the employee's records and make it available to the Government when requested.

Note: The DOT special permit and the NWCG Standards are available online at www.doi.gov/aviation/library/guides. The Contractor is responsible for obtaining the *DOT Emergency Response Guidebook*.

B25 Fuel and Servicing Requirements

B25.1 General

B25.1.1 The Contractor must supply all fuel and lubricating oils required to operate all equipment during the contract period.

B25.1.2 All fuel must be commercial (or military) grade aviation fuel approved for use by the airframe and engine manufacturer. Only fuels meeting American Society for Testing and Material (ASTM) or Military Detail (MIL-DTL) specifications are authorized for use. ASTM D-1655 (Jet A, A-1, or B), MIL-DTL-83133 (JP-8).

B25.1.3 Contractors must ensure that fuel obtained from distributors or fixed-base operators (FBO) meets the specifications of paragraph B25.1.2 and the aircraft is serviced with the proper type of fuel. The Contractor must retain fuel delivery records throughout the contract period.

B25.2 Fueling Operations.

B25.2.1 Aircraft must not be refueled while any engine is running.

B25.2.2 The *NFPA 407: Standard for Aircraft Fuel Servicing* handbook must be used as a guide. Copies of *NFPA 407* can be obtained from the National Fire Protection Association (NFPA), www.nfpa.org.

B25.2.3 Government personnel are not allowed in the safety zone during aircraft fueling operations. The safety zone is defined as within 50 feet of the aircraft refueling receptacle.

B25.2.4 Government personnel will not be involved with refueling of the contract aircraft, unless the pilot has determined that it is an absolute necessity due to an emergency situation. Such emergencies must be documented by the pilot using the SAFECOM system.

SECTION B – TECHNICAL SPECIFICATIONS

B25.2.5 Smoking (to include electronic cigarettes and personal vaporizers) is prohibited within 50 feet of the aircraft and fuel servicing facilities/vehicles.

B25.2.6 Cell phone use is prohibited within 50 feet of the aircraft and fuel servicing facility/vehicle during fueling operations.

B25.2.7 A contract pilot must be present during all fueling operations.

B25.3 Reserved

B25.4 See Section C - Exhibit 4, Alaska Supplement – First Aid and Survival Kits.

AIRCRAFT MAINTENANCE REQUIREMENTS

B26 General - Maintenance

B26.1 The Contractor must ensure that the aircraft and all required equipment are operated and maintained in accordance with the original equipment manufacturers (OEM) or approved STC holder's current instructions including airframe, engine, appliances, emergency equipment, and all instructions for continued airworthiness (ICA's).

B26.2 Before the start date of the contract, the Contractor must ensure that all maintenance deficiencies have been corrected or deferred in accordance with 14 CFR 91.213 or the operator's FAA approved maintenance program. Deferred discrepancies will be evaluated, and the aircraft approved for contract use on a case-by-case basis.

B26.3 The Contractor must correct deficiencies that occur during contract performance in accordance with the appropriate Federal Aviation Regulations or the FAA approved maintenance program.

B26.4 The Contractor must immediately notify the COR and OAS technical inspector of any change to any engine, propeller, flight control, major airframe component, or any major repair following an incident or accident and must describe the circumstances involved.

B27 Airworthiness Directives (ADs) and Manufacturer's Mandatory Service Bulletins (MMSBs)

B27.1 The Contractor must comply with all applicable FAA ADs and MMSBs before and during contract performance.

B27.2 The Contractor must provide, at the time of agency inspection, a list of issued FAA ADs and MMSBs identifying all those that are applicable and not applicable to the contract aircraft. The list must be in a format similar to the one shown in AC 43-9C, Appendix 1, complete with authorized signature, certificate type and number. This list must include all accessories and equipment installed in each aircraft offered. Signature of the person verifying accuracy of the list is required.

B28 Manuals/Records

B28.1 The Contractor must ensure that all aircraft maintenance is recorded in accordance with 14 CFR Parts 43, 91, and 135 (reference 14 CFR Parts 43.9, 43.11, 91.417, and 135.439). Aircraft total time in service must be recorded. A copy of the current maintenance record must be kept with the aircraft. Electronic copies of manuals and records are acceptable.

B28.2 The Contractor must provide any documentation or record requested by the OAS technical inspector regarding the aircraft, equipment, and/or maintenance.

SECTION B – TECHNICAL SPECIFICATIONS

B28.3 If requested by the Government, the Contractor must furnish to the OAS technical inspector a copy of the Contractor's procedures manuals, as outlined in 14 CFR Part 135.21, along with any revisions made during the contract period.

B29 Maintenance

Aircraft must be maintained and inspected in accordance with the operator's FAA approved maintenance program.

B29.1 All maintenance, including inspection, rebuilding, alteration, and installation must be accomplished by a person authorized to perform maintenance in accordance with 14 CFR Part 43.

B29.2 The Contractor must ensure that a mechanic who meets the contract qualification requirements inspects the contract aircraft in accordance with the procedures outlined in the operator's FAA approved maintenance program. Aircraft total time in service must be recorded.

B29.3 All aircraft maintenance entries must include a reference to the approved technical data used to perform any installation, overhaul, major repair, or replacement of any engine, propeller, flight control, or major airframe component. The reference must include the title of the maintenance publication and identify the procedure performed or chapter, page, and paragraph where the procedure can be found. Adherence to this requirement will begin the date of contract award and continue through the duration of the contract.

B29.4 Routine/preventative maintenance must be performed before or after the Government's scheduled daily use period or as approved by the COR.

B29.5 The fire extinguisher must be maintained in accordance with *NFPA 10: Standards for Portable Fire Extinguishers* or the Contractor's 135 operations manual.

B30 Maintenance Test Flight

The Contractor must, at their own expense, perform an operational check flight following installation, overhaul, major repair, or replacement of any engine, propeller, flight control system, or when requested by the CO or OAS technical inspector. This must be accomplished before the aircraft resumes service under the contract. The pilot must enter the result of this test flight in the aircraft records, as outlined in 14 CFR 91.407.

B31 Time Between Overhaul (TBO) and Life-Limited Parts

B31.1 All components, including engines, must be replaced upon reaching the manufacturer's recommended TBO or FAA approved extension. Life-limited parts must be replaced at the specified time-in-service hours or cycles.

B31.2 Aircraft operated with components or accessories on FAA approved TBO extension programs are acceptable. The Contractor must be the holder of the approved extension authorization (not the owner if the aircraft is leased). The Contractor must operate in accordance with the extension authorization. The extension authorization must be kept with the aircraft.

B31.3 The Contractor must provide, at the time of agency inspection, a list of all items installed on the aircraft that are required to be overhauled or replaced on a specified time basis. This list must include the component's name, part number, serial number, total time, service life (or inspection/overhaul time interval), time remaining, and time and date when the component was overhauled, replaced, or inspected.

SECTION B – TECHNICAL SPECIFICATIONS

B32 Weight and Balance

The aircraft weight and balance report must include a (1) weight and balance record, (2) equipment list, and (3) any calculations due to changes in the equipment list (Form C). A copy of the current weight and balance report must be kept with the aircraft.

B32.1 Weight and Balance Record: The aircraft's required weight and balance record must be determined by actual weighing of the aircraft. The weight and balance record must be current based on the chart below. Scale readings must be recorded on the weight and balance record. Signature of a rated mechanic verifying accuracy of the record is required. This record is not superseded until the aircraft is reweighed.

Weighing Frequency on All Aircraft	
<i>Aircraft</i>	<i>Frequency (Calendar Months)</i>
Single engine	60
Multiengine airplanes	36

Note: All point-to-point aircraft are excluded from this schedule and must follow their approved 135 operations specifications.

B32.1.1 The aircraft must be weighed following any major repair, major alteration, or change to the equipment list that significantly affects the center of gravity of the aircraft.

B32.1.2 All aircraft must be weighed on scales that have been certified as accurate within the preceding 12 calendar months. Any accredited weights and measures laboratory may serve as the certifying agency. The weight and balance record must include the make, model, serial number, and calibration date of the scales used to weigh the aircraft.

B32.2 Equipment List: The Contractor must compile a list of equipment installed in the aircraft at the time of weighing. Each page of the equipment list must identify the specific aircraft by its serial and registration numbers and must be dated to indicate the last date of weighing or calculation. Signature of a rated mechanic verifying accuracy of the record is required. Weight and Balance Handbook ([FAA-H-8083-1B](#)) should be used as a guide.

B32.2.1 Items that may be easily removed or installed for aircraft configuration changes (seats, doors, radios, cargo hook, baskets, special mission equipment, etc.) must be listed and include the name, weight, and arm of each item.

B32.3 Calculations: Each time equipment is removed or installed, and the aircraft is not reweighed, the aircraft's weight and balance must be calculated. A weight and balance revision or continuous history form must be used to show the calculated weight and balance of the aircraft resulting from the change in equipment. This is an additional document and does not supersede the weight and balance record. Weight and Balance Handbook ([FAA-H-8083-1B](#)) should be used as a guide.

SECTION C – CONTRACT TERMS AND CONDITIONS

SECTION C – CONTRACT TERMS AND CONDITIONS

CONTRACT CLAUSES

All offerors must comply with the following FAR, DIAR, and AQD clauses which apply to this acquisition:

FAR 52.252-2 Clauses Incorporated by Reference. (Feb 1998)

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this address:

FAR/DIAR: <https://www.acquisition.gov/>

Clause	Title	Date
52.203-3	Gratuities	Apr 1984
52.203-12	Limitation on Payments to Influence Certain Federal Transactions.	Jun 2020
52.203-17	Contractor Employee Whistleblower Rights	Nov 2023
52.204-13	System for Award Management	Oct 2018
52.204-18	Commercial and Government Entity Code Maintenance	Aug 2020
52.204-19	Incorporation by Reference of Representations and Certifications	Dec 2014
52.204-21	Basic Safeguarding of Covered Contractor Information Systems	Nov 2021
52.212-4	Contract Terms and Conditions -- Commercial Products and Commercial Services	Nov 2023
52.212-4 Alt 1	Contract Terms and Conditions -- Commercial Products and Commercial Services – Alternate I	Nov 2021
52.232-39	Unenforceability of Unauthorized Obligations.	Jun 2013
52.232-40	Providing Accelerated Payments to Small Business Subcontractors	Mar 2023
52.242-13	Bankruptcy	Jul 1995
52.245-1	Government Property	Sep 2021
52.245-1 Alt I	Government Property – Alternate I	Apr 2012
52.245-9	Use and Charges	Apr 2012
52.253-1	Computer Generated Forms	Jan 1991

***Note: Be advised that the controlling law regarding certain terms and conditions of this agreement remains unsettled by the Federal judiciary at the time of award and will be enforced only to the extent permitted by law. Notice will be provided regarding the legal outcomes that impact your agreement.**

Clauses Incorporated by Full Text

ADDENDA TO CONTRACT TERMS AND CONDITIONS

FAR 52.212-4(a) Inspection/Acceptance

The following is added:

Inspection Scheduling and Process. After either contract award or renewal, the OAS technical inspector will schedule a date to inspect the Contractor's proposed aircraft, equipment, and personnel to ensure contract compliance. The inspection will be conducted at the designated base, Contractor's facility, or other location acceptable to the Government and the Contractor. The inspection will be scheduled to commence as early as 60 calendar days and not later than five business days prior to the established reporting date, unless otherwise mutually agreed upon by the OAS technical inspector and the Contractor. The inspection time and date will be scheduled for between 0730 and 1630 local time, Monday through Friday, unless otherwise

SECTION C – CONTRACT TERMS AND CONDITIONS

agreed upon by the OAS technical inspector. The OAS technical inspector will confirm the inspection details in writing. Contractor written requests for inspection rescheduling that are received by the OAS technical inspector at least 10 days prior to the originally scheduled inspection date may be accommodated by the OAS technical inspector, depending upon their work schedule.

OAS Technical Inspector

The OAS Technical Inspector is authorized to take any or all actions necessary to assure compliance with the technical portions of the contract. The OAS Technical Inspector will conduct all requested or required inspections.

The OAS Technical Inspector for this contract is:
ATTN: Supervisor – Aviation Safety Compliance
DOI – Office of Aviation Services (OAS)
300 E. Mallard Drive Ste.200
Boise, Idaho 83706
Phone: 208-830-2275

Project Inspector (PI)

If necessary, due to distance or geographic dispersion of sites, the COR may request in writing to the CO, a Project Inspector to monitor the contract in their absence. The CO will appoint the PI in writing with copies to the Contractor and the COR. The PIs will not be delegated COR authority and must immediately bring any potentially controversial matter to the COR for action. The COR will remain the delegated Government representative directly responsible to the CO.

The OAS Safety Manager

The OAS Safety Manager (ASM) is responsible for all matters concerning accident and incident with potential investigations. The ASM is:

ATTN: Aviation Safety Manager
DOI – Office of Aviation Services (OAS)
300 E. Mallard Dr., Ste. 200
Boise, ID 83706-3991
Phone: 208-433-5071

BLM Aviation Safety Advisor

BLM Aviation Safety Advisor may at any time conduct assurance reviews with company employees performing on the contract. Reviews will be based on SMS requirements noted in C9.2.

The Contractor must provide information specific to the aircraft, equipment, and personnel being proposed for use during each year of the contract when requested by the OAS technical inspector.

The Contractor must notify the CO, the COR, and the OAS technical inspector when an action has been imposed by the FAA on the operator's certificate or on any pilot or aircraft carded under this contract. The Contractor must also notify the OAS technical inspector of any changes in the Director of Operations, Chief Pilot, and Director of Maintenance as well as any additional positions approved under 14 CFR 119.69(b).

Approved aircraft, pilots and mechanics will be issued an Interagency Aircraft Data Card, Interagency Data Card - Interagency Pilot Qualification card, and Interagency Mechanic Qualification Card, as applicable. The aircraft, pilot and mechanic cards detail the activities for which they are authorized.

The aircraft data card must be kept in the aircraft and available for inspection at all times.

The pilot qualification card must be kept in the possession of the pilot and available for inspection at all times.

SECTION C – CONTRACT TERMS AND CONDITIONS

If the OAS technical inspector determines any aircraft, equipment, personnel, records, or documents presented for inspection are not completely ready for the inspection or are determined to be nonconforming as required by the contract, the OAS technical inspector may suspend the inspection(s) and schedule a reinspection for another time/date/site. The Contractor may be charged for the cost of reinspection, as identified below.

Equipment.

The aircraft and equipment will be inspected to ensure compliance with all Section A and B contract requirements. The Government may require in-flight dynamic testing of aircraft systems. This testing may be conducted in conjunction with pilot evaluation flight(s) and will be performed at no cost to the Government.

Key Personnel (Pilots).

Pilots are considered essential to the work to be perform. The Contractor hereby agrees to furnish qualified pilots in the performance of this contract. Prior to diverting the specified individuals to other projects or programs, the Contractor shall notify the CO reasonably in advance and shall submit justification (including proposed substitutions) in sufficient detail to permit evaluation of the impact of the program. No diversion shall be made by the Contractor without written consent of the CO. Replacement personnel shall meet or exceed the skill, experience and knowledge identified herein. A complete OAS-64A, equal to the detail provided in the Contractor's original proposal shall be submitted for any proposed substitutions. The CO shall determine acceptability of a replacement. Personnel will be identified on OAS-68 inspection forms under this contract.

Only those pilots whose past flight time and experience can be verified from logbooks, employment records, etc., will be approved for contract use. The Contractor cannot substitute any pilot flight evaluation time for any of the total pilot flight hour requirements listed in this contract.

The OAS technical inspector's representative will conduct a pilot flight evaluation to further verify the pilot(s)' ability to perform under this contract, when determined necessary. The evaluation may include but is not limited to: weight and balance performance, center of gravity limitations, aircraft performance charts, density altitude considerations, load calculation preparation and actual flying of the aircraft. Portions of the evaluation may be conducted orally. The flight evaluation will be conducted in accordance with the Interagency Mission Certification Standards, and the FAA Airmen Certification Standards (ASC) as applicable. A pilot must also be capable of demonstrating proficient operation of all aircraft equipment identified in Section B during an evaluation flight.

The aircraft used for the evaluation(s) must be the same make, model, and series awarded for this contract and be equipped with dual controls. Flight evaluation(s) will usually be performed in areas that provide access to terrain similar to that to be flown during the contract period. Flight evaluations are conducted at the Contractor's expense.

During the flight evaluation, pilot inspectors retain discretionary authority in determining the competency of the pilot. The Government will make the final determination as to the pilot's ability to successfully meet contract requirements.

Services provided under this contract require DOI special use flight activities as identified herein. Pilots must have satisfactorily completed an agency initial and/or periodic flight evaluation(s) for these activities before being approved for use under the contract, unless otherwise indicated in the contract. The OAS technical inspector will provide detailed information concerning the types and frequency of special use pilot flight evaluations when requested.

List of Special Use Flight Activities:

- Low-level flight (less than 500' above of the surface)
- Mountainous Terrain
- Paracargo
- Reconnaissance
- Smokejumper

SECTION C – CONTRACT TERMS AND CONDITIONS

Substitute Personnel, Aircraft, or Equipment.

The Contractor may request the use of substitute personnel, aircraft, or equipment that was not initially approved for use. All proposed substitutes must meet or exceed contract specifications and be subject to inspections and approvals identified herein prior to use. The Contractor must submit a written request for inspections of pilot substitutes to the OAS technical inspector seven days prior to the scheduled arrival at the site.

Requests for aircraft substitution must be submitted to the CO for approval prior to inspection. The CO may issue a bilateral modification prior to submitting a request to the OAS technical inspector for inspection scheduling. Requests received with fewer than seven days' notice will be accomplished as permitted by the OAS technical inspector's schedule.

Any request for aircraft substitutions must include:

- Completed Aircraft Questionnaire
- Completed Aircraft Information Form
- Airworthiness Certificate
- Aircraft Registration
- Current Weight and Balance (based on table in Section B32)
- Equipment list certified accurate at the time of weighing
- Any calculations indicating changes to the aircraft and equipment list that may have occurred after the time of weighing
- Payload calculations showing performance characteristics of the offered aircraft
- Applicable performance charts from the aircraft flight manual
- Copy of the 14 CFR Part 135 Operations Specifications (D085)

The Contractor must transport substitute personnel, aircraft, or equipment to the point of use at their expense.

Reinspection Expenses.

The Government may charge the Contractor for the cost of any substitute inspections. The Contractor must be liable for all Government incurred reinspection costs. Inspection expenses will not be deducted from payments due the Contractor. Contractor will be responsible to make payment as directed in writing by the CO.

The bureau may require substitute pilots to obtain up to three hours each of training or orientation flight time at Contractor's expense. (This flight time is in addition to any necessary pilot evaluation flight(s)).

Costs may include, but are not limited to, inspector(s)' time to include travel time at \$100.00 per hour, and transportation and subsistence at actual cost in accordance with the Federal Travel Regulation (FTR).

FAR 52.212-4(k) Taxes

The following is added:

Important Notice: In accordance with 52.212-4(k), the price(s) in the schedule within Section A of the contract include all applicable Federal, State, and local taxes and duties. The Government's electronic business systems will not calculate nor pay for any federal, state, or local taxes or duties separately under the contract. Examples of taxes and duties that are considered included in the contract prices are:

- Federal Airport and Airway Excise Taxes
- Fuel Taxes
- Transportation Taxes (passengers and cargo)

SECTION C – CONTRACT TERMS AND CONDITIONS

FAR 52.212-5 Contract Terms and Conditions Required to Implement Statutes or Executive Orders—Commercial Products and Commercial Services (Jan 2025) (DEVIATION FEB 2025)

(a) The Contractor shall comply with the following Federal Acquisition Regulation (FAR) clauses, which are incorporated in this contract by reference, to implement provisions of law or Executive orders applicable to acquisitions of commercial products and commercial services:

(1) [52.203-19](#), Prohibition on Requiring Certain Internal Confidentiality Agreements or Statements (JAN 2017) (section 743 of Division E, Title VII, of the Consolidated and Further Continuing Appropriations Act, 2015 (Pub. L. 113-235) and its successor provisions in subsequent appropriations acts (and as extended in continuing resolutions)).

(2) [52.204-23](#), Prohibition on Contracting for Hardware, Software, and Services Developed or Provided by Kaspersky Lab Covered Entities (DEC 2023) (Section 1634 of Pub. L. 115-91).

(3) [52.204-25](#), Prohibition on Contracting for Certain Telecommunications and Video Surveillance Services or Equipment. (NOV 2021) (Section 889(a)(1)(A) of Pub. L. 115-232).

(4) [52.209-10](#), Prohibition on Contracting with Inverted Domestic Corporations (NOV 2015).

(5) [52.232-40](#), Providing Accelerated Payments to Small Business Subcontractors (MAR 2023) ([31 U.S.C. 3903](#) and [10 U.S.C. 3801](#)).

(6) [52.233-3](#), Protest After Award (AUG 1996) ([31 U.S.C. 3553](#)).

(7) [52.233-4](#), Applicable Law for Breach of Contract Claim (OCT 2004) (Public Laws 108-77 and 108-78 ([19 U.S.C. 3805 note](#))).

(b) The Contractor shall comply with the FAR clauses in this paragraph (b) that the Contracting Officer has indicated as being incorporated in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial products and commercial services:

 X_ (1) [52.203-6](#), Restrictions on Subcontractor Sales to the Government (JUN 2020), with *Alternate I* (NOV 2021) ([41 U.S.C. 4704](#) and [10 U.S.C. 4655](#)).

 X_ (2) [52.203-13](#), Contractor Code of Business Ethics and Conduct (NOV 2021) ([41 U.S.C. 3509](#))).

 (3) [52.203-15](#), Whistleblower Protections under the American Recovery and Reinvestment Act of 2009 (JUN 2010) (Section 1553 of Pub. L. 111-5). (Applies to contracts funded by the American Recovery and Reinvestment Act of 2009.)

 X_ (4) [52.203-17](#), Contractor Employee Whistleblower Rights (NOV 2023) ([41 U.S.C. 4712](#)); this clause does not apply to contracts of DoD, NASA, the Coast Guard, or applicable elements of the intelligence community—see FAR [3.900](#)(a).

 X_ (5) [52.204-10](#), Reporting Executive Compensation and First-Tier Subcontract Awards (JUN 2020) (Pub. L. 109-282) ([31 U.S.C. 6101 note](#)).

 (6) [Reserved].

 (7) [52.204-14](#), Service Contract Reporting Requirements (OCT 2016) (Pub. L. 111-117, section 743 of Div. C).

 X_ (8) [52.204-15](#), Service Contract Reporting Requirements for Indefinite-Delivery Contracts (OCT 2016) (Pub. L. 111-117, section 743 of Div. C).

 X_ (9) [52.204-27](#), Prohibition on a ByteDance Covered Application (JUN 2023) (Section 102 of Division R of Pub. L. 117-328).

SECTION C – CONTRACT TERMS AND CONDITIONS

 X (10) [52.204-28](#), Federal Acquisition Supply Chain Security Act Orders—Federal Supply Schedules, Governmentwide Acquisition Contracts, and Multi-Agency Contracts. (DEC 2023) ([Pub. L. 115–390](#), title II).

 X (11) (i) [52.204-30](#), Federal Acquisition Supply Chain Security Act Orders—Prohibition. (DEC 2023) ([Pub. L. 115–390](#), title II).

 (ii) Alternate I (DEC 2023) of [52.204-30](#).

 X (12) [52.209-6](#), Protecting the Government’s Interest When Subcontracting with Contractors Debarred, Suspended, Proposed for Debarment, or Voluntarily Excluded. (JAN 2025) ([31 U.S.C. 6101 note](#)).

 X (13) [52.209-9](#), Updates of Publicly Available Information Regarding Responsibility Matters (OCT 2018) ([41 U.S.C. 2313](#)).

 (14) [Reserved].

 (15) [52.219-3](#), Notice of HUBZone Set-Aside or Sole-Source Award (OCT 2022) ([15 U.S.C. 657a](#)).

 (16) [52.219-4](#), Notice of Price Evaluation Preference for HUBZone Small Business Concerns (OCT 2022) (if the offeror elects to waive the preference, it shall so indicate in its offer) ([15 U.S.C. 657a](#)).

 (17) [Reserved]

 (18) (i) [52.219-6](#), Notice of Total Small Business Set-Aside (NOV 2020) ([15 U.S.C. 644](#)).

 (ii) Alternate I (MAR 2020) of [52.219-6](#).

 (19) (i) [52.219-7](#), Notice of Partial Small Business Set-Aside (NOV 2020) ([15 U.S.C. 644](#)).

 (ii) Alternate I (MAR 2020) of [52.219-7](#).

 X (20) [52.219-8](#), Utilization of Small Business Concerns (FEB 2024) ([15 U.S.C. 637\(d\)\(2\)](#) and (3)).

 (21) (i) [52.219-9](#), Small Business Subcontracting Plan (SEP 2023) ([15 U.S.C. 637\(d\)\(4\)](#)).

 (ii) Alternate I (NOV 2016) of [52.219-9](#).

 (iii) Alternate II (NOV 2016) of [52.219-9](#).

 (iv) Alternate III (JUN 2020) of [52.219-9](#).

 (v) Alternate IV (JAN 2025) of [52.219-9](#).

 (22) (i) [52.219-13](#), Notice of Set-Aside of Orders (MAR 2020) ([15 U.S.C. 644\(r\)](#)).

 (ii) Alternate I (MAR 2020) of [52.219-13](#).

 (23) [52.219-14](#), Limitations on Subcontracting (OCT 2022) ([15 U.S.C. 657s](#)).

 (24) [52.219-16](#), Liquidated Damages—Subcontracting Plan (SEP 2021) ([15 U.S.C. 637\(d\)\(4\)\(F\)\(i\)](#)).

 (25) [52.219-27](#), Notice of Set-Aside for, or Sole-Source Award to, Service-Disabled Veteran-Owned Small Business (SDVOSB) Concerns Eligible Under the SDVOSB Program (FEB 2024) ([15 U.S.C. 657f](#)).

 (26) (i) [52.219-28](#), Post Award Small Business Program Rerepresentation (JAN 2025) ([15 U.S.C. 632\(a\)\(2\)](#)).

 (ii) Alternate I (MAR 2020) of [52.219-28](#).

SECTION C – CONTRACT TERMS AND CONDITIONS

- ___ (27) [52.219-29](#), Notice of Set-Aside for, or Sole-Source Award to, Economically Disadvantaged Women-Owned Small Business Concerns (OCT 2022) ([15 U.S.C. 637\(m\)](#)).
- ___ (28) [52.219-30](#), Notice of Set-Aside for, or Sole-Source Award to, Women-Owned Small Business Concerns Eligible Under the Women-Owned Small Business Program (OCT 2022) ([15 U.S.C. 637\(m\)](#)).
- ___ (29) [52.219-32](#), Orders Issued Directly Under Small Business Reserves (MAR 2020) ([15 U.S.C. 644\(r\)](#)).
- ___ (30) [52.219-33](#), Nonmanufacturer Rule (SEP 2021) ([15 U.S.C. 637\(a\)\(17\)](#)).
- __X_ (31) [52.222-3](#), Convict Labor (JUN 2003) (E.O.11755).
- __X_ (32) [52.222-19](#), Child Labor-Cooperation with Authorities and Remedies (JAN 2025) ([E.O. 13126](#)).
- ___ (33) [52.222-21](#), Prohibition of Segregated Facilities (APR 2015).
- ___ (34) (i) [52.222-26](#), Equal Opportunity (SEP 2016) (E.O.11246).
- ___ (ii) Alternate I (FEB 1999) of [52.222-26](#).
- __X_ (35) (i) [52.222-35](#), Equal Opportunity for Veterans (JUN 2020) ([38 U.S.C. 4212](#)).
- ___ (ii) Alternate I (JUL 2014) of [52.222-35](#).
- __X_ (36) (i) [52.222-36](#), Equal Opportunity for Workers with Disabilities (JUN 2020) ([29 U.S.C. 793](#)).
- ___ (ii) Alternate I (JUL 2014) of [52.222-36](#).
- __X_ (37) [52.222-37](#), Employment Reports on Veterans (JUN 2020) ([38 U.S.C. 4212](#)).
- __X_ (38) [52.222-40](#), Notification of Employee Rights Under the National Labor Relations Act (DEC 2010) (E.O. 13496).
- __X_ (39) (i) [52.222-50](#), Combating Trafficking in Persons (NOV 2021) ([22 U.S.C. chapter 78](#) and E.O. 13627).
- ___ (ii) Alternate I (MAR 2015) of [52.222-50](#) ([22 U.S.C. chapter 78](#) and E.O. 13627).
- __X_ (40) [52.222-54](#), Employment Eligibility Verification (Jan 2025) (Executive Order 12989). (Not applicable to the acquisition of commercially available off-the-shelf items or certain other types of commercial products or commercial services as prescribed in FAR [22.1803](#).)
- ___ (41) (i) [52.223-9](#), Estimate of Percentage of Recovered Material Content for EPA–Designated Items (May 2008) ([42 U.S.C. 6962\(c\)\(3\)\(A\)\(ii\)](#)). (Not applicable to the acquisition of commercially available off-the-shelf items.)
- ___ (ii) Alternate I (MAY 2008) of [52.223-9](#) ([42 U.S.C. 6962\(i\)\(2\)\(C\)](#)). (Not applicable to the acquisition of commercially available off-the-shelf items.)
- ___ (42) [52.223-11](#), Ozone-Depleting Substances and High Global Warming Potential Hydrofluorocarbons (MAY 2024) ([42 U.S.C. 7671](#), *et seq.*).
- ___ (43) [52.223-12](#), Maintenance, Service, Repair, or Disposal of Refrigeration Equipment and Air Conditioners (MAY 2024) ([42 U.S.C. 7671](#), *et seq.*).
- ___ (44) [52.223-20](#), Aerosols (MAY 2024) ([42 U.S.C. 7671](#), *et seq.*).
- ___ (45) [52.223-21](#), Foams (MAY 2024) ([42 U.S.C. 7671](#), *et seq.*).

SECTION C – CONTRACT TERMS AND CONDITIONS

X (46) [52.223-23](#), Sustainable Products and Services (MAY 2024) (DEVIATION FEB 2025) ([7 U.S.C. 8102](#), [42 U.S.C. 6962](#), [42 U.S.C. 8259b](#), and [42 U.S.C. 76711](#)).

X (47) (i) [52.224-3](#) Privacy Training (JAN 2017) (5 U.S.C. 552 a).

___ (ii) Alternate I (JAN 2017) of [52.224-3](#).

___ (48) (i) [52.225-1](#), Buy American-Supplies (OCT 2022) ([41 U.S.C. chapter 83](#)).

___ (ii) Alternate I (OCT 2022) of [52.225-1](#).

___ (49) (i) [52.225-3](#), Buy American-Free Trade Agreements-Israeli Trade Act (NOV 2023) ([19 U.S.C. 3301 note](#), [19 U.S.C. 2112 note](#), [19 U.S.C. 3805 note](#), [19 U.S.C. 4001 note](#), 19 U.S.C. chapter 29 (sections 4501-4732), Public Law 103-182, 108-77, 108-78, 108-286, 108-302, 109-53, 109-169, 109-283, 110-138, 112-41, 112-42, and 112-43.

___ (ii) Alternate I [Reserved].

___ (iii) Alternate II (JAN 2025) of [52.225-3](#).

___ (iv) Alternate III (FEB 2024) of [52.225-3](#).

___ (v) Alternate IV (Oct 2022) of [52.225-3](#).

___ (50) [52.225-5](#), Trade Agreements (NOV 2023) ([19 U.S.C. 2501](#), *et seq.*, [19 U.S.C. 3301](#) note).

X (51) [52.225-13](#), Restrictions on Certain Foreign Purchases (FEB 2021) (E.O.'s, proclamations, and statutes administered by the Office of Foreign Assets Control of the Department of the Treasury).

___ (52) [52.225-26](#), Contractors Performing Private Security Functions Outside the United States (Oct 2016) (Section 862, as amended, of the National Defense Authorization Act for Fiscal Year 2008; 10 U.S.C. Subtitle A, Part V, Subpart G Note).

___ (53) [52.226-4](#), Notice of Disaster or Emergency Area Set-Aside (Nov 2007) ([42 U.S.C. 5150](#)).

___ (54) [52.226-5](#), Restrictions on Subcontracting Outside Disaster or Emergency Area (Nov 2007) ([42 U.S.C. 5150](#)).

X (55) [52.226-8](#), Encouraging Contractor Policies to Ban Text Messaging While Driving (MAY 2024) ([E.O. 13513](#)).

___ (56) [52.229-12](#), Tax on Certain Foreign Procurements (FEB 2021).

___ (57) [52.232-29](#), Terms for Financing of Purchases of Commercial Products and Commercial Services (NOV 2021) ([41 U.S.C. 4505](#), [10 U.S.C. 3805](#)).

___ (58) [52.232-30](#), Installment Payments for Commercial Products and Commercial Services (NOV 2021) ([41 U.S.C. 4505](#), [10 U.S.C. 3805](#)).

X (59) [52.232-33](#), Payment by Electronic Funds Transfer-System for Award Management (OCT2018) ([31 U.S.C. 3332](#)).

___ (60) [52.232-34](#), Payment by Electronic Funds Transfer-Other than System for Award Management (Jul 2013) ([31 U.S.C. 3332](#)).

___ (61) [52.232-36](#), Payment by Third Party (MAY 2014) ([31 U.S.C. 3332](#)).

___ (62) [52.239-1](#), Privacy or Security Safeguards (AUG 1996) ([5 U.S.C. 552a](#)).

X (63) [52.240-1](#), Prohibition on Unmanned Aircraft Systems Manufactured or Assembled by American Security Drone Act-Covered Foreign Entities (NOV 2024) (Sections 1821-1826, Pub. L. 118-31, [41 U.S.C. 3901](#) note prec.).

SECTION C – CONTRACT TERMS AND CONDITIONS

___ (64) [52.242-5](#), Payments to Small Business Subcontractors (JAN 2017) ([15 U.S.C. 637\(d\)\(13\)](#)).

___ (65) (i) [52.247-64](#), Preference for Privately Owned U.S.-Flag Commercial Vessels (NOV 2021) ([46 U.S.C. 55305](#) and [10 U.S.C. 2631](#)).

___ (ii) Alternate I (APR 2003) of [52.247-64](#).

___ (iii) Alternate II (NOV 2021) of [52.247-64](#).

(c) The Contractor shall comply with the FAR clauses in this paragraph (c), applicable to commercial services, that the Contracting Officer has indicated as being incorporated in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial products and commercial services:

__X_ (1) [52.222-41](#), Service Contract Labor Standards (AUG 2018) ([41 U.S.C. chapter 67](#)).

__X_ (2) [52.222-42](#), Statement of Equivalent Rates for Federal Hires (MAY 2014) ([29 U.S.C. 206](#) and [41 U.S.C. chapter 67](#)).

__X_ (3) [52.222-43](#), Fair Labor Standards Act and Service Contract Labor Standards-Price Adjustment (Multiple Year and Option Contracts) (AUG 2018) ([29 U.S.C. 206](#) and [41 U.S.C. chapter 67](#)).

___ (4) [52.222-44](#), Fair Labor Standards Act and Service Contract Labor Standards-Price Adjustment (May 2014) ([29 U.S.C. 206](#) and [41 U.S.C. chapter 67](#)).

___ (5) [52.222-51](#), Exemption from Application of the Service Contract Labor Standards to Contracts for Maintenance, Calibration, or Repair of Certain Equipment-Requirements (May 2014) ([41 U.S.C. chapter 67](#)).

___ (6) [52.222-53](#), Exemption from Application of the Service Contract Labor Standards to Contracts for Certain Services-Requirements (MAY 2014) ([41 U.S.C. chapter 67](#)).

__X_ (7) [52.222-55](#), Minimum Wages for Contractor Workers Under Executive Order 14026 (JAN 2022).

__X_ (8) [52.222-62](#), Paid Sick Leave Under Executive Order 13706 (JAN 2022) (E.O. 13706).

___ (9) [52.226-6](#), Promoting Excess Food Donation to Nonprofit Organizations (Jun 2020) ([42 U.S.C. 1792](#)).

___ (10) [52.247-69](#), Reporting Requirement for U.S. Flag-Air Carriers Regarding Training to Prevent Human Trafficking (Jan 2025) ([49 U.S.C. 40118\(g\)](#)).

(d) *Comptroller General Examination of Record*. The Contractor shall comply with the provisions of this paragraph (d) if this contract was awarded using other than sealed bid, is in excess of the simplified acquisition threshold, as defined in FAR [2.101](#), on the date of award of this contract, and does not contain the clause at [52.215-2](#), Audit and Records-Negotiation.

(1) The Comptroller General of the United States, or an authorized representative of the Comptroller General, shall have access to and right to examine any of the Contractor's directly pertinent records involving transactions related to this contract.

(2) The Contractor shall make available at its offices at all reasonable times the records, materials, and other evidence for examination, audit, or reproduction, until 3 years after final payment under this contract or for any shorter period specified in FAR subpart [4.7](#), Contractor Records Retention, of the other clauses of this contract. If this contract is completely or partially terminated, the records relating to the work terminated shall be made available for 3 years after any resulting final termination settlement. Records relating to appeals under the disputes clause or to litigation or the settlement of claims arising under or relating to this contract shall be made available until such appeals, litigation, or claims are finally resolved.

SECTION C – CONTRACT TERMS AND CONDITIONS

(3) As used in this clause, records include books, documents, accounting procedures and practices, and other data, regardless of type and regardless of form. This does not require the Contractor to create or maintain any record that the Contractor does not maintain in the ordinary course of business or pursuant to a provision of law.

(e) (1) Notwithstanding the requirements of the clauses in paragraphs (a), (b), (c), and (d) of this clause, the Contractor is not required to flow down any FAR clause, other than those in this paragraph (e)(1), in a subcontract for commercial products or commercial services. Unless otherwise indicated below, the extent of the flow down shall be as required by the clause-

(i) [52.203-13](#), Contractor Code of Business Ethics and Conduct (NOV 2021) ([41 U.S.C. 3509](#)).

(ii) [52.203-17](#), Contractor Employee Whistleblower Rights (NOV 2023) ([41 U.S.C. 4712](#)).

(iii) [52.203-19](#), Prohibition on Requiring Certain Internal Confidentiality Agreements or Statements (Jan 2017) (section 743 of Division E, Title VII, of the Consolidated and Further Continuing Appropriations Act, 2015 (Pub. L. 113-235) and its successor provisions in subsequent appropriations acts (and as extended in continuing resolutions)).

(iv) [52.204-23](#), Prohibition on Contracting for Hardware, Software, and Services Developed or Provided by Kaspersky Lab Covered Entities (DEC 2023) (Section 1634 of Pub. L. 115-91).

(v) [52.204-25](#), Prohibition on Contracting for Certain Telecommunications and Video Surveillance Services or Equipment. (NOV 2021) (Section 889(a)(1)(A) of Pub. L. 115-232).

(vi) [52.204-27](#), Prohibition on a ByteDance Covered Application (JUN 2023) (Section 102 of Division R of Pub. L. 117-328).

(vii) (A) 52.204–30, Federal Acquisition Supply Chain Security Act Orders—Prohibition. (DEC 2023) ([Pub. L. 115–390](#), title II).

(B) Alternate I (DEC 2023) of 52.204–30.

(viii) [52.219-8](#), Utilization of Small Business Concerns (JAN 2025) ([15 U.S.C. 637\(d\)\(2\)](#) and (3)), in all subcontracts that offer further subcontracting opportunities. If the subcontract (except subcontracts to small business concerns) exceeds the applicable threshold specified in FAR [19.702\(a\)](#) on the date of subcontract award, the subcontractor must include [52.219-8](#) in lower tier subcontracts that offer subcontracting opportunities.

(xi) [52.222-35](#), Equal Opportunity for Veterans (JUN 2020) ([38 U.S.C. 4212](#)).

(xii) [52.222-36](#), Equal Opportunity for Workers with Disabilities (JUN 2020) ([29 U.S.C. 793](#)).

(xiii) [52.222-37](#), Employment Reports on Veterans (JUN 2020) ([38 U.S.C. 4212](#)).

(xiv) [52.222-40](#), Notification of Employee Rights Under the National Labor Relations Act (DEC 2010) (E.O. 13496). Flow down required in accordance with paragraph (f) of FAR clause [52.222-40](#).

(xv) [52.222-41](#), Service Contract Labor Standards (AUG 2018) ([41 U.S.C. chapter 67](#)).

(xvi) (A) [52.222-50](#), Combating Trafficking in Persons (NOV 2021) ([22 U.S.C. chapter 78](#) and E.O 13627).

(B) Alternate I (MAR 2015) of [52.222-50](#) ([22 U.S.C. chapter 78](#) and E.O. 13627).

(xvii) [52.222-51](#), Exemption from Application of the Service Contract Labor Standards to Contracts for Maintenance, Calibration, or Repair of Certain Equipment-Requirements (May 2014) ([41 U.S.C. chapter 67](#)).

(xviii) [52.222-53](#), Exemption from Application of the Service Contract Labor Standards to Contracts for Certain Services-Requirements (MAY 2014) ([41 U.S.C. chapter 67](#)).

(xix) [52.222-54](#), Employment Eligibility Verification (JAN 2025) (E.O. 12989).

SECTION C – CONTRACT TERMS AND CONDITIONS

(xx) [52.222-55](#), Minimum Wages for Contractor Workers Under Executive Order 14026 (JAN 2022).

(xxi) [52.222-62](#), Paid Sick Leave Under Executive Order 13706 (JAN 2022) (E.O. 13706).

(xxii) (A) [52.224-3](#), Privacy Training (Jan 2017) ([5 U.S.C. 552a](#)).

(B) Alternate I (JAN 2017) of [52.224-3](#).

(xxiii) [52.225-26](#), Contractors Performing Private Security Functions Outside the United States (OCT 2016) (Section 862, as amended, of the National Defense Authorization Act for Fiscal Year 2008; 10 U.S.C. Subtitle A, Part V, Subpart G Note).

(xxiv) [52.226-6](#), Promoting Excess Food Donation to Nonprofit Organizations (JUN 2020) ([42 U.S.C. 1792](#)). Flow down required in accordance with paragraph (e) of FAR clause [52.226-6](#).

(xxv) [52.232-40](#), Providing Accelerated Payments to Small Business Subcontractors (Mar 2023) ([31 U.S.C. 3903](#) and [10 U.S.C. 3801](#)). Flow down required in accordance with paragraph (c) of [52.232-40](#).

(xxvi) [52.240-1](#), Prohibition on Unmanned Aircraft Systems Manufactured or Assembled by American Security Drone Act-Covered Foreign Entities (NOV 2024) (Sections 1821-1826, Pub. L. 118-31, [41 U.S.C. 3901](#) note prec.).

(xxvii) [52.247-64](#), Preference for Privately Owned U.S.-Flag Commercial Vessels (NOV 2021) ([46 U.S.C. 55305](#) and [10 U.S.C. 2631](#)). Flow down required in accordance with paragraph (d) of FAR clause [52.247-64](#).

(2) While not required, the Contractor may include in its subcontracts for commercial products and commercial services a minimal number of additional clauses necessary to satisfy its contractual obligations.

(End of clause)

FAR 52.216-18 Ordering (Aug 2020)

(a) (a)Any supplies and services to be furnished under this contract shall be ordered by issuance of delivery orders or task orders by the individuals or activities designated in the Schedule. Such orders may be issued from **April 1, 2026 through March 31, 2031**.

(b) All delivery orders or task orders are subject to the terms and conditions of this contract. In the event of conflict between a delivery order or task order and this contract, the contract shall control.

(c) A delivery order or task order is considered "issued" when—

(1) If sent by mail (includes transmittal by U.S. mail or private delivery service), the Government deposits the order in the mail;

(2) If sent by fax, the Government transmits the order to the Contractor's fax number; or

(3) If sent electronically, the Government either—

(i) Posts a copy of the delivery order or task order to a Government document access system, and notice is sent to the Contractor; or

(ii) Distributes the delivery order or task order via email to the Contractor's email address.

(d) Orders may be issued by methods other than those enumerated in this clause only if authorized in the contract.

(End of clause)

SECTION C – CONTRACT TERMS AND CONDITIONS

FAR 52.216-19 Order Limitations (Oct 1995)

(a) *Minimum order.* When the Government requires supplies or services covered by this contract in the amount of less than \$500, the Government is not obligated to purchase, nor is the contractor obligated to furnish, those supplies or services under the contract

(b) *Maximum order.* The contractor is not obligated to honor—

- (1) Any order for a single item in excess of 90 days.
- (2) Any order for a combination of items in excess of 180 day; or
- (3) A series of orders from the same ordering office within two calendar days that together call for quantities exceeding the limitation in paragraph (b) (1) or (2) of this section.

(c) If this is a requirements contract, the Government is not required to order a part of any one requirement from the Contractor if that requirement exceeds the maximum-order limitations in paragraph (b) of this section.

(d) Notwithstanding paragraphs (b) and (c) of this section, the Contractor shall honor any order exceeding the maximum order limitations in paragraph (b), unless that order (or orders) is returned to the ordering office within 2 business days after issuance, with written notice stating the Contractor's intent not to perform the services required and the reasons. Upon receiving this notice, the Government may acquire the supplies or services from another source.

(End of clause)

FAR 52.216-22 Indefinite Quantity (Oct 1995)

(a) This is an indefinite-quantity contract for the supplies or services specified and effective for the period stated, in the Schedule. The quantities of supplies and services specified in the Schedule are estimates only and are not purchased by this contract.

(b) Delivery or performance shall be made only as authorized by orders issued in accordance with the Ordering clause. The contractor shall furnish to the Government, when and if ordered, the supplies or services specified in the Schedule up to and including the quantity designated in the Schedule as the "maximum." The Government shall order at least the quantity of supplies or services designated in the Schedule as the "minimum."

(c) Except for any limitations on quantities in the Order Limitations clause or in the Schedule, there is no limit on the number of orders that may be issued. The Government may issue orders requiring delivery to multiple destinations or performance at multiple locations.

(d) Any order issued during the effective period of this contract and not completed within that period shall be completed by the contractor within the time specified in the order. The contract shall govern the contractor's and Government's rights and obligations with respect to that order to the same extent as if the order were completed during the contract's effective period; *provided*, that the contractor shall not be required to make any deliveries under this contract after the end of the performance period of this contract.

(End of clause)

FAR 52.217-8 Option to Extend Services (Nov 1999)

The Government may require continued performance of any services within the limits and at the rates specified in the contract. These rates may be adjusted only as a result of revisions to prevailing labor rates provided by the Secretary of Labor. This option provision may be exercised more than once, but the total extension of performance hereunder shall not exceed 6 months. The Contracting Officer may exercise the option by written notice to the contractor prior to the expiration of the contract.

(End of clause)

SECTION C – CONTRACT TERMS AND CONDITIONS

FAR 52.222-42 -- Statement of Equivalent Rates for Federal Hires (May 2014)

In compliance with the Service Contract Labor Standards statute and the regulations of the Secretary of Labor (29 CFR part 4), this clause identifies the classes of service employees expected to be employed under the contract and states the wages and fringe benefits payable to each if they were employed by the contracting agency subject to the provisions of 5 U.S.C. 5341 or 5332.

*This Statement is for Information Only:
It is not a Wage Determination*

Employee Class	Monetary Wage -- Fringe Benefits
31010 – Airplane Pilot	\$37.65
23022 - Aircraft Mechanic	\$38.04
Fringe benefits such as, life, accident, health insurance, and sick leave, are not less than 5.1 percent of the basic hourly rate. The percentage of the basic hourly rate that is contributed by the contracting agency for retirement is currently 7 to 17.5 percent. Fringe benefits also include 11 paid holidays, paid vacation time as follows: Two (2) hours of annual leave each week for an employee with less than three (3) years of service. Three (3) hours of annual leave each week for an employee with three (3) but less than fifteen (15) years of service. Four (4) hours of annual leave each week for an employee with fifteen (15) or more years of service.	

Paid holidays include:

1. New Year's Day
2. Martin Luther King, Jr.'s Birthday
3. President's Day
4. Memorial Day
5. Juneteenth
6. Independence Day
7. Labor Day
8. Columbus Day
9. Veterans Day
10. Thanksgiving Day
11. Christmas Day

This solicitation includes SAM.gov (<https://sam.gov/content/home>) wage determinations (Formally Department of Labor) as identified below.

Please use the following website to find the prevailing wage determinations for this contract: <https://sam.gov/content/wage-determinations>

5. Wage Determination No.: 1995-0221, Revision No. 70 dated 05/05/25
6. Wage Determination No.: 1995-0222, Revision No. 69 dated 03/26/2025

* The wage determinations, in their entirety, will be provided as an attachment to the solicitation.

(End of clause)

DIAR 1452.203-70 Restrictions on Endorsements (Jul 1996)

SECTION C – CONTRACT TERMS AND CONDITIONS

The Contractor shall not refer to contracts awarded by the Department of the Interior in commercial advertising, as defined in FAR 31.205–1, in a manner which states or implies that the product or service provided is approved or endorsed by the Government, or is considered by the Government to be superior to other products or services. This restriction is intended to avoid the appearance of preference by the Government toward any product or service. The Contractor may request the Contracting Officer to make a determination as to the propriety of promotional material.

(End of clause)

DIAR 1452.201-70 Authorities and Delegations (Sep 2011)

(a) The Contracting Officer is the only individual authorized to enter into or terminate this contract, modify any term or condition of this contract, waive any requirement of this contract, or accept nonconforming work.

(b) The Contracting Officer will designate a Contracting Officer's Representative (COR) at time of award. The COR will be responsible for technical monitoring of the contractor's performance and deliveries. The COR will be appointed in writing, and a copy of the appointment will be furnished to the contractor. Changes to this delegation will be made by written changes to the existing appointment or by issuance of a new appointment. :

(c) The COR is not authorized to perform, formally or informally, any of the following actions:

- (1) Promise, award, agree to award, or execute any contract, contract modification, or notice of intent that changes or may change this contract;
- (2) Waive or agree to modification of the delivery schedule;
- (3) Make any final decision on any contract matter subject to the Disputes Clause;
- (4) Terminate, for any reason, the contractor's right to proceed; or
- (5) Obligate in any way, the payment of money by the Government.

(d) The contractor shall comply with the written or oral direction of the Contracting Officer or authorized representative(s) acting within the scope and authority of the appointment memorandum. The contractor need not proceed with direction that it considers to have been issued without proper authority. The contractor shall notify the Contracting Officer in writing, with as much detail as possible, when the COR has taken an action or has issued direction (written or oral) that the contractor considers to exceed the COR's appointment, within 3 days of the occurrence. Unless otherwise provided in this contract, the contractor assumes all costs, risks, liabilities, and consequences of performing any work it is directed to perform that falls within any of the categories defined in paragraph (c) prior to receipt of the Contracting Officer's response issued under paragraph (e) of this clause.

(e) The Contracting Officer shall respond in writing within 30 days to any notice made under paragraph (d) of this clause. A failure of the parties to agree upon the nature of a direction, or upon the contract action to be taken with respect thereto, shall be subject to the provisions of the Disputes clause of this contract.

(f) The contractor shall provide copies of all correspondence to the Contracting Officer and the COR.

(g) Any action(s) taken by the contractor, in response to any direction given by any person acting on behalf of the Government or any Government official other than the Contracting Officer or the COR acting within his or her appointment, shall be at the contractor's risk.

(End of clause)

SECTION C – CONTRACT TERMS AND CONDITIONS

GENERAL CONTRACT TERMS AND CONDITIONS

C1 Aircraft Use Report

C1.1 The Contractor, or Contractor's representative, and the Government must complete and sign an Aircraft Use Report, OAS-23/23E form or other form as directed by the CO. An electronic report will be initiated by the Contractor in a Department of the Interior electronic reporting system that documents the daily services recorded on the signed OAS-23/23E or other form as directed by the CO. Hard copies of the signed OAS-23/23E are to be uploaded/attached to the electronic system.

C1.2 Supporting documentation as required by the contract to support actual additional pay items (i.e. relief transportation costs, tie-downs, landing fees, etc.) shall be attached electronically to the applicable Aircraft Use Report or other form as directed by the CO. Failure to include such documentation would result in rejection of the report back to the Contractor for inclusion and resubmission.

C1.3 Aircraft Use Reports or other form as directed by the CO are to be submitted no later than every two weeks or upon conclusion of a project, if less than two weeks duration.

C1.4 Subsequent electronic invoicing through IPP will match the same period as the Aircraft Use Report submission or other form as directed by the CO.

C2 Electronic Invoicing and Payment Requirements - Invoice Processing Platform (IPP) (February 2021)

Payment requests must be submitted electronically through the U. S. Department of the Treasury's Invoice Processing Platform System (IPP).

"Payment request" means any request for contract financing payment or invoice payment by the Contractor. To constitute a proper invoice, the payment request must comply with the requirements identified in the applicable Prompt Payment clause included in the contract, or the clause 52.212-4 Contract Terms and Conditions - Commercial Items included in commercial item contracts. The IPP website address is: <https://www.ipp.gov>.

Under this contract, the following documents are required to be submitted as an attachment to the IPP invoice:

- Documents required are Aircraft Use Reports (OAS Form 23/23E) or other form as directed by the CO documenting daily services provided as set forth by their contract. This form must have the appropriate Government Representative signature approving the services.
- Supporting documentation as required by the contract to support actual additional pay items (i.e. relief transportation costs, tie-downs, landing fees, etc.). See C1.2.

The Contractor must use the IPP website to register access and use IPP for submitting requests for payment. The Contractor Government Business Point of Contact (as listed in SAM) will receive enrollment instructions via email from the Federal Reserve Bank of St. Louis (FRBSTL) within 3 - 5 business days of the contract award date. Contractor assistance with enrollment can be obtained by contacting the IPP Production Helpdesk via email IPPCustomerSupport@fiscal.treasury.gov or phone (866) 973-3131.

If the Contractor is unable to comply with the requirement to use IPP for submitting invoices for payment, the Contractor must submit a waiver request in writing to the CO with its proposal or quotation.

(End of Local Clause)

C3 Contractor Personnel Security Requirements

C3.1 It has been determined that Contractor personnel utilized in the support of this contract will not be allowed routine and regular unsupervised access to a federally controlled facility for more than 180 days, nor will they need unsupervised access to a Federally controlled Level 3 or 4 information system.

SECTION C – CONTRACT TERMS AND CONDITIONS

C3.2 Contractor employees utilized in support of this contract, will be treated as visitors (uncredentialed Contractor) and not be required to receive background investigations and credentialing. However, uncredentialed Contractors may be subject to the screening processes utilized at each federally controlled facility where the Contractor services are required. As a minimum, Contractor employees will be issued a temporary/visitor badge and shall display it at all times during contract performance when accessing a federally controlled facility. The COR is responsible for ensuring that all Contractor employees are issued a temporary/visitor badge.

C4 Reserved

C5 Aircraft Insurance

The Contractor must maintain as a minimum, aircraft insurance coverage required by 14 CFR, Part 205, during contract performance in accordance with DIAR 1452.228-71.

DIAR 1452.228-71 Aircraft and General Public Liability Insurance (Mar 1989)

(a) The Contractor, at the Contractor's expense, agrees to maintain, during the continuance of this contract, aircraft liability and general public liability insurance with limits of liability for:

(1) Bodily injury to or death of aircraft passengers of not less than \$75,000 for any one passenger and a limit for each occurrence in any one aircraft of at least an amount equal to the sum produced by multiplying \$75,000 by 75 percent of the total number of passenger seats installed in the aircraft;

(2) Bodily injury to or death of persons (excluding passengers) of not less than \$75,000 for any one person in any one occurrence and \$300,000 for occurrence; and

(3) Property damage of not less than \$100,000 for each occurrence; or

(4) a single limit of liability for each occurrence equal to or greater than the combined required minimums set forth in paragraphs (a)(1) through (3) of this clause.

(b) The Contractor also agrees to maintain worker's compensation and other legally required insurance with respect to the Contractor's own employees and agents.

(End of Local Clause)

C5.2 Economic Price Adjustment - Insurance

5.2.1 During the contract period the Contractor or Government may request an hourly flight rate adjustment set forth herein to reflect substantial (greater than 15%) increases and/or decreases in the cost of commercial aviation insurance. Requests must be made, annually, in writing to the CO and include the required documentation regarding the base and reference prices.

5.2.2 The Contractor warrants that the prices offered for this contract do not include any allowances for any contingency to cover increased costs for which adjustment is provided under this section.

5.2.3 Base Price. The base price is the premium the Contractor paid for each aircraft at time of contract award. An insurance statement will be required to document this base price if an increase or decrease is requested.

5.2.4 Reference Price. The reference price is the insurance premium for the upcoming year, showing the documented (substantial) increase or decrease. An insurance statement will be required to document this referenced price if an increase or decrease is requested.

5.2.5 Adjustments to flight rates based on insurance premium changes must be due to industry changes and not due to the Contractor's circumstances (accidents, aircraft additions/removals, etc.). Requests will be evaluated and considered by the CO. It is at the Government's discretion to approve any rate adjustments. The CO will make the final determination to adjust rates through a bilateral modification.

SECTION C – CONTRACT TERMS AND CONDITIONS

5.2.6 Flight Rate Adjustment. Adjustment to the flight rate is one-half the difference between the Base Price and Reference Price divided by 100 to come up with a change percentage. The change percentage will be applied to the current contract flight rate to establish an updated rate. Amounts of 50 cents or less will be rounded down and amounts of 51 cents or more will be rounded up. The updated rate(s) will be finalized via bilateral contract modification. The effective date of the will be stated on the bilateral modification signed by the CO.

C6 Contractor Performance Assessment Reporting System (DEC 2015)

(a) [FAR 42.1502](#) directs all Federal agencies to collect past performance information on contracts. The Department of the Interior (DOI) has implemented the Contractor Performance Assessment Reporting System (CPARS) to comply with this regulation. One or more past performance evaluations will be conducted in order to record your contract performance as required by [FAR 42.15](#).

(b) The past performance evaluation process is a totally paperless process using CPARS. CPARS is a web-based system that allows for electronic processing of the performance evaluation report. Once the report is processed, it is available in the Past Performance Information Retrieval System (PPIRS) for Government use in evaluating past performance as part of a source selection action.

(c) We request that you furnish the Contracting Officer with the name, position title, phone number, and email address for each person designated to have access to your firm's past performance evaluation(s) for the contract no later than 30 days after award. Each person granted access will have the ability to provide comments in the Contractor portion of the report and state whether or not the Contractor agrees with the evaluation, before returning the report to the Assessing Official (AO). Information in the report must be protected as source selection sensitive information not releasable to the public.

(d) When your Contractor Representative(s) are registered in CPARS, they will receive an automatically generated email with detailed login instructions. Further details, systems requirements, and training information for CPARS is available at <https://www.cpars.gov/>.

(e) Within 60 days after the end of a performance period, the AO will complete an interim or final past performance evaluation, and the report will be accessible at <https://www.cpars.gov/>.

(i) Contractor Representatives may then provide comments in response to the evaluation or return the evaluation without comment.

(ii) Your comments should focus on objective facts in the AO's narrative and should provide your views on the causes and ramifications of the assessed performance.

(iii) All information provided should be reviewed for accuracy prior to submission.

(iv) If you elect not to provide comments, please acknowledge receipt of the evaluation by indicating "No comment" in the space provided, and then selecting "Accept the Ratings and Close the Evaluation".

(v) Your response is due within 60 calendar days after receipt of the CPAR. On day 15, the evaluation will become available in PPIRS-RC marked as "Pending" with or without comments and whether or not it has been closed.

(vi) If you do not sign and submit the CPAR within 60 days, it will automatically be returned to the Government and will be annotated: "The report was delivered/received by the contractor on (date). The contractor neither signed nor offered comment in response to this assessment."

(f) The following guidelines apply concerning your use of the past performance evaluation:

(i) Protect the evaluation as source selection information. After review, transmit the evaluation by completing and submitting the form through CPARS. If for some reason you are unable to view and/or submit the form through CPARS, contact the CO for instructions.

(ii) Strictly control access to the evaluation within your organization. Ensure the evaluation is never released to persons or entities outside of your control.

SECTION C – CONTRACT TERMS AND CONDITIONS

(iii) Prohibit the use of or reference to evaluation data for advertising, promotional material, pre-award surveys, responsibility determinations, production readiness reviews, or other similar purposes.

(g) If you wish to discuss a past performance evaluation, you should request a meeting in writing to the CO no later than seven days following your receipt of the evaluation. The meeting will be held in person or via telephone or other means during your 60-day review period.

(h) A copy of the completed past performance evaluation will be available in CPARS for your viewing and for Government use supporting source selection actions after it has been finalized.

C7 Prework Meeting

A prework meeting between the Government and the Contractor along with their primary crew members may be held at or near the starting designated base and is usually in conjunction with the start of the exclusive use period. The Contractor's primary crew members must attend any prework meeting. The meeting may include but is not limited to: (1) review of the contract in detail; (2) operational procedures (dispatch, flight following, hazard/risk assessment and reduction, airspace coordination, incident/accident reporting, etc.); and (3) review of the local base procedures.

ADMINISTRATIVE MATTERS

C8 Personnel Conduct

C8.1 Replacement of Contractor Personnel.

C8.1.1 Contractor employees required to work or reside on Federal property (National Parks, Refuges, Indian Reservations, etc.) are expected to follow the facility manager's rules of conduct that apply to both Government or non-Government personnel working or residing at these facilities. The COR will make available a copy of such rules. The Contractor may be required to replace employees who do not comply with these rules of conduct.

C8.1.2 The Contractor must replace any employee who performs unsafely, ineffectively; refuses to cooperate; is unable or unwilling to adapt to field living conditions; or whose general performance is unsatisfactory, disruptive, or detrimental to the purpose for which contracted.

C8.1.3 The CO will notify the Contractor of all known unsatisfactory personnel conduct or unsafe performance. The employee may be afforded an opportunity for corrective action when the conditions warrant. When directed by the CO, the Contractor must replace unacceptable personnel not later than 24 hours after such notification, or as otherwise mutually agreed. The decision as to unacceptability will be at the sole discretion of the CO.

C8.2 Suspension of Pilot

C8.2.1 Upon receipt of any information that indicates a serious safety concern or notification of a reportable incident as defined within 49 CFR 830.5, the Government (OAS ASM or carding authority) may suspend the pilot from their duties and from any other activity authorized under the Interagency Pilot Qualification card(s), pending the outcome of the agency investigation.

C8.2.2 Upon involvement in an Aircraft Accident, a pilot will be suspended from pilot duties and from any other activity authorized under the Interagency Pilot Qualification card(s). Their return to service is dependent upon the outcome of the investigation.

C8.2.3 When requested, a suspended pilot must surrender all Interagency Pilot Qualification card(s) to the OAS Technical Inspector or other authorized agency representative. A pilot's suspension will continue until the OAS ASM and carding authority determines that no further suspension is required. The Interagency Pilot Qualification card(s) is returned to the pilot; or revoked by the issuing agency if the investigation fails to support a pilot's return to service.

SECTION C – CONTRACT TERMS AND CONDITIONS

C8.2.4 Upon involvement in an Incident with Potential as defined under Mishaps, a pilot may be suspended from pilot duties and from any other activity authorized under the Interagency Pilot Qualification card(s), pending the investigation outcome.

C9 Safety and Accident Prevention

C9.1 The Contractor shall keep and maintain programs necessary to assure safety of ground and flight operations. The development and maintenance of these programs are a material part of the performance of the contract. Examples of such programs are (1) personnel activities, (2) maintenance, (3) safety, and (4) compliance with regulations.

C9.1.1 The Contractor must submit a copy of all reports required by the Federal Aviation Regulations that relate to pilot and maintenance personnel performance, aircraft airworthiness or operations to the Aviation Safety Manager (ASM).

C9.1.2 Examples of these reports are shown in paragraphs 14 CFR Part 135.415 Service Difficulty Reports (SDR) and Part 135.417 Mechanical Interruption Summary Reports required of the Federal Aviation Regulations, 49 CFR Part 830.5 and 49 CFR 830.15, and FAA Form 8010-4, Malfunction or Defect Report.

C9.2 Safety Management System (SMS)

C9.2.1 The Contractor must meet the FAA's SMS requirements for Part 135 or air tour operators operating under § 91.147 no later than May 28, 2027 (FAA Final Rule, May 2024).

C9.2.2 The Contractor must have and maintain a Safety Management System (SMS) Manual for its organization.

C9.2.3 The Contractor must submit within 30 days after contract award an electronic copy of its SMS Manual to the CO and Aviation Safety Manager. The Contractor's SMS Manual should include implemented practices vice a generic ready-made Manual that was purchased and never implemented.

C9.2.4 The Contractor shall submit electronic updates and/or revisions of their SMS Manual to the CO and ASM throughout the life of this contract within 30 days of the revision/update.

C9.2.5 Contractor employees working under this contract must be familiar with the Offeror's SMS Manual and be in compliance with its requirements.

C9.2.6 The government may at any time conduct reviews with the Contractor's employees performing on this contract to determine their familiarity with the Contractor's SMS Manual. The Contractor's adherence to their SMS and the standards within Section C - Exhibit 9 may be reviewed during an on-site assurance review and documented in CPARS.

C9.2.7 Additional information on SMS can be found at:

1. FAA Advisory Circular 120-92D: https://www.faa.gov/regulations_policies/advisory_circulars/
2. FAA initiatives: <https://www.faa.gov/about/initiatives/sms/>
3. International Standard for Business Aircraft Operations (IS-BAO): <https://nbaa.org/flight-department-administration/sms/>

C9.3 Data Images and Voice Recordings. All data collected through contractually required devices, including recorded data, images and voice data collected or stored from radios, sensors, audio, and image recording devices is the property of the DOI while on contract. This includes but is not limited to Automated Flight Following, Automated Telemetry Units and Flight Data Monitoring Systems. Collected data is prohibited from use outside the scope of this contract. The Contractor will provide copies of all collected data when requested by the government.

C10 Mishaps

C10.1 Following a mishap, and based on an investigation by the Agency Investigator In Charge (IIC), Bureau representative, and the CO, the Government will determine whether the Contractor was in compliance with contract terms and conditions or with the Federal Aviation Regulations applicable to the Contractor's operations, Offeror policy, procedures, practices, or

SECTION C – CONTRACT TERMS AND CONDITIONS

programs, or whether there was negligence on the part of the Offeror officers or employees that may have caused or contributed to the mishap. The Contractor must fully cooperate with the agency IIC, ASM, and CO during the evaluation.

C10.2 Mishap Definitions. As used throughout this contract, the following terms will have the meanings set forth below.

C10.2.1 The following terms are as defined in 49 CFR Part 830:

- Aircraft Accident
- Fatal Injury
- Incident
- Operator
- Serious Injury
- Substantial Damage

C10.2.2 Airspace Conflict. A near mid-air collision, intrusion, or violation of airspace rules.

C10.2.3 Aviation Hazard. Any condition, act, or set of circumstances that exposes an individual to unnecessary risk or harm during aviation operations.

C10.2.4 Incident with Potential. An incident that narrowly misses being an accident and in which the circumstances indicate significant potential for substantial damage or serious injury. Classification of an incident as an "Incident with Potential" is determined by the agency ASM.

C10.2.5 Maintenance Deficiency. An equipment defect or failure which affects, or could affect, the safety of operations or that causes an interruption to the services being performed.

C10.2.6 Mishap – Aviation Mishap. Mishaps include aircraft accidents, incidents with potential, aircraft incidents, aviation hazards, and aircraft maintenance deficiencies.

C10.2.7 SAFECOM (<https://www.safecom.gov/>). An agency Aviation Safety Communique used to report any condition, observance, act, maintenance problem, or circumstance, which has the potential to cause an aviation-related mishap. A SAFECOM's sole purpose is for mishap prevention. (Form OAS-34 or FS 5700-14).

C10.3 Mishap Reporting.

C10.3.1 For "Aircraft Accident" or NTSB reportable "Incident", the Contractor must immediately, and by the most expeditious means available, notify the NTSB, CO, and OAS ASM.

C10.3.2 For any mishap involving damage or injury, or overdue aircraft suspected of having an accident, the Contractor must immediately, and by the most expeditious means available, notify the OAS by calling 1-888-4MISHAP.

C10.3.3 In an effort to prevent future mishaps, the Contractor must report aviation hazards and maintenance deficiencies.

C10.3.4 The toll-free 24-hour Aircraft Accident Reporting Hot Line number is: 1-888-4MISHAP (1-888-464-7427)

C10.4 Mishap Investigations. It is the Department of the Interior's responsibility to investigate Interior aircraft mishaps using one of the following investigation procedures.

C10.4.1 On-site investigations will be conducted whenever possible for all aircraft accidents and selected incidents with potential.

C10.4.2 Limited investigations will be conducted for selected incidents with potential. A limited investigation will not normally include a visit to the incident site.

SECTION C – CONTRACT TERMS AND CONDITIONS

C10.4.3 Administrative investigations will be conducted for reports of conditions, observances, acts, maintenance problems, or circumstances, which may have the potential to cause an aircraft mishap.

C10.4.4 The Contractor must maintain an accurate record of all aircraft accidents, incidents, aviation hazards, and injuries to Contractor or Government personnel arising during this contract.

C10.4.5 Following a mishap, the Contractor must ensure that pilots, mechanics or other personnel associated with the aircraft remain in the vicinity of the mishap until released by the CO or their designated representative. The Contractor must cooperate with the agency during any investigation and make available personnel and aircraft records, and any equipment, damaged or undamaged, that the agency deems necessary.

C10.5 Forms Submission.

C10.5.1 Following an "Aircraft Accident" or when requested by the NTSB following notification of a reportable "Incident," the Contractor must provide the OAS ASM with information necessary to complete a NTSB Form 6120.1 "Pilot/Operator Aircraft Accident Report".

C10.5.2 The Contractor must submit a SAFECOM within 5 days upon the occurrence of any condition, observance, act, maintenance problem, or circumstance which has potential to cause an aviation-related mishap. The SAFECOM submission instructions are available at: <https://www.safecom.gov>.

The submission of an NTSB Form 6120.1 does not replace the Contractor's responsibility to submit a SAFECOM.

C10.6 Pilot Suspension. (See Suspension of Pilot in C8.2)

C10.7 Preservation Requirements. The Contractor must not permit removal or alteration of the aircraft, aircraft equipment, or records following an Aircraft Accident, Incident, or Incident with Potential until authorized to do so by the CO or other authorized agency representative. Permitted exceptions to this requirement may be when life or property are threatened, when the aircraft is blocking an airport runway, etc. The Contractor must immediately notify the OAS ASM, NTSB and the CO before taking such actions.

C10.7.1 The NTSB's release of the wreckage does not constitute a release by the CO and the agency Investigator In Charge (IIC).

C10.8 Costs Related to Investigation. The NTSB or agency will determine their individual agency's investigation cost responsibility. The Contractor will be fully responsible for any cost associated with the reassembly, approval for return-to-service, and return transportation of any items disassembled by the Government.

C10.9 Rescue and Salvage Responsibilities. The Contractor must be responsible for the cost of search, rescue, and salvage operations made necessary due to causes other than negligent acts of a Government employee.

C11 Reserved

C12 Economic Price Adjustment - Fuel

The Contractor may request in writing an hourly flight rate adjustment as set forth herein to reflect increases and decreases in the cost of commercial aviation fuel. This request may be made annually, but no more than 30 days after the exercise of each option period. The Contractor warrants that the prices offered for this contract do not include any allowances for any contingency to cover increased costs for which adjustment is provided under this clause.

Base Price. The base price is the commercial price obtained by the Government for the specific fuel type at the specified fuel location as identified in Section A, Requirements and Prices, of the contract. The fuel source is normally at or near the designated base specified in the solicitation. The base price may also be an average price of more than one fuel source location if the solicitation is for on-call flight services for more than one designated base.

SECTION C – CONTRACT TERMS AND CONDITIONS

Reference Price. The reference price is the average commercial fuel price at the Fuel Source Location cited in Section A of the contract in effect at the time of adjustment. No other locations will be considered when making adjustments. The CO will establish an updated base price in a modification to the contract once the new flight rates are established.

Flight Rate Adjustment. Adjustment to the hourly flight rate is the difference between the average reference price and the base price multiplied by the average hourly fuel consumption rate for the type of aircraft involved as shown in the Helicopter/Fixed-Wing Fuel Consumption and Weight Reduction Chart Exhibit titled fuel consumption rates. Amounts 50 cents or less will be rounded down and amounts 51 cents or more will be rounded up.

The hourly flight rate will be adjusted upward by the CO in a contract modification, whenever the CO confirms the Contractor's Reference Price is more than 10 percent higher than the Base Price at the Fuel Source Location identified in the Fuel Adjustment Table in Section A.

The hourly flight rate will be adjusted downward by a contract modification, whenever the CO confirms that the contract reference price is more than 10 percent lower than the base price at the fuel source location identified in the Fuel Adjustment Table of the contract.

Fuel price adjustments are subject to review by the CO at any time during the contract period. However, the CO will review the fuel prices at least annually. The revised base price will remain in effect for the duration of the contract. The flight rate adjustment will be issued through a modification to the contract and will be effective as of the effective date of the modification.

The effective date of the flight rate adjustment will be stated via a modification and will be effective as of the date of the modification.

CONTRACT PERIOD AND RENEWAL

C13 Contract Period

The contract period of performance is a five-year ordering period from March 01, 2026 – February 28, 2031, to also include a six-month extension if 52.217-8, if exercised.

C14 Exclusive Use Period

C14.1 The exclusive use period is as specified in the tables above in Section A for each aircraft, however, based on mission needs, the exclusive use period may start up to 14 days on either side of the dates listed in the tables above. The Government will make every effort to notify the Contractor of the expected start date 30 days in advance of the start date.

C14.2 The Government will not consider any contract aircraft to be under its operational control when the Contractor is not available or capable of providing Government scheduled services.

C14.3 The CO must authorize by modification any use outside the exclusive use period and any agreed upon extension.

C15 Optional Extension of Exclusive Use Period

Upon mutual agreement of both parties, the Contracting Officer shall issue a bilateral modification(s) to a task order to extend the exclusive use period and obligate additional funding, if needed. The revised end date for performance will be established in the modification; however, extensions are subject to the day-to-day decision making of the Government, and the Government may release the Contractor at any time during an extension. Release of the Contractor under an extension period is solely at the discretion of the Government, not the Contractor. The contract terms, conditions, specifications and prices will apply to such extension; however, in accordance with C23 Additional Pay Items, the Government will pay subsistence daily for each overnight for each authorized crew member while operating at the designated or an alternate base, if applicable in accordance with the subsistence clause under additional pay items.

SECTION C – CONTRACT TERMS AND CONDITIONS

AVAILABILITY REQUIREMENTS

C16 Availability Requirements

During the exclusive use period and any extension, the Contractor must be in compliance with all contract requirements and available and capable of providing service up to 14 hours each day, as scheduled by the Government. Personnel must be available a minimum of nine hours each day, or as scheduled by the Government. Pre- and post-flight activities must be accomplished within the 14- hour duty day. Routine maintenance must be performed before or after the scheduled 14-hour period, or as permitted elsewhere in the contract.

C16.1 Extended standby is intended to provide the Contractor compensation for employee time when ordered services are provided in excess of the first 9 hours of service. Ordered standby must not exceed individual crew members' daily duty limitations. Extended standby is not intended to compensate the Contractor on a one-to-one basis for all hours necessary to service and maintain the aircraft.

C17 Schedule of Operations and Reaction Time

The Government will schedule daily operations with the pilot. The Contractor's personnel must provide service, as directed by the Government, in one of the following categories:

C17.1 Standby. Personnel must be on standby each day as scheduled and must be ready for takeoff/dispatch within 15 minutes (or longer as authorized by the Government; e.g. flight planning purposes for long range dispatch) after the government attempts to contact the Contractor's representative.

C17.2 Alert. After standby Contractor personnel may be authorized to leave the immediate vicinity of the work site but remain in an on-call status subject to call back. When authorized to leave, they must maintain communications acceptable to the Government and must be ready for takeoff/dispatch within 60 minutes (or longer, if authorized by the Government) after the Government attempts to contact the Contractor's representative. Failure to return to service as required will result in loss of availability status and extended standby, as applicable.

C17.3 Release From Duty. Contractor personnel may be released and considered to be off duty prior to lapse of their individual crew duty limitation period. Once released, they cannot be required to return to duty status that day and service will be recorded as fully available status, provided the COR/PI has approved in advance release of the Contractor's personnel.

C18 Maintenance During Availability Period

C18.1 The COR or PI may approve Contractor requests to remove the aircraft from service to permit the Contractor to perform scheduled or unscheduled maintenance. The Government will continue to measure and pay for service availability throughout periods approved for maintenance. The COR/PI may require the Contractor to resume service within 60 minutes or any other agreed upon time period. Failure to do so would result in unavailability status.

C18.2 If the aircraft is not scheduled for service or service is unavailable, the aircraft may be removed from the operating base for maintenance, provided the Contractor: (1) Obtains the schedule of operations from the COR/PI, (2) returns the aircraft to service before the beginning of the next availability period, and (3) uses the aircraft for maintenance test flights, or flight to and from maintenance facilities, only.

C19 Unavailability and Damages

C19.1 The Contractor will be considered to be unavailable when they are not in compliance with all contract requirements or are not capable of providing service as scheduled by the Government. Unavailability status will continue until the Contractor has notified the COR or PI, that they are available, and the COR is satisfied that all the conditions below have been met.

C19.1.2 The Contractor may be required to demonstrate their availability by providing documented evidence to the COR and OAS Technical Inspector that the deficiency has been corrected. Evidence may be in the form of pictures and/or aircraft record/logbook entries documenting the corrective action, including the date, signature and certificate number of the person clearing the deficiency. Depending on the magnitude of the deficiency, the COR and/or OAS Technical Inspector may also require a physical inspection by an OAS inspector.

SECTION C – CONTRACT TERMS AND CONDITIONS

C19.1.3 Once the documented evidence is approved by the OAS Technical Inspector, the COR will consider the Contractor available from the time the Contractor notified the COR of their availability. If the OAS Technical Inspector requires additional actions from the Contractor, the COR will consider the Contractor available from the actual date that all deficiencies were corrected and approved by the OAS Technical Inspector.

C19.2 During periods of Contractor unavailability, the CO may obtain replacement services elsewhere and charge the Contractor for any resulting excess costs. The Contractor may be liable for any additional actual damages to the Government resulting from such failure to perform.

C19.3 If the Contractor is unable to comply due to conditions beyond their control (i.e. AFF subscription service inoperable, etc.) Contractor may not be considered unavailable. The Contractor needs to notify the COR or PI of the situation immediately.

MEASUREMENT AND PAYMENT

C20 Daily Availability

C20.1 Availability is measured in full days for the daily period of time (maximum of 14 hours) scheduled by the Government and provided by the Contractor. Payment for availability will be made as actual services are provided and paid at the rate and for the number of days set forth in Section A. The Government will measure unavailability in full hours and will round up periods of unavailability to the next whole hour. For each instance of unavailability, payment will be reduced by one hour for each hour, or portion thereof, in accordance with the Unavailability Conversion Chart Exhibit, when services are unavailable or when the aircraft has been released for the Contractor's benefit.

C20.1.1 Contract Pricing. Unit prices for daily availability and flight hours must be in whole dollars. If these unit prices are adjusted during the life of the contract, they will be adjusted to a whole dollar as follows: amounts of 50 cents or less will be rounded down and amounts of 51 cents or more will be rounded up.

C20.2 Availability will be measured for payment on the crew's mandatory days off.

C20.3 Extended Standby. The Government will measure extended standby in full hours and will round up to the next whole hour, not to exceed each crew member's duty limitations specified under Section B. The Government will pay for extended standby at the prices set forth in Section A, and as measured above. If unavailability occurs, extended standby will be measured and paid only for full hours of service provided.

C21 Flight Time

C21.1 Measurement of Flight Time. Flight time will be measured from when the aircraft moves under its own power for the purpose of flight and ends when the aircraft comes to rest after landing at an airport. Flight time will be measured by means of an approved electrical time recorder, as required in Section B.

C21.1.1 For purposes of this contract: "...moves under its own power for the purposes of flight..." is defined as the time at which the aircraft begins taxiing to the runway with the intent to takeoff. Start times are the time at which the aircraft leaves the pit or begins taxiing from the ramp on any government ordered flight.

C21.1.2 For purposes of this contract: "...when the aircraft comes to rest after landing..." is defined as the time at which the aircraft comes to a stop for the purpose of parking and shutting down the engine. Taxi time and time spent hot loading or hot refueling is considered flight time. Engine cool down time after the airplane comes to a stop for the purpose of parking is NOT flight time.

C21.1.3 Elapsed flight time will be measured in hours and tenths/hundredths of hours.

C21.2 Payment for Flight Time. The Government will pay for all flights ordered by the CO and flown by the Contractor at the rates set forth in Section A. The Government does not guarantee any minimum or maximum number of flight hours under this contract.

SECTION C – CONTRACT TERMS AND CONDITIONS

C21.3 Flights Associated with Inspections. Flight time associated with the DOI Office of Aviation Services inspection unless otherwise specified in this contract will be at the expense of the Contractor and will not be measured for payment.

C21.4 Flights for Contractor's Benefit. The Government will not pay for flights benefiting the Contractor, such as flights for maintenance testing, for ferrying to and from maintenance facilities, flights required following an engine change, commercial charters, and flights solely for transporting Contractor's personnel.

C22 Mobilization/Demobilization

C22.1 The Contractor is responsible for all mobilization and demobilization costs to and from the Designated/Reporting Base(s) stipulated in Section A. The Government may, at its discretion, release the Contractor from other than the Designated/Reporting Base stipulated in Section A. The contract price will be adjusted as described below whenever the distance from the point of release to the Contractor's home base is greater than the distance between the Contractor's home base and the Designated/Reporting Base stipulated in Section A. No adjustments will be made when the point of release is less than the distance between the Contractor's home base and the Designated/Reporting Base.

C22.2 Flight distance will be measured using the most direct route taken from low level in route aeronautical charts. The net distance will be converted into hours of flight using the most economical cruise speed of the aircraft. The adjustment will be determined by multiplying the difference in distance (hours of flight) by the flight rate stipulated in Section A.

C22.3 Reserved

C22.4 (as applicable) Distances that are greater than home base to the base stipulated in the Section A will result in a payment to the Contractor for the difference of the additional flight time, as appropriate.

C22.5 (as applicable) The Contractor shall be reimbursed for actual flights only. The flight to the designated base or the Contractor's home base shall commence within 14 days of release. Flights commencing after 14 days of release shall not be paid.

C23 Additional Pay Items (from Schedule of Items)

C23.1 Additional pay items addressed herein shall be documented on the invoice for payment and supported with documentation as identified in C1.2.

C23.1.1 The Government will not pay invoices submitted with incomplete or missing supporting documentation.

C23.2 Travel will be in accordance with the Federal Travel Regulations (FTR) currently in effect on the date of travel and FAR 31.205-46. In accordance with FAR 31.205-46, Cost for transportation may be based on mileage rates, actual costs incurred, or on a combination thereof, provided the method used results in a reasonable cost. Therefore, the Government will utilize a combination of methods to determine reasonable cost. The mileage rates can be found at [Transportation \(airfare rates, POV rates, etc.\) | GSA](#)

C23.3 Transportation Costs Associated with Operating Away from the Designated Base. When operating from an alternate base, the Contractor is required to provide for transporting relief personnel, unless otherwise directed by the Government. Prior to the exchange, the Contractor must advise the COR of the anticipated costs. The Contractor will be paid actual necessary and reasonable costs for transporting personnel and required equipment listed below.

- Relief Crew members. The complement must be the same as required in Section A.
- Maintenance personnel and equipment required to accomplish scheduled maintenance, i.e. 50 and 100 hour inspections.

C23.3.1 The Contractor must complete and submit the Transportation Worksheet Exhibit, attach supporting transportation invoices to the Transportation Worksheet, and enter the total dollar amount as a line entry on the invoice for payment (SC pay item code). Requests that do not include these items or other documents necessary to verify incurred costs will be returned to the Contractor for proper completion.

SECTION C – CONTRACT TERMS AND CONDITIONS

C23.3.2 Unless approved in advance by the CO, payment for crew member exchanges is limited to one round trip for three crew members once every 12 days. Additional payment may be appropriate for circumstances such as personnel reaching flight or duty time limits including agency imposed temporary flight or duty restrictions as specified in Section B.

C23.3.3 Examples of acceptable expenses are airline tickets; car rentals; privately owned vehicle (automobile) at the Government FTR rate; Contractor aircraft at the Government FTR rate (see <https://www.gsa.gov/portal/content/104877> for current Federal Travel Regulation rates), and charter airplane showing aircraft make/model, flight time, hourly rate and departure and destination locations. Unless authorized in advance by the CO or authorized Government representative, the expense for charter resources must not exceed reasonable costs by common carrier. The Government will not reimburse the Contractor for salary and subsistence costs for Contractor personnel in travel status.

C23.3.4 Miscellaneous Contractor Costs. Miscellaneous unforeseeable costs that cannot be recovered through the contract payment rates and that are the direct result of ordered services away from the designated base may be paid at actual costs.

Examples of such items are airport use costs (tie-downs, hangar rentals, and truck permits at ports-of-entry, etc.). The Contractor shall support any cost exceeding \$75.00 with an itemized, paid invoice.

C23.3.5 Landing Fees. The Government will pay the Contractor for all landing fees the Contractor is required to pay. The Contractor shall support any cost exceeding \$75.00 with an itemized, paid invoice.

C23.3.6 Fuel Supply Expense. The Government may furnish fuel if available. The Contractor is responsible for the cost of all fuel required for contract performance. The Contractor will be reimbursed for fuel used for contract performance when properly invoiced. See C2 for invoicing instructions.

C23.3.7 Government Miscellaneous Charges. The Government will deduct payment for miscellaneous charges for goods or services, including reinspection and substitute inspections of aircraft and pilots, furnished to the Contractor.

C23.3.8 Mileage will not be paid for transportation to and from lodging accommodations or meal.

SECTION C – CONTRACT TERMS AND CONDITIONS

TECHNICAL EXHIBITS

The following exhibits are enclosed and made part of this solicitation and contract:

1. Unacceptable Aircraft Lap Belt and Shoulder Harness Conditions
2. Alaska Supplement - First Aid and Survival Kits
3. Drawings FS/OAS A-15
4. Drawings FS/OAS A-17
5. Airplane Fuel Consumption Rates
6. Like Make and Models
7. Safety Management Systems (SMS), Flight Time, Accident History, and FAA Violation Questionnaire
8. Government Furnished Property
9. Smokejumper Pilot Training Record
10. Unavailability Conversion Chart
11. Transportation Worksheet

SECTION C – CONTRACT TERMS AND CONDITIONS

EXHIBIT 1 UNACCEPTABLE AIRCRAFT LAP BELT AND SHOULDER HARNESS CONDITIONS

Item	Unacceptable Conditions
Webbing	1. Frayed: 5 percent or more 2. Torn 3. Crushed 4. Swelling: Twice the thickness of original web or if difficult to operate through hardware 5. Creased: No structural damage allowed 6. Sun deterioration: Severe fading, brittleness, discoloration, and stiffness
Hardware	1. Inoperable buckle or other hardware 2. Nylon bushing at shoulder-harness-to-lap-belt connection missing or damaged 3. Fabricated bushings or tie wraps used as bushings 4. Rust/corrosion: Only minor surface rust/corrosion allowed 5. Wear: Wear beyond normal use 6. Use of any devices such as tie-wraps, safety wire, clamps etc., to attach shoulder harness buckles to lap belts buckles.
Stitches	1. Broken or missing 2. Severe fading or discoloring 3. Inconsistent pattern
TSO Tags (see 14 CFR 21.607)	1. Missing 2. Illegible
Age	Belts/fabric over 10 years from date of manufacture will be closely inspected for possible damage from exposure to the elements, but do not have to be replaced if they can be determined to be in serviceable condition.

SECTION C – CONTRACT TERMS AND CONDITIONS

EXHIBIT 2

ALASKA SUPPLEMENT – FIRST AID AND SURVIVAL KITS

These are the minimum required items for special use activities in the United States and U.S. possessions. Additional survival kit items are included below for flight activities conducted in Canada and Alaska.

Minimum First Aid Kit Items		
Each kit must be in a dust-proof and moisture-proof container. The kit must be readily accessible to the pilot and passengers.		
Item	Passenger Seats 0-9	Passenger Seats 10-50
Adhesive bandage strips, (3 inches long)	8	16
Antiseptic or alcohol wipes (packets)	10	20
Bandage compresses, 4 inches	2	4
Triangular bandage, 40 inches (sling)	2	4
Roller bandage, 4 inches x 4.5 yards (gauze)	2	4
Adhesive tape, 1 inch x 5 yards (standard roll)	1	2
Bandage scissors	1	1
Body fluids barrier kit:	1	1
2 pair latex gloves	1 protective gown	
1 face shield	2 antiseptic towelettes	
1 mouth-to-mouth barrier	1 biohazard disposable bag	
Note: Splints are recommended if space permits.		
Minimum Aircraft Survival Kit Items		
• Fire starter (can be two boxes of matches in waterproof containers, “metal match” etc.) • Magnesium fire starter • Laser rescue light • Signal mirror • Signal flares (4 each) (non-marine signal flares) • Space blankets (one per occupant) • Candles • Whistle • One knife (includes “multi-tools” with knives) • Wire saw, axe, hatchet, or machete • Nylon rope or parachute cord (50 feet, minimum 1/8 inch [3mm] thick) • Collapsible water container (Sealing clear plastic bag(s)) • Water purification tablets • Water (one quart per occupant required except when operating over areas without adequate drinking water) • Food (2 days emergency rations per occupant, with a caloric value of 1,000 calories per day)		
Alaska Specific		
Rations for each occupant to sustain life for one week One Axe or hatchet An assortment of fishing tackle such as hooks, flies, lines, sinkers, etc. One mosquito head net for each occupant Mosquito repellent containing a minimum 40% DEET Laser rescue light Signal flares (4 each) (non-marine) Personal Locator Beacon (PLB) Note: Required only if aircraft ELT requires tools to be removed		
<u>October 15 to April 1</u>		
Pair of snowshoes (1) One sleeping bag (1) Wool blanket or equivalent for each occupant over 4 years of age (1) See the following ALSE link for other recommended survival kit items. https://www.doi.gov/sites/default/files/interagency-aviation-life-support-equipment-handbook-guide-v3.0.pdf		

EXHIBIT 3
DRAWING FS/OAS A-15
ADAPTER FOR KING LPH/EPA SERIES





EXHIBIT 4
DRAWING FS/OAS A-17
AUXILIARY FM RADIO INTERFACE



SECTION C – CONTRACT TERMS AND CONDITIONS

EXHIBIT 5

AIRPLANE: APPROXIMATE “RECOMMENDED CRUISE” FUEL CONSUMPTION RATES

AIRCRAFT	GAL/HOUR	AIRCRAFT	GAL/HOUR	AIRCRAFT	GAL/HOUR
<u>AIR TRACTOR</u>					
AT-802-65.....	82T	CASA		NORTH AMERICAN	
AT-802-67.....	86T	Aviocar 212.....	105T	AT-6.....	18
AT-802-67F.....	90T			T-28.....	80
AT-802-331.....	80T	<u>CONSOLIDATED</u>			
		Convair 580/600.....	338T	QUEST	
<u>BEECH</u>					
Baron 55/58.....	29	<u>DE HAVILLAND</u>			
Baron 58P.....	35	Beaver.....	30	Kodiak K100.....	47T
18/45.....	35	DH-6 Twin Otter.....	82T		
King Air 90 (Series).....	70T	Beaver T.....	40T	<u>PILATUS</u>	
King Air 100.....	80T	DH-7.....	234T	PC-12.....	77T
King Air 200.....	82T	DH-8.....	183T		
King Air 300.....	90T			<u>PIPER</u>	
Mentor T-34.....	14	<u>DORNIER</u>			
Mini Liner 99.....	85T	DO-228.....	90T	Super Cub PA-18.....	9
Queenair.....	43			Pawnee PA-25.....	13
T-Bone B-50.....	45	<u>EMBRAER</u>			
Duke.....	38	PW 115 (1600).....	159T	Arrow PA-28R.....	10
Queenair 80.....	34			Cherokee PA-28-140/161.....	8
Bonanza 33/35/36.....	14	<u>FALCON</u>			
		10.....	175T	Cherokee 6 PA-32.....	14
<u>BELLANCA</u>					
Citabria/Scout.....	9	20.....	240T	Aztec PA-23.....	27
		50.....	300T	Comanche PA-24.....	15
<u>BOEING</u>					
727.....	1000T	<u>FAIRCHILD</u>			
DC-3T.....	150T	Porter.....	44T	Navajo PA-31.....	32
DC-3.....	93	F-27.....	288T	Cheyenne PA-31T.....	77T
DC-9.....	700T	SF 340.....	161T	Cheyenne II PA-42T.....	74T
				Aerostar 600/601/602P/700P.....	33
<u>BOMBARDIER</u>					
CL-215.....	150	<u>GRUMMAN</u>			
CL-215T.....	237T	S2F.....	75	Cheyenne III PA-42T.....	110T
CL-415.....	237T	Goose.....	50		
		Goose T.....	80T	Chieftan PA-31-350.....	34
<u>BRITTEN-NORMAN</u>					
Islander.....	30	Mohawk.....	180T	Lance PA-32-300.....	16
		Albatross.....	160	Seneca II/III PA-34.....	20
<u>CESSNA</u>					
L-19.....	11	G-I.....	288T	Mojave PA-31P.....	39
172.....	9	G-II.....	529T	Malibu PA-46.....	15
180.....	14	G-III.....	370T	PA-42-1000 400LS.....	75T
182.....	12	<u>HELIO</u>			
182RG.....	14	Courier.....	20	<u>QUEST</u>	
185.....	16	Stallion.....	44T	Kodiak.....	47T
188.....	12				
206/207.....	16	<u>ISRAEL</u>			
T206/207.....	18	1121/1123/1124.....	190T	<u>ROCKWELL</u> (Gulfstream)	
210.....	16			680.....	40
T210.....	18	<u>LOCKHEED</u>			
320.....	28	P-3/C-130/Electra 188.....	661T	500.....	34
310.....	32	Jetstar.....	374T	690A/B.....	75T
T310.....	34			Sabreliner.....	200T
337.....	24	<u>LEAR JET</u>		560.....	33
T337.....	26	25.....	220T	840.....	65T
401.....	28	35/36.....	185T	900.....	55T
402.....	36	55.....	200T	1000.....	57T
404.....	46	<u>MAULE</u>		<u>SWEARINGEN</u>	
411.....	34	M4-5.....	9	Merlin II, III SA 226/7.....	78T
414.....	36	M7.....	13		
421.....	46	<u>MITSUBISHI</u>			
340.....	36	MU-2.....	77T	<u>SHORT</u>	
425.....	56T			Skyvan.....	85T
441.....	52T	<u>MOONEY</u>			
Citation I.....	140T	Exec.....	10	<u>VOLPAR</u>	
Citation II, III.....	160T			TurboLiner.....	74T
208 Caravan I.....	53T	<u>NOMAD</u>			
		22B/24A.....	53T	<u>VULCANAIR</u>	
				P68C.....	20
				P68TC.....	24

“T” after the gallons indicated turbine fuel.
Everything else is AVGAS.

“T” after the gallons indicated turbine fuel.
Everything else is AVGAS.

SECTION C – CONTRACT TERMS AND CONDITIONS

EXHIBIT 6

LIKE MAKE AND MODELS

Aircraft within each block are considered like make and model
Airplanes with the same type rating designation are considered like make and models.

Reciprocating Engine Airplanes

<u>Make</u>	<u>Model</u>
American Champion	7ECA, 7GCAA, 7GCBC, 7KCAB, 8GCBC
Aviat	A-1, A-1A, A-1B, A-1C
Cessna	L-19
Cubcrafters	CC11, CC18, CC19
Piper	PA-11, 12, 14, 16, 18, 20, J3, J4, J5
Beechcraft	33, 35, 36
Cessna	172RG, 177RG, 182RG, C210
Bellanca	17-30, 31
Piper	PA-24, 28R, 32R
Cessna	172, 175, 177, 182, 205, 206, 207
Beechcraft	19, 23, 24
Piper	PA-32, 22, 28 (Fixed Gear)
Cessna	170, 180, 185, L-19
Found	FBA-2C1, FBA-2C2
Helio	H250, H295, H700, H800
Maule	M-4, 5, 6, 7, MX-6, 7, 9
Beechcraft	50, 55, 56, 58, 60, 65, 80, 70, 95
Cessna	336, 337
Cessna	300 series, 400 series
Cessna	TTx, Columbia 350, 400
Cirrus	SR20, 22
Douglas	DC-6, DC-7
Piper	M350, Matrix
Rockwell-Commander	500 series, 680, 720

Turboprop Airplanes

<u>Make</u>	<u>Model</u>
Beechcraft	B65-A90, 90, 99, 100, 200 and 250, FWC-12, C-12 (except C-12J), RC-12, T-44, U-21, UC-12 (except UC-12W), VC-6
Beechcraft	300, 350, MC-12, UC-12W
Beechcraft	1900, C-12J
Cessna	Soloy 206 and 207, 208
Cessna	406, 425, 441

SECTION C – CONTRACT TERMS AND CONDITIONS

Commander	680 T.V.W.; 681, 690, 840, 900, 980, 1000
Piper	PA-31T and PA-42
Piper	M500, M600
Swearingen	SA26, SA226, SA227, C-26

Jet Airplanes

<u>Make</u>	<u>Model</u>
Cessna	500, 501, 550, S550, 551, 552, 560 (except 560XL, 560XLS, 560XLS+), T-47A, OT-47B, UC-35A, UC-35B, UC-35C, UC-35D
Lear Jet	24, 25, 28, 29, 31, 35, 36, 55

SECTION C – CONTRACT TERMS AND CONDITIONS

EXHIBIT 7

SAFETY MANAGEMENT SYSTEM (SMS), FLIGHT TIME, ACCIDENT HISTORY, AND FAA VIOLATION QUESTIONNAIRE (PRE-AWARD VER. 6.0 – 2024)

The Department of the Interior aviation program views Safety Management Systems (SMS) (safety policy, safety risk management, safety assurance, and safety promotion) as a critical element for aviation operations and contract evaluation. This Exhibit, abbreviated to ‘SMS Questionnaire’, seeks to identify safe and effective aviation practices of an Offeror that include implemented policies and practices that support and demonstrate the use of SMS. Refer to Section C9.2, Safety Management System (SMS), for more information on Contractor SMS review and site visits.

The following resources may assist with the completion of the SMS Questionnaire:

- **SMS Questionnaire Supplement:** Explanations of Questions 1-33 in the SMS Questionnaire, examples of suggested documents to provide, and common response errors. Located at: <https://www.doi.gov/aviation/library>
- **SMS Questionnaire Form:** An optional form that can be used to complete the SMS Questionnaire. Located at: <https://www.doi.gov/aviation/library>
- **FAA Advisory Circular AC 120-92D:** Safety Management Systems for Aviation Service Providers. Located at: https://www.faa.gov/regulations_policies/advisory_circulars/
- **International Standard for Business Aircraft Operations (IS-BAO):** Established as a recommended code of (SMS) best practices. Located at: <https://nbaa.org/flight-department-administration/sms/>

Overview

The Offeror must provide sufficient evidence of implementation for each Question (1-33). **Include both evidence of implemented policies and records that indicate the SMS is functioning. Proposals are evaluated based on the evidence provided and the results that were achieved from the activities that were performed.** Blank forms do not suffice as evidence of policy or records of practice and responses shall include the Exhibit Question number (e.g., Question 1, Question 2).

Be sure to review the Questions thoroughly since the Exhibit has recently been revised. Failure to provide documentation listed above is considered unacceptable and may remove the offer from further consideration.

Refer to FAA Advisory Circular AC 120-92D and IS-BAO for additional SMS information. For example, in the SMS Questionnaire, FAA Component Reference number refers to the section in AC 120-92D and the IS-BAO Element number refers to the IS-BAO standard/protocol. These documents are intended to provide additional guidance to address the information requested in the Exhibit.

Scalability

The basic SMS components (safety policy, safety risk management, safety assurance, and safety promotion) remain the same regardless of an Offeror’s size or complexity. The way in which organizations implement such components may be accomplished in a variety of ways but should be appropriate the Offeror’s operations. Per AC 120-92D, the “...FAA expects each air carrier to develop an SMS that works for its unique operation.” For example, it will take fewer details to describe safety communication practices for a single-pilot Offeror than an Offeror with multiple employees working in different locations.

SECTION C – CONTRACT TERMS AND CONDITIONS

Question Number	FAA AC 120-92D Reference	IS-BAO Element	Requested Information
Safety Policy (Questions #1-12)			
1	3.3	3.1.3.1	Provide reference to policy (company document(s)) which shows there is one individual responsible for the effective administration/implementation of the SMS (e.g., safety manager, director of safety). Provide evidence to show the position is filled.
2	3.3	7.1.1	Provide reference to and evidence from company document(s) that show SMS duties, authorities, and accountabilities for all employees.
3	3.3	3.1.1.1	Provide reference to and evidence of a strong organizational commitment and clear statement (e.g., safety/SMS policy) about the provision of necessary resources for the SMS.
4	3.3	6.1.1	Provide reference to and evidence of the company manual(s) that contain flight operations policy and aircraft maintenance policy.
5	3.3	3.2.1	Provide reference to the Operations Manual distribution policy. Provide evidence the current version of the Operations Manual is available to employees in accordance with company policy.
6	3.3	6.1.1	Provide reference to the Operations Manual internal approval policy. Provide evidence the Operations Manual is approved in accordance with company policy.
7	3.3	6.1.1	Provide reference to the Operations Manual revision policy. Provide evidence the Operations Manual has been revised in accordance with company policy.
8	3.3	3.1.4.1	Provide reference to the Emergency Response Plan (ERP) and ERP revision policy. Provide evidence the ERP is up-to-date in accordance with company policy.
9	3.3	8.5	Provide reference to policy showing how aircrew member records (e.g., FAA certificates, medical, proficiency records) are maintained. Provide evidence the aircrew records are maintained in accordance with company policy.
10	3.3	15.1	Provide reference to policy showing how aircraft maintenance/servicing personnel records (i.e., FAA certificates) are maintained. Provide evidence the personnel records are maintained in accordance with the policy.
11	3.3	15.2.3	Provide reference to company policy that ensures maintenance personnel are trained and approved to conduct specific maintenance (e.g., make/model). Provide evidence records are maintained in accordance with company policy.
12	3.3	15.1	Provide reference to Operations Manual policy for obtaining aircraft maintenance services while away from home base. Provide evidence of aircraft maintenance received or denied in accordance with the policy.
Safety Risk Management (Questions #13-16)			

SECTION C – CONTRACT TERMS AND CONDITIONS

Question Number	FAA AC 120-92D Reference	IS-BAO Element	Requested Information
13	3.4	3.2.1.1	Provide reference to a risk management policy that includes: system analysis, hazard identification, risk analysis (exposure), risk assessment (severity and likelihood), decision making (mitigations and control), and validation of control (controls effective). Provide evidence the policy is in use.
14	3.4	3.2.1.1	Provide reference to policy for hazard/threat reporting and tracking. Provide evidence that the program is in use.
15	3.4	3.2.1.1	Provide reference to company policy addressing the use of operational risk assessments and/or use of a flight risk assessment tool. Provide evidence of a completed risk assessment that shows the implementation this policy.
16	3.4	3.1.2.1	Provide reference to policy that describes management approval requirements for operational risk assessments that exceed predetermined levels. Provide evidence of a risk assessment completed in accordance with the approval requirements.
Safety Assurance (Questions #17-23)			
17	3.5	3.3.1.1	Provide reference to a policy (or company document(s)) showing safety objectives and associated safety performance targets (SPTs). Provide evidence showing SPTs are current, measurable, and being monitored.
18	3.5	3.3.2	Provide reference to a management of change (MOC) or change management policy. Provide evidence of the use of the change management policy (e.g., acceptance or rejection of a change).
19	3.5	3.3.3	Provide reference to the SMS continuous improvement policy. Provide evidence the SMS is being monitored and assessed in accordance with the policy.
20	3.5	3.5	Provide reference to policy showing that SMS audits must be completed at determined intervals (e.g., monthly, quarterly, annually). Provide evidence of a current audit schedule.
21	3.5	3.5	Provide reference to policy that shows SMS audits must be documented. Provide evidence of the most recently completed audit (i.e., audit report).
22	3.5	3.5	Provide reference to policy which requires SMS audit findings (e.g., deficiencies, nonconformities) to be addressed. Provide evidence of a finding being addressed, or corrective action being implemented.
23	3.3	15.1	Provide reference to the maintenance control system (method of documentation, tracking, scheduling, and recording). Provide evidence of the maintenance control system in use.
Safety Promotion (Questions #24-30)			
24	3.3	4.1.1	Provide reference to policy showing Emergency Response Plan roles (i.e., key personnel), responsibilities, and duties. Provide evidence that training has been provided for these personnel to accomplish the duties.

SECTION C – CONTRACT TERMS AND CONDITIONS

Question Number	FAA AC 120-92D Reference	IS-BAO Element	Requested Information
25	3.3	4.3.3	Provide reference to policy showing the Emergency Response Plan must be exercised (drill/test/exercise) at least annually and documented. Provide evidence of the most recent ERP exercise.
26	3.6	3.4	Provide reference to the SMS safety communication policy. Provide evidence the policy describes the types of information to be communicated and how it will be communicated (e.g., method, frequency, responsibility).
27	3.6	3.4	Provide reference to approved company safety information sharing methods (e.g., intranet, bulletin board). Provide evidence of safety lessons learned shared with personnel.
28	N/A	N/A	Provide reference to a safety award/incentive program. Provide evidence of the most recent award.
29	3.6	8.1	Provide reference to the company training program (FAA and internal) that ensures ground crew and air crew are trained and competent to perform their assigned duties. Provide evidence that personnel have been trained and are competent to perform their duties.
30	3.6	3.4.1	Provide reference to policy showing initial (new employee) and recurrent SMS training requirements. Provide evidence of the most recent SMS training record (initial or recurrent).
Flight Time, Accident History, and FAA Violations (five years: 10/1/2019 - 9/30/2024) (Questions #31-33)			
31	N/A	N/A	Total number of flight hours during the five years defined in the Exhibit. Flight hours must be separated by year and category: fixed-wing, rotary-wing, and uncrewed aircraft system (UAS). Example: 10/1/2019-9/30/2020: total ____ (separate by category as applicable: fixed, rotor, UAS) 10/1/2020-9/30/2021: total ____ (separate by category as applicable: fixed, rotor, UAS) 10/1/2021-9/30/2022: total ____ (separate by category as applicable: fixed, rotor, UAS) 10/1/2022-9/30/2023: total ____ (separate by category as applicable: fixed, rotor, UAS) 10/1/2023-9/30/2024: total ____ (separate by category as applicable: fixed, rotor, UAS) Five year total: _____
32	N/A	N/A	Total number of accidents (aircraft accident as defined within 49 CFR 830.2) during the five years defined in the Exhibit. Accident details must be provided for each accident listed (e.g., date, NTSB accident number, registration number). If the Offeror had an accident in the five years identified, provide an accident prevention plan.* The prevention plan must include the following elements: a) summary of accident (i.e., what happened?), b) description of mitigation(s) to

SECTION C – CONTRACT TERMS AND CONDITIONS

Question Number	FAA AC 120-92D Reference	IS-BAO Element	Requested Information
			prevent future occurrence (i.e., how was it corrected?), and c) description of assurance methods used to validate the effectiveness of mitigation measures (i.e., how do you make sure it doesn't happen again?). *The submission of an accident prevention plan is not required, but if provided, may positively impact the offer.
33	N/A	N/A	Total number of FAA violations (Civil Penalty) during the five years defined in the Exhibit. If violations were reported, Case information must be provided.

SECTION C – CONTRACT TERMS AND CONDITIONS

**EXHIBIT 8
GOVERNMENT FURNISHED PROPERTY**

Government Furnished Property		
GFP	QTY	Est Value
SIM Seat 2M S/N 001	1	\$5,000.00
SIM Seat 2M S/N 002	1	\$5,000.00
SIM Seat 2M S/N 003	1	\$5,000.00
SIM Seat 2M S/N 004	1	\$5,000.00
		\$20,000.00

SECTION C – CONTRACT TERMS AND CONDITIONS

EXHIBIT 9 SMOKEJUMPER PILOT TRAINING RECORD

SMOKEJUMPER PILOT TRAINING RECORD (Ref. 5709.16.27.2-Exhibit 01. VI.)										
PILOT:				A/C TYPE:				CONTRACTOR:		
				FLIGHT TRAINING HRS:						
INSTRUCTOR PILOT:										
INSTRUCTOR SPOTTER:										
GRADING		AIRCRAFT								
Grading System based on a 1 to 10 scoring system with 10 being a perfect score, 8 satisfactory, 6 improving, 4 and less unsatisfactory performance.		TIME								
		DATE								
SMOKEJUMPER PILOT / COPILOT										
1. Attitude										
2. Knowledge of Aircraft and Systems										
3. Weight and Balance										
4. Awareness to Instruction										
5. Ground Operation - Taxiing, etc.										
6. Procedures - Normal and Single Engine										
7. Aircraft control - Airspeed, Altitude, Bank										
8. Attention to Flying the Aircraft										
9. Pilot - Spotter Cooperation										
10. Streamer Patterns										
11. Jumper Runs (Live)										
12. Patience										
13. Maneuvering										
14. Moderate and Deep Canyon Work										
15. Pattern Selection to DZ										
16. Awareness of Airspeed										
17. Timing of Power and Flap Application										
18. Basic Cargo (Dry Runs)										
20. Live Cargo Runs										
OTHER										
21. High Recon										
22. Low Recon										
23. Approach and Escape Routes										
GENERAL										
25. Judgment										
26. Crew Coordination										
27. Equipment & Procedures Knowledge										
28. Preflight Preparation										
29. Dispatch and Launch										
30. Enroute Procedures										
31. Safety (Clearing, Situational Awareness etc.)										
32. Flight Following										

SECTION C – CONTRACT TERMS AND CONDITIONS

TRAINEES INITIALS									
RECOMMENDED FOR EVALUATION CHECKRIDE BY:									
INSTRUCTOR REMARKS and SIGNATURES									

SECTION C – CONTRACT TERMS AND CONDITIONS

**EXHIBIT 10
UNAVAILABILITY CONVERSION CHART**

HOURS UNAVAILABLE	UNITS OF AVAILABILITY RECORDED AS:	UNITS OF UNAVAILABILITY RECORDED AS:
0	1.00	0.00
1	.93	.07
2	.86	.14
3	.79	.21
4	.71	.29
5	.64	.36
6	.57	.43
7	.50	.50
8	.43	.57
9	.36	.64
10	.29	.71
11	.21	.79
12	.14	.86
13	.07	.93
14	0.00	1.00

SECTION C – CONTRACT TERMS AND CONDITIONS

EXHIBIT 11 TRANSPORTATION WORKSHEET

When assigned to an alternate base away from the Designated Base, the Contractor will be paid for actual necessary and reasonable costs associated with transporting authorized personnel. The Contractor is responsible for advising the on-site Government representative(s) of the anticipated cost associated with transporting relief (and/or maintenance) personnel to the alternate base **prior** to the relief exchange. **Claims must be supported by itemized invoices.** See contract clause “Transportation Costs Associated with Operating Away From the Designated Base” for detailed information

DATE	ALTERNATE BASE LOCATION
------	-------------------------

Relief Exchange – Involved Crew Member(s)

☐ Pilot Name	☐ Fuel Servicing Vehicle Driver Name	☐ Mechanic (If required by contract) Name
--	--	---

Scheduled Maintenance

☐ Mechanic Name	☐ Other Name
Maintenance Accomplished	Reason for providing additional personnel

ITEMIZATION OF COSTS – Invoices and/or receipts are attached (copies are acceptable)

Airline Transportation	Name	\$
Airline Transportation	Name	\$
Charter Aircraft	Invoice to include aircraft make/model, flight time, hourly rate, passengers, and departure/destination location, date and time	\$
Rental Car		\$
Rental Car Fuel		\$
POV	Total Mileage From To	\$
Other (explain)		\$
		\$
		\$
		\$
		\$

Total ACTUAL Cost	\$
-------------------	----

Yes, the COR was notified of the anticipated cost for this alternate base transportation expense prior to mobilization of the relief personnel	Date
Contractor Representative Signature	

SECTION D – INSTRUCTIONS TO OFFERORS

SECTION D – INSTRUCTIONS TO OFFERORS

INTRODUCTION

D1 General Information

D1.1 The services of this Request for Proposals (RFP) are being acquired under the authority of Federal Acquisition Regulations (FAR), Part 12, Acquisition of Commercial Items and FAR Part 15, Contracting by Negotiation.

D1.2 If an offeror wishes to compete for the contract described in Sections A through C of this RFP, they must submit a proposal that includes a signed and dated offer and other requested information by the time and date shown on the SF1449. The submission of the documentation specified in D3 shall constitute the Offerors acceptance of the terms and conditions of the solicitation and concurrence with Sections A through C.

D1.3 These RFP instructions are designed to provide general guidance for preparing proposals as well as providing specific instructions on format, content, and evaluation. Offeror should include all documents and information in accordance with the instructions herein. Noncompliance with the solicitation requirements may hamper the Government's ability to properly evaluate the proposal and may result in elimination of the proposal from further consideration for contract award. Offerors are cautioned to follow the instructions carefully and shall present their best technical proposal and prices in their initial proposal submission, as it is the Government's intent to make an award based on initial proposal received without discussions with the offeror.

D1.4 Assent to Solicitation. If the Offeror takes exception to any of the terms and conditions of the RFP, then the Government may consider its offer to be unacceptable/unsatisfactory. Unacceptable/Unsatisfactory offers will be eliminated without further consideration of the proposal.

D1.5 It is the offeror's responsibility to read the RFP and all related documents carefully and completely and to monitor SAM (<https://sam.gov/>) website for any updates to the RFP on a regular basis. Additionally, it is the Offerors' responsibility to ensure/verify the Government receives the proposal on or before the date/time specified.

D2 North American Industry Classification System (NAICS) Code and Small Business Size Standard

The NAICS code and small business size standard for this acquisition is 115310 and \$34M.

FAR 52.212-1 Instructions to Offerors—Commercial Products and Commercial Services (Sep 2023) Tailored

D3 Offers

D3.1 The Contracting Officer is the point of contact for this acquisition. Address any questions or concerns you may have to the Contracting Officer in accordance with D13.

D3.2 One (1) electronic copy of the proposal shall be submitted to the Contracting Officer and Contracting Specialist via email. Depending on the size of the files, multiple emails may be required to ensure proper receipt of all volumes. The Contracting Officer or Contracting Specialist may acknowledge receipt of all submitted documentation, but the vendor shall remain responsible for on-time delivery to, and receipt by, the CO. The proposal shall be prepared clearly and concisely to demonstrate the offeror has a complete understanding of the requirements. Offerors shall prepare the proposal on the presumption that the Government has no previous knowledge of the offeror's capabilities. The proposal shall be evaluated only on the information specifically presented within the proposal, with the exception of the Past Performance evaluations as explained at Section D4.20.

D3.3 To be considered as a prospective Contractor for the requirement identified in this solicitation, an offeror must deliver a proposal consisting of a valid offer to the individuals identified below. Only emailed proposals will be accepted.

Proposals are due the date specified in Block 8 of the 1449, or the date specified in any subsequent amendment.

D3.3.1 Hard copy or facsimile offer transmissions will not be accepted. By email ONLY, deliver proposals to the Contracting Officer, Angelina Clements, and Contract Specialist, Sonja Crockett, at clements_proposal_submissions@ibc.doi.gov.

SECTION D – INSTRUCTIONS TO OFFERORS

D3.3.2 Email proposal “subject line” shall be in this format:

Subject: Name of Company (The Company’s SAM, 13-digit Unique Entity Identifier – UEI in Parenthesis) followed by the word “Proposal” and Solicitation Number.

EXAMPLE of Subject line to email the proposal: “Company X (UEI: 123A456B789C1) Proposal 140D0425R0071”

D4 Offer Contents

The contents must be tabbed and organized in the order described below:

Email Subject Line: Company X (UEI: 123A456B789C1) Proposal 140D0425R0071		
Zip Folder Name	Solicitation Reference	Document Name
<i>Volume I Offer</i>	D4.1	Vol I SF 1449 – Name of Company
	D4.2	Vol I Pricing Pages– Name of Company
	D4.3	Vol I SAM Page 1 – Name of Company
	D4.5	Vol I Offerors MISC Info (Attachment 1) – Name of Company
<i>Volume II Technical Capability</i>	D4.6	Vol II Aircraft Questionnaire (Attachment 2) and Aircraft Information Form (Attachment 3) for each Aircraft, if necessary
	D4.6.1 – D4.6.4.3	Vol II Aircraft Charts and Calculations (Tail #)
	D4.7	Vol II Airworthiness Certificate (Tail #) for each Aircraft, if necessary
	D4.8	Vol II Aircraft Registration (Tail #) for each Aircraft, if necessary
	D4.9	Vol II FAA certificates Part 137 (Tail #) for each Aircraft, if necessary
	D4.10	Vol II Part 135 Operation Specifications A003 (Tail #) for each Aircraft, if necessary
	D4.11	Vol II Part 135 Operation Specifications B050 (Tail #) for each Aircraft, if necessary
	D4.14	Vol II 14 CFR Part 135.63(a)(3) List for each Aircraft, if necessary
	D4.15.3	Vol II Staffing (Pilot) Qualifications (Pilot Last Name, First Name)
<i>Volume III Organizational Safety</i>	D4.16	Vol III FAA SMS Requirements for Part 135
	D4.17	Vol III Current SMS Manual
	D4.18	Vol III SMS Questionnaire (Exhibit 7)
	D4.19	Vol III Supporting Document (as needed)
<i>Volume IV</i>	D4.20	Vol IV Past Performance Questionnaire (Attachment 5)

SECTION D – INSTRUCTIONS TO OFFERORS

Past Performance		
-------------------------	--	--

Volume I Offer

D4.1 Completed and signed SF 1449, Solicitation/Contract/Order for Commercial Items.

NOTE: D4.1 Document will be attachment to the email and named: “Vol I SF 1449 – Name of Company”

D4.2 Solicitation Section A, Schedule of Services and Pricing page(s), completed where indicated with unit rates offered in U.S. whole dollars for daily availability and flight time. Offerors may offer varying prices for subsequent ordering periods. Compute the extended yearly amounts for availability and flight time by multiplying the unit prices offered times the quantities shown. Enter an extended amount for each year as well as an amount for the total for all years. The Government will round pricing submitted with cents down to the next whole dollar. Estimates are for evaluation purposes only.

D4.3 Offeror’s Representations and Certifications are incorporated by reference in accordance with FAR 52.212-4 paragraph (v). Offerors shall complete their annual representations and certifications online at www.sam.gov in the System for Award Management (SAM) and include a copy of the first page of their SAM registration showing current SAM registration status.

NOTE: D4.3 Document will be named as an attachment to the email: “Vol I SAM Page 1 – Name of Company”

D4.4 Acknowledgment of Solicitation Amendments (if any).

D4.5 A completed copy of Offeror’s Miscellaneous Information (Attachment 1) included in Section E.

NOTE: D4.5 Document will be named as an attachment to the email: “Vol I Offerors MISC Info – Name of Company”

NOTE: Email can include a zip file attached with name of sub folder “Vol I Offer” and within this subfolder the required documents

Volume II Technical Capability

D4.6 A completed copy of the Aircraft Questionnaire (Attachment 2) and Aircraft Information Form (Attachment 3) for each offered aircraft.

D4.6.1 Provide all appropriate charts and calculations to support the performance characteristics of the proposed aircraft. Use current and correct performance charts from the Aircraft Flight Manual or Flight Manual Supplement as appropriate.

D4.6.2 Ensure fuel requirements are established using values prescribed in Section A1, Minimum Aircraft Requirements, and the fuel consumption rate for the make and model offered based on Exhibit 3. Offerors must use a standard fuel weight of 7.0 lbs. per gallon for performance calculations.

D4.6.3 Offerors must ensure the pressure altitude and temperature values specified in Section A1 Minimum Aircraft Requirements are used when preparing performance calculations for the submission.

D4.6.4 Provide a current (within 60 months of the solicitation closing date) aircraft weight and balance record, equipment list certified accurate at the time of weighing, and any calculations indicating changes to the aircraft and equipment list that may have occurred after the time of weighing. Weight and Balance Handbook (FAA-H-8083-1B) can be used as a guide.

D4.6.4.1 For all performance calculations, the aircraft empty weight must include all installed equipment required by this contract. Calculations showing equipment removed or added to meet contract specifications must be included.

D4.6.4.2 For aircraft that are new and /or the empty weight is yet to be determined. The proposal must include an estimated empty weight based on the most recent weight and balance with any modifications required to bring the aircraft into contract compliance. The offeror must provide the most recent weight and balance and calculations on how they arrived at the estimated empty weight.

SECTION D – INSTRUCTIONS TO OFFERORS

D4.6.4.3 A detailed plan and timeline for completion must be provided for aircraft that require modifications to meet the requirements of this solicitation.

D4.7 Airworthiness Certificates. A valid copy of the airworthiness certificate for each offered aircraft.

D4.8 Aircraft Registration: A valid copy of the registration for each offered aircraft.

D4.9 A copy of the first page of any FAA certificates Part 137.

D4.10 Part 135 Operation Specifications A003 (Aircraft Authorization), demonstrating authorization to operate in the make, model, and series of the proposed aircraft and under flight conditions required by this contract per B2.1 (e.g., rotorcraft, visual flight rules (VFR) day/night, passengers, and cargo)

D4.11 Part 135 Operation Specification B050 (Authorized Areas of En Route Operations, Limitations, and Provisions) showing authorization to operate in the 48 contiguous United States and Alaska.

D4.12 Reserved.

D4.13 Reserved.

D4.14 A copy of the ‘list’ required by 14 CFR Part 135.63(a)(3) (Operations Specifications part D, “D085 Aircraft Listing”) as appropriate which identifies aircraft that the offeror is authorized to operate, at time of proposal. Proposed aircraft must be listed.

D4.15 If offered aircraft is not listed on the D085, a detailed plan and timeline to meet this requirement must be provided. Offeror must provide proof of ownership or purchase/lease agreement that includes a delivery date for the aircraft.

D4.15.1 Failure to provide documentation listed above to support the performance of the aircraft is considered unacceptable and may remove your offer from further consideration.

D4.15.2 The aircraft make, and model that the Government confirms during evaluation will be made a part of the binding contract if the proposal is accepted for award.

D4.15.3 Staffing (Pilot) Qualifications. A completed copy of the OAS-64A Pilot Evaluation Application (Attachment 6) (with supplements if requested) and Pilot Questionnaire (Attachment 4) included in Section E. Complete a separate form for each pilot proposed by following the instructions included with the OAS-64A. Clearly identify the pilots as proposed primary PIC/SIC or relief PIC/SIC.

NOTE: Email can include a zip file attached with name of sub folder “Vol II Technical Capability” and within this subfolder the required documents

NOTE: Each file within this Volume shall have “Vol II” in front of the documents name

Volume III Organizational Safety

D4.16 The Offeror must provide evidence of meeting FAA SMS requirements for Part 135 or air tour operators operating under § 91.147 no later than May 28, 2027 (FAA Final Rule, May 2024).

D4.17 A copy of the current SMS Manual must be submitted.

D4.18 A response to the SMS Questionnaire (Exhibit 7) must be submitted. The SMS Questionnaire Form or comparable document may be used, as long as responses to each Question 1-33 are provided.

D4.19 Other supporting documents (e.g., Operations Manual, Standard Operating Procedure (SOP), records, evidence samples) may be required to support Questionnaire responses. Documents must be clear, legible, and include identifiable information (e.g., document name, revision history, company name).

SECTION D – INSTRUCTIONS TO OFFERORS

NOTE: Email can include a zip file attached with name of sub folder “Vol III Organizational Safety” and within this subfolder the required documents

NOTE: Each file within this Volume shall have Vol III in front of the documents name

Volume IV Past Performance

D4.20 Offeror Information. Offeror must include a completed copy of the Past Performance Questionnaire (PPQ)(Attachment 5), included in Section E to include requested documents. The PPQ shall be used to include information on no more than three (3) of the most relevant contracts performed by the prime offeror for any local, state, and Federal agencies, and commercial customers during the three (3) years prior to the date of issuance of this solicitation. Relevant contracts include performance of efforts that are similar in scope, magnitude, and complexity to the effort described in this solicitation. The offeror has discretion in determining the most beneficial mix and quantity of contracts by prime offeror covering as many of these elements as is practical.

NOTE: Email can include a zip file attached with name of sub folder “Vol IV Past Performance” and within this subfolder the required documents

NOTE: Each file within this Volume shall have Vol IV in front of the documents name

D5 Period for Acceptance of Offers.

The offeror agrees to hold the prices in its offer firm for **120** calendar days from the date specified for receipt of offers unless another time period is specified in an addendum to the solicitation.

D6 Late Submissions, Modifications, Revisions, and Withdrawals of Offers

Late Submissions, Modifications, Revisions and Withdrawals of Offers are subject to the terms of Federal Acquisition Regulation (FAR) clause 52.212-1(f), which is incorporated by reference, except that offers may be withdrawn in writing at any time before award is made.

D7 Reserved

EVALUATION OF PROPOSALS

FAR 52.212-2 Evaluation--Commercial Products and Commercial Services (Nov 2021) Tailored

D8 Evaluation

The Government intends to evaluate offers and award a contract, without discussions with Offerors, to the responsible offeror(s) whose offer conforming to the solicitation will be most advantageous to the Government, price and other factors considered. Therefore, the offeror's initial offer should contain the Offeror's best terms from a price and technical standpoint. The Government may reject any or all offers if such action is in the public interest; accept other than the lowest priced offer; and waive informalities and minor irregularities in offers received. See D10 for evaluation factors and their relative importance.

D9 Offer Acceptability

The Government must deem offers to be acceptable to consider them further and will base determinations of offer acceptability on the following:

D9.1 Minimum Aircraft Requirements. Offeror must propose an aircraft that meets or exceeds the Minimum Aircraft Requirements specification in Section A of this solicitation. The offer will be unacceptable if an aircraft that fails to meet any of the Minimum Aircraft Requirements specified in Section A of this solicitation is proposed.

D9.2 Unacceptable offers may be removed from further consideration of the listed evaluation factors below.

SECTION D – INSTRUCTIONS TO OFFERORS

D10 Evaluation Factors

D10.1 The Government will evaluate offers and select the Contractor based on the following evaluation factors:

- Technical Capability
- Organizational Safety
- Past Performance
- Total Evaluated Price

D10.2 Organizational Safety and Past Performance are approximately equal to each other. When combined, they are approximately equal to Technical Capability. All evaluation factors other than price, when combined are approximately equal to price. For the Technical Capability and Organizational Safety Factors, the relative strengths, significant strengths, weaknesses, significant weaknesses, deficiencies, and risk will be assessed. For the Past Performance Factor, the currency, relevance, and how well the offeror performed the effort will be evaluated to establish one performance confidence assessment rating.

D10.3 Technical Capability

D10.3.1 The Offeror must propose an aircraft that meets or exceeds the Minimum Aircraft Requirements specified in Section A of this solicitation. The offer will be rated Unsatisfactory if the proposed aircraft fails to meet any of the Minimum Aircraft Requirements specified in Section A of this solicitation.

D10.3.2 The Government will evaluate the technical capability of each Offeror's proposed aircraft using the Section A and B requirements, as well as any other enhancements made to the aircraft, from which the Government will derive benefit.

D10.3.3 For aircraft that require modifications to meet the requirements of this solicitation and/or aircraft that are not currently listed on the aircraft list, the Government will evaluate proposed timelines for reasonableness.

D10.3.4 Offered payload is an element to be evaluated under Technical Capability. Aircraft offered with an estimated empty weight, and thus estimated payload, must be as accurate as possible and may be evaluated as meeting the minimum payload only.

D10.3.5 The aircraft make, model and payload that the Government confirms with the offeror will be made a part of the offer and will be binding if an offer is accepted for award.

D10.3.6 Any missing, vague, or information of poor quality will be considered high risk and may affect the rating for this evaluation factor.

D10.3.7 Minimum Staffing (Pilot) Qualifications. The offeror must propose pilot(s) that meet or exceed the Minimum Pilot Qualifications specification in Section B of this solicitation. The offer will be rated Unsatisfactory if the proposed pilot(s) fail to meet any of the Minimum Pilot Qualifications specified in Section B of this solicitation. One Primary and one relief pilot should be listed for each aircraft. One Secondary primary and one secondary relief pilot should be listed, if required by make and model of aircraft.

D10.4 Organizational Safety

D10.4.1 Safety Management System (SMS). The Government will evaluate the Offeror's written submittal in response to the SMS Questionnaire in Exhibit 7. A more favorable rating will result within this area to Offerors that demonstrate implemented FAA and IS-BAO SMS standards listed in the exhibit.

D10.4.2 Flight Time, Accidents, and FAA Violations. The Government will evaluate any known aircraft accidents and FAA violations. Accidents include under all Offeror operating certificates, ownership, public aircraft operations, and CFR Part 91. The total number of flight hours provided by the Offeror will be used, as well as any data resulting from the Government's own experiences with the Offeror. A more favorable safety component rating will result within this area to Offerors that possess an accident rate less than the agency five-year average, have fewer FAA violations, and satisfy the components in

SECTION D – INSTRUCTIONS TO OFFERORS

Exhibit 7. If accident(s) occurred, the submission of an accident prevention plan may positively impact the offer. Only the Offeror's accident and violation history within the five years identified in Exhibit 7 will be considered. Failure to provide documentation listed above is considered unacceptable and may remove the offer from further consideration.

D10.5 Past Performance

D10.5.1 Past Performance. The purpose of the past performance evaluation is to allow the Government to assess the Offeror's ability to safely and efficiently perform the effort described in this RFP, based on the Offeror's demonstrated present and past performance. The Offeror may provide information on problems encountered on identified contracts and the offeror's corrective actions. The Government shall consider this information, as well as information obtained from any other sources, including performance feedback from clients listed on the PPQ, any information on your company contained in the Government-wide Contractors Performance Assessment Reporting System (CPARS), a Government-wide past performance database located on-line at <https://www.cpars.gov/>, when evaluating the offeror's past performance and any other available sources.

D10.5.2 The CO shall seek recent and relevant performance information. Information older than the last three-year period will not be considered unless it is particularly pertinent to Offeror current capability. If the information provided is determined to be recent by the evaluation team the Offeror's past performance will be evaluated for relevance. Relevant contracts include performance of efforts involving aviation support efforts in wild-land fire environments that are similar in scope, magnitude, and complexity than the effort described in this solicitation.

D10.5.3 The Government may contact some or all of the Offeror's customers to ask whether or not they believe: (1) that the Offeror was capable, efficient, and effective; (2) that the Offeror's performance conformed to the terms and conditions of its contract; (3) that the Offeror was reasonable and cooperative during performance; and (4) that the Offeror was committed to customer satisfaction. Information older than the last three (3)-year period will not be evaluated unless it is determined particularly pertinent to Offeror current capability as stated in D10.5.2.

D10.6 Total Evaluated Price

D10.6.1 The evaluation will be based on an analysis of the competitiveness and reasonableness of the prices and rates proposed. The Government will apply the unit prices in acceptable offers, including out year unit prices, to the daily availability quantities identified in Section A. For the purpose of evaluating flight time, the estimates in Section A will be applied to the flight rates offered for each year. The offeror can offer a discounted unit price to the government for the optional extension(s) pricing tables in Section A. If the offeror does not propose a unit price for the optional extension(s), the unit price will default to same unit price proposed for the Exclusive Use Period, per year. The totals for availability and estimated flight for all years including possible extensions and additional pay items will be added together to arrive at the total evaluated price for each Offeror.

D10.6.1 The Government will perform a tradeoff analysis, as described below in D11. The total evaluated price is for evaluation purposes only and does not become a contractually binding amount after contract award.

D10.6.3 The Government will evaluate offers for award purposes by adding the total price for all ordering periods to the total price for the basic award. To account for the possible use of the additional six-month option period(s) permitted under 52.217-8, the Government will take the price for the final (or highest priced) ordering period, prorated to a six-month value, and add it to the sum of the base plus all ordering periods. In the event the Government exercises the 52.217-8, the last ordering period unit pricing and all contract terms and conditions shall apply. The agency's price evaluation will mathematically document the calculation of adding the six months of services for the option to extend services to the total contract price in the award summary. This amount will be used for comparative evaluation for award purposes only. The Government may determine that an offer is unacceptable if the ordering period prices are significantly unbalanced. FAR 52.217-8 can be exercised at any point during the period of performance of the contract and applies to the period of performance immediately preceding the last ordering period. Offerors are NOT to enter a price for the six (6) month period.

D10.6.4 The Government reserves the right to reject offers that have materially unbalanced availability and flight rates. An offer is materially unbalanced when, despite an acceptable total evaluated price, the price of one or more line items is significantly over or understated as indicated by the application of cost or price analysis techniques.

SECTION D – INSTRUCTIONS TO OFFERORS

D11 Tradeoff Analysis and Contractor Selection

D11.1 The Contractor will be selected on the basis of the Government's evaluation of the proposal against the evaluation factors set forth in the solicitation: Technical Capability, Past Performance, Organizational Safety, and Total Evaluated Price as set forth in D10.

D11.2 If one offer is best on all the factors (lowest price and highest rated non-price), then that offer will be selected as being the best value to the Government. If no one offer is best on all the factors, then the Government will consider the differences among offers and make tradeoffs in order to determine which offer is the best value. All non-priced evaluation factors, when combined are approximately equal to price.

D11.3 The Government reserves the right to consider potential administrative efficiency benefits that may be achieved by awarding to a single vendor at a given location.

D12 Notice of Award

The Government intends to award up to two (2) single award IDIQ contract(s) as a result of this requirement. A written notice of award or acceptance of an offer, emailed or otherwise furnished to the successful offeror(s) within the time for acceptance specified in the offer, shall result in a binding contract without further action by either party. Before the offer's specified expiration time, the Government may accept an offer (or part of an offer), whether or not there are negotiations after its receipt, unless a written notice of withdrawal is received before award.

D13 Inquiries Regarding the Solicitation

Formal communications, such as requests for clarification, questions and/or written information concerning this solicitation shall be submitted in writing via e-mail to CO, Angelina Clements, and Contract Specialist, Sonja Crockett, at clements_proposal_submissions@ibc.doi.gov no later than **July 9, 2025, 2:00 pm EDT**.

The requests will be in the following format:

RFP 140D0425R0071

Section: ____

Page: ____

Paragraph: ____

Question: _____

SECTION E – OFFEROR’S REPRESENTATIONS, CERTIFICATIONS AND OTHER STATEMENTS

SECTION E – OFFEROR’S REPRESENTATIONS, CERTIFICATIONS AND OTHER STATEMENTS

FAR 52.252-1 Solicitation Provisions Incorporated by Reference (FEB 1998)

This solicitation incorporates one or more solicitation provisions by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. The offeror is cautioned that the listed provisions may include blocks that must be completed by the offeror and submitted with its quotation or offer. In lieu of submitting the full text of those provisions, the offeror may identify the provision by paragraph identifier and provide the appropriate information with its quotation or offer. Also, the full text of a solicitation provision may be accessed electronically at this address:

FAR/DIAR: <https://www.acquisition.gov/>

FAR 52.252-5 Authorized Deviations in Provisions (NOV 2020)

(a) The use in this solicitation of any Federal Acquisition Regulation (48 CFR Chapter 1) provision with an authorized deviation is indicated by the addition of "(DEVIATION)" after the date of the provision.

(b) The use in this solicitation of any DIAR 1452.233-2 Service of Protest Department of the Interior (SEP 2006) (Deviation) (48 CFR Chapter 14) provision with an authorized deviation is indicated by the addition of "(DEVIATION)" after the name of the regulation.

(End of provision)

Provision	Title	Date
52.204-7	System for Award Management	Nov 2024
52.204-16	Commercial and Government Entity Code Reporting	Aug 2020
52.204-17	Ownership or Control of Offeror	Aug 2020
52.204-20	Predecessor of Offeror	Aug 2020
52.204-22	Alternative Line-Item Proposal	Jan 2017
52.204-24	Representation Regarding Certain Telecommunications and Video Surveillance Services or Equipment	Nov 2021
52.204-26	Covered Telecommunications Equipment or Services-Representation	Oct 2020
52.209-7	Information Regarding Responsibility Matters	Oct 2018
52.212-1	Instruction to Offerors—Commercial Products and Commercial Services	Sep 2023
52.212-3	Offeror Representations and Certifications – Commercial Products and Commercial Services (DEVIATION FEB 2025)	May 2024
52.216-27	Single or Multiple Awards	Oct 1995
52.216-31	Time-and-Materials/Labor-Hour Proposal Requirements—Commercial acquisition	Nov 2021
52.217-5	Evaluation of Options	July 1990

***Note: System updates may lag policy updates. The System for Award Management (SAM) may continue to require entities to complete representations based on provisions that are not included in agency solicitations. Examples include 52.222-25, Affirmative Action Compliance, and paragraph (d) of 52.212-3, Offeror Representations and Certifications-Commercial Products and Commercial Services. COs will not consider these representations when making award decisions or enforce requirements. Entities are not required to, nor are they able to, update their entity registration to remove these representations in SAM before or after the award.**

SECTION E – OFFEROR’S REPRESENTATIONS, CERTIFICATIONS AND OTHER STATEMENTS

Provisions Incorporated by Full Text

AQD Evaluation of Options Provision (MAR 2022)

The Government will evaluate offers for award purposes by adding the total price for all options to the total price for the basic award. To account for the possible use of the additional six-month option period(s) permitted under 52.217-8, the Government will take the price for the final (or highest priced) option period, prorated to a six-month value, and add it to the sum of the base plus all option periods. The agency’s price evaluation will mathematically document the calculation of adding the six months of services for the option to extend services to the total contract price in the award summary.

This amount will be used for comparative evaluation for award purposes only. The Government may determine that an offer is unacceptable if the option prices are significantly unbalanced. Evaluation of options shall not obligate the Government to exercise the options.

FAR 52.217-8 can be exercised at any point during the period of performance of the contract and applies to the period of performance immediately preceding exercising the option.

(End of Provision)

FAR 52.216-1 Type of Contract (Apr 1984)

(a) The Government contemplates award of two or more single indefinite-delivery/indefinite-quantity (IDIQ) contract(s) resulting from this solicitation from which Firm-Fixed-Price with Time-and-Materials line items task orders will be issued.

(End of provision)

DIAR 1452.215-71 Use and Disclosure of Proposal Information (Apr 1984)

(a) Definitions. For the purposes of this provision and the Freedom of Information Act (5 U.S.C. 552), the following terms shall have the meaning set forth below:

(1) “Trade Secret” means an unpatented, secret, commercially valuable plan, appliance, formula, or process, which is used for making, preparing, compounding, treating or processing articles or materials which are trade commodities.

(2) “Confidential commercial or financial information” means any business information (other than trade secrets) which is exempt from the mandatory disclosure requirement of the Freedom of Information Act, 5 U.S.C. 552. Exemptions from mandatory disclosure which may be applicable to business information contained in proposals include exemption (4), which covers “commercial and financial information obtained from a person and privileged or confidential,” and exemption (9), which covers “geological and geophysical information, including maps, concerning wells.”

(b) If the offeror, or its subcontractor(s), believes that the proposal contains trade secrets or confidential commercial or financial information exempt from disclosure under the Freedom of Information Act, (5 U.S.C. 552), the cover page of each copy of the proposal shall be marked with the following legend:

“The information specifically identified on pages _____ of this proposal constitutes trade secrets or confidential commercial and financial information which the offeror believes to be exempt from disclosure under the Freedom of Information Act. The offeror requests that this information not be disclosed to the public, except as may be required by law. The offeror also requests that this information not be used in whole or part by the government for any purpose other than to evaluate the proposal, except that if a contract is awarded to the offeror as a result of or in connection with the submission of the proposal, the Government shall have the right to use the information to the extent provided in the contract.”

(c) The offeror shall also specifically identify trade secret information and confidential commercial and financial information on the pages of the proposal on which it appears and shall mark each such page with the following legend:

SECTION E – OFFEROR’S REPRESENTATIONS, CERTIFICATIONS AND OTHER STATEMENTS

“This page contains trade secrets or confidential commercial and financial information which the offeror believes to be exempt from disclosure under the Freedom of Information Act and which is subject to the legend contained on the cover page of this proposal.”

(d) Information in a proposal identified by an offeror as trade secret information or confidential commercial and financial information shall be used by the Government only for the purpose of evaluating the proposal, except that (i) if a contract is awarded to the offeror as a result of or in connection with submission of the proposal, the Government shall have the right to use the information as provided in the contract, and (ii) if the same information is obtained from another source without restriction it may be used without restriction.

(e) If a request under the Freedom of Information Act seeks access to information in a proposal identified as trade secret information or confidential commercial and financial information, full consideration will be given to the offeror's view that the information constitutes trade secrets or confidential commercial or financial information. The offeror will also be promptly notified of the request and given an opportunity to provide additional evidence and argument in support of its position, unless administratively unfeasible to do so. If it is determined that information claimed by the offeror to be trade secret information or confidential commercial or financial information is not exempt from disclosure under the Freedom of Information Act, the offeror will be notified of this determination prior to disclosure of the information.

(f) The Government assumes no liability for the disclosure or use of information contained in a proposal if not marked in accordance with paragraphs (b) and (c) of this provision. If a request under the Freedom of Information Act is made for information in a proposal not marked in accordance with paragraphs (b) and (c) of this provision, the offeror concerned shall be promptly notified of the request and given an opportunity to provide its position to the Government. However, failure of an offeror to mark information contained in a proposal as trade secret information or confidential commercial or financial information will be treated by the Government as evidence that the information is not exempt from disclosure under the Freedom of Information Act, absent a showing that the failure to mark was due to unusual or extenuating circumstances, such as a showing that the offeror had intended to mark, but that markings were omitted from the offeror's proposal due to clerical error.

(End of provision)

IAW FAR 52.233-2 Service of Protest (Sept 2006)

DIAR 1452.233-2 Service of Protest Department of the Interior (Sep 2006) (Deviation)

(a) Protests, as defined in section 33.101 of the Federal Acquisition Regulation, that are filed directly with an agency, and copies of any protests that are filed with the Government Accountability Office (GAO), shall be served on the Contracting Officer (addressed as follows) by obtaining written and dated acknowledgment of receipt from **Angelina Clements** at angelina_clements@ibc.doi.gov

(b) The copy of any protest shall be received in the office designated above within one day of filing a protest with the GAO.

(c) A copy of the protest served on the Contracting Officer shall be simultaneously furnished by the protester to the Department of the Interior Assistant Solicitor, Acquisitions and Intellectual Property, 1849 C Street, NW, Room 6511, Washington, DC 20240.

(End of provision)

SECTION E – OFFEROR’S REPRESENTATIONS, CERTIFICATIONS AND OTHER STATEMENTS

ATTACHMENTS

The following attachments are enclosed and made part of this solicitation:

1. Offerors Miscellaneous Information
2. Aircraft Questionnaire
3. Aircraft Information Form
4. Pilot Questionnaire
5. Past Performance Questionnaire
6. OAS-64A Airplane Pilot Evaluation Application
7. Wage Determination No.: 1995-0221, Revision No. 70, 5/5/2025
8. Wage Determination No.: 1995-0222, Revision No. 69, 3/26/2025

SECTION E – OFFEROR’S REPRESENTATIONS, CERTIFICATIONS AND OTHER STATEMENTS

**ATTACHMENT 1
OFFEROR’S MISCELLANEOUS INFORMATION**

Offeror’s Company Name			
Offeror’s System for Award Management Unique Entity ID (UEI)			
Offeror’s Name, Title and E-mail Address			
Offeror’s Company Web Address			
Offeror’s Office Telephone Number			
Offeror’s Facsimile (FAX) Number			
Government Contract Representative	Name	Email Address	Telephone (cell)
*Director of Operations	Name	Email Address	Telephone (cell)
*Chief Pilot	Name	Email Address	Telephone (cell)
*Director of Maintenance	Name	Email Address	Telephone (cell)
Invoicing/AIRS	Name	Email Address	Telephone (cell)

***Note. All of the people named above will be verified against the Excluded Parties List for Government Contracting.** The Contractor must also notify the CO of any changes in the Director of Operations, Chief Pilot, and Director of Maintenance positions, plus any additional positions approved under 14 CFR 119.69(b).

SECTION E – OFFEROR’S REPRESENTATIONS, CERTIFICATIONS AND OTHER STATEMENTS

ATTACHMENT 2 AIRCRAFT QUESTIONNAIRE

You may recreate this form, but it must include all the information listed

This questionnaire accurately completed will be used to determine the proposed aircraft payload capability.

REPRODUCE AND SUBMIT FOR EACH AIRCRAFT OFFERED – COMPLETE SHADED BLOCKS

Minimum Aircraft Requirements:

- Must have a Standard Airworthiness Certificate.
- Aircraft certified under Civil Air Regulation Part 3, or 14 CFR 23 or 25.
- An aircraft make and model for which engineering and logistical support, for continued airworthiness, is provided from the current type certificate holder or supplemental type certificate holder.
- Certified for Single Pilot operation. Copilot seat must be made available to the spotter during smokejumper missions.
- VFR/IFR, Day/Night.
- Payload of 3,400 pounds with 2.5 hours of fuel plus a 30-minute fuel reserve, 200 pounds per pilot, and 25-pound survival kit when equipped for smokejumper operations as required per Section B.
- Capable of operating as configured above from 3,000-foot gravel runway at 2000 feet pressure altitude and 25° Celsius.
- Minimum airspeed of 175 KTAS at 8,000’ pressure altitude.
- Minimum seating for eight smokejumpers on Simula seats or other approved seats for smokejumpers plus two payloader seats.
- Side-facing exit aft of main landing gear with FAA approval for aircraft operation with door removed or in-flight opening of this exit door.
- Interagency Smokejumper Aircraft Screening and Evaluation Subcommittee (SASES) approved.

Payload amounts must be computed by using Exhibit 4: Airplane Approximate Recommended Cruise Fuel Consumption Rates, performance data from the Aircraft Flight Manual, weight and balance report, and equipment list that you provide

Aircraft Make and Model	FAA Registration #	Serial #	# of Insured Passenger Seats <i>(excludes pilot seat)</i>
Aircraft Equipped Weight <i>(Your aircraft weight & balance report & equipment list will be used to substantiate this weight – see note 1. below)</i>			
Currently Installed Aircraft Equipment to be Removed to Achieve Offered Payload Below <i>(If none, indicate NONE)</i>		Equipment to be Added to Meet the Aircraft Specifications Requirements <i>(If none, indicate NONE)</i>	
EQUIPMENT ITEM	WEIGHT	EQUIPMENT ITEM	WEIGHT
ENTER YOUR PROPOSED AIRCRAFT PAYLOAD <i>(The aircraft make, model and payload that we confirm with you will be made a part of your offer and will be binding if your offer is accepted for award)</i>			

Note:

1. By signing below, I acknowledge that I have included the following documentation to support the minimum aircraft requirements in Sections A and B:

- (1) Current aircraft weight and balance report, as specified in section B.32 Weight and Balance.
- (2) Aircraft equipment list certified accurate at the time of weighing and any revisions to the list,
- (3) Appropriate aircraft performance data from the Aircraft Flight Manual
- (4) Calculations showing performance characteristics of the aircraft. Calculations must include weight of the aircraft in contract configuration, crew, and fuel as identified in Section A1. (use 6.7 lbs. per gal. for fuel weight)
- (5) 14 CFR Part 135 Certificate

Failure to include the above information, will affect the evaluation you receive for your aircraft.

2. By signing below, I certify to the best of my knowledge that the above information is accurate.

Name and Signature of Representative Completing this Form	Date
OFFEROR’S NAME	

SECTION E – OFFEROR’S REPRESENTATIONS, CERTIFICATIONS AND OTHER STATEMENTS

ATTACHMENT 3 AIRCRAFT INFORMATION FORM

The proposal may recreate this form, but it must include all the information listed.

Offeror’s Name:			
Aircraft Make and Model:		Aircraft Tail Number:	

Cruise airspeed		knots
(8,000’ PA and 30°C)		

Payload		Lbs.
(with 200lb pilot, 25lb Survival Kit, and 2.5 hours of fuel at 8,000’ PA and 25°C)		

Minimum Aircraft Requirements:

- | | | |
|--|------------------------------|-----------------------------|
| Capable of operating as configured above from 3,000-foot gravel runway at 2000 feet pressure altitude and 25° Celsius. | ☐ Yes | ☐ No |
| Aircraft certified under 14 CFR 23,25, or CAR Part 3 | ☐ Yes | ☐ No |
| Approved for Alaska operations | ☐ Yes | ☐ No |
| Must have a Standard and/or Restricted Airworthiness Certificate. | ☐ Yes | ☐ No |
| Single Pilot Certified Aircraft | ☐ Yes | ☐ No |
| An aircraft make and model for which engineering and logistical support, for continued airworthiness is provided from the current type certificate holder or supplemental type certificate holder. | ☐ Yes | ☐ No |
| Interagency Smokejumper Aircraft Screening and Evaluation Subcommittee (SASES) approved. | ☐ Yes | ☐ No |
| VFR/IFR, Day/Night. | ☐ Yes | ☐ No |
| Payload of 3,400 pounds with 2.5 hours of fuel plus a 30-minute fuel reserve, 200 pounds per pilot, and 25-pound survival kit when equipped for smokejumper operations as required per Section B. | ☐ Yes | ☐ No |
| Minimum airspeed of 175 KTAS at 8,000’ pressure altitude. | ☐ Yes | ☐ No |
| Minimum seating for eight smokejumpers on Simula seats or other approved seats for smokejumpers plus two payloader seats. | ☐ Yes | ☐ No |
| Side-facing exit aft of main landing gear with FAA approval for aircraft operation with door removed or in-flight opening of this exit door. | ☐ Yes | ☐ No |

Describe any visibility enhancements for the Government observers that your aircraft may have.

The following equipment requirements from Sections B6 and B7 must be identified on the aircraft equipment list, weight and balance revision, or aircraft questionnaire and be included in the aircraft weight for performance calculations.

B6 Aircraft Equipment Requirements

B6.1.1	First Aid Kit	B6.2.1	Horizontally mounted parachute static line
B6.1.2	Survival Kit	B6.2.2	Vertically mounted parachute static line
B6.1.3	Fire Extinguisher(s)	B6.2.4	Handrail
B6.1.7	Pulse Lights		

B7 Avionics Requirements

B7.3.1	406 MHz ELT	B7.3.3	FM-2	B7.4.2.1	NAV-2
B7.3.2	VHF-1	B7.3.4	AUX-FM or FM-3	B7.5.1	3 Audio Control Systems
B7.3.2	VHF-2	B7.3.5.1	AFF	B7.6.2	Public Address (PA) System
B7.3.3	FM-1	B7.4.1	GPS	B7.6.6	Radar Altimeter

SECTION E – OFFEROR’S REPRESENTATIONS, CERTIFICATIONS AND OTHER STATEMENTS

ATTACHMENT 4 PILOT QUESTIONNAIRE

Complete for each pilot and relief pilot proposed for use. Pilot skills and specific (or project) experience can be a significant element to successful performance. That experience should be highlighted through the identification of a specific pilot (by name) or by the minimum skill levels (project types, make and model, geographic area experience, or tasks such as long line) that are offered for any pilot the Contractor proposes to assign to this contract. Reproduce this sheet as necessary.

COMPLETE THIS SHEET FOR EACH PROPOSED PILOT											
Pilot Name:	Airman Certificate #:										
Indicate if Individual is to be Primary or Relief Pilot: ☐ PRIMARY ☐ RELIEF											
Meets Minimum PIC Time Requirements in Section B	Yes ☐ No ☐										
Previous or Current Possession of an Interagency Card:	Yes ☐ No ☐										
If YES to above, Identify Issuing Government Office:											
Enter Expiration Date of Card:											
	List Hours										
Total Time											
Total Time in Make and Model Offered											
Provide evidence of formal transition-training course if proposed PIC is dependent on the flight time reduction offered in B10.2.8(k).											
Briefly explain locations and type flying accomplished which demonstrates pilot’s actual experience appropriate to the type work referenced in the solicitation.											
DESCRIBE PILOT'S AIRPLANE RELATED EXPERIENCE (WITHIN LAST 3 YEARS) IN THE FORMAT SHOWN BELOW. <table style="width: 100%; border: none;"> <tr> <td style="border-bottom: 1px solid black; width: 35%;"></td> <td style="border-bottom: 1px solid black; width: 15%;"></td> <td style="border-bottom: 1px solid black; width: 15%;"></td> <td style="border-bottom: 1px solid black; width: 15%;"></td> <td style="border-bottom: 1px solid black; width: 20%;"></td> </tr> <tr> <td style="text-align: center;"><u>Experience/Description</u></td> <td style="text-align: center;"><u>Aircraft Type</u></td> <td style="text-align: center;"><u>Location</u></td> <td style="text-align: center;"><u>Dates</u></td> <td style="text-align: center;"><u>Hours Logged</u></td> </tr> </table>							<u>Experience/Description</u>	<u>Aircraft Type</u>	<u>Location</u>	<u>Dates</u>	<u>Hours Logged</u>
<u>Experience/Description</u>	<u>Aircraft Type</u>	<u>Location</u>	<u>Dates</u>	<u>Hours Logged</u>							
CUSTOMER REFERENCES <table style="width: 100%; border: none;"> <tr> <td style="border-bottom: 1px solid black; width: 40%;"></td> <td style="border-bottom: 1px solid black; width: 60%;"></td> </tr> <tr> <td style="text-align: center;"><u>Customer’s Name and Company</u></td> <td style="text-align: center;"><u>Phone Number</u></td> </tr> </table>				<u>Customer’s Name and Company</u>	<u>Phone Number</u>						
<u>Customer’s Name and Company</u>	<u>Phone Number</u>										
Description of all violations, license suspensions, or revocations, and accident history for the pilot for the past three years.											

SECTION E – OFFEROR’S REPRESENTATIONS, CERTIFICATIONS AND OTHER STATEMENTS

ATTACHMENT 5 PAST PERFORMANCE QUESTIONNAIRE


You may recreate this form, but it must include all the information listed. If you fail to include all requested information or we are unable to contact your references based on the information you provide, you may not receive consideration for the work done. Include recent (not more than 3 years old) experience of the kind described in paragraph B1.1 of the specifications.

OFFEROR NAME:			DATE
Primary Type of Work Done:			
Location of Work Done:			A/C Make/Model Used:
Contract #: ☐ None	☐ Exclusive Use ☐ Call When Needed	Use Dates: TO	CHECK ALL THAT APPLY ☐ 2022 ☐ 2023 ☐ 2024
Est. Annual Value of Work:	Estimated Annual Flight Hours:	Client Name/ Point of Contact:	
Client Telephone #:		Client Facsimile #:	
Primary Type of Work Done:			
Location of Work Done:			A/C Make/Model Used:
Contract #: ☐ None	☐ Exclusive Use ☐ Call When Needed	Use Dates: TO	CHECK ALL THAT APPLY ☐ 2022 ☐ 2023 ☐ 2024
Est. Annual Value of Work:	Estimated Annual Flight Hours:	Client Name/ Point of Contact:	
Client Telephone #:		Client Facsimile #:	
Primary Type of Work Done:			
Location of Work Done:			A/C Make/Model Used:
Contract #: ☐ None	☐ Exclusive Use ☐ Call When Needed	Use Dates: TO	CHECK ALL THAT APPLY ☐ 2022 ☐ 2023 ☐ 2024
Est. Annual Value of Work:	Estimated Annual Flight Hours:	Client Name/ Point of Contact:	
Client Telephone #:		Client Facsimile #:	
Primary Type of Work Done:			
Location of Work Done:			A/C Make/Model Used:
Contract #: ☐ None	☐ Exclusive Use ☐ Call When Needed	Use Dates: TO	CHECK ALL THAT APPLY ☐ 2022 ☐ 2023 ☐ 2024
Est. Annual Value of Work:	Estimated Annual Flight Hours:	Client Name/ Point of Contact:	
Client Telephone #:		Client Facsimile #:	

SECTION E – OFFEROR’S REPRESENTATIONS, CERTIFICATIONS AND OTHER STATEMENTS

ATTACHMENT 6 OAS-64A INTERAGENCY AIRPLANE PILOT EVALUATION APPLICATION

OAS-64A (11-18)

		U.S. DEPARTMENT OF THE INTERIOR INTERAGENCY AIRPLANE PILOT EVALUATION APPLICATION																					
I. Applicant Information																							
a. Name (Last, First)		b. Office Telephone		d. Office E-mail																			
e. Employer		f. Previous Employer																					
Address		Address																					
City, ST ZIP		City, ST ZIP																					
Telephone		Telephone																					
Hire Date		Dates Employed																					
g. Flight Experience		h. PILOT HISTORY:																					
Total Pilot Time		Date of Last Agency Flight Evaluation _____ ☐ OAS ☐ USFS																					
Pilot-In-Command (PIC) Airplane		Date of Previous Agency Card _____ ☐ OAS ☐ USFS																					
PIC Airplane last 12 Months		(Attach a copy)																					
PIC Airplane Last 60 Days		☐ YES ☐ NO Aircraft accidents within the last 5 years.																					
PIC Single Engine Airplane		☐ YES ☐ NO FAA violations within the last 5 years.																					
PIC Multiengine Airplane		☐ YES ☐ NO OAS or USFS pilot qualifications card denied, suspended, or revoked.																					
PIC Seaplane		(Attach details and explanation for each YES)																					
PIC Skiplane		Remarks: _____																					
PIC Make & Model																							
PIC Make & Model																							
IFR Simulated		i. 14 CFR 121/135 QUALIFICATIONS																					
IFR Actual		<table border="0" style="width: 100%;"> <tr> <td>Date</td> <td>Make & Model</td> <td>☐ VFR</td> <td>☐ IFR</td> <td>☐ IFR W/AP</td> <td>☐ SIC Only</td> </tr> <tr> <td>_____</td> <td>_____</td> <td>☐ VFR</td> <td>☐ IFR</td> <td>☐ IFR W/AP</td> <td>☐ SIC Only</td> </tr> <tr> <td>_____</td> <td>_____</td> <td>☐ VFR</td> <td>☐ IFR</td> <td>☐ IFR W/AP</td> <td>☐ SIC Only</td> </tr> </table>				Date	Make & Model	☐ VFR	☐ IFR	☐ IFR W/AP	☐ SIC Only	_____	_____	☐ VFR	☐ IFR	☐ IFR W/AP	☐ SIC Only	_____	_____	☐ VFR	☐ IFR	☐ IFR W/AP	☐ SIC Only
Date	Make & Model	☐ VFR	☐ IFR	☐ IFR W/AP	☐ SIC Only																		
_____	_____	☐ VFR	☐ IFR	☐ IFR W/AP	☐ SIC Only																		
_____	_____	☐ VFR	☐ IFR	☐ IFR W/AP	☐ SIC Only																		
PIC Night		(Attach FAA 8410-3 or equivalent)																					
PIC Large Airplane (>12,500#)		j. AIRTANKER/SCOOPER OPERATIONS 14 CFR (dates as required)																					
PIC Turboprop		61.55 SIC Qualification _____ 61.56 Flight Review _____																					
PIC Jet		61.57 IFR Currency _____ 61.58 PIC Proficiency _____																					
PIC Low Level Airplane (<500' AGL)		(Attach a copy of endorsement or logbook entries)																					
PIC Airtanker/Dispensing Ops.																							
PIC Mission Specific																							
PIC Typical Terrain																							
Second-In-Command (SIC) Airplane		k. I certify that the information listed on this form is true and correct. In addition, I certify that I have read the information provided pursuant to Public Law 93-579 (Privacy Act of 1974).																					
SIC in Class		_____																					
SIC Make and Model		Date _____ Pilot Signature _____																					
SIC Mission Specific		_____																					
		Date _____ Company Official _____																					
II. Inspector Information:																							
Verified Certifications:																							
☐ Pilot Certificate ☐ Medical Certificate ☐ 14 CFR 135 Evaluation ☐ 14 CFR 137 Endorsement ☐ A-110 Certificate																							
☐ Approved attach OAS-30A ☐ Disapproved (see remarks)																							
Remarks: _____																							

I ☐ certify that I have verified the information listed on this form and that it is true and correct to the best of my knowledge.																							
Inspector: _____																							
(Print Name)		(Signature)		(Agency)																			
				(Date)																			