

NCPDP Version D.0 E1 Specifications for Medicare Part D

Effective Date: 10/16/2023

Includes MA and QMB values. Last updated 10.16.23

Note: If a "Value" contains quotation marks around it, then the value is a literal character that must be included in the transaction. If a "Value" is listed but does not contain quotation marks, then the value is an example.

M= Mandatory | O = Optional | R= Required

vD.0 E1 Request for Medicare Part D

Transaction Header Segment: Mandatory

Field	Field Name	Value	Comments
101-A1	BIN NUMBER	"011727"	M – Facilitator BIN
102-A2	VERSION/RELEASE	"D0"	M – D.0 Transaction Format
103-A3	TRANSACTION CODE	"E1"	M – Eligibility Verification
104-A4	PROCESSOR CONTROL NUMBER	"222222222"	M – Must be as indicated for E1
109-A9	TRANSACTION COUNT	"1"	M – One occurrence
202-B2	SERVICE PROVIDER ID QUALIFIER	"01"	M –NPI Number of Requesting Pharmacy
201-B1	SERVICE PROVIDER ID	1234567890bbbbbb	M – Left justified, space filled
401-D1	DATE OF SERVICE	20060101	M – Must be within 9 months prior to the current date or within 4 months after the current date
110-AK	SOFTWARE VENDOR /	bbbbbbbbbbb	M - Field must be submitted but is not validated

Patient Segment: Required for Proper Matching

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	"01"	M – Patient Segment
304-C4	DATE OF BIRTH	19400615	R – Field must be populated
305-C5	PATIENT GENDER CODE	1	O – 1 = Male, 2 = Female
310-CA	PATIENT FIRST NAME	JOHN	R - Must submit at least first digit of patient first name
311-CB	PATIENT LAST NAME	DOE	R - Must submit complete patient last name
325-CP	PATIENT ZIP/POSTAL ZONE	34567	O – inclusion of the zip code fields increases the chances for a match

Insurance Segment: Mandatory

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	"04"	M – INSURANCE SEGMENT
302-C2	CARDHOLDER ID	998877665	M – Must include one of the following: – Full SSN – Last 4 digits of the SSN – Full MBI

Note: Effective 1/1/2020, HICN and RRB will no longer be allowed on the request

vD.0 E1: Accepted Response for Medicare Part D

The Facilitator sends this response when the data provided in the E1 Request enables the Facilitator to find exactly one matching patient who has Part D coverage that is active on the requested Date of Service. The MBI that will be returned is the MBI that is effective as of the receipt date of the E1 transaction. There may be instances where a pharmacy has submitted a MBI that is no longer active for the patient. In that instance the facilitator will crosswalk to the current MBI and will return the current MBI (based on receipt date) in the formatted Message field (504-F4) on the response.

Response Header Segment: Mandatory

Field	Field Name	Value	Comments
102-A2	VERSION/RELEASE NUMBER	"D0"	M – D.0 Transaction Standard
103-A3	TRANSACTION CODE	"E1"	M – Eligibility Verification
109-A9	TRANSACTION COUNT	"1"	M – One occurrence
501-F1	HEADER RESPONSE	"A"	M – Accepted
202-B2	SERVICE PROVIDER ID QUALIFIER	"01"	M –NPI Number of Requesting Pharmacy
201-B1	SERVICE PROVIDER ID	1234567890bbbbbb	Pharmacy provided in the Request
401-D1	DATE OF SERVICE	ccyyymmdd	M – Contains the same value provided in the Request

Response Message Segment: Mandatory

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	"20"	M – Response Message Segment
504-F4	MESSAGE	Structured messaging	See Structure Message information below. This field will contain data elements that will always be present as well as values that will be populated based on the existence of data in the CMS Eligibility File.

Below is an example of how the structured response will be provided in the Messaging Field, 504-F4.

Field Name	Field ID	Data Start	Max Bytes/Max Data Length	Values
LICS Level	LISLVL:	8	1	1 digit numeric (e.g. 0, 1, 2, 3,4, 5) blank (none)
Terminator	;	9	1	
LICS Effective Date	LISEFF:	17	8	CCYYMMDD blank (none)
Terminator	;	25	1	
LICS Termination Date	LISTERM:	34	8	CCYYMMDD blank (none)
Terminator	;	42	1	
Plan Type	PLAN:	48	4	MAPD, LINT, etc Note: "MA " (MA followed by two blank spaces) will be used for MA plans
Terminator	;	52	1	
Active MBI	MBI:	57	11	Patient's Current / Active MBI
Terminator	;	68	1	
Active MBI Effective Date	ED:	72	8	CCYYMMDD:20170101
Terminator	;	80	1	

QMB	QMB:	85	1	Y (yes) or N (no)
Terminator	;	86	1	
QMB Effective date	QED:	91	8	CCYYMMDD (blank if QMB is N (no))
Terminator	;	99	1	
QMB Term date	QTERM:	106	8	CCYYMMDD (blank if QMB is N (no))
Terminator	;	114	1	

Structured Messaging Field 504-F4 Examples:

1. MAPD Example with terminated LIS, no QMB

LISLVL:3;LISEFF:20120701;LISTERM:20120831;PLAN:MAPD;MBI:1EG4TE5MK73;ED:20170101;
QMB:N;QED: ;QTERM: ;

2. LINET Example with no LIS level, no QMB

LISLVL: ;LISEFF: ;LISTERM: ;PLAN:LINT; MBI:1EG4TE5MK73;ED: 20170101;QMB:N
;QED: ;QTERM: ;

3. PDP example with active LIS, no QMB

LISLVL:1;LISEFF:20120601;LISTERM: ;PLAN:PDP ; MBI:1EG4TE5MK73;ED: 20170101;
;QMB:N;QED: ;QTERM: ;

4. MA plan Example with no LIS, no QMB

LISLVL: ;LISEFF: ;LISTERM: ;PLAN:MA ; MBI:1EG4TE5MK73;ED: 20170101;
QMB:N;QED: ;QTERM: ;

5. MAPD Example with active LIS, with active QMB

LISLVL:1;LISEFF:20120601;LISTERM: ;PLAN:MAPD;MBI:1EG4TE5MK73;ED:
20170101;QMB:Y;QED:20210101;QTERM:20211231;

Response Insurance: Always Returned by the Facilitator

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	"27"	M – Response Insurance Segment
139-UR	MEDICARE PART D COVERAGE CODE	1	R – Indicates the position of Medicare Part D in the billing order
138-UQ	CMS LOW INCOMECOST SHARING (LICS) LEVEL	N	R – Y for Yes or N for No
240-U1	CONTRACT NUMBER	TESTZ	R – Contract Number of Coverage
757-U6	BENEFIT ID	001	R – PBP Number of the coverage
140-US	NEXT MEDICARE PART D EFFECTIVE DATE	ccymmdd	This field will not be returned if beneficiary does not have a future Part D plan relative to the submitted Date of Service.
141-UT	NEXT MEDICARE PART D TERMINATION DATE	ccymmdd	This field will not be returned if beneficiary does not have a future Part D plan relative to the submitted Date of Service. If the beneficiary has a future plan and the termination date is blank in the CMS database, this field will not be returned

Response Patient Segment: Always Returned by the Facilitator

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	"29"	M – Response Patient Segment
310-CA	PATIENT FIRST NAME	JOHN	R – Will contain the first name of the patient the eligibility query matched on in the TrOOP Database
311-CB	PATIENT LAST NAME	DOE	R - Will contain the last name of the patient the eligibility query matched on in the TrOOP Database
304-C4	DATE OF BIRTH	19650615	R - Will contain the Date of Birth of the patient the eligibility query matched on in the TrOOP Database

Response Status Segment: Always Returned by the Facilitator

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	"21"	M – Response Status Segment
112-AN	TRANSACTION RESPONSE STATUS	"A"	M – Approved

Response Coordination of Benefits Segment: Always Returned by the Facilitator

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	"28"	M – Response Coordination of Benefits Segment
355-NT	OTHER PAYER ID COUNT	1	R – Will contain the count of the number of occurrences of Other Payer Information.
338-5C	OTHER PAYER COVERAGE TYPE	01	R – Indicates whether Coverage is Primary, secondary, tertiary, etc.
339-6C	OTHER PAYER ID QUALIFIER	"03" Or "10"	O – 03 (BIN) for plan types other than MA plans or 10 (Payer Name) for MA plans
340-7C	OTHER PAYER ID	123456 Or Payer Name	O – BIN Number for plan types other than MA plans or The first 10 bytes of the Payer Name for MA Plans
991-MH	OTHER PAYER PROCESSOR CONTROL NUMBER	TESTBENEPD	O – PCN of Other payer; N/A for MA plans
356-NU	OTHER PAYER CARDHOLDER ID	TEST00001 Or "NOTAVAILABLE"	O – Cardholder ID for plan types other than MA plans Or "NOTAVAILABLE" is the default for MA Plans
992-MJ	OTHER PAYER GROUP ID	TEST00001	O – Group Number of Other payer; N/A for MA plans
142-UV	OTHER PAYER PERSON CODE	01	O – Patient Person Code for coverage. Provided if on file
143-UW	OTHER PAYER PATIENT RELATIONSHIP CODE	1	O – Patient Relationship Code for Coverage, Provided if on file

Field	Field Name	Value	Comments
127-UB	OTHER PAYER HELP DESK NUMBER		O – Payer Helpdesk for coverage. Provided if on file
144-UX	OTHER PAYER BENEFIT EFFECTIVE DATE	20110101	R – Effective Date of Coverage
145-UY	OTHER PAYER BENEFIT TERMINATION DATE	20111231	O – Termination Date of Coverage. Provided if on file
338-5C	OTHER PAYER COVERAGE TYPE	02	R – Indicates whether Coverage is Primary, secondary, tertiary, etc.
339-6C	OTHER PAYER ID QUALIFIER	“03”	R – Always 03 for BIN
340-7C	OTHER PAYER ID	456789	R – BIN Number for Coverage
991-MH	OTHER PAYER PROCESSOR CONTROL NUMBER	TESTBENEP2	R – Processor Control Number for Coverage
356-NU	OTHER PAYER CARDHOLDER ID	TEST00002	R – Cardholder ID
992-MJ	OTHER PAYER GROUP ID	TEST00002	R – Group Number
142-UV	OTHER PAYER PESON CODE	010	O –Patient Person Code for Coverage, Provided if on file
143-UW	OTHER PAYER PATIENT RELATIONSHIP CODE	1	O– Patient Relationship Code for Coverage, Provided if on file
127-UB	OTHER PAYER HELP DESK NUMBER		O – Payer Helpdesk for coverage-provided if on file
144-UX	OTHER PAYER BENEFIT EFFECTIVE DATE	20110101	R – Effective Date of Coverage
145-UY	OTHER PAYER BENEFIT TERMINATION DATE.	20111231	O – Termination Date of Coverage-provided if on file
338-5C	OTHER PAYER COVERAGE TYPE	03	R – Indicates whether Coverage is Primary, secondary, tertiary, etc.
339-6C	OTHER PAYER ID QUALIFIER	“03”	R – Always 03 for BIN
340-7C	OTHER PAYER ID	789123	R – BIN Number
991-MH	OTHER PAYER PROCESSOR CONTROL NUMBER	TESTBENEP3	R – PCN
356-NU	OTHER PAYER CARDHOLDER ID	TEST00003	R – Cardholder ID
992-MJ	OTHER PAYER GROUP ID	TEST00003	R – Group Number

Field	Field Name	Value	Comments
142-UV	OTHER PAYER PESON CODE	010	O –Patient Person Code for coverage. Provided if on file
143-UW	OTHER PAYER PATIENT RELATIONSHIP CODE	1	O– Patient Relationship Code for Coverage, Provided if on file
127-UB	OTHER PAYER HELP DESK NUMBER		O – Payer Helpdesk for coverage. Provided if on file
144-UX	OTHER PAYER BENEFIT EFFECTIVE DATE	20110101	R – Effective Date of Coverage
145-UY	OTHER PAYER BENEFIT TERMINATION DATE	20111231	O – Termination Date of Coverage. Provided if on file.

Response Coordination of Benefits Segment for MA Plans

NOTE: 4Rx information is not available for MA Plans. Only one loop of Response Coordination of Benefit segment data is returned and only the following fields will be populated in that segment for MA plan beneficiaries:

Field	Field Name	Value	Comments
355-NT	OTHER PAYER ID COUNT	1	R – Will contain the count of the number of occurrences of Other Payer Information
338-5C	OTHER PAYER COVERAGE TYPE	01	R – Indicates whether Coverage is Primary, secondary, tertiary, etc.
339-6C	OTHER PAYER ID QUALIFIER	10	10 (Payer Name) for MA plans
340-7C	OTHER PAYER ID	Payer Name	Will include the first 10 bytes of the Plan/Payer Name for MA Plans
356-NU	OTHER PAYER CARDHOLDER ID	“NOTAVAILABLE”	Will return “NOTAVAILABLE” as a default for MA Plans
127-UB	OTHER PAYER HELP DESK NUMBER		O – Payer Helpdesk for coverage. Provided if on file
144-UX	OTHER PAYER BENEFIT EFFECTIVE DATE	20110101	R – Effective Date of Coverage
145-UY	OTHER PAYER BENEFIT TERMINATION DATE	20111231	O – Termination Date of Coverage. Provided if on file

vD.0 E1: Rejected Response for Medicare Part D

The Facilitator sends this response when the data provided in the E1 Request does not enable the Facilitator to find one unique patient.

M= Mandatory | O = Optional | R= Required

Response Header Segment: Mandatory

Field	Field Name	Value	Comments
102-A2	VERSION/RELEASE NUMBER	"D0"	M – D.0 Transaction Standard
103-A3	TRANSACTION CODE	"E1"	M – Eligibility Verification
109-A9	TRANSACTION COUNT	"1"	M – One occurrence
501-F1	HEADER RESPONSE STATUS	"A"	M – Accepted
202-B2	SERVICE PROVIDER ID QUALIFIER	"01"	M –NPI Number of Requesting Pharmacy
201-B1	SERVICE PROVIDER ID	1234567890bbbbbb	Pharmacy Request
401-D1	DATE OF SERVICE	ccyyymmdd	M – Contains the same value provided in the Request

Response Message Segment: Always Returned by the Facilitator

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	"20"	M – Response Status Segment
504-F4	MESSAGE	See below	Structured manner as outlined below.

Response Status Segment: Always Returned by the Facilitator

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	"21"	M – Response Status Segment
112-AN	TRANSACTION RESPONSE STATUS	R	M – Rejected
510-FA	REJECT COUNT	1	R
511-FB	REJECT CODE	See “Non-Matched Reject Codes and Messages” section	R – Varies; three different codes depending on reject reason. See “Reject Codes and Messages”

Field	Field Name	Value	Comments
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT		R– If 526-FQ is returned
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		R – If 526-FQ is returned
526-FQ	ADDL MESSAGE INFORMATION		O – Used for overflow from 504-F4, if needed (need for overflow not expected)

Note: Other optional fields not shown in these segments are not used.

For accessibility please note that cells in the headers are intentionally left blank as prescribed in the NCPDP Payer Sheet Template Version 1.5

Reject Codes and Messages

Reject Message General Structure

A Reject (Non-Matched) Eligibility Response complies with the following general rules:

- ☐ The Reject Code field (511-FB) will contain an appropriate reject code based on the cause of the reject (see table below).
The Message field (504-F4) will contain appropriate descriptive rejection information; this will be a free text message that does not contain parsable information (see table below).
- ☐ If needed, overflow rejection information can be placed in Additional Message Information (526- FQ). However, such an overflow is highly unlikely.

E1 Reject Conditions and associated Codes and Messages

The Facilitator system will return the following reject codes and messages for each condition listed:

Condition	Reject Code	Reject Description	Comments/Message (526-FQ)
Service Provider ID Qualifier is not a National Provider Identifier (NPI)	7B	Service Provider ID Qualifier Value Not Supported for Processor/Payer	QUALIFIER MUST BE AN NPI
Not all the required information is provided, even if the submitted Cardholder ID information is correct.	07	M/I Cardholder ID	MCARE ELIG;MISSING REQUIRED FIELD

Condition	Reject Code	Reject Description	Comments/Message (526-FQ)
Full Cardholder ID matches exactly but first 4 characters of Last Name do not match	62	Patient/Card Holder ID Name Mismatch	MCARE ELIG;PATIENT NOT FOUND: CARDHOLDER ID MATCHED BUT LAST NAME DID NOT
Patient not found	52	Non-Matched Cardholder ID	MCARE ELIG;NO PATIENT MATCH FOUND
Patient found but Part D coverage is not active during the submitted Date of Service	15	M/I Date of Service	MCARE ELIG;PATIENT FOUND BUT PART D COVERAGE OUTSIDE SUBMITTED DATE OF SERVICE
OS on the E1 exceeds the allowable "look back or look forward" timeframe	VD	Eligibility Search Time Frame Exceeded	MCARE ELIG;DATE OF SERVICE OUT OF RANGE or LASTKNOWN MM/YY TOO OLD Note: this reject code and LASTKNOWN MM/YY TOO OLD MSG will be used temporarily until 9-31-2020 for Last Known 4Rx MM and YY combination is outside of CMS allowed timeframe
Pharmacy not Contracted with Transaction Facilitator	50	Non-matched pharmacy number	MCARE ELIG;SUBMITTER IS NOT CONTRACTED FOR E1
NPI does not appear to be valid	05	M/I Service Provider Number	MCARE ELIG;INVALID NPI
Provider is on the OIG sanction list	559	ID Submitted is associated with a excluded Pharmacy	MCARE ELIG;PROVIDER ON SANCTION LIST
Provider is not active on the NPPES file	877	Service Provider ID Terminated on NPPES File	MCARE ELIG;PROVIDER TERMINATED ON NPPES FILE
Provider is not enrolled with CMS	878	Service Provider ID Not Found On NPPES File	MCARE ELIG;PROVIDER NOT ON NPPES
Pharmacy is on the CMS precluded list	930	ID Submitted Is Associated To A Precluded Pharmacy	MCARE ELIG;PHARMACY IS ON CMS PRECLUDED LIST
NPI is does not have an NPPES taxonomy code = pharmacy	879	Service Provider ID Excluded From Receiving CMS Enrollment Data	MCARE ELIG;NPI IS NOT A PHARMACY
CMS does not allow this provider to receive eligibility data	879	Service Provider ID Excluded From Receiving CMS Enrollment Data	PROVIDER QUESTIONS-CONTACT PARTD_COB@CMS.HHS.GOV

Condition	Reject Code	Reject Description	Comments/Message (526-FQ)
The combination of B60-3J YEAR OF LAST PAID CLAIM and B61-3K MONTH OF LAST PAID CLAIM exceeds the timeframe allowed by CMS	946	Last Known Rx Claim Date Submitted Too Old	Note: Available for use 10-1-2019. Prior to 10-1-2019 reject code VD will be used.
LASTKNOWN is sent in Cardholder ID however Last Known 4Rx Segment is not sent		M/I Last Known 4Rx Segment	This reject code has not been approved at NCPDP yet, until it is available we will use reject code 85- Claim not paid and will return: M/I Last Known Segment in 504-F4

Rejected Response Message Text Field Examples

Key: b=blank

Example 1: Eligibility Rejected Response resulting from Cardholder ID matching but Name not matching

Reject Code (511-FB) will be “62” “(Patient/Cardholder ID Name Mismatch)
Message (504-F4)

MCARE ELIG;PATIENT NOT FOUND: CARDHOLDER ID MATCHED BUT LAST NAME DID NOT

Example 2: Eligibility Rejected Response resulting from inability to match the supplied request data to the database

Reject Code (511-FB) will be “52” “(Non-matched Cardholder ID)
Message (504-F4)

MCARE ELIG;NO PATIENT MATCH FOUND

Example 3: Eligibility Rejected Response resulting from a found patient not having active Part D coverage on the Date of Service submitted but subsequent coverage exists

Reject Code (511-FB) will be “15” “(M/I Date of Service)
Message (504-F4)

MCARE ELIG;PATIENT FOUND BUT PART D COVERAGE OUTSIDE SUBMITTED DATE OF SERVICE

Example 4: Eligibility Rejected Response resulting from a found patient not having active Part D coverage on the Date Of Service submitted and no subsequent coverage exists

Reject Code (511-FB) will be “52” “(Non-matched Cardholder ID)
Message (504-F4)

MCARE ELIG;NO PATIENT MATCH FOUND

Real-Time D.0 Nx Transaction Request (N1, N2, N3)

REQUEST HEADER SEGMENT: MANDATORY FOR N1, N2, AND N3

Field	Field Name	Type	Length	Start	End	Value
101-A1	BIN NUMBER	N	6	1	6	Part D plan BIN
102-A2	VERSION/RELEASE NUMBER	A/N	2	7	8	D0
103-A3	TRANSACTION CODE	A/N	2	9	10	N1, N2, or N3
104-A4	PROCESSOR CONTROL NUMBER	A/N	10	11	20	Part D PCN
109-A9	TRANSACTION COUNT	A/N	1	21	21	1
202-B2	SERVICE PROVIDER ID QUALIFIER	A/N	2	22	23	This should be an 01-NPI however 07=NCPDP Provider ID will also be used, but the N may not be accepted by the Part D Plan
201-B1	SERVICE PROVIDER ID	A/N	15	24	38	Actual NPI or NCPDP ID must be padded on the right to 15 spaces if significant values are less than 15. Note: If your NPI/NCPDP ID starts with leading zero(s) they are significant and must be sent
401-D1	DATE OF SERVICE	N	8	39	46	Format=CCYYMMDD, CC=Century, YY=Year, MM=Month, DD=Day
110-AK	SOFTWARE VENDOR/	A/N	10	47	56	TROOP or TROOPBATCH

INSURANCE SEGMENT: MANDATORY FOR N1, N2 AND N3

Field	Field Name	Type	Maximum Bytes	M/O	Required Value
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	04=Insurance
302-C2	CARDHOLDER ID	A/N	20	M	Part D Cardholder ID
312-CC	CARDHOLDER FIRST NAME	A/N	12	O	Cardholder First name of the beneficiary from the Supplemental transaction. N1 and N3 only.
313-CD	CARDHOLDER LAST NAME	A/N	15	O	Cardholder Last name of the beneficiary from the Supplemental transaction. N1 and N3 only.
301-C1	GROUP ID	A/N	15	O	PartD Group ID. Field not sent if blank.
990-MG	OTHER PAYER BIN	N	6	M	Supplemental payer BIN from the supplemental transaction.
991-MH	OTHER PAYER PCN	A/N	10	O	Supplemental payer PCN from the supplemental transaction. Field not send if blank.
356-NU	OTHER PAYER CARDHOLDER ID	A/N	20	M	Supplemental payer Cardholder ID from the supplemental transaction.
992-MJ	OTHER PAYER GROUP ID	A/N	15	O	Supplemental payer Group from the supplemental transaction. Field not sent if blank.

CLAIM SEGMENT: MANDATORY FOR N1, N2 AND N3

Field	Field Name	Type	Maximum Bytes	M/R/O	Comments
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	Ø7=Claim
455-EM	PRESCRIPTION/ SERVICE REF NUMBER QUALIFIER	A/N	1	M	From the supplemental transaction
4Ø2-D2	PRESCRIPTION/ SERVICE REF NUMBER	N	12	M	From the supplemental transaction
436-E1	PRODUCT/ SERVI CE ID QUALIFIER	A/N	2	M	From the supplemental transaction
407-D7	PRODUCT/ SERVICE ID	A/N	19	M	From the supplemental transaction
442-E7	QUANTITY DISPENSED	9(7)v999	10	O	From the supplemental transaction. N1 and N3 only.
403-D3	FILL NUMBER	N	2	O	From the supplemental transaction
405-D5	DAYS SUPPLY	N	3	O	From the supplemental transaction. N1 and N3
88Ø-K5	TRANSACTION REFERENCE NUMBER	A/N	10	R	This number is generated by the Transaction Facilitator. If this is an N2, it will match the N1 or N3 transaction.

CLAIM SEGMENT: PRICING SEGMENT MANDATORY FOR N1 AND N3 ONLY

Field	Field Name	Type	Maximum Bytes	M/O	Comments
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	11=Pricing
433-DX	PATIENT PAID AMOUNT SUBMITTED	N	8	O	Format=s\$\$\$\$\$cc. The values in this field are provided by the supplemental payer and represent the amount that the patient paid after the supplemental adjudicated the claim. (This amount is subtracted from the Part D patient liability to determine the amount considered as payment by the supplemental payer and applied to Other TrOOP or PLRO.) N1 and N3 only. Pricing segment is not sent if 433- DX is not sent.

Real-Time D.0 N Transaction Response (N1, N2, N3)

RESPONSE HEADER SEGMENT: MANDATORY

Field	Field Name	Type	Length	Start	End	Value
102-A2	VERSION/ RELEASE NUMBER	A/N	2	1	2	D0
103-A3	TRANSACTION CODE	A/N	2	3	4	N1, N2, or N3
109-A9	TRANSACTION COUNT	N	1	5	5	1
501-F1	HEADER RESPONSE STATUS	A/N	1	6	6	A/R
202-B2	SERVICE PROVIDER ID QUALIFIER	A/N	2	7	8	Qualifier provided on the N Request Transaction
201-B1	SERVICE PROVIDER ID	A/N	15	9	23	ID provided on the N Request Transaction
401-D1	DATE OF SERVICE	N	8	24	31	DOS provided on the N Request Transaction

RESPONSE STATUS SEGMENT: MANDATORY

Field	Field Name	Type	Maximum Bytes	M/O	Comments
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	21=Response Status
112-AN	TRANSACTION RESPONSE STATUS	A/N	1	M	A= Accepted, C=Captured (passed required fields), or R=Rejected
503-F3	AUTHORIZATION NUMBER	A/N	20	O	N/A
510-FA	REJECT COUNT	N	2	O	N/A
511-FB	REJECT CODE	A/N	3	O	See NCPDP D.0 Reject Code list (if required field is missing or syntax error if response status is R, otherwise field is not sent. If 510-FA >1 then this field repeats)
880-K5	TRANSACTION REFERENCE NUMBER	A/N	10	M	Same information as provided N Request Transaction

RESPONSE CLAIM SEGMENT: MANDATORY

Field	Field Name	Type	Maximum Bytes	M/O	Comments
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	22=Response Claim Segment
455-EM	PRESCRIPTION/ SERVICE REFERENCE NUMBER QUALIFIER	A/N	1	M	Same information as provided on the N request from supplemental payer
402-D2	PRESCRIPTION/ SERVICE REFERENCE NUMBER	N	12	M	Same information as provided on the N request file from supplemental payer

NCPDP Batch Standard

To implement the Batch Standard for HIPAA, the Batch Standard Implementation Guide Version 1.2 is used. Since the Batch Standard uses the data elements, parsing routine and many of the rules of the Telecommunication Standard, the following are used:

- ☐ Telecommunication Standard Implementation Guide (for transactions, segments, fields, rules)
- ☐ Data Dictionary (for field definitions and formats)
- ☐ External Code List (for field values)

These documents are available to NCPDP members at the Standards Download page http://www.ncpdp.org/members/members_download.aspx. Information on becoming an NCPDP member which includes all documents published is available at <http://www.ncpdp.org/signup.aspx>.

Many of the pharmacy transactions today are processed online, real-time; hence the NCPDP Telecommunication Standard is used. There was a business need to support the same functionality as the Telecommunication Standard, except in a batch environment.

The NCPDP Batch Standard was created to use the functionality of the Telecommunication Standard. The Batch Standard uses the same syntax, formatting, data set, and rules as the Telecommunication Standard. The Batch Standard “wraps” the Telecommunication Standard around a detail record; then adds a batch header and trailer. This allows implementers to “code once”. It was intended that once a NCPDP Data Record (containing the Telecommunication Standard transaction) was built, it could then be “wrapped” with the Detail Data Record. Then the Transmission Header Record and the Transmission Trailer Record are created. The Batch consisting of Header, Detail Data Records, and Trailer are formed into a batch file. The creation of the Detail Data Record could be processed in the same manner as the online, real-time transaction, since they both began as the Telecommunication Standard transaction.

Detailed information of the transactions, segments, fields, rules, syntax is found in the Telecommunication Standard Implementation Guide. While there is much more information for a developer contained in the guide, for purposes of this information, note that the Transaction Header Segment in the request, and the Response Header Segment in the response are fixed length segments containing fixed length fields. The rest of the segments in the request or response (such as Patient Segment, Insurance Segment, Claim Segment, Response Status Segment, Response Claim Segment, etc) are variable segments with variable fields (where applicable) and variable field lengths.

Materials Reproduced With the Consent of
©National Council for Prescription Drug Programs, Inc.
2012 NCPDP

Batch N Transaction Request File Format

The naming convention for the request file is 10000120120125180432S where 100001 represents the supplemental payer (sender's) BIN, 20120125180432 is the current timestamp, at time of file creation, in CCYYMMDDHHMMSS format, and S is a constant. An optional filename suffix is allowed, such as 10000120120125180432S.txt or 10000120120125180432S_xyz however one is not required.

Note: The request batch file is allowed to have line feeds between records, however the Transaction Facilitator batch response file will not contain line feeds between records.

Header						
Field	Field Name	Type	Length	Start	End	Value
88Ø-K4	TEXT INDICATOR	A/N	1	1	1	Start of Text (STX) = x'02' (NOTE: this is the hex 02 NOT ASCII).
7Ø1	SEGMENT IDENTIFIER	A/N	2	2	3	00=File Control (header)
88Ø-K6	TRANSMISSION TYPE	A/N	1	4	4	T=Transaction
88Ø-K1	SENDER ID	A/N	24	5	28	Recommend that this value be a concatenation of the Supplemental payers BIN and PCN
8Ø6-5C	BATCH NUMBER	N	7	29	35	Assigned by Sender. Must match Trailer
88Ø-K2	CREATION DATE	N	8	36	43	Format=CCYYMMDD
88Ø-K3	CREATION TIME	N	4	44	47	Format=HHMM
7Ø2	FILE TYPE	A/N	1	48	48	P=Production, T=Test
1Ø2-A2	VERSION/RELEASE NUMBER	A/N	2	49	50	Must = 12 (v1.2)
88Ø-K7	RECEIVER ID	A/N	24	51	74	TROOPBATCH
88Ø-K4	TEXT INDICATOR	A/N	1	75	75	End of Text (ETX) = X'03'. (NOTE: this is the hex 03 NOT ASCII)

DETAIL HEADER: MANDATORY FOR N1, N2, AND N3						
Field	Field Name	Type	Length	Start	End	Value
88Ø-K4	TEXT INDICATOR	A/N	1	1	1	Start of Text (STX) = x'02' (NOTE: this is the hex 02 NOT ASCII)
7Ø1	SEGMENT IDENTIFIER	A/N	2	2	3	G1=Detail Data Record
88Ø-K5	TRANSACTION REFERENCE NUMBER	A/N	10	4	13	Supplemental payer defined number that allows the payer to match the Transaction Facilitator's response. Ideally this should be the same value as 88Ø-K5 in the claim segment

Batch N Transaction Request File Format

REQUEST HEADER SEGMENT: MANDATORY FOR N1, N2, AND N3						
Field	Field Name	Type	Length	Start	End	Value
101-A1	BIN NUMBER	N	6	1	6	Must be 011735- Transaction Facilitator BIN
102-A2	VERSION/RELEASE NUMBER	A/N	2	7	8	D0
103-A3	TRANSACTION CODE	A/N	2	9	10	N1, N2, or N3
104-A4	PROCESSOR CONTROL NUMBER	A/N	10	11	20	Enter 10 spaces
109-A9	TRANSACTION COUNT	A/N	1	21	21	1
202-B2	SERVICE PROVIDER ID QUALIFIER	A/N	2	22	23	This should be an 01-NPI however 07=NCPDP Provider ID will also be used, but the N may not be accepted by the Part D Plan
201-B1	SERVICE PROVIDER ID	A/N	15	24	38	Actual NPI or NCPDP ID must be padded on the right to 15 spaces if significant values are less than 15. Note: If your NPI/NCPDP ID starts with leading zero(s) they are significant and must be sent
401-D1	DATE OF SERVICE	N	8	39	46	Format=CCYYMMDD, CC=Century, YY=Year, MM=Month, DD=Day
110-AK	SOFTWARE VENDOR/	A/N	10	47	56	Enter 10 spaces

Note the fields listed in the following segments are required for batch N transactions. While the length for these fields is variable, if a field length in the batch file exceeds the standard field length, the record will be rejected and the appropriate reject code will be provided.

Additionally, the transmission must be in NCPDP format. For example the Insurance Segment must start with "<SS><FS>AM04" where <SS> (segment separator) is hex 1E, <FS> (field separator) is hex 1C, and "04" is the insurance segment indicator. Also each field must have a <FS> followed by the field code. For example: "<FS>C2CardId" for 302-C2. In addition there must be a group separator (hex 1D) between the Patient and Claim segments, but not between the other segments.

INSURANCE SEGMENT: MANDATORY FOR N1, N2 AND N3					
Field	Field Name	Type	Maximum Bytes	M/O	Required Value
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	04=Insurance
302-C2	CARDHOLDER ID	A/N	20	M	This field is ignored by the Transaction Facilitator, however due to some system limitations, it may need to be sent. If sent, it must contain 20 or less characters and ideally should match the Other Payer Cardholder ID. This field is not passed on in the N transaction
312-CC	CARDHOLDER FIRST NAME	A/N	12	R	First name of the beneficiary from the Supplemental plans eligibility database. Sending this may help the Part D Plan with matching
313-CD	CARDHOLDER LAST NAME	A/N	15	R	Last name of the beneficiary from the Supplemental plans eligibility database. Sending this may help the Part D plan with matching

Batch N Transaction Request File Format

INSURANCE SEGMENT: MANDATORY FOR N1, N2 AND N3					
Field	Field Name	Type	Maximum Bytes	M/O	Required Value
99Ø-MG	OTHER PAYER BIN	N	6	M	Supp Payer BIN- must match what is submitted on CMS eligibility file sent to COBC. Required for N1, N2, N3
991-MH	OTHER PAYER PCN	A/N	10	M	Supp Payer PCN- must match what is submitted on CMS eligibility file sent to COBC. If field is not sent, it is treated as blank/spaces
356-NU	OTHER PAYER CARDHOLDER ID	A/N	20	M	Supp Payer Cardholder ID- must match what is submitted on CMS eligibility file sent to COBC
992-MJ	OTHER PAYER GROUP ID	A/N	15	O	This field is ignored (but passed through) by the Transaction Facilitator. However it may be used to match by the Part D Plan. Therefore Supp Payer Group ID must match what is submitted on CMS eligibility file sent to COBC

PATIENT SEGMENT: MANDATORY					
Field	Field Name	Type	Maximum Bytes	M/O	Comments
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	Ø1=Patient
304-C4	DATE OF BIRTH	N	8	M	Format=CCYYMMDD, CC=Century, YY=Year, MM=Month, DD=Day. This is used for tiebreakers if a cardholder ID is not unique to an individual. For example: the same cardholder ID is used for a family and person code distinguishes the individual. The COBC file does not contain person code and DOB is needed to ensure that the claim is associated with the correct OHI record. If two people in the same family have the same cardholder ID and DOB, an N transaction cannot be generated

CLAIM SEGMENT: MANDATORY FOR N1, N2 AND N3					
Field	Field Name	Type	Maximum Bytes	M/O	Comments
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	Ø7=Claim
455-EM	PRESCRIPTION/SERVICE REF NUMBER QUALIFIER	A/N	1	M	Blank=Not Specified, 1=Rx Billing, 2=Service Billing
4Ø2-D2	PRESCRIPTION/SERVICE REF NUMBER	N	12	M	Use field as defined by NCPDP
436-E1	PRODUCT/SERVICE ID QUALIFIER	A/N	2	M	Use field as defined by NCPDP
407-D7	PRODUCT /SERVICE ID	A/N	19	M	Use field as defined by NCPDP
442-E7	QUANTITY DISPENSED	9(7)v999	10	O	Use field as defined by NCPDP
403-D3	FILL NUMBER	N	2	O	Ø=Original dispensing, 1 to 99 = Refill number. Required for N1/N3. Highly recommended that this field be included. N2 (reversal) needs to match the original N1
405-D5	DAYS SUPPLY	N	3	O	Use field as defined by NCPDP
88Ø-K5	TRANSACTION REFERENCE NUMBER	A/N	10	O	This number should be the same as in the detail header. This is used to populate the response file so that submitted can match response to original batch submission

Batch N Transaction Request File Format

PRICING SEGMENT: MANDATORY for N1 AND N3 only					
Field	Field Name	Type	Maximum Bytes	M/O	Comments
111-AM	IDENTIFICATION	A/N	2	M	11=Pricing
433-DX	PATIENT PAID AMOUNT SUBMITTED	N	8	O	Format=s\$\$\$\$\$cc. This field represents the amount that the patient paid after the supplemental adjudicated the claim. Even though the field is signed, the sign is not indicated at the beginning. The last character indicates the sign using overpunch characters as described in the NCPDP spec. For example "10A" represents \$1.01 and "10J" represents -\$1.01. should not put decimal points, positive, or negative signs should not be used in this field. (This amount is subtracted from the Part D patient liability to determine the amount considered as payment by the supplemental payer and applied to Other TrOOP or PLRO.) This field is not validated by the Transaction Facilitator, please make sure that it contains the correct values/format
88Ø-K4	TEXT INDICATOR	Varies	1	Varies	this. (NOTE: this is the hex 03 NOT ASCII)

TRAILER						
Field	Field Name	Type	Length	Start	End	Value
88Ø-K4	TEXT INDICATOR	A/N	1	1	1	Start of Text (STX) = x'02' (NOTE: this is the hex 02 NOT ASCII)
7Ø1	SEGMENT IDENTIFIER	A/N	2	2	3	99=File Trailer
8Ø6-5C	BATCH NUMBER	N	7	4	10	Assigned by Sender. Matches Header
751	RECORD COUNT	N	10	11	20	This count includes the total number of records including the Header and Trailer record
5Ø4-F4	MESSAGE	A/N	35	21	55	
88Ø-K4	TEXT INDICATOR	A/N	1	56	56	End of Text (ETX) = X'03' (NOTE: this is the hex 03 NOT ASCII)

Batch N Transaction Response File Format

Any request filename that contains an optional filename suffix such as 10000120120125180432S.txt or 10000120120125180432S_xyz, will have the S (following the current date-timestamp) changed to an R and any suffix after the S is retained in the response filename. For request file names without an optional suffix, the response filename will be the same as the request except that ".TrOOP.response" will be appended to the end.

Note: The Transaction Facilitator batch response file will not contain line feeds between records even if the request batch file contained line feeds.

Header						
Field	Field Name	Type	Length	Start	End	Value
880-K4	TEXT INDICATOR	A/N	1	1	1	Start of Text (STX) = x'02' (NOTE: this is the hex 02 NOT ASCII)
701	SEGMENT IDENTIFIER	A/N	2	2	3	00=File Control (header)
880-K6	TRANSMISSION TYPE	A/N	1	4	4	R=Response, E=Error
880-K1	SENDER ID	A/N	24	5	28	TROOPBATCH
806-5C	BATCH NUMBER	N	7	29	35	Batch number from the request files is used in this field.
880-K2	CREATION DATE	N	8	36	43	Format=CCYYMMDD
880-K3	CREATION TIME	N	4	44	47	Format=HHMM
702	FILE TYPE	A/N	1	48	48	P=Production, T=Test
102-A2	VERSION/RELEASE NUMBER	A/N	2	49	50	Must = 12 (v1.2)
880-K7	RECEIVER ID	A/N	24	51	74	Recommend that this value be a concatenation of the Supplemental payers BIN and PCN, however whatever is sent on the supplemental batch file is what the Transaction Facilitator returns
880-K4	TEXT INDICATOR	A/N	1	75	75	End of Text (ETX) = X'03' (NOTE: this is the hex 03 NOT ASCII)

DETAIL HEADER: MANDATORY FOR N1, N2, AND N3						
Field	Field Name	Type	Length	Start	End	Value
880-K4	TEXT INDICATOR	A/N	1	1	1	Start of Text (STX) = x'02' (NOTE: this is the hex 02 NOT ASCII)
701	SEGMENT IDENTIFIER	A/N	2	2	3	G1=Detail Data Record
880-K5	TRANSACTION REFERENCE NUMBER	A/N	10	4	13	This matches the transaction number sent by the sender

RESPONSE HEADER SEGMENT: MANDATORY						
Field	Field Name	Type	Length	Start	End	Value
102-A2	VERSION/RELEASE NUMBER	A/N	2	1	2	D0
103-A3	TRANSACTION CODE	A/N	2	3	4	N1, N2, or N3
109-A9	TRANSACTION COUNT	N	1	5	5	1
RESPONSE HEADER SEGMENT: MANDATORY						

Batch N Transaction Response File Format

Field	Field Name	Type	Length	Start	End	Value
501-F1	HEADER RESPONSE	A/N	1	6	6	A
202-B2	SERVICE PROVIDER ID QUALIFIER	A/N	2	7	8	Qualifier provided on the N Request Transaction
201-B1	SERVICE PROVIDER ID	A/N	15	9	23	ID provided on the N Request Transaction
401-D1	DATE OF SERVICE	N	8	24	31	DOS provided on the N Request Transaction

Note the fields listed in the following segments are required for batch N transaction Response File. The length of these fields are variable and will not exceed the maximum length.

The Response Status Segment will start with "<SS><FS>AM21" where <SS> (segment separator) is hex 1E, <FS> (field separator) is hex 1C, and "21" is the Response Status segment indicator. Also each field will have a <FS> followed by the field code. For example: "<FS>ANC" for 112-AN. In addition there must be a group separator (hex 1D) between the Response Status and Claim segments.

RESPONSE STATUS SEGMENT: MANDATORY

Field	Field Name	Type	Maximum Bytes	M/O	Comments
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	21=Response Status
112-AN	TRANSACTION RESPONSE STATUS	A/N	1	M	C=Captured (passed required fields), R=Rejected
510-FA	REJECT COUNT	N	2	O	Use field as defined by NCPDP. Only sent if 112-AN = R
511-FB	REJECT CODE	A/N	3	O	See NCPDP D.0 Reject Code list (if required field is missing or syntax error if response status is R, otherwise field is not sent. If 510-FA >1 then this field repeats
880-K5	TRANSACTION REFERENCE NUMBER	A/N	10	O	Same information as provided on batch N file from supplemental payer

RESPONSE CLAIM SEGMENT: MANDATORY

Field	Field Name	Type	Maximum Bytes	M/O	Comments
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	22=Response Claim Segment
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	A/N	1	M	Same information as provided on batch N file from supplemental payer
402-D2	PRESCRIPTION/SERVICE	N	12	M	Same information as provided on batch N file from supplemental payer
880-K4	TEXT INDICATOR	Varies	1	Varies	End of Text (ETX) = X'03'. Every detail records ends with

Batch N Transaction Response File Format

TRAILER						
Field	Field Name	Type	Length	Start	End	Value
880-K4	TEXT INDICATOR	A/N	1	1	1	Start of Text (STX) = x'02' (NOTE: this is the hex 02 NOT ASCII)
701	SEGMENT IDENTIFIER	A/N	2	2	3	99=File Trailer
806-5C	BATCH NUMBER	N	7	4	10	Batch number from the request files is used in this field and should match the request file header
751	RECORD COUNT	N	10	11	20	This count includes the total number of records including the Header and Trailer record
504-F4	MESSAGE	A/N	35	21	55	If 880-K6 = E this field will contain a reject message, otherwise it will contain spaces
880-K4	TEXT INDICATOR	A/N	1	56	56	End of Text (ETX) = X'03' (NOTE: this is the hex 03 NOT ASCII)

D.0 Hospice Election Status Nx Transaction Request (N1, N2, N3)

Modified 5/13/24 to update Date/Timestamp format sent in Patient Phone Number field.

Modified 4/15/24 to include additional four Patient Segment fields, added Use column.

Use column indicates whether the field is M (Mandatory), R (Required), or O (Optional)

D.0 Hospice Election Status NX Transaction Request (N1, N2, N3)

REQUEST HEADER SEGMENT: MANDATORY

Field	Field Name	Use	Value	Comments
101-A1	BIN NUMBER	M		Part D plan BIN from CMS eligibility file
102-A2	VERSION/RELEASE NUMBER	M	D0	
103-A3	TRANSACTION CODE	M		N1, N2, N3
104-A4	PROCESSOR CONTROL NUMBER	M		Part D plan PCN from CMS eligibility file
109-A9	TRANSACTION COUNT	M	1	1
202-B2	SERVICE PROVIDER ID QUALIFIER	M	01	01 = NPI
201-B1	SERVICE PROVIDER ID	M		Hospice NPI
401-D1	DATE OF SERVICE	M		The date the transaction facilitator received 837i or CMS transaction, or the effective date for a record being cancelled, or the incorrect effective date being removed.
110-AK	SOFTWARE VENDOR /CERTIFICATION ID	M	HOSPICE	Hospice related N transactions

INSURANCE SEGMENT: MANDATORY

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT ID	M	04	04 = Insurance
302-C2	CARDHOLDER ID	M		Part D Plan Cardholder ID
312-CC	CARDHOLDER FIRST NAME	R		Cardholder First name of the beneficiary from CMS eligibility database. N1 and N3 only.
313-CD	CARDHOLDER LAST NAME	R		Cardholder Last name of the beneficiary from the CMS eligibility database. N1 and N3 only.
301-C1	GROUP ID	O		Field is not sent if Group ID is unknown.

PATIENT SEGMENT: MANDATORY

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT ID	M	01	01 = Patient Segment
311-CX	PATIENT ID QUALIFIER	R	09	09 = MBI
332-CY	PATIENT ID	R		Patient MBI
304-C4	DATE OF BIRTH	R		
305-C5	PATIENT GENDER CODE	R		
326-CQ	PATIENT PHONE NUMBER*	R		Date/Timestamp of when 837I or CMS Hospice transaction was received at RelayHealth. Format: YYMMDDHHMM
333-CZ	EMPLOYER ID	R		Part D Plan Contract ID

* Note: The Patient Phone Number has been repurposed for the Hospice Election Status Nx transactions, where it represents the Date/Timestamp the corresponding NOE was received by RelayHealth.

CLAIM SEGMENT: MANDATORY

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT ID	M	07	07 = Claim
455-EM	PRESCRIPTION/ SERVICE REF NUMBER QUALIFIER	M	2	2 = Service Billing
402-D2	PRESCRIPTION/ SERVICE REFERENCE NUMBER	M		999999999999 or 3 -If N2 and = 999999999999 remove entire record for the NPI in the Service Provider ID field as the only action to be completed -If N2 and = 3 - multiple actions: remove entire record for NPI in the Service Provider ID and reinstate (remove termination date) of prior NPI
436-E1	PRODUCT/SERVICE ID QUALIFIER	M	99	99 = Other
407-D7	PRODUCT/SERVICE ID	M		HOSPICE837 (originated from hospice provider) or HOSPICECWF (originated from CMS)
880-K5	TRANSACTION REFERENCE NUMBER	R		This number is generated by the Transaction Facilitator.

CLINICAL SEGMENT: (N1 or N3 ONLY)

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT IDENTIFICATION	M	13	13 = Clinical
493-XE	CLINICAL INFORMATION COUNTER	R		1
494-ZE	MEASUREMENT DATE	R		The date associated with the clinical count being reported. If the counter is not applicable to the transaction the date will contain 99999999
493-XE	CLINICAL COUNTER	R		2
494-ZE	MEASUREMENT DATE	R		The date associated with the clinical count being reported. If the counter is not applicable to the transaction the date will contain 99999999
493-XE	CLINICAL COUNTER	R		3

494-ZE	MEASUREMENT DATE	R		The date associated with the clinical count being reported. If the counter is not applicable to the transaction the date will contain 99999999
493-XE	CLINICAL COUNTER	R		4

Note: Clinical Information Counter number represents:

1 = Hospice Effective Date of Election – (NOE)

2 = Live Discharge – (NOT and NOTR)

3 = Hospice Transfer Date – (NOC)

4 = This represents the date that needs to be replaced or updated for a previously sent record, used with clinical counters 1, 2 or 3. It is the effective date, termination date or transfer date that needs to be replaced or updated.

Note: The Clinical Segment has been repurposed for the Hospice Election Status Nx transactions. The Clinical Information Counter value, along with the Measurement Date, indicate appropriate application of the transaction by the plan.

D.0 Hospice Election Status NX Transaction Response (N1, N2, N3)

RESPONSE HEADER SEGMENT: MANDATORY

Field	Field Name	Use	Value	Comment
102-A2	VERSION/ RELEASE NUMBER	M	D0	Current Version
103-A3	TRANSACTION CODE	M		N1, N2, or N3
109-A9	TRANSACTION COUNT	M	1	1
501-F1	HEADER RESPONSE STATUS	M		A (Accepted) or R (Rejected)
202-B2	SERVICE PROVIDER ID QUALIFIER	M	01	01 = NPI
201-B1	SERVICE PROVIDER ID	M		Return the hospice provider NPI from the N request
401-D1	DATE OF SERVICE	M		Return the date provided on the N Request

RESPONSE STATUS SEGMENT: MANDATORY

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT ID	M	21	21=Response Status
112-AN	TRANSACTION RESPONSE STATUS	M		A= Approved (Accepted) or R=Rejected
510-FA	REJECT COUNT	R		Required when Hospice Nx is rejected. Not sent for Accepted response.
511-FB	REJECT CODE	R		Required when Hospice Nx is rejected. Not sent for Accepted response.
880-K5	TRANSACTION REFERENCE NUMBER	R		Return the same information as provided N Request Transaction.

RESPONSE CLAIM SEGMENT: MANDATORY

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT IDENTIFICATION	M	22	22=Response Claim Segment
455-EM	PRESCRIPTION/ SERVICE REFERENCE NUMBER QUALIFIER	M		Return the same information as provided on the N request
402-D2	PRESCRIPTION/ SERVICE REFERENCE	M		Return the same information as provided on the N request

F6 Hospice Election Status Nx Transaction Request (N1, N2, N3)

Use column indicates whether the field is M (Mandatory), R (Required) or O (Optional)

F6 Hospice Election Status NX Transaction Request (N1, N2, N3)

REQUEST HEADER SEGMENT: MANDATORY

Field	Field Name	Use	Value	Comments
102-A2	VERSION/RELEASE NUMBER	M	F6	Current version
103-A3	TRANSACTION CODE	M		N1, N2, N3
101-A1	IIN NUMBER	M		Part D Plan IIN from CMS Eligibility File
104-A4	PROCESSOR CONTROL NUMBER	M		Part D PCN from CMS Eligibility File
109-A9	TRANSACTION COUNT	M	1	1
202-B2	SERVICE PROVIDER ID QUALIFIER	M	01	01 = NPI
201-B1	SERVICE PROVIDER ID	M		Hospice NPI
401-D1	DATE OF SERVICE	M		The date the transaction facilitator received 837i or CMS transaction, or the effective date for a record being cancelled, or the incorrect effective date being removed.
110-AK	SOFTWARE VENDOR/ CERTIFICATION ID	M	HOSPICE	Hospice related N transactions

INSURANCE SEGMENT: MANDATORY

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT IDENTIFICATION	M	04	04 = Insurance
302-C2	CARDHOLDER ID	M		Part D Plan Cardholder ID
312-CC	CARDHOLDER FIRST NAME	R		Cardholder First name of the beneficiary from CMS eligibility database. N1 and N3 only
313-CD	CARDHOLDER LAST NAME	R		Cardholder Last name of the beneficiary from the CMS eligibility database. N1 and N3 only
301-C1	GROUP ID	O		Field is not sent if Group ID is unknown

PATIENT SEGMENT: MANDATORY

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT ID	M	01	01 = Patient Segment
311-CX	PATIENT ID QUALIFIER	R	09	09 = MBI
332-CY	PATIENT ID	R		Patient MBI
304-C4	DATE OF BIRTH	R		
305-C5	PATIENT GENDER CODE	R		
326-CQ	PATIENT TELEPHONE NUMBER*	R		Date/Timestamp of when 837I or CMS Hospice transaction was received at RelayHealth. Format: YYMMDDHHMM
333-CZ	EMPLOYER ID	R		Part D Plan Contract ID

* Note: The Patient Phone Number has been repurposed for the Hospice Election Status Nx transactions, where it represents 10 digits of the Date/Timestamp that the corresponding NOE was received by RelayHealth.

CLAIM SEGMENT: MANDATORY

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT IDENTIFICATION	M	07	07 = Claim
455-EM	PRESCRIPTION/ SERVICE REF NUMBER QUALIFIER	M	2	2 = Service Billing
402-D2	PRESCRIPTION/ SERVICE REFERENCE NUMBER	M		999999999999 or 3 -If N2 and = 999999999999 remove entire record for NPI in the Service Provider ID field as the only action to be completed - If N2 and = 3 - multiple actions: remove entire record for NPI in the Service Provider ID and reinstate (remove termination date) of prior NPI
436-E1	PRODUCT/SERVICE ID QUALIFIER	M	99	99 = Other
407-D7	PRODUCT/SERVICE	M		HOSPICE837 (from hospice provider) or HOSPICECWF (from CMS)
B98-34	RECONCILIATION ID	R		N2 and N3 only. On the N2 and N3 the field will contain the RelayHealth Transaction Reference Number.

CLINICAL SEGMENT: MANDATORY - N1 or N3 Only

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT ID	M	13	13 = Clinical
493-XE	CLINICAL INFORMATION COUNTER	R		1
494-ZE	MEASUREMENT DATE	R		The date associated with the clinical count being reported. If the counter is not applicable to the transaction the date will contain 99999999
493-XE	CLINICAL INFORMATION COUNTER	R		2
494-ZE	MEASUREMENT DATE	R		The date associated with the clinical count being reported. If the counter is not applicable to the transaction the date will contain 99999999
493-XE	CLINICAL INFORMATION COUNTER	R		3
494-ZE	MEASUREMENT DATE	R		The date associated with the clinical count being reported. If the counter is not applicable to the transaction the date will contain 99999999
493-XE	CLINICAL INFORMATION COUNTER	R		4
494-ZE	MEASUREMENT DATE	R		The date associated with the clinical count being reported. If the counter is not applicable to the transaction the date will contain 99999999

Note: Clinical Information Counter number represents:

1 = Hospice Effective Date of Election – (NOE)

2 = Live Discharge – (NOT and NOTR)

3 = Hospice Transfer Date – (NOC)

4 = This represents the date that needs to be replaced or updated for a previously sent record, used with clinical counters 1, 2 or 3. It is the effective date, termination date or transfer date that needs to be replaced or updated.

Note: The Clinical Segment has been repurposed for the Hospice Election Status Nx transactions. The Clinical Information Counter value, along with the Measurement Date, indicate appropriate application of the transaction by the plan.

F6 Hospice Election Status Nx Transaction Response (N1, N2, N3)

RESPONSE HEADER SEGMENT: MANDATORY

Field	Field Name	Use	Value	Comment
102-A2	VERSION/RELEASE NUMBER	M	F6	Current Version
103-A3	VERSION/RELEASE NUMBER	M		N1, N2, or N3
109-A9	TRANSACTION COUNT	M	1	1
501-F1	HEADER RESPONSE	M		A (Accepted) or R (Rejected)
202-B2	SERVICE PROVIDER ID QUALIFIER	M	01	01 = NPI
201-B1	SERVICE PROVIDER ID	M		Return the hospice provider NPI from the N request
401-D1	DATE OF SERVICE	M		Return the date provided on the N request

RESPONSE STATUS SEGMENT: MANDATORY

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT IDENTIFICATION	M	21	21=Response Status
112-AN	TRANSACTION RESPONSE STATUS	M		A= Approved (Accepted) or R=Rejected
B98-34	RECONCILIATION ID	R		Accepted Response only. This field will contain the RelayHealth Transaction Reference Number.
510-FA	REJECT COUNT	R		Required for Transaction Response Status = R (Rejected). Otherwise, field is not sent.
511-FB	REJECT CODE	R		Required for Transaction Response Status = R (Rejected). Otherwise, field is not sent.
C72-BH	HELP DESK	M		

	SUPPORT TYPE COUNT			
C71-BG	HELP DESK SUPPORT TYPE	M	4	4 = Other Payer – N1 Reporting
C67-BB	HELP DESK BUSINESS UNIT TYPE COUNT	R		
C66-BA	HELP DESK BUSINESS UNIT TYPE	R	1	1 = Pharmacy Help Desk
C70-BF	HELP DESK CONTACT INFORMATION QUALIFIER	R	1	1 = Telephone Number
C68-BC	HELP DESK CONTACT INFORMATION	R		
880-K5	TRANSACTION REFERENCE NUMBER	R		Return the same information as provided on the N request

RESPONSE CLAIM SEGMENT: MANDATORY

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT IDENTIFICATION	M	22	22=Response Claim Segment
455-EM	PRESCRIPTION/ SERVICE REF NUMBER QUALIFIER	M		Return the same information as provided on the N request
402-D2	PRESCRIPTION/ SERVICE REFERENCE NUMBER	M		Return the same information as provided on the N request

F6 Supplemental Payer Real-Time TrOOP Nx Transaction Request

3.12.24: Updated to include Request Patient Segment, add four additional Help Desk related fields and minor corrections.

Note: The Use column includes the following values: M (Mandatory), R (Required) and O (Optional, submitted when available).

REQUEST HEADER SEGMENT: MANDATORY (N1, N2, N3)

Field	Field Name	Use	Value	Comments
102-A2	VERSION/RELEASE NUMBER	M	F6	
103-A3	TRANSACTION CODE	M		N1, N2, N3
101-A1	IIN NUMBER	M		Part D Plan IIN
104-A4	PROCESSOR CONTROL NUMBER	M		Part D Plan PCN
109-A9	TRANSACTION COUNT	M	1	
202-B2	SERVICE PROVIDER ID QUALIFIER	M	01	01=NPI
201-B1	SERVICE PROVIDER ID	M		From the supplemental transaction.
401-D1	DATE OF SERVICE	M		From the supplemental transaction.
110-AK	SOFTWARE VENDOR/CERT ID	M		TROOP

REQUEST PATIENT SEGMENT: REQUIRED (N1, N2, N3)

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT IDENTIFICATION	M	01	01 = Patient
304-C4	DATE OF BIRTH	R		

INSURANCE SEGMENT: MANDATORY (N1, N2, N3)

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT IDENTIFICATION	M	04	04=Insurance
302-C2	CARDHOLDER ID	M		Part D Cardholder ID

312-CC	CARDHOLDER FIRST NAME	R		Cardholder First name of the beneficiary from the Supplemental transaction. N1 and N3 only.
313-CD	CARDHOLDER LAST NAME	R		Cardholder Last name of the beneficiary from the Supplemental transaction. N1 and N3 only.
301-C1	GROUP ID	O		Part D Group ID

CLAIM SEGMENT: MANDATORY (N1, N2, N3)

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT IDENTIFICATION	M	07	07=Claim
455-EM	PRESCRIPTION/ SERVICE REF NUMBER QUALIFIER	M		From the supplemental transaction
402-D2	PRESCRIPTION/ SERVICE REF NUMBER	M		From the supplemental transaction
436-E1	PRODUCT/SERVICE ID QUALIFIER	M		From the supplemental transaction
407-D7	PRODUCT /SERVICE ID	M		From the supplemental transaction
442-E7	QUANTITY DISPENSED	O		From the supplemental transaction. N1 and N3 only.
403-D3	FILL NUMBER	O		From the supplemental transaction
405-D5	DAYS SUPPLY	O		From the supplemental transaction. N1 and N3 only.
B98-34	RECONCILIATION ID	R		N2 and N3 only. On the N2 and N3, the field will contain the Reconciliation ID (B98-34) returned by the Part D Plan processor on the N1 response. If no N1 was sent this field will default to return all zeros on an N2 or N3.

PRICING SEGMENT: SITUATIONAL (N1 and N3 only)

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT IDENTIFICATION	M	11	11=Pricing
433-DX	PATIENT PAY AMOUNT REPORTED	O		N1 and N3 only. The values in this field are provided by the supplemental payer and represent the amount that the patient paid after the supplemental adjudicated the claim. Pricing segment is not sent if 433-DX is not sent.

N TRANSACTION PAYER IDENTIFICATION SEGMENT: MANDATORY (N1, N2, N3)

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT IDENTIFICATION	M	38	38=N Transaction Payer Identification Segment
C52-9Y	N PAYER IIN	M		
C53-9Z	N PAYER PROCESSOR CONTROL NUMBER	M		
C54-AA	N PAYER CARDHOLDER ID	M		
C55-AB	N PAYER GROUP ID	O		
C48-9U	N PAYER ADJUDICATED PROGRAM TYPE	R		N1 and N3 only. N Payer Adjudicated Program Type is from the supplemental payer Adjudicated Program Type (A28-ZR) returned by the supplemental payer on the B transaction.
C56-AC	N TRANSACTION SOURCE TYPE	R	1	1= Real-time
C57-AD	N TRANSACTION RECONCILIATION ID			The Reconciliation ID (B98-34) returned by the supplemental payer on the B transaction.
880-K5	TRANSACTION REFERENCE NUMBER			This number is generated by the Transaction Facilitator. If this is an N2, it will match the N1 or N3 transaction, if one exists.

F6 Supplemental Payer Real-Time TrOOP Nx Transaction Response

RESPONSE HEADER SEGMENT: MANDATORY (N1, N2, N3)

Field	Field Name	Use	Value	Comments
102-A2	VERSION/RELEASE NUMBER	M	F6	F6
103-A3	TRANSACTION CODE	M		N1, N2, or N3
109-A9	TRANSACTION COUNT	M	1	1
501-F1	HEADER RESPONSE STATUS	M		A (Accepted) or R (Rejected)
202-B2	SERVICE PROVIDER ID QUALIFIER	M		Returns the Qualifier provided on the N Request Transaction
201-B1	SERVICE PROVIDER ID	M		Returns the ID provided on the N Request Transaction
401-D1	DATE OF SERVICE (DOS)	M		Returns the DOS provided on the N Request Transaction

RESPONSE STATUS SEGMENT: MANDATORY (N1, N2, N3)

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT IDENTIFICATION	M	21	21=Response Status
112-AN	TRANSACTION RESPONSE STATUS	M		A= Accepted or R=Rejected
B98-34	RECONCILIATION ID	R		A unique identifier assigned by the Part D processor for the transaction response statuses of Paid/Duplicate of Paid that provides a means to identify that transaction should any subsequent transaction or other associated activity occur. Used for A (Approved) Response only.
510-FA	REJECT COUNT	R		Required for Transaction Response Status = R (Rejected). Otherwise, field is not sent.
511-FB	REJECT CODE	R		Required for Transaction Response Status = R (Rejected). Otherwise, field is not sent.
C72-BH	HELP DESK SUPPORT TYPE COUNT	M		
C71-BG	HELP DESK SUPPORT TYPE	M	4	4= Other Payer – N1 Reporting
C67-BB	HELP DESK BUSINESS UNIT TYPE COUNT	R		

C66-BA	HELP DESK BUSINESS UNIT TYPE	R	1	1 = Pharmacy Help Desk
C70-BF	HELP DESK CONTACT INFORMATION QUALIFIER	R	1	1 = Telephone Number
C68-BC	HELP DESK CONTACT INFORMATION	R		Part D plan's pharmacy Help Desk number.
880-K5	TRANSACTION REFERENCE NUMBER	R		Return the same information as provided on N Request Transaction

RESPONSE CLAIM SEGMENT: MANDATORY (N1, N2, N3)

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT IDENTIFICATION	M	22	22=Response Claim Segment
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	M		Return the same information as provided on N Request Transaction
402-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER	M		Return the same information as provided on N Request Transaction

NCPDP Financial Information Reporting Standard

To implement the Financial Information Reporting Standard, the following are used:

- Financial Information Reporting Standard Implementation Guide (for transactions, segments, fields, rules)
- Data Dictionary (for field definitions and formats)
- External Code List (for field values)

These documents are available to NCPDP members at the Standards Download page http://www.ncdp.org/members/members_download.aspx. Information on becoming an NCPDP member which includes all documents published is available at <http://www.ncdp.org/signup.aspx>.

Detailed information of the transactions, segments, fields, rules, syntax is found in the Financial Information Reporting Standard Implementation Guide. While there is much more information for a developer contained in the guide, for purposes of this information, note that the Financial Information Reporting Transaction Header Segment in the request, and the Financial Information Reporting Response Header Segment in the response are fixed length segments containing fixed length fields. The rest of the segments in the request or response (such as Financial Information Reporting Request Insurance Segment, Patient Segment, Financial Information Reporting Response Message Segment, Financial Information Reporting Response Status Segment, etc) are variable segments with variable fields (where applicable) and variable field lengths.

Transmission - The highest level of data transfer is the transmission. The transmission contains information, which is global to the entire data set. This includes routing information, identification, and information, which determine the parsing of the transactions within. A transmission must contain one transaction.

The Financial Information Reporting Transaction Header and Financial Information Reporting Response Header segments contain fixed length data elements. These segments do not use field separators to separate data elements. In these segments, each data element is transmitted at its **maximum length positionally**. The Financial Information Reporting Transaction Header Segment is required and must be first in the transmission. When a field is not used, depending upon trading partner needs, the field must be filled with zeroes or spaces, as appropriate.

At the Transmission request level, the Financial Information Reporting Transaction Header Segment must appear first. The Financial Information Reporting Request Insurance Segment, Request Reference Segment, and Request Financial Segment can be submitted in either order, if they appear, regardless of whether they are mandatory or situational segments. Note the Segments must occur only once and according to the rules for that transaction.

The transmission of the Financial Information Reporting request does not have a Group Separator. It is extraneous since there are no “transaction level” segments on the request. The Financial Information Reporting response must have a Group Separator.

At the Transmission response level, the Financial Information Reporting Response Header Segment must appear first. The Financial Information Reporting Response Message Segment will then occur, if present. At the Transaction response level, the Group Separator occurs, and then the Financial Information Reporting Response Status Segment and Response Financial Segment may occur in any order. Note the Segments must occur only once and according to the rules for that transaction.

Materials Reproduced With the Consent of
©National Council for Prescription Drug Programs, Inc.
2012 NCPDP

Financial Information Reporting (FIR) F1 Inquiry Request and Response

Financial Information Reporting Transaction Header Segment: Mandatory

Field	Field Name	Type	Maximum Bytes	M/S	Comments
101-A1	BIN NUMBER	N	6	M	Part D Plan BIN from CMS Eligibility File
102-A2	VERSION/RELEASE NUMBER	A/N	2	M	12
103-A3	TRANSACTION CODE	A/N	2	M	F1
104-A4	PROCESSOR CONTROL NUMBER	A/N	10	M	Part D Plan PCN from CMS Eligibility File
109-A9	TRANSACTION COUNT	A/N	1	M	1
650-S1	ACCUMULATOR YEAR	N	4	M	TROOP Plan Year in CCYY
651-S2	TRANSACTION IDENTIFIER	A/N	21	M	Generated by the PDTransFac system, will be the same across all Financial Information Reporting transactions in a series.
110-AK	SOFTWARE VENDOR/CERTIFICATION ID	A/N	10	M	MEDDFTROOP

Financial Information Reporting Request Insurance Segment: Mandatory

Field	Field Name	Type	Maximum Bytes	M/S	Comments
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	30 = Financial Information Reporting Request Insurance
302-C2	CARDHOLDER ID	A/N	20	M	Part D Plan Cardholder ID from CMS Eligibility File
A33-ZX	CMS PART D CONTRACT ID	A/N	5	M	Part D Plan Contract ID from CMS Eligibility File
A34-ZY	MEDICARE PART D PLAN BENEFIT PACKAGE (PBP)	A/N	3	M	Part D Plan PBP From CMS Eligibility File
301-C1	GROUP ID	A/N	15	S	Part D Plan Group ID from CMS Eligibility File

Patient Segment: Situational

Field	Field Name	Type	Maximum Bytes	M/S	Comments
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	01=Patient
304-C4	DATE OF BIRTH	N	8	R	In CCYYMMDD format.
305-C5	PATIENT GENDER CODE	N	1	S	

Financial Information Reporting (FIR) F1 Inquiry Request and Response

Financial Information Reporting Response Header Segment: Mandatory

Field	Field Name	Type	Maximum Bytes	M/S	Comments
102-A2	VERSION/RELEASE NUMBER	A/N	2	M	12
103-A3	TRANSACTION CODE	A/N	2	M	F1
109-A9	TRANSACTION COUNT	N	1	M	1
501-F1	HEADER RESPONSE STATUS	A/N	1	M	A = Accepted or R = Rejected
650-S1	ACCUMULATOR YEAR	N	4	M	Same as Request
651-S2	TRANSACTION IDENTIFIER	A/N	21	M	Same as Request

Financial Information Reporting Response Message Segment: Situational

Field	Field Name	Type	Maximum Bytes	M/S	Comments
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	33=Response Message Segment
504-F4	MESSAGE	A/N	200	S	

Financial Information Reporting Response Status Segment: Mandatory

Field	Field Name	Type	Maximum Bytes	M/S	Comments
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	34 = Response Status Segment
112-AN	TRANSACTION RESPONSE STATUS	A/N	1	M	A = Approved or R = Rejected
503-F3	AUTHORIZATION NUMBER	A/N	20	S	Processor generated
510-FA	REJECT COUNT	N	2	S	When 112-AN = R
511-FB	REJECT CODE	N	3	S**R	When 510-FA is returned

Financial Information Reporting Response Status Segment: Mandatory

Field	Field Name	Type	Maximum Bytes	M/S	Comments
546-4F	REJECT FIELD OCCURRENCE INDICATOR	N	2	S**R	When a repeating field is in error
526-FQ	ADDITIONAL MESSAGE INFORMATION	A/N	100	S	

The Response Financial Segment is mandatory for a response when the Header Response Status (501-F1) of "A" (Accepted) and Transaction Response Status (112-AN) of "A" (Approved) for Financial Information Reporting Inquiry and Financial Information Reporting Exchange transactions.

Response Financial Segment: Mandatory

Field	Field Name	Type	Maximum Bytes	M/S	Comments
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	35 = Response Financial
656-S7	ACCUMULATOR MONTH COUNT	N	2	M	Count of Accumulator Months Being Returned
655-S6	ACCUMULATOR MONTH	N	2	M**R	1 = January, 2 = February, etc.... Repeat for each Accumulator Month Returned
652-S3	ACCUMULATED PATIENT TRUE OUT OF POCKET AMOUNT	N	8	M**R	Repeat for each Accumulator Month Returned s9(6)v99. Note this is a signed field

M**R = Mandatory Repeating

S**R=Situations Repeating

General Note: Even if you do not have any values to report you must return at least one month (the first month the member was with the plan) and include an amount of \$0 indicating no dollars were accumulated for that month.

Financial Information Reporting (FIR) F2 Update Request and Response

Financial Information Reporting Transaction Header Segment: Mandatory

Field	Field Name	Type	Maximum Bytes	M/S	Comments
101-A1	BIN NUMBER	N	6	M	Part D Plan BIN from CMS Eligibility File
102-A2	VERSION/RELEASE NUMBER	A/N	2	M	12
103-A3	TRANSACTION CODE	A/N	2	M	F2
104-A4	PROCESSOR CONTROL NUMBER	A/N	10	M	Part D Plan PCN from CMS Eligibility File
109-A9	TRANSACTION COUNT	A/N	1	M	1
650-S1	ACCUMULATOR YEAR	N	4	M	TROOP Plan Year in CCYY
651-S2	TRANSACTION IDENTIFIER	A/N	21	M	Generated by the PDTransFac system, will be the same across all Financial Information Reporting transactions in a series.
110-AK	SOFTWARE VENDOR/CERTIFICATION ID	A/N	10	M	MEDDFTROOP

Financial Information Reporting Request Insurance Segment: Mandatory

Field	Field Name	Type	Maximum Bytes	M/S	
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	30 = Financial Information Reporting Request Insurance
302-C2	CARDHOLDER ID	A/N	20	M	Part D Plan Cardholder ID from CMS Eligibility File
A33-ZX	CMS PART D CONTRACT ID	A/N	5	M	Part D Plan Contract ID from CMS Eligibility File
A34-ZY	MEDICARE PART D PLAN BENEFIT PACKAGE (PBP)	A/N	3	M	Part D Plan PBP From CMS Eligibility File
301-C1	GROUP ID	A/N	15	S	Part D Plan Group ID from CMS Eligibility File

Patient Segment: Situational

Field	Field Name	Type	Maximum Bytes	M/S	
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	01=Patient
304-C4	DATE OF BIRTH	N	8	R	In CCYYMMDD format.
305-C5	PATIENT GENDER CODE	N	1	S	Returned if one exists on CMS Eligibility File

Request Reference Segment: Mandatory

Field	Field Name	Type	Maximum Bytes	M/S	
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	31 = Reference Segment
654-S5	DATETIME	A/N	17	M	Generated by the PDTransFac system

Request Financial Segment: Mandatory

Field	Field Name	Type	Maximum Bytes	M/S	
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	32 = Request Financial
656-S7	ACCUMULATOR MONTH COUNT	N	2	M	Count of Accumulator Months Being Returned
655-S6	ACCUMULATOR MONTH	N	2	M**R	1 = January, 2 = February, etc.... Repeat for each Accumulator Month Returned
652-S3	ACCUMULATED PATIENT TRUE OUT OF POCKET AMOUNT	N	8	M**R	Repeat for each Accumulator Month Returned s9(6)v99. Note this is a signed field
653-S4	ACCUMULATED GROSS COVERED DRUG COST AMOUNT	N	8	M**R	Repeat for each Accumulator Month Returned s9(6)v99. Note this is a signed field

Financial Information Reporting (FIR) F2 Update Request and Response

Financial Information Reporting Response Header Segment: Mandatory

Field	Field Name	Type	Maximum Bytes	M/S	
102-A2	VERSION/RELEASE NUMBER	A/N	2	M	12
103-A3	TRANSACTION CODE	A/N	2	M	F2
109-A9	TRANSACTION COUNT	N	1	M	1
501-F1	HEADER RESPONSE STATUS	A/N	1	M	A = Accepted or R = Rejected
650-S1	ACCUMULATOR YEAR	N	4	M	Same as Request
651-S2	TRANSACTION IDENTIFIER	A/N	21	M	Same as Request

Financial Information Reporting Response Message Segment: Situational

Field	Field Name	Type	Maximum Bytes	M/S	
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	33=Response Message Segment
504-F4	MESSAGE	A/N	200	S	

Financial Information Reporting Response Status Segment: Mandatory

Field	Field Name	Type	Maximum Bytes	M/S	Comments
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	34 = Response Status Segment
112-AN	TRANSACTION RESPONSE STATUS	A/N	1	M	A = Approved or R = Rejected
503-F3	AUTHORIZATION NUMBER	A/N	20	S	Processor generated
510-FA	REJECT COUNT	N	2	S	When 112-AN = R
511-FB	REJECT CODE	N	3	S**R	When 510-FA is returned
546-4F	REJECT FIELD OCCURRENCE INDICATOR	N	2	S**R	When a repeating field is in error
526-FQ	ADDITIONAL MESSAGE INFORMATION	A/N	100	S	

The Response Financial Segment is mandatory for a response when the Header Response Status (501-F1) of "A" (Accepted) and Transaction Response Status (112-AN) of "A" (Approved) for Financial Information Reporting Inquiry and Financial Information Reporting Exchange transactions.

Response Financial Segment: Mandatory

Field	Field Name	Type	Maximum Bytes	M/S	Comments
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	35 = Response Financial
656-S7	ACCUMULATOR MONTH COUNT	N	2	M	Count of Accumulator Months Being Returned
655-S6	ACCUMULATOR MONTH	N	2	M**R	1 = January, 2 = February, etc.... Repeat for each Accumulator Month Returned
652-S3	ACCUMULATED PATIENT TRUE OUT OF POCKET AMOUNT	N	8	M**R	Repeat for each Accumulator Month Returned s9(6)v99. Note this is a signed field

M**R = Mandatory Repeating

S**R=Situations Repeating

Financial Information Reporting Transaction Header Segment: Mandatory

Field	Field Name	Type	Maximum Bytes	M/S	Comments
101-A1	BIN NUMBER	N	6	M	Part D Plan BIN from CMS Eligibility File
102-A2	VERSION/RELEASE NUMBER	A/N	2	M	12
103-A3	TRANSACTION CODE	A/N	2	M	F3
104-A4	PROCESSOR CONTROL NUMBER	A/N	10	M	Part D Plan PCN from CMS Eligibility File
109-A9	TRANSACTION COUNT	A/N	1	M	1
650-S1	ACCUMULATOR YEAR	N	4	M	TROOP Plan Year in CCYY
651-S2	TRANSACTION IDENTIFIER	A/N	21	M	Generated by the PDTransFac system, will be the same across all Financial Information Reporting transactions in a series.
110-AK	SOFTWARE VENDOR/CERTIFICATION ID	A/N	10	M	MEDDFTROOP

Financial Information Reporting Request Insurance Segment: Mandatory

Field	Field Name	Type	Maximum Bytes	M/S	
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	30 = Financial Information Reporting Request Insurance
302-C2	CARDHOLDER ID	A/N	20	M	Part D Plan Cardholder ID from CMS Eligibility File
A33-ZX	CMS PART D CONTRACT ID	A/N	5	M	Part D Plan Contract ID from CMS Eligibility File
A34-ZY	MEDICARE PART D PLAN BENEFIT PACKAGE (PBP)	A/N	3	M	Part D Plan PBP From CMS Eligibility File
301-C1	GROUP ID	A/N	15	S	Part D Plan Group ID from CMS Eligibility File

Patient Segment: Situational

Field	Field Name	Type	Maximum Bytes	M/S	
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	01=Patient
304-C4	DATE OF BIRTH	N	8	R	In CCYYMMDD format.
305-C5	PATIENT GENDER CODE	N	1	S	Returned if one exists on CMS Eligibility File

Request Reference Segment: Mandatory

Field	Field Name	Type	Maximum Bytes	M/S	
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	31 = Reference Segment
654-S5	DATETIME	A/N	17	M	Generated by the PDTransFac system

Request Financial Segment: Mandatory

Field	Field Name	Type	Maximum Bytes	M/S	
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	32 = Request Financial
656-S7	ACCUMULATOR MONTH COUNT	N	2	M	Count of Accumulator Months Being Returned
655-S6	ACCUMULATOR MONTH	N	2	M**R	1 = January, 2 = February, etc.... Repeat for each Accumulator Month Returned
652-S3	ACCUMULATED PATIENT TRUE OUT OF POCKET AMOUNT	N	8	M**R	Repeat for each Accumulator Month Returned s9(6)v99. Note this is a signed field
653-S4	ACCUMULATED GROSS COVERED DRUG COST AMOUNT	N	8	M**R	Repeat for each Accumulator Month Returned s9(6)v99. Note this is a signed field

Financial Information Reporting Response Header Segment: Mandatory

Field	Field Name	Type	Maximum Bytes	M/S	
102-A2	VERSION/RELEASE NUMBER	A/N	2	M	12
103-A3	TRANSACTION CODE	A/N	2	M	F3
109-A9	TRANSACTION COUNT	N	1	M	1
501-F1	HEADER RESPONSE STATUS	A/N	1	M	A = Accepted or R = Rejected
650-S1	ACCUMULATOR YEAR	N	4	M	Same as Request
651-S2	TRANSACTION IDENTIFIER	A/N	21	M	Same as Request

Financial Information Reporting Response Message Segment: Situational

Field	Field Name	Type	Maximum Bytes	M/S	
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	33=Response Message Segment
504-F4	MESSAGE	A/N	200	S	

Financial Information Reporting Response Status Segment: Mandatory

Field	Field Name	Type	Maximum Bytes	M/S	Comments
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	34 = Response Status Segment
112-AN	TRANSACTION RESPONSE STATUS	A/N	1	M	A = Approved or R = Rejected
503-F3	AUTHORIZATION NUMBER	A/N	20	S	Processor generated
510-FA	REJECT COUNT	N	2	S	When 112-AN = R
511-FB	REJECT CODE	N	3	S**R	When 510-FA is returned
546-4F	REJECT FIELD OCCURRENCE INDICATOR	N	2	S**R	When a repeating field is in error
526-FQ	ADDITIONAL MESSAGE INFORMATION	A/N	100	S	

The Response Financial Segment is mandatory for a response when the Header Response Status (501-F1) of "A" (Accepted) and Transaction Response Status (112-AN) of "A" (Approved) for Financial Information Reporting Inquiry and Financial Information Reporting Exchange transactions.

Response Financial Segment: Mandatory

Field	Field Name	Type	Maximum Bytes	M/S	
111-AM	SEGMENT IDENTIFICATION	A/N	2	M	35 = Response Financial
656-S7	ACCUMULATOR MONTH COUNT	N	2	M	Count of Accumulator Months Being Returned
655-S6	ACCUMULATOR MONTH	N	2	M**R	1 = January, 2 = February, etc.... Repeat for each Accumulator Month Returned
652-S3	ACCUMULATED PATIENT TRUE OUT OF POCKET AMOUNT	N	8	M**R	Repeat for each Accumulator Month Returned s9(6)v99. Note this is a signed field
653-S4	ACCUMULATED GROSS COVERED DRUG COST AMOUNT	N	8	M**R	Repeat for each Accumulator Month Returned s9(6)v99. Note this is a signed field

M**R = Mandatory Repeating

S**R=Situations Repeating

Revision history: Completed the statement in "General Notes" on page 3 on 4.23.23.

Batch V 15 Supplemental Payer TrOOP Nx Transaction Request

4.15.24: Updated to include four additional Help Desk related fields and minor corrections.

File Naming Convention

The naming convention for the V15 Supplemental Payer Nx Transaction request file is

- the supplemental payer (sender's) IIN
- the current timestamp, at time of file creation, in CCYYMMDDHHMMSS format
- S as a constant value

Example: 1234567820240101051532S

An optional filename suffix is allowed, such as 1234567820240101051532S.txt or 1234567820240101051532S_XYZ, however one is not required.

Note: The standard does not allow line feeds, while the Transaction Facilitator adjusted for these in the past, they will no longer be allowed as of v15.

Note: The Use column includes the following values: M (Mandatory), R (Required) and O (Optional, submitted when available).

Transmission Header: MANDATORY

Field	Field Name	Use	Value	Comments
880-K4	TEXT INDICATOR	M		Start of Text (STX) = X'02' (NOTE: this is the hex 02 NOT ASCII).
701	SEGMENT IDENTIFIER	R	00	00=File Control (header)
880-K6	TRANSMISSION TYPE	R	T	T=Transaction
880-K1	SENDER ID	R		Recommend that this value be a concatenation of the Supplemental payer's IIN and PCN.
806-5C	BATCH NUMBER			Assigned by Sender and returned in trailer record.
880-K2	CREATION DATE	R		
880-K3	CREATION TIME	R		
702	FILE TYPE	R		P=Production, T=Test
102-A2	VERSION/ RELEASE NUMBER	R	15	Must = 15
880-K7	RECEIVER ID	R	TROOPBATCH	Must = TROOPBATCH
880-K4	TEXT INDICATOR	R		End of Text (ETX) = X'03'. (NOTE: this is the hex 03 NOT ASCII)

Transaction Detail Header: MANDATORY

Field	Field Name	Use	Value	Comments
880-K4	TEXT INDICATOR	M		Start of Text (STX) = X'02' (NOTE: this is the hex 02 NOT ASCII)
701	SEGMENT IDENTIFIER	R	G1	G1=Detail Data Record
880-K5	TRANSACTION REFERENCE NUMBER	R		Sender defined number that allows matching to the Transaction Facilitator's response. Ideally this should be the same value as 880-K5 in the claim segment.

REQUEST HEADER SEGMENT: MANDATORY (N1, N2, N3)

Field	Field Name	Use	Value	Comments
102-A2	VERSION/RELEASE NUMBER	M	F6	
103-A3	TRANSACTION CODE	M		N1, N2, or N3
101-A1	IIN NUMBER	M	01173500	Must be Transaction Facilitator IIN 01173500
104-A4	PROCESSOR CONTROL NUMBER	M		Enter 10 spaces if unknown.
109-A9	TRANSACTION COUNT	M	1	
202-B2	SERVICE PROVIDER ID QUALIFIER	M	01	01=NPI
201-B1	SERVICE PROVIDER ID	M		Actual NPI must be padded on the right to 15 spaces if significant values are less than 15. Note: If the NPI starts with leading zero(s) they are significant and must be sent.
401-D1	DATE OF SERVICE	M		
110-AK	SOFTWARE VENDOR/CERT ID	M		Enter 10 Spaces

Note the fields listed in the following segments are required for batch N transactions. While the length for these fields is variable, if a field length in the batch file exceeds the standard field length, the record will be rejected, and the appropriate reject code will be provided.

Additionally, the transmission must be in NCPDP format. For example, the Insurance Segment must start with "<SS><FS>AM04" where <SS> (segment separator) is hex 1E, <FS> (field separator) is hex 1C, and "04" is the insurance segment indicator. Also, each field must have a <FS> followed by the field code. For example: "<FS>C2CardId" for 302-C2.

REQUEST PATIENT SEGMENT: REQUIRED (N1, N2, N3)

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT IDENTIFICATION	M	01	01 = Patient
304-C4	DATE OF BIRTH (DOB)	R		This is used for tiebreakers if a Cardholder ID is not unique to an individual. DOB is needed to ensure that the claim is associated with the correct Other Health Insurance (OHI) record. If two people in the same family have the same cardholder ID and DOB, an N transaction cannot be generated.

INSURANCE SEGMENT: MANDATORY (N1, N2, N3)

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT IDENTIFICATION	M	04	04=Insurance
302-C2	CARDHOLDER ID	M		This field is ignored by the Transaction Facilitator but is defined as Mandatory by NCPDP. This field must contain 20 or less characters and ideally should match the Other Payer Cardholder ID.
312-CC	CARDHOLDER FIRST NAME	R		First name of the beneficiary from the Supplemental plans eligibility database. Sending this may help the Part D Plan with matching. N1 and N3 only.
313-CD	CARDHOLDER LAST NAME	R		Last name of the beneficiary from the Supplemental plans eligibility database. Sending this may help the Part D plan with matching. N1 and N3 only.
301-C1	GROUP ID	O		Part D Group ID

CLAIM SEGMENT: MANDATORY (N1, N2, N3)

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT IDENTIFICATION	M	07	07=Claim
455-EM	PRESCRIPTION/ SERVICE REF NUMBER QUALIFIER	M		From the supplemental transaction.

402-D2	PRESCRIPTION/ SERVICE REF NUMBER	M		From the supplemental transaction.
436-E1	PRODUCT/SERVICE ID QUALIFIER	M		From the supplemental transaction.
407-D7	PRODUCT /SERVICE ID	M		From the supplemental transaction.
442-E7	QUANTITY DISPENSED	O		From the supplemental transaction. N1 and N3 only.
403-D3	FILL NUMBER	O		From the supplemental transaction.
405-D5	DAYS SUPPLY	O		From the supplemental transaction. N1 and N3 only.
B98-34	RECONCILIATION ID	R		N2 and N3 only.

PRICING SEGMENT: OPTIONAL (N1 and N3 only)

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT IDENTIFICATION	M	11	11=Pricing
433-DX	PATIENT PAY AMOUNT REPORTED	O		N1 and N3 only. The values in this field are provided by the supplemental payer and represent the amount that the patient paid after the supplemental adjudicated the claim. Pricing segment should not be sent if 433-DX is not sent.

N TRANSACTION PAYER IDENTIFICATION SEGMENT: MANDATORY (N1, N2, N3)

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT IDENTIFICATION	M	38	38=N Transaction Payer Identification Segment
C52-9Y	N PAYER IIN	R		
C53-9Z	N PAYER PROCESSOR CONTROL NUMBER	R		
C54-AA	N PAYER CARDHOLDER ID	R		
C55-AB	N PAYER GROUP ID	O		
C48-9U	N PAYER ADJUDICATED PROGRAM TYPE	R		N1 and N3 only. The N Payer Adjudicated Program Type is from the supplemental payer Adjudicated Program Type (A28-ZR) returned by the supplemental payer on the B transaction.
C56-AC	N TRANSACTION SOURCE TYPE	R	2	2 = Batch

C57-AD	N TRANSACTION RECONCILIATION ID	R		The Reconciliation ID (B98-34) returned by the supplemental payer on the B transaction.
880-K5	TRANSACTION REFERENCE NUMBER	R		Supplemental payer defined number that allows matching to the Transaction Facilitator's response.

880-K4	TEXT INDICATOR	M	1	End of Text (ETX) = X'03'. Every detail records ends with this. (NOTE: this is the hex 03 NOT ASCII)
--------	----------------	---	---	--

TRANSMISSION TRAILER

Field	Field Name	Use	Value	Comments
880-K4	TEXT INDICATOR	M		Start of Text (STX) = x'02' (NOTE: this is the hex 02 NOT ASCII)
701	SEGMENT IDENTIFIER	M	99	99=File Trailer
806-5C	BATCH NUMBER	M		Assigned by Sender. Matches Header record value.
751	RECORD COUNT	M		This count includes the total number of records including the Header and Trailer record.
504-F4	MESSAGE	O		
880-K4	TEXT INDICATOR	M	1	End of Text (ETX) = X'03'. Every detail records ends with this. (NOTE: this is the hex 03 NOT ASCII)

Batch Supplemental Payer TrOOP Nx Transaction Response

Any request filename that contains an optional filename suffix such as 234567820240101051532S.txt or 1234567820240101051532S_XYZ, will have the S (following the current date-timestamp) changed to an R and any suffix after the S is retained in the response file name. For request file names without an optional suffix, the response filename will be the same as the request except that ".TrOOP.response" will be appended to the end.

Note: The Transaction Facilitator batch response file will not contain line feeds between records.

Header

Field	Field Name	Use	Value	Comments
880-K4	TEXT INDICATOR	M		Start of Text (STX) = x'02' NOTE: this is the hex 02 NOT ASCII)
701	SEGMENT IDENTIFIER	M	00	00=File Control (header)
880-K6	TRANSMISSION TYPE	M		R=Response, E=Error
880-K1	SENDER ID	M	TROOPBATCH	TROOPBATCH
806-5C	BATCH NUMBER	M		Returns the Batch Number from the request file.
880-K2	CREATION DATE	M		
880-K3	CREATION TIME	M		
702	FILE TYPE	M		P=Production, T=Test
102-A2	VERSION/RELEASE NUMBER	M	15	Must = 15
880-K7	RECEIVER ID	M		Returns the Sender ID from the request file.
880-K4	TEXT INDICATOR	M		End of Text (ETX) = X'03' (NOTE: this is the hex 03 NOT ASCII)

DETAIL HEADER: MANDATORY (N1, N2, N3)

Field	Field Name	Use	Value	Comments
880-K4	TEXT INDICATOR	M		Start of Text (STX) = x'02' (NOTE: this is the hex 02 NOT ASCII)
701	SEGMENT IDENTIFIER	M	G1	G1=Detail Data Record
880-K5	TRANSACTION REFERENCE NUMBER	M		Will return the transaction number sent by the sender.

RESPONSE HEADER SEGMENT: MANDATORY (N1, N2, N3)

Field	Field Name	Use	Value	Comments
102-A2	VERSION/RELEASE NUMBER	M	F6	F6
103-A3	TRANSACTION CODE	M		N1, N2, or N3
109-A9	TRANSACTION COUNT	M	1	1
501-F1	HEADER RESPONSE STATUS	M		A (Accepted) or R (Rejected)
202-B2	SERVICE PROVIDER ID QUALIFIER	M		Returns the Qualifier provided on the N Request Transaction.
201-B1	SERVICE PROVIDER ID	M		Returns the ID provided on the N Request Transaction.
401-D1	DATE OF SERVICE (DOS)	M		Returns the DOS provided on the N Request Transaction.

Note the fields listed in the following segments are required for batch N transaction Response File. The length of these fields is variable and will not exceed the maximum length.

The Response Status Segment will start with "<SS><FS>AM21" where <SS> (segment separator) is hex 1E, <FS> (field separator) is hex 1C, and "21" is the Response Status segment indicator. Also, each field will have a <FS> followed by the field code. For example: "<FS>ANC" for 112-AN.

RESPONSE STATUS SEGMENT: MANDATORY (N1, N2, N3)

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT IDENTIFICATION	M	21	21=Response Status
112-AN	TRANSACTION RESPONSE STATUS	M		A= Accepted or R=Rejected
B98-34	RECONCILIATION ID	R		A unique identifier assigned by the Part D processor for the transaction response statuses of Paid/Duplicate of Paid that provides a means to identify that transaction should any subsequent transaction or other associated activity occur. Used for A (Approved) Response only.
510-FA	REJECT COUNT	R		Required for Transaction Response Status = R (Rejected). Otherwise, field is not sent.
511-FB	REJECT CODE	R		Required for Transaction Response Status = R (Rejected). Otherwise, field is not sent.
C72-BH	HELP DESK SUPPORT TYPE COUNT	M	1	

C71-BG	HELP DESK SUPPORT TYPE	M	4	4= Other Payer – N1 Reporting
C67-BB	HELP DESK BUSINESS UNIT TYPE COUNT	R	1	
C66-BA	HELP DESK BUSINESS UNIT TYPE	R	1	1 = Pharmacy Help Desk
C70-BF	HELP DESK CONTACT INFORMATION QUALIFIER	R	1	1 = Telephone Number
C68-BC	HELP DESK CONTACT INFORMATION	R	9999999999	Default value of 9999999999
C69-BD	HELP DESK CONTACT INFORMATION EXTENSION	R		
880-K5	TRANSACTION REFERENCE NUMBER	O		Will return the transaction number sent by the sender.

RESPONSE CLAIM SEGMENT: MANDATORY (N1, N2, N3)

Field	Field Name	Use	Value	Comments
111-AM	SEGMENT IDENTIFICATION	M	22	22=Response Claim Segment
455-EM	PRESCRIPTION/ SERVICE REFERENCE NUMBER QUALIFIER	M		Same information as provided on the N request from supplemental payer.
402-D2	PRESCRIPTION/ SERVICE REFERENCE NUMBER	M		Same information as provided on the N request file from supplemental payer.

880-K4	TEXT INDICATOR	R		End of Text (ETX) = X'03' (NOTE: this is the hex 03 NOT ASCII)
--------	----------------	---	--	--

TRANSMISSION TRAILER

Field	Field Name	Use	Value	Value
880-K4	TEXT INDICATOR	R		Start of Text (STX) = X'02' (NOTE: this is the hex 02 NOT ASCII)
701	SEGMENT IDENTIFIER	R	99	99 = File Trailer
806-5C	BATCH NUMBER	R		Returns the Batch Number from the request files.

751	RECORD COUNT	R		This count includes the total number of records including the Header and Trailer record.
504-F4	MESSAGE	O		If 880-K6 = E (Error) this field will contain a reject message, otherwise it will contain spaces.
880-K4	TEXT INDICATOR	R		End of Text (ETX) = X'03' (NOTE: this is the hex 03 NOT ASCII)

Real-Time V15 FIR F1 Request-INQUIRY Transaction

REQUEST HEADER SEGMENT: MANDATORY

Field	Field Name	Value	Comments
102-A2	VERSION/RELEASE NUMBER	15	
103-A3	TRANSACTION CODE	F1	
101-A1	IIN NUMBER		Part D Plan IIN from CMS Eligibility File
104-A4	PROCESSOR CONTROL NUMBER		Part D Plan PCN from CMS Eligibility File
109-A9	TRANSACTION COUNT	1	
650-S1	ACCUMULATOR YEAR		TROOP Plan Year in CCYY
651-S2	TRANSACTION IDENTIFIER		Generated by the PDTransFac system, will be the same across all Financial Information Reporting transactions in a series.
110-AK	SOFTWARE VENDOR/CERTIFICATION ID	MEDDFT ROOP	

Financial Information Reporting Request Insurance Segment: Mandatory

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	30	30 = Financial Information Reporting Request Insurance
302-C2	CARDHOLDER ID		Part D Plan Cardholder ID from CMS Eligibility File
A33-ZX	CMS PART D CONTRACT ID		Part D Plan Contract ID from CMS Eligibility File
A34-ZY	MEDICARE PART D PLAN BENEFIT PACKAGE (PBP)		Part D Plan PBP From CMS Eligibility File
301-C1	GROUP ID		Part D Plan Group ID from CMS Eligibility File

Patient Segment: Situational

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	01	01=Patient
304-C4	DATE OF BIRTH		In CCYYMMDD format.
305-C5	PATIENT GENDER CODE		Returned if one exists on CMS Eligibility File

Real-Time v15 FIR F1 Response

Financial Information Reporting Response Header Segment: Mandatory

Field	Field Name	Value	Comments
102-A2	VERSION/RELEASE NUMBER	15	
103-A3	TRANSACTION CODE	F1	
109-A9	TRANSACTION COUNT	1	
501-F1	HEADER RESPONSE STATUS		A = Accepted or R = Rejected
650-S1	ACCUMULATOR YEAR		Same as Request
651-S2	TRANSACTION IDENTIFIER		Same as Request

Financial Information Reporting Response Status Segment: Mandatory

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	34	34 = Response Status Segment
112-AN	TRANSACTION RESPONSE STATUS		A = Approved or R = Rejected
503-F3	AUTHORIZATION NUMBER		Processor generated
510-FA	REJECT COUNT		When 112-AN = R
511-FB	REJECT CODE		When 510-FA is returned

The Response Financial Segment would only be returned with a Header Response Status (501-F1) of "A" (Accepted) and Transaction Response Status (112-AN) of "A" (Approved) for Financial Information Reporting Inquiry and Financial Information Reporting Exchange transactions.

Response Financial Segment: Mandatory

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	35	35 = Response Financial
656-S7	ACCUMULATOR MONTH COUNT		Count of Accumulator Months Being Returned
655-S6	ACCUMULATOR MONTH		1 = January, 2 = February, etc.... Repeat for each Accumulator Month Returned
652-S3	ACCUMULATED PATIENT TRUE OUT OF POCKET AMOUNT		Repeat for each Accumulator Month Returned. Note this is a signed field
653-S4	ACCUMULATED GROSS COVERED DRUG COST AMOUNT		Repeat for each Accumulator Month Returned. Note this is a signed field

Real-Time V15 FIR F2 Request-UPDATE Transaction

REQUEST HEADER SEGMENT: MANDATORY

Field	Field Name	Value	Comments
102-A2	VERSION/RELEASE NUMBER	15	
103-A3	TRANSACTION CODE	F2	
101-A1	IIN NUMBER		Part D Plan IIN from CMS Eligibility File
104-A4	PROCESSOR CONTROL NUMBER		Part D Plan PCN from CMS Eligibility File
109-A9	TRANSACTION COUNT	1	
650-S1	ACCUMULATOR YEAR		TROOP Plan Year in CCYY
651-S2	TRANSACTION IDENTIFIER		Generated by the PDTransFac system, will be the same across all Financial Information Reporting transactions in a series.
110-AK	SOFTWARE VENDOR/CERTIFICATION ID	MEDDFT ROOP	

Financial Information Reporting Request Insurance Segment: Mandatory

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	30	30 = Financial Information Reporting Request Insurance
302-C2	CARDHOLDER ID		Part D Plan Cardholder ID from CMS Eligibility File
A33-ZX	CMS PART D CONTRACT ID		Part D Plan Contract ID from CMS Eligibility File
A34-ZY	MEDICARE PART D PLAN BENEFIT PACKAGE (PBP)		Part D Plan PBP From CMS Eligibility File
301-C1	GROUP ID		Part D Plan Group ID from CMS Eligibility File

Patient Segment: Situational

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	01	01=Patient
304-C4	DATE OF BIRTH		In CCYYMMDD format.
305-C5	PATIENT GENDER CODE		Returned if one exists on CMS Eligibility File

Request Reference Segment: Mandatory

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	31	31 = Reference Segment
654-S5	DATETIME		Generated by the PDTransFac system

Request Financial Segment: Mandatory

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	32	32 = Request Financial
656-S7	ACCUMULATOR MONTH COUNT		Count of Accumulator Months Being Returned
655-S6	ACCUMULATOR MONTH		1 = January, 2 = February, etc.... Repeat for each Accumulator Month Returned
652-S3	ACCUMULATED PATIENT TRUE OUT OF POCKET AMOUNT		Repeat for each Accumulator Month Returned. Note this is a signed field
653-S4	ACCUMULATED GROSS COVERED DRUG COST AMOUNT		Repeat for each Accumulator Month Returned. Note this is a signed field

Real-Time v15 FIR F2 Response

Financial Information Reporting Response Header Segment: Mandatory

Field	Field Name	Value	Comments
102-A2	VERSION/RELEASE NUMBER	15	
103-A3	TRANSACTION CODE	F2	
109-A9	TRANSACTION COUNT	1	
501-F1	HEADER RESPONSE STATUS		A = Accepted or R = Rejected
650-S1	ACCUMULATOR YEAR		Same as Request
651-S2	TRANSACTION IDENTIFIER		Same as Request

Financial Information Reporting Response Status Segment: Mandatory

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	34	34 = Response Status Segment
112-AN	TRANSACTION RESPONSE STATUS		A = Approved or R = Rejected
503-F3	AUTHORIZATION NUMBER		Processor generated
510-FA	REJECT COUNT		When 112-AN = R
511-FB	REJECT CODE		When 510-FA is returned

The Response Financial Segment would only be returned with a Header Response Status (501-F1) of "A" (Accepted) and Transaction Response Status (112-AN) of "A" (Approved) for Financial Information Reporting Inquiry and Financial Information Reporting Exchange transactions.

Real-Time V15 FIR F3 Request-EXCHANGE Transaction

REQUEST HEADER SEGMENT: MANDATORY

Field	Field Name	Value	Comments
102-A2	VERSION/RELEASE NUMBER	15	
103-A3	TRANSACTION CODE	F3	
101-A1	IIN NUMBER		Part D Plan IIN from CMS Eligibility File
104-A4	PROCESSOR CONTROL NUMBER		Part D Plan PCN from CMS Eligibility File
109-A9	TRANSACTION COUNT	1	
650-S1	ACCUMULATOR YEAR		TROOP Plan Year in CCYY
651-S2	TRANSACTION IDENTIFIER		Generated by the PDTransFac system, will be the same across all Financial Information Reporting transactions in a series.
110-AK	SOFTWARE VENDOR/CERTIFICATION ID	MEDDFT ROOP	

Financial Information Reporting Request Insurance Segment: Mandatory

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	30	30 = Financial Information Reporting Request Insurance
302-C2	CARDHOLDER ID		Part D Plan Cardholder ID from CMS Eligibility File
A33-ZX	CMS PART D CONTRACT ID		Part D Plan Contract ID from CMS Eligibility File
A34-ZY	MEDICARE PART D PLAN BENEFIT PACKAGE (PBP)		Part D Plan PBP From CMS Eligibility File
301-C1	GROUP ID		Part D Plan Group ID from CMS Eligibility File

Patient Segment: Situational

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	01	01=Patient
304-C4	DATE OF BIRTH		In CCYYMMDD format.
305-C5	PATIENT GENDER CODE		Returned if one exists on CMS Eligibility File

Request Reference Segment: Mandatory

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	31	31 = Reference Segment
654-S5	DATETIME		Generated by the PDTransFac system

Request Financial Segment: Mandatory

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	32	32 = Request Financial
656-S7	ACCUMULATOR MONTH COUNT		Count of Accumulator Months Being Returned
655-S6	ACCUMULATOR MONTH		1 = January, 2 = February, etc.... Repeat for each Accumulator Month Returned
652-S3	ACCUMULATED PATIENT TRUE OUT OF POCKET AMOUNT		Repeat for each Accumulator Month Returned. Note this is a signed field
653-S4	ACCUMULATED GROSS COVERED DRUG COST AMOUNT		Repeat for each Accumulator Month Returned. Note this is a signed field

Real-Time v15 FIR F3 Response

Financial Information Reporting Response Header Segment: Mandatory

Field	Field Name	Value	Comments
102-A2	VERSION/RELEASE NUMBER	15	
103-A3	TRANSACTION CODE	F3	
109-A9	TRANSACTION COUNT	1	
501-F1	HEADER RESPONSE STATUS		A = Accepted or R = Rejected
650-S1	ACCUMULATOR YEAR		Same as Request
651-S2	TRANSACTION IDENTIFIER		Same as Request

Financial Information Reporting Response Status Segment: Mandatory

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	34	34 = Response Status Segment
112-AN	TRANSACTION RESPONSE STATUS		A = Approved or R = Rejected
503-F3	AUTHORIZATION NUMBER		Processor generated
510-FA	REJECT COUNT		When 112-AN = R
511-FB	REJECT CODE		When 510-FA is returned

The Response Financial Segment would only be returned with a Header Response Status (501-F1) of "A" (Accepted) and Transaction Response Status (112-AN) of "A" (Approved) for Financial Information Reporting Inquiry and Financial Information Reporting Exchange transactions.

Response Financial Segment: Mandatory

Field	Field Name	Value	Comments
111-AM	SEGMENT IDENTIFICATION	35	35 = Response Financial
656-S7	ACCUMULATOR MONTH COUNT		Count of Accumulator Months Being Returned
655-S6	ACCUMULATOR MONTH		1 = January, 2 = February, etc.... Repeat for each Accumulator Month Returned
652-S3	ACCUMULATED PATIENT TRUE OUT OF POCKET AMOUNT		Repeat for each Accumulator Month Returned. Note this is a signed field
653-S4	ACCUMULATED GROSS COVERED DRUG COST AMOUNT		Repeat for each Accumulator Month Returned. Note this is a signed field