

REVISION: 8										ENGINEERING DATA LIST										*HISTORY*									
DATE: 06 NOV 2023					DATA TECH: Williamson, Tiffany					ORGANIZATION/OFFICE SYMBOL: 429 SCMS / GUMACB					END ITEM: C-130 LANDING GEAR					PAGE: 1 OF 1									
CAGE: 98897					MANUFACTURER NAME: LOCKHEED MARTIN CORP					REFERENCE NUMBER: 697395-1					NOUN: VALVE,BRAKE CONTROL					NSN: 1630009987897									
LINE/ SUB	CAGE	ENG DRAWING NUM/ ACCOMP DOC NUM			REV	NR SHEETS	FURN CODE	DIST CODE	NOUN			REMARKS																	
L	98897	697395			C		S	C	VALVE-DUAL BRAKE CONTROL																				
S	98747	2023C1690-H					S	D	AESO																				
L	98747	201416605			E		S	D	LANDING GEAR REQUIREMENTS DOCUMENT			NAME: Williamson, Tiffany REFERENCE MRB STATEMENT 5.1.1 DATE: 07 NOV 2023																	
STANDARD ENGINEERING TEXT NAME: Williamson, Tiffany DATE: 06 NOV 2023 RELEASE OF THIS DATA TO A FOREIGN OWNED, CONTROLLED OR INFLUENCED COMPANY IS DEPENDENT UPON THE APPROVAL OF THE FOREIGN DISCLOSURE OFFICE. NOTE TO ALL SUPPLY CHAIN PERSONNEL: THE ENGINEERING NOTES ARE PROVIDED ON AIR FORCE DRAWING 201416605, CAGE CODE 98747. THE ENGINEERING INSTRUCTIONS (HILL AFB FORM 462) ARE NO LONGER UTILIZED FOR LANDING GEAR AND WILL NOT BE PROVIDED. ALL PREVIOUS LANDING GEAR VERSIONS OF THE ENGINEERING INSTRUCTIONS (HILL AFB FORM 462) FOR THIS NATIONAL STOCK NUMBER (NSN) HAVE BEEN SUPERSEDED AND WILL NOT BE UTILIZED FOR THE MANUFACTURE OF THIS COMPONENT/ASSEMBLY.																													
FURNISHED METHOD CODE LEGEND:																													
C - CLASSIFIED DOCUMENT. S - FURNISHED WITH SOLICITATION. M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.										X - DATA SUPPLIED (NOT IN JEDMICS). R - FURNISHED BY PCO UPON REQUEST. P - PARTIAL DOCUMENT FURNISHED. V - VENDOR DRAWING; (NOT PROVIDED).										G - GOV'T DOCUMENT. O - OTHERS, CONTRACTOR MUST ACQUIRE. A- DATA NOT AVAILABLE.									

MANUFACTURING QUALIFICATION REQUIREMENTS

NSN: 1630-00-998-7897
P/N: 697395
Noun: Brake Control Valve
Application: C-130 Landing Gear

SECTION C:

1. QUALIFICATION REQUIREMENTS THAT MUST BE SATISFIED TO BECOME A QUALIFIED SOURCE

- a. *Prequalification Notice/Sources Sought:* The offeror shall notify the appropriate government Small Business Office or, if responding to a solicitation, the contracting officer in the appropriate government contracting office, of intent to qualify as a source for this Brake Control Valve.
- b. *Facilities, Testing, and Inspection Capabilities:* The offeror must certify to the government that they have, or have access to, the required facilities and equipment to manufacture, inspect, test, package, and store the item. The offeror shall make their facilities, equipment, tooling, and personnel available for evaluation and inspection by the government.
- c. *Data Verification:* The offeror must verify that he has a complete data package. This verification must include a complete list of all procedures, drawings, and specifications, including change notices, in the offeror's possession. The offeror may also be required to produce copies of all applicable procedures, drawings, or specifications.
- d. *Manufacture/Process Verification:* The offeror must manufacture this item to conform to the government requirements as prescribed within the ESA-approved engineering/technical data package. The offeror must show compliance with Unique Identification (UID) requirements in accordance with DFARS 211.274 as prescribed within the ESA-approved engineering/technical data package. The offeror must provide, at their own expense, data showing the results of all quality, performance, and environmental evaluations conducted by the offeror to show compliance with the government requirements as prescribed by 417 SCMS/GUEA . The offeror shall also identify its sources for materials and its standards for internally used processes.
- e. *Test and Evaluation and/or Verification:* The offeror, at their own expense, shall prepare and submit to 417 SCMS/GUEA for their prior approval, a qualification test plan/procedure detailing how they intend to verify compliance with all performance, environmental, mechanical, and quality assurance requirements identified by Drawing 697395. After completion of the approved qualification testing, the offeror shall be required to submit a complete test report of the results to 417 SCMS/GUEA for their review and approval prior to the contract award. The government retains the right to exercise the option to inspect the testing processes, including on-site witnessing of any or all documented testing. To allow accomplishing this, the offeror shall notify the government at least 30 days in advance of the occurrence of any testing that will be used as a basis for qualification. The offeror's facilities shall be made available for government inspection during these tests.
- f. *Qualification Article Verification:* The offeror must provide, at their own expense, a pre-contract award qualification article for evaluation by the government. This article must comply with all of the requirements of Drawing 697395. This article shall be subjected to a form, fit, and function evaluation to demonstrate compatibility with the weapon system and to evaluate the manufacturing capability of the offeror. Offerors will be notified whether or not their

MANUFACTURING QUALIFICATION REQUIREMENTS

NSN: 1630-00-998-7897
P/N: 697395
Noun: Brake Control Valve
Application: C-130 Landing Gear

qualification article passed or failed the required qualification testing within 45 days of submitting a product for qualification testing. Note that successful completion of the qualification testing does not guarantee any contract award. If the offeror is deemed qualified and awarded the contract, a post-contract award first article exhibit may be required to verify production capability.

- g. *Qualification Requirement Cost Estimate:* Estimated likely costs for testing and evaluation, which will be incurred by the potential offering party to become qualified: \$263,600.00.
- h. *Qualification Time Completion Estimate:* It is the estimate of the engineering support activity that completion of this qualification effort should require 120 days. This is based on complexity of the Brake Control Valve and other factors.
- i. *Qualification Time Limitation:* An offeror may not be denied the opportunity to submit and have considered an offer for a contract if the offeror can demonstrate to the satisfaction of the contracting officer that the offeror (or its product) meets these standards for qualification or can meet them before the date specified for award of the contract. The award will not be delayed to provide the vendor with an opportunity to demonstrate its ability to meet the standards specified in this qualification requirement.
- j. *Evaluation of Proposals Not Previously Qualified:* The offeror must be fully qualified in order to be eligible for a contract award. Therefore, the offeror must fulfill all of the requirements stated, in writing, in the qualification requirement before the date specified for award of the contract. Once all requirements are met, the offeror will be listed as an approved source for this item. Approval, however, does not guarantee subsequent contract award.

MANUFACTURING QUALIFICATION REQUIREMENTS

NSN: 1630-00-998-7897
P/N: 697395
Noun: Brake Control Valve
Application: C-130 Landing Gear

2. SOURCE QUALIFICATION WAIVER REQUIREMENTS

Sources who meet any of the following source Qualification Waiver Criteria (QWC) may apply for a waiver of all or part of the qualification requirements. If a waiver is granted and the offeror is awarded a contract, the offeror may still be required to provide a post-contract award first article exhibit to verify production capability:

- a. *QWC1:* The potential source submits written certification that the articles have been supplied to the government or original equipment manufacturer (e.g., DD Form 250, Material Inspection and Receiving Report, Purchase Order invoice, etc).
- b. *QWC2:* The potential source is qualified on the right-hand article and requests to be qualified on the left-hand article. If the right-and left-hand articles are mirror images of each other, then approval can generally be given.
- c. *QWC3:* A source qualified to provide an assembly is usually qualified to provide subassemblies, major components, and items of that assembly.
- d. *QWC4:* A source qualified to provide earlier dash numbers of a basic P/N may be qualified to provide other dash numbers of that same basic P/N, provided there is no increase in complexity, criticality, or other relevant requirements.
- e. *QWC5:* A source qualified to provide a similar or like item can be qualified to provide the required item. However, for approval, the engineering authority must verify that there is no increase in complexity, criticality, or other requirements over that of the similar item. At a minimum, the source shall provide a complete set of drawings for the similar item and written proof, such as purchase orders, shipping documents, etc., to show that the similar item was provided to the original equipment manufacturer or DoD.
- f. *QWC6:* A source previously qualified to provide an item, but which has been purchased, sold, merged, absorbed, reformed, split, etc., may qualify if it can be established that the qualification is currently with the requester and that the requester has the same or equivalent facilities, tooling, equipment, personnel, and utilizes the original forging, castings, etc., in the manufacturing process.

PRESERVATION, PACKAGING & MARKING REQUIREMENTS

The offeror shall adhere to the AFMC Form 158, Packing Requirements, specified Department of Defense (DoD) Military Standards, American Society for Testing Materials (ASTM) International, American National Standard Institute (ANSI), Data Item Description(s), DoD specifications, FAR/DAR Clauses, documentation, and marking for the development of military packaging as prescribed in the contract.

MIL-STD 2073-1, Standard Practice for Military Packaging

The offeror shall use MIL-STD 2073-1, to develop military packaging using the decision chart in accordance with the requirements of the section, Section 5 and all Appendices therein. Military packaging requirements shall be documented in accordance with Appendix E and as specified on the Contract Data Requirements List (CDRL). These requirements are generally defined by a twelve-digit position-sensitive code system, as illustrated on figure A-1. Appropriate codes are drawn from those listed in Appendix J. When an item has been determined to be in the special group category, a Special Packaging Instruction shall be required, prepared in accordance with Appendix E and as specified on the CDRL. Furthermore, packaging of hazardous materials shall be developed IAW the requirements specified in A.4. Packaging of classified material shall meet DoD 5220.22M, National Industrial Security Program Operating Manual. Apply when prescribed on the AFMC Form 158, Packaging requirements and DIDs.

ASTM D3951, Standard Practice For Commercial Packaging

The offeror shall apply preservation, packaging, packing, and markings, for specific commodities when prescribed on the AFMC Form 158, Packaging Requirements.

MIL-STD 129, Military Marking for Shipment and Storage

The offeror shall use MIL-STD 129, and adhere to the minimum uniform military marking, labels, requirements for materiel shipment and storage. Additional marking may be required by the contract or the cognizant activity. Shipment planning for supplies, equipment, and ammunition will be as specified in this standard. A marking is the numbers, letters, bar codes, labels, tags, symbols, or colors applied to provide identification and to expedite handling during shipment and storage. The offeror shall also ensure and affix a completed DD Form 1574, Serviceable Tag-Materiel or DD Form 1574-1 (not required for Hazardous Material), Serviceable Label- Materiel to each unit pack or intermediate container and prime outer container(s). The tag or label will indicate the condition(s) of the materiel and to identify the individual article or contents, bundle, container to which they are securely attached. Apply when prescribed on the AFMC Form 158, Packaging Requirements.

INTERNATIONAL STANDARDS FOR PHYTOSANITARY MEASURES**(ISPM 15) REQUIREMENTS**

The offeror shall use the wood packaging material regulation for international trade which describes Phytosanitary (including treatments) that have been approved for wood packaging material and provides for the approval of new or revised treatments. Use the latest revision of (ISPM No. 15), to fabricate wood pallets, skids, load boards, pallet collars, wooden boxes, reels, dunnage, crates, frames, cleats, etc., for worldwide distribution.

ELECTROSTATIC MATERIAL

The offeror shall adhere to pack, mark, label materiel procedures IAW MIL-STD-2073-1, MIL-HDBK-773, ANSI/ESD S20.20, ESD TR20.20 and MIL-STD-129 provisions, (current revisions) when identifying all solid-state devices and modules containing diodes, translators, integrated circuits and/or other microelectronic components sensitive to electrostatic forces.

ITEM TYPE STORAGE CODE (ITSC)

Item Type Storage Code IAW AFMCI24-201. The Item Type Storage Code (ITSC) will be requested as a packaging data element in contracts. Updates to the ITSC will only be approved IAW Chapter 5, paragraph 5.1. Sustainment ITSC updates or changes will be vetted with the platform Life Cycle and the Sustainment Program Office. Wholesale and retail storage activities will need to comply with the ITSC updates.

MIL-STD-147, Palletized Unit Loads

The offeror shall apply provisions and methods of MIL-STD-147 (current revision) to contracts requiring the preparation and shipment of bonded palletized unit loads for DoD facilities. Explosive Unit Loads shall be IAW MIL-STD-1660.

MIL-STD-648, Department of Defense Design Criteria Standard, Specialized Shipping

Containers

The offeror shall apply provisions of MIL-STD-648. This standard establishes general design guidelines and associated tests for specialized shipping containers used by the Department of Defense. Definitive requirements for specific containers will be defined by the individual specification, acquisition, or task order. This standard is intended to be used as the basic reference document in all specifications and standards prescribing performance requirements to be applied to a specialized shipping container. Compliance with this intent is expected through normal application of the specification or standard preparation, revision processes.

HAZARDOUS MATERIALS

The offeror shall ensure Hazardous shipments are prepared, label, certified and comply with International Civil Aviation Organization (ICAO), U.S. Code of Federal Regulations (CFR) Title 49, International Air Transport Association (IATA) Dangerous Goods Regulation, International Maritime Dangerous Goods Code (IMDG, Annex 1), and AFMAN24-604, Preparing Hazardous Materials for Military Air Shipments. Packaging shall meet "DOT specification or a United Nation (UN) specification" manufactured in accordance with 49 CFR, Part 178 and the final packages assembled IAW 49 CFR, Parts 100-185 as applicable. A Competent Authority Approval (CAA) shall be acquired from the responsible Associate Administrator or other designated Department official to perform a function requiring prior consent under the Hazardous Material Regulation (HMR). If a symbol is used to represent the manufacturer or the approval agency certifying compliance with 49 CFR 178, subparts L and M, the symbol must be registered with the U.S. Department of Transportation. A copy of the Contractor's Test Report and signed certification that the package configuration meets both CFR and UN requirements shall be made available to the procuring contract office, as required, prior to acceptance or shipment of any portion of the product IAW Contract Data Requirements List (CDRL) (Reference AFMC Form 158).

FED-STD-313, Material Safety Data, Transportation Data, and Disposal Data for Hazardous Materials Furnished to Government Activities

The offeror shall prepare and submit Safety Data Sheets (SDS) IAW FED-STD-313. The SDS shall have applicable identification number(s), e.g., as National Stock Number or Special Item Number. A copy of the SDS shall be provided to the cognizant packaging management office with all prescribed packaging data deliverables.

FAR clause 52.223-3, Hazardous Material Identification and Material Safety Data

SPECIAL PACKAGING INSTRUCTIONS RETRIEVAL & EXCHANGE SYSTEM (SPIRES)

Contractors may request the use of SPIRES website to view item packaging requirements or search for Special Packaging Instruction drawings via the following website: <https://spires.wpafb.af.mil/> contractors without access can find more information at <https://www.cac.mil>

REUSABLE CONTAINERS

The contractor shall safeguard all received reusable shipping containers that meet the requirements of the AFMC Form 158 and are suitable for return shipment of serviceable assets. The contractor shall dispose of and replace unserviceable containers with new containers that meet requirements of the AFMC Form 158. Contact the Product Support Manager and Administering Contracting Office (ACO) for disposition instructions and replacement when Long Life Reusable Container(s) are received in an unserviceable condition.

REPORTING DISCREPANCIES

The contractor shall use Web Supply Discrepancy Report (WebSDR) to submit/reply to a Supply Discrepancy Report (SDR), when improperly packed assets are received/shipped in other than the contracted packaging requirements (coded data or Special Packaging Instructions (SPI) drawings) from Department of Defense (DoD) components or contractor activities. The contractor shall request a WebSDR account via the following website:

<https://www.transactionservices.dla.mil/daashome/homepage.asp>

(See Defense Logistics Management (DLM) 4000.25-M, Volume 2, Supply Standard and Procedures, Chapter 17, Supply Discrepancy Reporting) <http://www.dla.mil/HQ/InformationOperations/DLMS/> Exceptions when no damage has occurred are as follows:

-Items packaged before the current SPI date.

-An alternate pack may be used, provided the prime Air Force Sustainment Complex, Packaging Office at the Air Logistics Complex (ALC) approves and issues a waiver, deviation number, which would be annotated on the exterior container on the lower right-hand portion of the identification side of the container.

-In accordance with Technical Order (TO) 00-85B-3, How to Package Air Force Spares, the contractor may substitute the next larger size fast pack, of the type I or type II to ship transportation priorities 1 and 2 shipments as long as there is no decrease in any of the container dimensions without the requirement of a waiver deviation.

ASSIST Documents for Specifications Listed in the GSA Index of Federal Specifications, Standards and Commercial Item Descriptions

The contractor shall use the ASSIST website to access specification, standards, data item descriptions documents listed in this contract solicitation:

FAR 52-211-2 Availability of Specifications, Standards, and Data Item Descriptions listed in the Acquisition Streamlining and Standardization Information System

<https://quicksearch.dla.mil/>

AFSC

406 SCMS/GULAA

Attn: DAVID GIBSON

DSN: COMM

E-mail:david.gibson.29@us.af.mil

Statement of Work (cont.)

APPLICABLE GOVERNMENT PACKAGING DOCUMENTS

NOTE: UTILIZE THE MOST RECENT REVISION

AFI 24-602V2_AFGM2018-01, *Preparation and Movement of Air Force Cargo* AFMAN

24-604, *Preparing Hazardous Materials for Military Air Shipments* DLMS 4000.25,

*Defense Logistics Management Systems, Volume, Change 10,
Supply Standards and Procedures, Chapter 17, Supply Discrepancy Reporting*

DOT Title 29, *Occupational Safety and Health Administration, Labor* DOT Title 49,

Code of Federal Regulations (49 CFR), Transportation International Civil Aviation

Organization (ICAO) Technical Instructions

International Air Transport Association (IATA) Dangerous Goods

Regulation International Maritime Dangerous Goods (IMDG) Code

ANSI/ESD S20.20, *Protection of Electrical and Electronic Parts*

ESD TR20.20, *Handbook for the Development of an Electrostatic Discharge Control Program for the
Protection of Electronic Parts, Assemblies and Equipment*

ISPM 15, *International Standard Phytosanitary Measure*

Note: Marking Requirements may be found in the American Lumber Standards Committee,
Incorporated Wood Packaging Material Enforcement Regulations dated November 07, 2014, and
ISPM 15

MIL-STD-2073-1, Change 4, *Standard Practice, for Military Packaging*

MIL-STD-129, Change 1, *Department of Defense Standard Practice Military Marking for Shipment
and Storage*

MIL-STD-648, *Department of Defense Design Criteria Standard, Specialized Shipping Containers*

MIL-STD-147, *Palletized Unit Loads*

MIL-HDBK-773, *Electrostatic Discharge Protective Packaging*

TO 00-85B-3, *How to Package Air Force Spares*

FED-STD-313, *Federal Standard: Material Safety Data, Transportation Data and Disposal Data
for Hazardous Materials Furnished to Government Activities*