



U.S. Government Publishing Office

Integrated Library System
Functional Requirements
Documentation

Revision 3
11-19-2025

Integrated Library System Functional Requirements Documentation



Contents

Introduction.....	2
Background.....	2
Objective.....	6
Acronyms, Initialisms, and Names	6
Integrated Library System Components.....	10
Glossary.....	60

Integrated Library System Functional Requirements Documentation



Introduction

U.S. Government Publishing Office (GPO), Library Services & Content Management business unit (Superintendent of Documents), seeks to obtain information to acquire, implement, configure, maintain, and support an integrated, high performance, library system. The current ExLibris's Aleph Integrated Library System (ILS) is vital to GPO's Library Services & Content Management in meeting its stated mission goals of providing enhanced services to the Federal Depository Libraries and the general public. We seek to modernize and update our library system, which back our Catalog of U.S. Government Publications (CGP).

This Request for Information (RFI) describes LSCM's needs for a more modern system that would support our current and future workflow needs, while maintaining and providing support of Library Services & Content Management's mission.

Background

Library Services & Content Management's (LSCM) mission is to generate an informed American public through the administration and support of four statutorily mandated programs, ensuring Federal Government information lifecycle management in multiple publishing formats. These programs are the:

- Federal Depository Library Program

- Cataloging and Indexing Program
- International Exchange Service
- By-Law distribution services

In efforts to meet the goals of ensuring accessibility to federal information to the American public, GPO seeks to acquire, customize, and implement a more modern Integrated Library System (ILS) or Library Platform Service (LPS) solution.

The existing ILS enables GPO to operate and deliver enhanced services to the Federal Depository Libraries and the general public in an online government information environment.

Government Publishing Office (GPO) is the federal government's primary resource for producing and preserving governmental published information in all its forms. GPO is responsible for the production and distribution of information products and services for all three branches of the federal government. GPO offers Congress, the courts, and government agencies centralized services to enable them to easily produce printed documents according to a uniform set of specifications. In addition, GPO has offered these publications for sale to the public and made them widely available at no cost through the Federal Depository Library Program.

In order to enhance the public access to the government published information, the U.S. Government Publishing Office (GPO) implemented an integrated, high performance, library information management environment. This system, named, the Integrated Library System (ILS), enables GPO to operate and deliver new and enhanced services to Federal Depository Libraries and the general public. It also enhances GPO's ability to perform the statutorily authorized functions of the Federal Depository Library Program (FDLP) and the Cataloging and Indexing Program (C&I). The ILS helps to facilitate many of GPO's goals including:

- to create a database to serve as the National Bibliography of U.S. Government publications; provide more timely access to Government publications in all formats;
- replace the legacy platform of the Catalog of U.S. Government Publications (CGP) with a Web-based Online Public Access Catalog (OPAC);
- provide a means to replace labor-intensive production of the printed *Monthly Catalog*, *Serials Supplement* and *United States Congressional Serial Set Catalog*;
- allow GPO staff, depository library staff and the public to determine which publications GPO has identified, acquired, and cataloged;
- provide a centralized location that will be a point of access to the dynamic variety of online electronic resources that are available in the Government information environment and on the Web;
- create MARC bibliographic and authority records for government publications in our own database while continuing a long-standing partnership with Online Library Computer Center (OCLC); etc.

GPO contracted out the implementation of the Integrated Library System effort. As a part of this contract, GPO has acquired Ex-Libris developed ILS software constituting Aleph, MetaLib, and SFX application modules.

The current ILS system and associated architecture has been hosted at a third-party facility on a FedRAMP certified platform with geographic separation of backup snapshot copies for COOP recovery. The ILS offers remote Internet users access to its library catalog through a web application. Current architecture supports simultaneous access to the ILS Web Catalog by approximately 500 Internet users with internet access modulated by GPO's Information Technology support unit's Cloudflare implementation. These public users access the web application to search and browse the catalog titles and publications' availability.

The ILS searching and data entry software, Aleph interfaces with the data hosted in an Oracle database. The data manipulation is performed by several application servers, and the processed data is made available to a web server for consumption by the users. The current ILS network consists of three environments (Test, Production, and Disaster Recovery) all running on a Red Hat Enterprise Linux (RHEL) platform.

GPO staff must also access the applications and database(s) for management and manipulation of the application and data (such as uploading new titles or modifying existing data). These management functions are performed with a Windows-based 64-bit client management application, run on client computers local to the GPO facilities. Current Aleph software does not offer a browser-based connectivity needed by the GPO Metadata staff.

The current ILS contains over one million bibliographic records, plus Item/Holding and Authority records. It is updated daily through data entry and record ingest.

The Catalog of U.S. Government Publications (CGP) is the publicly accessible finding tool for electronic and print publications from the legislative, executive, and judicial branches of the U.S. government. These publications make up the National Bibliography of U.S. Government Publications. The CGP contains descriptive records for historical and current publications and provides direct links to those that are available online. The CGP continues grow including records for publications dating back to the late 1800s, making the it the central point for locating new and historical Government publications.

CGP Scope:

- Bibliographic information for new and historic Government Publications dating back to the late 1800s
- Over one million bibliographic records generated since July 1976
- Over 275,000 links to official full-text electronic titles
- Updated daily

CGP Features:

The staff at GPO are committed to providing access to government documents while ensuring the intellectual integrity of the materials. Some of the features provided by the CGP are:

- Direct links to the official digital version of a publication when available via PURLs (Persistent Uniform Resource Locators)
- A robust search engine with extensive search features including:

- Multiple search types: Basic, Advanced, Browse, or Expert
 - Boolean
 - Quoted
 - Truncated
 - Parenthetical
 - Common Command Language (CCL)
- Instructions for maximizing the effectiveness of each search type
- Catalogs to Search: curated subsets such as the Congressional Serial Set and Electronic Titles
- New Titles with dedicated Dynamic Searches and Monthly Archive Reports
- An integrated email feature that enables sending up to 20 records at a time for future use
- Federal Depository Library Coordinators have access to Z39.50, CGP logged in features such as special views, special services such Selective Dissemination of Information (SDI), saving and managing records, as well as others.

GPO PURLs:

Since March 1998, the U.S. Government Publishing Office (GPO) has used Persistent Uniform Resource Locators (PURLs) to provide stable links to online Federal resources. If a user clicks on a PURL, the request will be routed to the Federal publication. GPO staff modify PURL entries as the location of the Federal information changes, and GPO's PURL server will route traffic to the appropriate Web site. GPO staff in our Office of Archival Management (OAM) and Library Technical Services (LTS) performs routine maintenance on PURLs and their bibliographic records.

GPO Metadata Standards:

GPO is the authoritative source for descriptive and subject cataloging for Federal Government documents. GPO's Library Technical Services (LTS) creates bibliographic records that adhere to the national and international standards, as well as local GPO guidelines and practices:

- Resource Description and Access (RDA)
- Library of Congress-Program for Cooperative Cataloging Policy Statements (LC-PCC PS)
- Library of Congress Subject Headings Manual
- MARC 21 Format for Bibliographic Data
- MARC 21 Format for Authority Data
- ANSI/NISO Z39.71-2006 (R2011) Holdings Statements for Bibliographic Items
- MARC 21 Format for Holdings Data
- OCLC Bibliographic Formats and Standards
- Program for Cooperative Cataloging (PCC) guidelines (including BIBCO, CONSER, NACO, and SACO)
- GPO Cataloging Guidelines
- Other standards as appropriate
- Also working towards using BIBFRAME

In October 2017, GPO started posting cataloging records on its GitHub repository. The CGP on GitHub is a location where users may freely download record sets extracted from the CGP. MARC record files are offered in UTF-8, MARC-8, and MARCXML formats.

Through 2021, the ILS integrated with our Federal Depository Library Directory (FDLD), which was managed as a service of the CGP as an independent MySQL database that interfaces with the CGP to create and maintain accounts for the over 1,000 FDLs. It also, provided the ability to Locate Libraries via an integrated link contained within the bibliographic record which opens a search interface that imports the title and GPO Item Number from the bibliographic record allowing the user to search by City or State to locate their nearest FDL. The "Locate a Library" feature within each record allowed users to find a nearby Federal depository where a particular publication or expert assistance could be found.

Objective

The objective of this Request for Information (RFI) is to seek solutions to modernize and upgrade to a more current, innovative library system. Furthering GPO's goals and objectives to continue to improve processes, security, and eliminate vulnerable legacy systems in a cost-effective manner.

The desired system is an online, real-time library system that supports a graphical user interface to an online catalog that provides access to all types of print and non-print materials (e.g., monographs, serials, audio-visual, manuscripts) found in library collections, and to other remotely-hosted bibliographic and text-based and multimedia electronic databases and information resources that are of interest to users, as well as interoperability with other internal and external systems.

Hosted on a FedRAMP certified platform and/or FedRAMP certified SaaS solution, with geographic separation for backup snapshots, and that supports multiple environments: Test, Development, Production, and Disaster Recovery.

Acronyms, Initialisms, and Names

AACR Anglo-American Cataloging Rules

AACR2 Anglo-American Cataloging Rules, Second Edition

ACSIS Acquisitions Classification and Shipping Information System

API Application Programming Interface

ASCII American Standard Code for Information Exchange

BIBCO [monographic] Bibliographic Record Cooperative Program

BIBFRAME Bibliographic Framework

C&I Cataloging and Indexing program

CCL Common Command Language

CCO Cataloging Cultural Objects

CD-ROM Compact Disc Read-Only Memory

CGI Common Gateway Interface

CGP Catalog of U.S. Government Publications

COTS Commercial Off-the-Shelf

CIP Cataloging in Publication

CONSER Cooperative Online Serials Program

COOP Continuity of Operations

CRDP Cataloging Record Distribution Project

CGP Catalog of U.S. Government Publications

CSV Comma Separated Value (file extension .csv)

DC Dublin Core

DDC Dewey Decimal Classification

DR Disaster Recovery

DSIMS Depository Management System

EAD Encoded Archival Description

ECIP Electronic Cataloging in Publication

EL Electronic (often used at GPO to refer to Electronic records)

FDL Federal Depository Library

FDLD Federal Depository Library Directory

FDLP Federal Depository Library Program

FedRAMP Federal Risk and Authorization Management Program

FIPNet Federal Information Preservation Network

FTP File Transfer Protocol

FISMA Federal Information Security Management Act

FRBR Functional Requirements for Bibliographic Records

GPO U.S. Government Publishing Office (formerly U.S. Government Printing Office)

GUI Graphical User Interface

IES International Exchange Service

ILS Integrated Library System

ISBN International Standard Book Number

ISO International Organization for Standardization (name not an acronym)

ISSN International Standard Serial Number

JCP Joint Committee on Printing

JSON JavaScript Object Notation

LC Library of Congress

LCC Library of Congress Classification

LCGFT Library of Congress Genre/Form Terms

LCRI Library of Congress Rule Interpretations (interprets AACR/2/ and RDA cataloging standards)

LCSH Library of Congress Subject Headings

LoC List of Classes

LOE Level of Effort

LSCM Library Services and Content Management

LSP Library Service Platform

LSS Library Services System

MADS Metadata Authority Description Schema

MARC Machine-Readable Cataloging

MARC 21 Machine-Readable Cataloging (current MARC standard name)

MARCXML Machine-Readable Cataloging extendible Markup Language

MeSH Medical Subject Heading

METS Metadata Encoding and Transmission Standard

MoCat Monthly Catalog of U.S. Government Publications

MODS Metadata Object Description Schema

MRC Machine Readable Cataloging format (file extension .mrc)

NACO Name Authority Cooperative Program

NARA National Archive and Records Administration

NASA National Aeronautics and Space Administration

N&O Needs and Offers

NET New Electronic Titles

OAI-PMH Open Archives Initiative Protocol for Metadata Harvesting

OAIS Open Archival Information System Reference Model

OCLC (Name no longer initialization; formerly: Online Computer Library Center, etc.)

OPAC Online Public Access Catalog

ONIX Online Information eXchange

PCC Program for Cooperative Cataloging (umbrella for BIBCO, CONSER, NACO, and SACO)

PDF Portable Document Format

POD Print on Demand

PPA Permanent Public Access

PREMIS Preservation Metadata: Implementation Strategies

PURL Persistent Uniform Resource Locator

RD Requirements Document

RDA Resource Description and Access

RDA 3R Resource Description and Access Toolkit Restructure and Redesign Project

RDF Resource Description Framework

RFI Request for Information

RFP Request for Proposal

RHEL Red Hat Enterprise Linux

SACO Subject Authority Cooperative Program

SF1 Standard Form 1

SOW Statement of Work

SuDoc Superintendent of Documents (implies classification number)

SuDocs Superintendent of Documents

TCP/IP Transmission Control Protocol/Internet Protocol

TDR Trustworthy Digital Repository

UAT User Acceptance Testing

UTF-8 Unicode Transformation Format – 8-bit

URI Uniform Resource Identifier

URL Uniform Resource Locator

URN Uniform Resource Name

USC/U.S.C. United States Code

USMARC Machine-Readable Cataloging (previous MARC standard name)

VIAF® Virtual International Authority File

WTN WebTech Notes

XML extendible Markup Language

XSL extendible Stylesheet Language

Integrated Library System Components

1.0 Major Components			
	General Area		
1.0 General		Priority	New Feature/ Function
1.0.1	The system shall support 508 compliances across all modules and interfaces	Must	NF
1.0.2	The system shall support responsive design for use on mobile devices such as cell phones or tablets	Must	NF
1.0.3	The system shall support responsive design for use on mobile devices such as cell phones or tablets across all data entry modules	Must	NF
1.0.4	The system shall support responsive design for use on mobile devices such as cell phones or tablets across internal interfaces	Must	NF
1.0.5	The system shall support responsive design for use on mobile devices such as cell phones or tablets across external interfaces	Must	NF
1.0.6	The system shall support a mobile app with customizable functions across data entry modules for multiple user classes	Must	NF
1.0.7	The system shall support single sign-on across all modules and interfaces based on user class	Must	NF
1.0.8	The system shall support printing records from any data entry module from user workstations	Must	
1.0.9	The system shall support printing records from any internal interface from user workstations	Must	
1.0.10	The system shall support printing records from any external interface from user workstations	Must	
1.0.11	The system shall support printing reports from any module or view from user workstations	Must	

1.0.12	The system shall support the ability to make global changes across all data entry modules	Must	
1.0.13	The system shall support union catalog capabilities	Must	NF
1.0.14	The system shall support searching any data element across all data entry modules	Must	
1.0.15	The system shall have full Boolean search capability on all MARC fields across all data entry modules	Must	
1.0.16	The system shall not restrict the number of bibliographic, holdings, or item records that can be added to the system across all data entry modules	Must	
1.0.17	The system shall not restrict the number of bibliographic, holdings, or item records that can be viewed in the system across all data entry modules	Must	NF
1.0.18	The system shall not restrict the number of bibliographic, holdings, or item records that can be viewed in the system any internal interfaces	Must	NF
1.0.19	The system shall not restrict the number of bibliographic, holdings, or item records that can be viewed in the system any external interfaces	Must	NF
1.0.20	The system shall allow for the migration of all data elements including notes fields and local fields to future systems	Must	
1.0.21	The system shall support allow for the migration of the current "system number" as the unique identifier for bibliographic data system wide	Must	NF
1.0.22	The system shall have equal functional capability if accessed from either a client or web-based system	Must	NF
1.0.23	The system components, record database, search engine, client interface, and web interface shall be designed as an integrated system	Must	
1.0.24	The system shall support the ability to have local customized settings across all modules and interfaces	Must	NF
1.0.25	The system shall support the ability to be updated without or with minimal impact to local customized settings	Must	
1.0.26	The system shall support the ability to retain local customized settings after vendor updates	Must	
1.0.27	The system shall support the ability to restore local customized settings after vendor updates	Must	
1.0.28	The system shall support the ability to enable users to customize toolbars	Must	NF
1.0.29	The system shall support the capability to manage eresources, such as online databases	Must	

1.0.30	The system shall log and maintain the date/time stamp when new records are added across all data entry modules	Must	
1.0.31	The system shall log and maintain the date/time stamp when changes are made to the data across all data entry modules	Must	
1.0.32	The system shall log and maintain user information when new records are added across all data entry modules	Must	
1.0.33	The system shall log and maintain user information when changes are made to data across all data entry modules	Must	
1.0.34	The system shall provide the capability to search for and retrieve content from the system	Must	
1.0.35	The system shall provide the capability to search and retrieve unstructured content such as text	Must	
1.0.36	The system shall provide the capability to match character strings such as search exact phrases	Must	
1.0.37	The system shall provide the capability to search and retrieve structured content such as fielded text/data	Must	
1.0.38	The system shall provide the capability to search by any indexed field	Must	
1.0.39	The system shall provide the capability to search across multiple internal content simultaneously and separately	Must	
1.0.40	The system shall allow users to the ability to search without any case sensitive operators	Must	
1.0.41	The system shall provide a search interface that allows users to submit queries to the system and receive results across all data entry modules	Must	
1.0.42	The system shall provide a search interface that allows users to submit queries to the system and receive results in all interfaces	Must	
1.0.43	The system shall have the capability to receive and record existing data from sources external to the system	Must	
1.0.44	The system shall have the capability to automatically record system data information about the actions performed by the system on content	Must	
1.0.45	The system shall log all additions, deletions, and changes to content within the system	Must	
1.0.46	The system shall have the capability to perform accessibility assessments	Must	NF

1.0.47	The system shall have the capability to allow users to manually perform 508 accessibility assessments on content	Must	NF
1.0.48	The system shall provide the capability to assign deadlines for system jobs	Must	
1.0.49	The system shall provide the capability to assign deadlines for system activities	Must	
1.0.50	The system shall provide the capability to suspend system activity/job instances	Must	
1.0.51	The system shall provide the capability to resume system activities/jobs	Must	
1.0.52	The system shall provide the capability to cancel system activities/jobs	Must	
1.0.53	The system shall support the capability to change the key parameters affecting the operation of the system without redesigning the system	Must	
1.0.54	The system shall support the capability to accommodate changes in hardware technologies without requiring major reengineering or design changes	Must	
1.0.55	The system shall support the capability to accommodate changes in processes without requiring major reengineering or design changes	Must	
1.0.56	The system shall support the capability to accommodate changes in policies without requiring major reengineering or design changes	Must	
1.0.57	The system shall support the capability to accommodate changes in personnel without requiring major reengineering or design changes	Must	
1.0.58	The system shall support a staging area for metadata	Must	
1.0.59	The system shall allow for customizable notes across all data entry modules	Must	
1.0.60	The system shall allow for customizable internal notes across all data entry modules	Must	
	Acquisitions Component Area		
1.1 Acquisitions		Priority	New Feature/Function
1.1.1	The system shall have an integrated acquisitions data entry module	Must	
1.1.2	The system shall allow for acquisitions processes	Must	
1.1.3	The system shall allow for acquisitions data	Must	

1.1.4	The system shall allow for Agencies as vendors	Must	
1.1.5	The system shall allow for Bureaus as vendors	Must	
1.1.6	The system shall allow creation of vendor records	Must	
1.1.7	The system shall allow editing of vendor records	Must	
1.1.8	The system shall allow deleting of vendor records	Must	
1.1.9	The system shall allow viewing of vendor records	Must	
1.1.10	The system shall allow for monograph orders	Must	
1.1.11	The system shall allow for serials orders	Must	
1.1.12	The system shall allow for serials subscriptions	Must	
1.1.13	The system shall allow for the ability to change order types such as from monograph to serials	Must	
1.1.14	The system shall allow for the ability to get statistics for orders	Must	
1.1.15	The system shall allow for the ability to get statistics for orders types	Must	
1.1.16	The system shall allow for the ability to get statistics for subscriptions	Must	
1.1.17	The system shall allow for the ability to display data types across all data entry modules	Must	
1.1.18	The system shall allow for flexibility in relinking orders to bibliographic records of any type such as monograph or serials	Must	
1.1.19	The system shall allow for customizable open orders report	Must	
1.1.20	The system shall allow for customizable open orders notifications	Must	NF
1.1.21	The system shall allow claims to be set up	Must	
1.1.22	The system shall allow claims to be set up with the ability to indicate frequency	Must	
1.1.23	The system shall have the ability to batch close orders	Must	
1.1.24	The system shall support the ability to check for order receipts	Must	
1.1.25	The system shall track arrivals of orders	Must	
1.1.26	The system shall search/report order arrival data	Must	
1.1.27	The system shall report open orders	Must	
1.1.28	The system shall report past due orders	Must	
1.1.29	The system shall support the ability to allow for creation of special blanket orders	Must	
1.1.30	The system shall support the ability to allow for editing of special blanket orders	Must	

1.1.31	The system shall support the ability to create custom reports with granular permissions based on user class	Must	NF
1.1.32	The system shall allow for the ability to transfer orders	Must	
1.1.33	The system shall allow for the ability to allow for creation of standing orders	Must	
1.1.34	The system shall allow for the ability to allow for editing of standing orders	Must	
1.1.35	The system shall allow for orders be grouped by material format such as CD-ROM	Must	NF
1.1.36	The system shall allow for the ability to change a previous tangible order to a print on demand or digitized conversion order	Must	NF
1.1.37	The system shall allow for the ability to create a new/duplicate order for a different format	Must	
1.1.38	The system shall allow for the creation of multiple internal acquisitions notes	Must	NF
1.1.39	The system shall allow for editing of internal acquisitions notes	Must	
1.1.40	The system shall allow for the ability to notify internal user classes of specific notes	Must	NF
1.1.41	The system shall allow for the ability to expand note field view/window	Must	NF
1.1.42	The system shall allow for the ability to configure specific notes to trigger an alert to popup for applicable materials	Must	NF
1.1.43	The system shall allow for the ability to configure specific notes to trigger an alert to popup for applicable materials when viewing a record	Must	NF
1.1.44	The system shall allow for the ability to configure specific notes to trigger an alert to popup for applicable materials when editing a record	Must	NF
1.1.45	The system shall allow for the ability to track serials order information	Must	
1.1.46	The system shall allow for the ability to track serials order information including financial information	Must	
1.1.47	The system shall allow for the ability to track monograph order information	Must	
1.1.48	The system shall allow for the ability to track monograph order information including financial information	Must	
1.1.49	The system shall allow for recording shipping list data at item level	Must	

1.1.50	The system shall allow for creation of Shipping Lists customized reporting	Must	NF
1.1.51	The system shall allow for customizable reports for all items on a given shipping list to be generated (e.g., can generate customizable reports from the shipping list data field)	Must	NF
1.1.52	The system shall allow for a customizable list of all items on a given shipping list, including title, SuDoc, item number to be generated (e.g., will generate a shipping list from item-level data)	Must	NF
1.1.53	The system shall allow for a list of libraries subscribed to a specific item number to be generated	Must	NF
1.1.54	The system shall allow for the ability to store depository library account information	Must	NF
1.1.55	The system shall allow for the ability to store library depository number	Must	NF
1.1.56	The system shall allow for the ability to store library depository type	Must	NF
1.1.57	The system shall allow for the ability to store depository library name	Must	NF
1.1.58	The system shall allow for the ability to store depository library selection profile	Must	NF
1.1.59	The system shall allow for the ability to store depository library mailing address	Must	NF
1.1.60	The system shall allow for notes about issues with distribution	Must	NF
1.1.61	The system shall allow for notes about issues with distribution at the item level	Must	NF
1.1.62	The system shall allow for customizable fields to record distribution information	Must	NF
1.1.63	The system shall allow for customizable fields to record distribution information at the item level	Must	NF
1.1.64	The system shall allow for the ability to record distribution status	Must	NF
1.1.65	The system shall allow for the ability to record distribution date	Must	NF
1.1.66	The system shall allow for the ability to record date received	Must	NF
1.1.67	The system shall allow for the ability to record copies received	Must	NF
1.1.68	The system shall allow for the ability to record cartons received	Must	NF
1.1.69	The system shall allow for the ability to record quantity of overage	Must	NF

1.1.70	The system shall allow for the ability to record quantity of shortage	Must	NF
1.1.71	The system shall allow for the ability to generate reports of distribution information	Must	NF
1.1.72	The system shall allow for the ability to generate custom reports of distribution information	Must	NF
1.1.73	The system shall allow for the ability to generate statistics for distribution information	Must	NF
1.1.74	The system shall allow for the ability to generate custom statistics for distribution information	Must	NF
1.1.75	The system shall allow for order creation date	Must	
1.1.76	The system shall allow for order sending date	Must	
1.1.77	The system shall allow for order updated date	Must	
1.1.78	The system shall allow for the ability to record verification of quantity	Must	
1.1.79	The system shall allow for the ability to generate reports of archival disposition information	Must	NF
1.1.80	The system shall allow for the ability to batch mark all items on a shipping list as distributed	Must	NF
1.1.81	The system shall allow for the ability to batch mark all items on a shipping list as distributed at the item level	Must	NF
1.1.82	The system shall have a serial issue check in screen	Must	
1.1.83	The system shall have a serial issue check in screen that displays the expected quantity	Must	
1.1.84	The system shall have a serial issue check in screen allows the user to enter the quantity received	Must	
1.1.85	The system shall have a serial issue check in screen that allows the user to enter other check in information such as arrival dates	Must	
1.1.86	The system shall have a serial issue check in screen that allows for custom note fields	Must	
	Cataloging Component Area		
1.2 Cataloging		Priority	New Feature/ Function
1.2.1	The system shall have an integrated cataloging data entry module	Must	
1.2.2 MARC21		Priority	New Feature/ Function
1.2.2.1	The system shall support MARC21 formatted data	Must	

1.2.2.2	The system shall support https://www.loc.gov/marc/bibliographic/bd245.html : Second Indicator - Nonfiling characters: 0 - No nonfiling characters: "Diacritical marks or special characters at the beginning of a title field that does not begin with an initial article are not counted as nonfiling characters."	Must	
1.2.2.3	The system shall support corrections to the 245 2nd indicator according to the presence or absence of initial articles and/or diacritical marks or special characters	Must	
1.2.2.4	The system shall support corrections to the 245 1st indicator depending on whether or not a 1XX field is present in the same record	Must	
1.2.2.5	The system shall support generation of reports of initial articles (a, the, an) in the 246 field	Must	
1.2.2.6	The system shall support corrections according to MARC 21 punctuation and spacing	Must	
1.2.2.7	The system shall support corrections according to MARC 21 punctuation and spacing by allow for adding or deleting terminal periods to various fields	Must	
1.2.2.8	The system shall support corrections according to MARC 21 punctuation and spacing by allow for correcting punctuation between subfields of various fields	Must	
1.2.# Cataloging Continued...		Priority	New Feature/Function
1.2.3	The system shall support BIBFRAME (Bibliographic Framework)	Must	NF
1.2.4	The system shall support multiple character encoding levels	Must	
1.2.5	The system shall support ISO 8859-1 (Roman character sets)	Must	
1.2.6	The system shall support Unicode (non-Roman character sets)	Must	
1.2.7	The system shall support UTF-8 (non-Roman character sets)	Must	
1.2.8	The system shall support ASCII characters	Must	
1.2.9	The system shall allow creation of bibliographic records	Must	
1.2.10	The system shall allow editing of bibliographic records	Must	

1.2.11	The system shall allow importing of bibliographic records	Must	
1.2.12	The system shall allow importing of bibliographic records from OCLC	Must	
1.2.13	The system shall allow exporting of bibliographic records	Must	
1.2.14	The system shall allow exporting of bibliographic records to OCLC	Must	
1.2.15	The system shall allow for customization of match points when importing records from OCLC	Must	
1.2.16	The system shall allow for matching points with OCLC number fields 035 and 019	Must	
1.2.17	The system shall allow viewing of bibliographic records	Must	
1.2.18	The system shall allow spell check of bibliographic data	Must	NF
1.2.19	The system shall allow spell check of bibliographic data of designated fields	Must	NF
1.2.20	The system shall allow for macro creation	Must	NF
1.2.21	The system shall allow for macro editing	Must	NF
1.2.22	The system shall allow for constant data template editing	Must	
1.2.23	The system shall support the Z39.50 protocol to access GPO's bibliographic data	Must	
1.2.24	The system shall allow for access to other libraries data via Z39.50	Must	
1.2.25	The system shall allow for selection of SuDoc number as the primary/default Classification Number for bibliographic records	Must	
1.2.26	The system shall allow for multiple library collections	Must	
1.2.27	The system shall allow for multiple library collections with no limitation on the number that can be created	Must	NF
1.2.28	The system shall allow for multiple library branches	Must	
1.2.29	The system shall allow for multiple library branches with no limitation on the number that can be created	Must	NF
1.2.30	The system shall allow for shipping list data	Must	
1.2.31	The system shall allow for shipping list data at the Item Record level	Must	
1.2.32	The system shall allow for customizable Item Record data fields	Must	
1.2.33	The system shall allow for customizable display	Must	NF

1.2.34	The system shall allow for customizable display font size	Must	NF
1.2.35	The system shall have accessibility tools for vision	Must	NF
1.2.36	The system shall support the most current Resource Description & Access (RDA) format	Must	
1.2.37	The system shall support RDA Tool Kit	Must	NF
1.2.38	The system shall integrate local cataloging documentation into data entry interface	Must	NF
1.2.39	The system shall support bibliographic field help data	Must	
1.2.40	The system shall support standard copy and paste functions	Must	
1.2.41	The system shall support standard copy and paste functions for entire fields	Must	
1.2.42	The system shall support standard copy and paste functions for specific subfields	Must	
1.2.43	The system shall allow for validation of subscription data	Must	NF
1.2.44	The system shall allow for synchronization of subscription data with bibliographic record and holdings data	Must	NF
1.2.45	The system shall allow process for record deletion	Must	
1.2.46	The system shall allow process for record deletion with review and recovery options	Must	
1.2.47	The system shall allow records deleted to be held for review	Must	
1.2.48	The system shall allow records deleted to be held for review with option to restore	Must	
1.2.49	The system shall allow for users to save records in data entry modules	Must	
1.2.50	The system shall allow for users to save searches in data entry modules	Must	
1.2.51	The system shall allow for customized searching within data entry modules	Must	
1.2.52	The system shall allow for the ability to expand item information into bibliographic record when exporting records (expand routines)	Must	
1.2.53	The system shall allow for error reporting	Must	NF
1.2.54	The system shall allow for error reporting with customized parameters	Must	NF
1.2.55	The system shall allow for error reporting for records without 086	Must	
1.2.56	The system shall allow for error reporting for records without 086 standard formatting	Must	

1.2.57	The system shall allow for error reporting for records with a comma in 086	Must	
1.2.58	The system shall allow for error reporting for records without 074 based on custom parameters	Must	
1.2.59	The system shall allow for error reporting for records with EL data missing 85640 \$u	Must	
1.2.60	The system shall allow for error reporting for records with 85640 missing \$u	Must	
1.2.61	The system shall allow for error reporting for records with 85640 \$u that do not contain GPO standard PURLs	Must	
1.2.62	The system shall allow for error reporting for records with 85640 \$u that contain GPO standard PURLs starting with http rather than https	Must	
1.2.63	The system shall allow for error reporting for records recently created with 85641	Must	
1.2.64	The system shall allow for error reporting for records with duplicate 086 fields in monograph records	Must	
1.2.65	The system shall allow for error reporting for records where the 086 and Item/Holding SuDoc Numbers do not match for monographs	Must	
1.2.66	The system shall allow for error reporting for records where the 086 and Item/Holding SuDoc Number stems do not match for serials	Must	
1.2.67	The system shall allow for error reports to contain system numbers, error, 955 \$a codes, last date updated	Must	
1.2.68	The system shall allow for custom error reports	Must	
1.2.69	The system shall allow for error report notifications to be sent to specific user classes	Must	NF
	Authority and Authority Control Component Area		
1.3 Authority/Authority Control		Priority	New Feature/Function
1.3.1	The system shall support Library of Congress Subject Headings (LCSH)	Must	
1.3.2	The system shall support Medical Subject (MeSH) Headings	Must	
1.3.3	The system shall support NASA Headings	Must	
1.3.4 SuDoc Authority		Priority	New Feature/Function

1.3.4.1	The system shall support SuDoc Authority	Must	NF
1.3.4.2	The system shall support SuDoc Authority validation against bibliographic record data	Must	NF
1.3.4.3	The system shall support SuDoc Authority validation against bibliographic record data to indicate duplicate SuDoc Numbers	Must	NF
1.3.4.4	The system shall support SuDoc Authority validation against bibliographic record data to indicate duplicate SuDoc Numbers including record type	Must	NF
1.3.4.5	The system shall support SuDoc Authority validation against bibliographic record data to indicate duplicate SuDoc Numbers including record number(s)	Must	NF
1.3.4.6	The system shall not validate SuDoc numbers containing commas	Must	NF
1.3.4.7	The system shall provide in a popup window the precise reason why validation has failed	Must	
1.3.4.8	The system shall allow any failed validation to be overridden	Must	
1.3.4.9	The system shall allow any failed validation to be overridden based on user class	Must	
1.3.4.10	The system shall support Item Number Authority	Must	NF
1.3.4.11	The system shall support Library of Congress Call Number	Must	
1.3.4.12	The system shall support Dewey Decimal Class Number	Must	
1.3.4.13	The system shall support standard MARC Language Codes	Must	
1.3.4.14	The system shall support standard MARC Country Codes	Must	
1.3.4.15	The system shall support standard MARC Geographic Codes	Must	
1.3.4.16	The system shall support Library of Congress Genre/Form Headings	Must	
1.3.4.17	The system shall support Library of Congress Name Headings	Must	
1.3.4.18	The system shall support Library of Congress Geographic Headings	Must	
1.3.4.19	The system shall support FAST headings	Must	
1.3.5 Validation-Internal		Priority	New Feature/Function
1.3.5.1	The system shall support validation against all authority data	Must	NF

1.3.5.2	The system shall support validation against all heading classes	Must	NF
1.3.5.3	The system shall support synchronization of bibliographic headings with authority file headings with options to protect local fields	Must	NF
1.3.5.4	The system shall support synchronization of bibliographic headings with authority file headings during off hours as a chron job	Must	NF
1.3.5.5	The system shall support synchronization of bibliographic headings with authority file headings during off hours as a chron job after any updates from external authority files updates	Must	NF
1.3.5.6	The system shall support the ability to reflect changes in authority record headings in all associated bibliographic records having that access point	Must	NF
1.3.5.7	The system shall not allow unauthorized [unvalidated] access points against the authority data to be added to bibliographic records automatically during validation	Must	NF
1.3.5.8	The system shall not add to any bibliographic record an access point which corresponds to a name authority record coded 008/12 = c	Must	NF
1.3.6 Validation-External		Priority	New Feature/Function
1.3.6.1	The system shall support validation against externally accessible authority files	Must	NF
1.3.6.2	The system shall support validation against https://id.loc.gov/	Must	NF
1.3.6.3	The system shall support validation against externally accessible authority tools	Must	NF
1.3.6.4	The system shall search authority records	Must	
1.3.6.5	The system shall search all fields within authority records including access points and supplementary data fields	Must	NF
1.3.6.6	The system shall search all fields	Must	
1.3.6.7	The system shall browse authority records	Must	
1.3.6.8	The system shall support multi-lingual text in authority records	Must	
1.3.6.9	The system shall support Roman characters in authority records	Must	
1.3.6.10	The system shall support non-Roman characters in authority records	Must	

1.3.6.11	The system shall have the ability for internal users to retrieve customized statistics/metrics	Must	NF
1.3.6.12	The system shall have the ability for internal users to retrieve customized reports	Must	NF
1.3.6.13	The system shall have the ability for internal users to retrieve tailored customized statistics/metrics	Must	NF
1.3.6.14	The system shall have the ability for internal users to retrieve tailored customized reports	Must	NF
1.3.6.15	The system shall have the ability to provide reports for unmatched headings following synchronization	Must	NF
1.3.6.16	The system shall have the ability to provide reports for partially matched headings following synchronization	Must	NF
1.3.6.17	The system shall have the ability to provide reports for changed authority headings following synchronization	Must	NF
1.3.6.18	The system shall have the ability to provide reports for changed bibliographic headings following synchronization	Must	NF
1.3.6.19	The system shall allow for linking from bibliographic records to authority records for internal staff	Must	
1.3.6.20	The system shall allow for linking from bibliographic records to authority records for external users	Must	
1.3.6.21	The system shall allow for display of entire Authority record	Must	
1.3.6.22	The system shall allow for display of tailored views of Authority records based on user class	Must	NF
1.3.6.23	The system shall allow for seamless interfiling of authority access points (1XX, 4XX, 5XX) with bibliographic access points, referring users from references (4XX, 5XX) to authorized headings (1XX)	Must	NF
1.3.6.24	The system shall display when an access point in a search result or browse display is from a 4XX field	Must	
1.3.6.25	The system shall whenever a user is redirected from a reference (4XX, 5XX) to an authorized heading (1XX), by clicking on the See ____ reference, that user is next placed in the browse index that corresponds with the 1XX heading	Must	NF
1.3.6.26	The system shall allow for indexing of all authority access points	Must	
1.3.6.27	The system shall allow for searching of all authority access points	Must	

1.3.6.28	The system shall allow for indexing of all authority record access points: 1XX, 4XX, 5XX, including name/title combinations that include subfield \$t	Must	
1.3.6.29	The system shall allow for searching of all authority record access points: 1XX, 4XX, 5XX, including name/title combinations that include subfield \$t	Must	
1.3.6.30	The system shall allow for browsing of all authority record access points: 1XX, 4XX, 5XX, including name/title combinations that include subfield \$t	Must	
1.3.6.31	The system shall allow for display of all authority record access points: 1XX, 4XX, 5XX, including name/title combinations that include subfield \$t	Must	
1.3.6.32	The system shall search MARC tag for corporate name = X10	Must	
1.3.6.33	The system shall browse by MARC tag for corporate name = X10	Must	
1.3.6.34	The system shall search by MARC tag for conference name = X11	Must	
1.3.6.35	The system shall browse by MARC tag for conference name = X11	Must	
1.3.6.36	The system shall search MARC tag for geographic name = X51 or \$z	Must	
1.3.6.37	The system shall browse by MARC tag for geographic name = X51 or \$z	Must	
1.3.6.38	The system shall search MARC tag for title = X30 or \$t	Must	
1.3.6.39	The system shall browse by MARC tag for title = X30 or \$t	Must	
1.3.6.40	The system shall search MARC tag for personal name = X00	Must	
1.3.6.41	The system shall browse by MARC tag for personal name = X00	Must	
1.3.6.42	The system shall search MARC tag for topical term = X50 or \$x	Must	
1.3.6.43	The system shall browse by MARC tag for topical term = X50	Must	
1.3.6.44	The system shall search MARC tag for genre/form term = X55	Must	
1.3.6.45	The system shall browse by MARC tag for genre/form term = X55	Must	
1.3.6.46	The system shall search MARC tag for topical subdivision = 180 or \$x	Must	
1.3.6.47	The system shall browse by MARC tag for topical subdivision = 180 or \$x	Must	

1.3.6.48	The system shall search MARC tag for chronological subdivision = 182 or \$y	Must	
1.3.6.49	The system shall browse by MARC tag for chronological subdivision = 182 or \$y	Must	
1.3.6.50	The system shall search MARC tag for form subdivision = 185 or \$v	Must	
1.3.6.51	The system shall browse by MARC tag for form subdivision = 185 or \$v	Must	
1.3.6.52	The system shall search MARC tag for cataloger code = 955	Must	
1.3.6.53	The system shall search by MARC tag for name/title combinations = XXO + \$t	Must	
1.3.6.54	The system shall browse by MARC tag for name/title combinations = XXO + \$t	Must	
1.3.6.55	The system shall provide a search link from an authority record 1XX to retrieve bibliographic records which contain that heading for internal staff	Must	
1.3.6.56	The system shall provide a search link from an authority record 1XX to retrieve bibliographic records which contain that heading for external users	Must	
1.3.6.57	The system shall allow for linking from authority records to related authority records (via 5XX field) for internal staff	Must	
1.3.6.58	The system shall allow for linking from authority records to related authority records (via 5XX field) for external users	Must	
1.3.6.59	The system shall allow for the ability to undo certain changes	Must	NF
	Serials/Continuing Resources Component Area		
1.4 Serials		Must	New Feature/Function
1.4.1	The system shall have an integrated serials/continuing resource data entry module	Must	
1.4.2	The system shall support summary statements	Must	
1.4.3	The system shall support managing bibliographic records	Must	
1.4.4	The system shall support managing Item records	Must	
1.4.5	The system shall support managing Holding records	Must	

1.4.6	The system shall support moving Item Records between bibliographic records with a drag and drop function	Must	
1.4.7	The system shall support MARC holding records	Must	
1.4.8	The system shall support collapsing [binding] Item Records for serial/continuing resources	Must	
1.4.9	The system shall support unlimited number of item records	Must	NF
1.4.10	The system shall support unlimited number of holding records	Must	NF
1.4.11	The system shall support display of unlimited number of holding records	Must	NF
1.4.12	The system shall support display of unlimited number of item records	Must	NF
1.4.13	The system shall support collapsing [binding] of records	Must	
1.4.14	The system shall support warning before creating a duplicate holding record	Must	NF
1.4.15	The system shall require approval before creating a duplicate holding record	Must	NF
1.4.16	The system shall allow for custom label printing	Must	
1.4.17	The system shall allow for custom label printing in multiple formats for standards label	Must	
1.4.18	The system shall allow for bulk of data record editing for volume of item records	Must	NF
1.4.19	The system shall allow for macro or autofill text	Must	NF
1.4.20	The system shall link 78X fields [linked to series of records]	Must	
1.4.21	The system shall allow for prediction pattern making option	Must	
1.4.22	The system shall allow for linking and relinking holdings/items to bibliographic records across bibliographic records formats (serials, monograph, etc.)	Must	NF
1.4.23	The system shall auto-populate summary holdings statement from item record enumeration/chronology data	Must	
1.4.24	The system shall allow for selection of SuDoc number as the primary/default Classification Number in Item/Holding Records	Must	
1.4.25	The system shall allow for ordinal support for pattern prediction. So all the "th" and "rd" show up	Must	
1.4.27	The system shall allow for the capture multiple SuDocs and populate them in holdings record	Must	NF

1.4.28	The system shall allow for linking of the 852 holding field and 086 bibliographic record field	Must	
1.4.29	The system shall allow for validation of the 852 holding field and 086 bibliographic record field	Must	NF
1.4.30	The system shall allow for synchronization of the 852 holding field and 086 bibliographic record field	Must	NF
1.4.31	The system shall regardless of which was created first synchronize the classification information [from the bibliographic record 086 \$a to the holding record 852 \$h and Item Record]	Must	NF
1.4.32	The system shall regardless of which was created first synchronize the classification information [from the bibliographic record 086 \$a to the holding record 852 \$h and Item Record] with notification to approve action	Must	NF
1.4.33	The system shall have the ability to determine when seasonal issues season begins (such as Winter versus Spring)	Must	NF
1.4.34	The system shall support the ability to collapse bound issues values	Must	
1.4.35	The system shall support the ability to collapse bound issues values with the ability to edit	Must	
1.4.36	The system shall support customizable public note fields	Must	
1.4.37	The system shall support customizable internal note fields	Must	
1.4.38	The system shall support the ability to customize location data	Must	
1.4.39	The system shall support gap analysis	Must	
1.4.40	The system shall support gap analysis reporting	Must	
1.4.41	The system shall support processing electronic only titles	Must	
1.4.42	The system shall support processing tangible titles	Must	
1.4.43	The system shall support notifications for items created with no tangible item checked in	Must	
1.4.44	The system shall support reporting of items created with no tangible item checked in	Must	
1.4.45	The system shall support the ability to create pattern templates	Must	
1.4.46	The system shall support the ability to create prediction patterns with multiple parts	Must	
1.4.47	The system shall support the ability to create patterns issues with multiple subissues	Must	

1.4.48	The system shall support the ability to suppress individual items from public display	Must	
1.4.49	The system shall support the ability to suppress individual items from public display for individual titles	Must	
1.4.50	The system shall support the ability to suppress all items for a specific bibliographic record from public display	Must	
1.4.51	The system shall support the ability to suppress all items with a certain item status such as "not received" from public display	Must	
1.4.52	The system shall support the ability to suppress holding data from public display	Must	
1.4.53	The system shall support the ability to create custom reports from item data	Must	
1.4.54	The system shall support the ability to create custom reports from holding data	Must	
1.4.55	The system shall support the ability to create custom reports from location data	Must	
1.4.56	The system shall allow auto-population of content for some fields such as location, collection, call number type, type, etc., when manually creating items with the ability to edit that content	Must	NF
1.4.57	The system shall allow the ability to create item records automatically when exporting data from OCLC	Must	
1.4.58	The system shall allow the ability to create holdings records automatically when exporting data from OCLC	Must	
	Preservation and Collection Management Component Area		
1.5 Preservation/Collection Management		Priority	New Feature/ Function
1.5.1	The system shall have integrated collection development and management functionality	Must	
1.5.2	The system shall have a reporting feature to facilitate Preservation and Collection Management user classes to view the results of reports within the system	Must	NF
1.5.3	The system shall have a reporting feature to facilitate Preservation and Collection Management user	Must	NF

	classes to manipulate the results of reports within the system		
1.5.4	The system shall support the downloading of the results of those search queries as a file to staff workstations	Must	NF
1.5.5	The system shall allow for the ability to trigger the creation of items and holdings records	Must	
1.5.6	The system shall support special collections/branch libraries	Must	
1.5.7	The system shall support the display of partner libraries [Preservation Stewards]	Must	
1.5.14 Collection Development Analytics		Priority	New Feature/Function
1.5.14.1	The system shall have fully integrated collection development analytics tools	Must	NF
1.5.14.2	The system shall support analytics for collection development	Must	NF
1.5.14.3	The system shall support collection analysis	Must	NF
1.5.14.4	The system shall support identification of trends	Must	NF
1.5.14.5	The system shall support identification of collection weak points (holes)	Must	NF
1.5.14.6	The system shall support identification of collection gaps	Must	NF
1.5.14.7	The system shall support identification of overlap between electronic and tangible formats	Must	NF
1.5.14.8	The system shall support data driven decision making	Must	NF
1.5.14.9	The system shall support identification of what resources are accessed the most by various user classes	Must	NF
1.5.14.10	The system shall support identification of what resources are accessed the least by various user classes	Must	NF
	Online Public Access Catalog (OPAC)/Web Presentation Layer (WPL)/Discovery Module and/or Component Area		
1.6 OPAC/WPL		Priority	New Feature/Function

1.6.1	The system shall have an integrated Online Public Access Catalog /Web Presentation Layer/Discovery Module	Must	
1.6.2	The system shall display designated bibliographic, item, holding, location, and other data from the data entry modules	Must	
1.6.3	The system shall display bibliographic, item, holding, location, and other data from the data entry modules with access to specific elements determined by user class	Must	
1.6.4	The system shall support one-stop searching across multiple free, publicly accessible U.S. Federal Government databases	Must	
1.6.5	The system shall support searching of free, publicly accessible federal government databases through a variety of http methods such as GET and POST and/or CKB/CDIs	Must	
1.6.6	The system shall allow for the ability to create database resource configurations	Must	
1.6.7	The system shall allow for the ability to edit database resource configurations	Must	
1.6.8	The system shall allow for the ability to create predefined database resource sets to search	Must	
1.6.9	The system shall allow for the ability to edit predefined database resource sets to search	Must	
1.6.10	The system shall allow for the ability to delete predefined database resource sets to search	Must	
1.6.11	The system shall allow for the ability for users to create temporary database resource sets to search	Must	
1.6.12	The system shall allow for the ability for logged in users to create database resource sets to search with the option to save them	Must	
1.6.13	The system shall allow for the ability to suppress database resource configurations from public view	Must	
1.6.14	The system shall allow for the ability check database resources monthly to verify all external links and federation works as expected	Must	
1.6.15	The system shall allow for reporting of number of times a database resource was searched	Must	
1.6.16	The system shall allow for reporting of number of times a predefined database resource set was searched	Must	
1.6.17	The system shall allow for reporting of number of times database searches were done	Must	

1.6.18	The system shall allow for reporting of number of times custom database resource sets were created	Must	
1.6.19	The system shall allow for reporting of number of times custom database resource sets were searched	Must	
1.6.20	The system shall allow for reporting of number users using database resources	Must	
1.6.21	The system shall support public view of Bibliographic records	Must	
1.6.22	The system shall support public view of Bibliographic records in MARC format	Must	
1.6.23	The system shall support public view of Bibliographic records allowing for restricted view based upon user class in all formats	Must	
1.6.24	The system shall not restrict the number of bibliographic, holdings, or item records that can be viewed in the system	Must	
1.6.25	The system shall not restrict the number of bibliographic, holdings, or item records that can be viewed in the system any internal interface views	Must	
1.6.26	The system shall not restrict the number of bibliographic, holdings, or item records that can be viewed in the system any external interfaces views	Must	
1.6.27	The system shall display linked data	Must	
1.6.28	The system shall display linked data with a clickable link to the data linked	Must	
1.6.29	The system shall allow for display of data content to match data entry module without truncation of data or limitations	Must	NF
1.6.30	The system shall allow for display of cover images	Must	NF
1.6.31	The system shall allow for display of cover images thumbnails	Must	NF
1.6.32	The system shall allow for interfacing with 3rd party resources to import and display cover images	Must	NF
1.6.33	The system shall allow for Item Records display	Must	
1.6.34	The system shall allow for Holding Records display	Must	
1.6.35	The system shall allow for tailored summary statement views	Must	
1.6.36	The system shall allow for relevance ranking and sorting	Must	
1.6.37	The system shall allow for the ability to sort at least 10,000 valid record results	Must	NF
1.6.38	The system shall allow for the ability to post customized notifications on entry screens	Must	

1.6.39	The system shall allow for linking to various askGPO categories	Must	
1.6.40	The system shall support responsive design for use on mobile devices such as cell phones or tablets	Must	NF
1.6.41	The system shall support responsive design for use on mobile devices such as cell phones or tablets across internal interface views	Must	NF
1.6.42	The system shall support responsive design for use on mobile devices such as cell phones or tablets across external interface views	Must	NF
1.6.43	The system shall allow for customized searching on any index in any view	Must	
1.6.44	The system shall have full Boolean search capability on all MARC fields across all search options	Must	
1.6.45	The system shall support wildcard searching using question marks and asterisk	Must	
1.6.46	The system shall support phrase searching using quotations	Must	
1.6.47	The system shall support standard citation tools such as RIS, RefWorks, EndNote, etc. in various styles such as APA, MLA, Harvard, etc.	Must	
1.6.48	The system shall support the ability to create a Reading list in HTML	Must	
1.6.49	The system shall support the ability to define specific subcollections of the bibliographic data set (CGP)	Must	
1.6.50	The system shall support the ability to search within specific subcollections of the bibliographic data set (CGP)	Must	
1.6.51	The system shall support the ability to search within specific subcollections of the bibliographic data set for the National Bibliography (all records not marked for suppression, deletion, or internal use only)	Must	
1.6.52	The system shall support the ability to search within specific subcollections of the bibliographic data set for the Congressional Serial Set	Must	
1.6.53	The system shall support the ability to search within specific subcollections of the bibliographic data set for the Congressional Publications	Must	
1.6.54	The system shall support the ability to search within specific subcollections of the bibliographic data set for GPO's Historic Shelflist	Must	
1.6.55	The system shall support the ability to search within specific subcollections of the bibliographic data set for Electronic Titles	Must	

1.6.56	The system shall support the ability to search within specific subcollections of the bibliographic data set for Gov eBooks	Must	
1.6.57	The system shall support the ability to search within specific subcollections of the bibliographic data set for the FDLP Web Archive	Must	
1.6.59	The system shall support the ability to search within specific subcollections of the bibliographic data set for serials	Must	
1.6.60	The system shall support the ability to search within specific subcollections of the bibliographic data set for integrating resources	Must	
1.6.61	The system shall support the ability to search within specific subcollections of the bibliographic data set for the Historic MoCat stand-alone collection	Must	
1.6.62	The system shall support the ability to search within specific subcollections of the bibliographic data set for other locally defined subcollections	Must	
1.6.63	The system shall support basic searching with ability to select specific subcollections to search	Must	
1.6.64	The system shall support basic searching with keyword search options	Must	
1.6.65	The system shall support basic searching for any keyword(s)	Must	
1.6.66	The system shall support advanced searching with keyword search options	Must	
1.6.67	The system shall support advanced searching with direct number search options	Must	
1.6.68	The system shall support advanced searching with heading search options	Must	
1.6.69	The system shall support advanced searching with limits for Year or Year range	Must	
1.6.70	The system shall support advanced searching with limits for Language of material	Must	
1.6.71	The system shall support advanced searching with limits for format of material	Must	
1.6.72	The system shall support advanced searching with limits for mode of issuance	Must	
1.6.73	The system shall support advanced searching with ability to select specific subcollections to search	Must	
1.6.74	The system shall support advanced searching for any keyword(s)	Must	
1.6.75	The system shall support advanced searching for Title keyword(s)	Must	

1.6.76	The system shall support advanced searching for Exact Title keyword(s)	Must	
1.6.77	The system shall support advanced searching for Author keyword(s)	Must	
1.6.78	The system shall support advanced searching for Subject keyword(s)	Must	
1.6.79	The system shall support advanced searching for Series/Periodical keyword(s)	Must	
1.6.80	The system shall support advanced searching for Conference Proceeding keyword(s)	Must	
1.6.81	The system shall support advanced searching for Corporate/Agency Author keyword(s)	Must	
1.6.82	The system shall support advanced searching for All Subject keyword(s)	Must	
1.6.83	The system shall support advanced searching for LC Subjects keyword(s)	Must	
1.6.84	The system shall support advanced searching for Geographic Subjects keyword(s)	Must	
1.6.85	The system shall support advanced searching for MeSH Subject keyword(s)	Must	
1.6.86	The system shall support advanced searching for NASA Subjects keyword(s)	Must	
1.6.87	The system shall support advanced searching for Publisher keyword(s)	Must	
1.6.88	The system shall support advanced searching for Publication Place	Must	
1.6.89	The system shall support advanced searching for SuDoc Class Number	Must	
1.6.90	The system shall support advanced searching for Shipping List Number	Must	
1.6.91	The system shall support advanced searching for Item Number	Must	
1.6.92	The system shall support advanced searching for ISSN	Must	
1.6.93	The system shall support advanced searching for ISBN	Must	
1.6.94	The system shall support advanced searching for System Number	Must	
1.6.95	The system shall support advanced searching for OCLC Number	Must	
1.6.96	The system shall support advanced searching for Technical Report Number	Must	
1.6.97	The system shall support advanced searching for Contract Number	Must	

1.6.98	The system shall support advanced searching for Stock Number	Must	
1.6.99	The system shall support advanced searching for Series Number	Must	
1.6.100	The system shall support advanced searching for All Notes	Must	
1.6.101	The system shall support advanced searching for Contents	Must	
1.6.102	The system shall support advanced searching for Internet Access	Must	
1.6.103	The system shall support advanced searching for LC Call Number	Must	
1.6.104	The system shall support expert searching by Common Command Language (CCL) codes	Must	
1.6.105	The system shall support browse searching by Title begins with... (omit initial article)	Must	
1.6.106	The system shall support browse searching by Title, Title variation, former Title begins...	Must	
1.6.107	The system shall support browse searching by Series/Periodical Title begins...	Must	
1.6.108	The system shall support browse searching by Corporate/Agency Author begins with...	Must	
1.6.109	The system shall support browse searching by Author begins with... (last name first)	Must	
1.6.110	The system shall support browse searching by Conference Proceedings begins with...	Must	
1.6.111	The system shall support browse searching by Subject begins...	Must	
1.6.112	The system shall support browse searching by LC Subject begins...	Must	
1.6.113	The system shall support browse searching by MeSH Subject begins...	Must	
1.6.114	The system shall support browse searching by NASA Subject begins...	Must	
1.6.115	The system shall support browse searching by SuDoc Class Number begins...	Must	
1.6.116	The system shall support browse searching by LC Call Number begins...	Must	
1.6.117	The system shall support browse searching by Dewey Class Number begins...	Must	
1.6.118	The system shall support browse searching by NLM Call Number begins...	Must	
1.6.119	The system shall support browse searching by NAL Call Number begins...	Must	

1.6.120	The system shall support browse searching by Item Number begins...	Must	
1.6.121	The system shall support Bill Number searching	Must	
1.6.122	The system shall support eBook Format keyword searching	Must	
1.6.123	The system shall support customized dynamic searches with quick links	Must	
1.6.124	The system shall support dynamic searches with quick links for predefined searches for each of the following: Last 7 Days, Last Two Weeks, This Month, Last Month, Last 3 Months, This Year, Last Year	Must	
1.6.125	The system shall support a landing page for New Titles dynamic searches and Archive reports	Must	
1.6.126	The system shall support dynamic searches with quick links for New Titles All new titles	Must	
1.6.127	The system shall support dynamic searches with quick links for New Titles All new titles for each of the following: Last 7 Days, Last Two Weeks, This Month, Last Month, Last 3 Months, This Year, Last Year	Must	
1.6.128	The system shall support dynamic searches with quick links for New Electronic Titles Only new titles that are available online	Must	
1.6.129	The system shall support dynamic searches with quick links for New Electronic Titles Only new titles that are available online for each of the following: Last 7 Days, Last Two Weeks, This Month, Last Month, Last 3 Months, This Year, Last Year	Must	
1.6.130	The system shall support dynamic searches with quick links for New Government eBooks Only new eBook titles (mobi and/or epub formats)	Must	
1.6.130	The system shall support dynamic searches with quick links for New Government eBooks Only new eBook titles (mobi and/or epub formats) for each of the following: Last 7 Days, Last Two Weeks, This Month, Last Month, Last 3 Months, This Year, Last Year	Must	
1.6.131	The system shall support dynamic searches with quick links for New Preliminary Titles Only new titles that are still being processed (based on specific note field)	Must	
1.6.132	The system shall support dynamic searches with quick links for New Preliminary Titles Only new titles that are still being processed (based on specific	Must	

	note field) for each of the following: Last 7 Days, Last Two Weeks, This Month, Last Month, Last 3 Months, This Year, Last Year		
1.6.133	The system shall support dynamic searches with quick links for New Serial Titles Only new continuing titles (journals, annuals, and periodicals)	Must	
1.6.134	The system shall support dynamic searches with quick links for New Serial Titles Only new continuing titles (journals, annuals, and periodicals) for each of the following: Last 7 Days, Last Two Weeks, This Month, Last Month, Last 3 Months, This Year, Last Year	Must	
1.6.135	The system shall support dynamic searches with quick links for New Integrated Resource (IR) Titles Only new documents such as archived Government websites, databases, loose leafs, etc.	Must	
1.6.136	The system shall support dynamic searches with quick links for New Integrated Resource (IR) Titles Only new documents such as archived Government websites, databases, loose leafs, etc. for each of the following: Last 7 Days, Last Two Weeks, This Month, Last Month, Last 3 Months, This Year, Last Year	Must	
1.6.137	The system shall support dynamic searches with quick links for New FDLP Web Archive Titles Only new archived Government websites within the scope of the Federal Depository Library Program (FDLP)	Must	
1.6.138	The system shall support dynamic searches with quick links for New FDLP Web Archive Titles Only new archived Government websites within the scope of the Federal Depository Library Program (FDLP) for each of the following: Last 7 Days, Last Two Weeks, This Month, Last Month, Last 3 Months, This Year, Last Year	Must	
1.6.139	The system shall support dynamic searches with quick links for Newly Ceased Titles Continuing/integrating resources that no longer have new issues produced or are no longer update	Must	
1.6.140	The system shall support dynamic searches with quick links for Newly Ceased Titles Continuing/integrating resources that no longer have new issues produced or are no longer update for each of the following: Last 7 Days, Last Two Weeks, This Month, Last Month, Last 3 Months, This Year, Last Year	Must	

1.6.141	The system shall support New Electronic Titles (NET) Monthly Archive Reports and Historical Archive page	Must	
1.6.142	The system shall support New Electronic Titles (NET) Monthly Archive Reports in HTML format as a numbered table containing: SuDoc Number, Title, Year, Item Number, and Internet Access	Must	
1.6.143	The system shall support New Electronic Titles (NET) Monthly Archive Reports in CSV format containing: SuDoc No., Title, Year, Item No., Internet Access, OCLC No., CGP Sys. No., Subjects, Date Cataloged, and Mode of Issuance	Must	
1.6.144	The system shall support a landing page for the Historical Archive of the New Electronic Titles (NET) Monthly Reports grouped by year	Must	
1.6.145	The system shall support customized Help pages with content based on user class	Must	
1.6.146	The system shall support customized Help pages index links	Must	
1.6.147	The system shall support customized Help pages expandable sections	Must	
1.6.148	The system shall support customized Help pages with downloadable quick text based on topic	Must	
1.6.149	The system shall support customized Help pages with printable quick text instructions based on topic	Must	
1.6.150	The system shall support customized Help pages with the ability to embed video recordings	Must	
1.6.151	The system shall support customized Help pages anchored links by topic index	Must	
1.6.152	The system shall support customized Help pages with link capabilities	Must	
1.6.153	The system shall support customized Help pages containing persistent links to various parts of the system such as search pages or services (example: advanced search page, Database Searching page, etc.)	Must	
1.6.154	The system shall have a footer on every page/view containing: A service of the Superintendent of Documents, U.S. Government Publishing Office. Plus, a link containing GPO's Copyright/Privacy Policies	Must	
1.6.155	The system shall support a customized GPO's Copyright/Privacy Policies page	Must	

1.6.156	The system shall support the ability to email individual records	Must	
1.6.157	The system shall support the ability to email record sets	Must	
1.6.158	The system shall support the ability to add individual records to a bookshelf	Must	
1.6.159	The system shall support the ability to add record sets to a bookshelf	Must	
1.6.160	The system shall support the ability to save record sets in the bookshelf for logged in users	Must	
1.6.161	The system shall support the ability to organize record sets in the bookshelf in folders for logged in users	Must	
1.6.162	The system shall support the ability to manage folders for logged in users	Must	
1.6.163	The system shall support the ability to add notes to record or records sets added to a bookshelf	Must	
1.6.164	The system shall support the ability to email selected records in a bookshelf	Must	
1.6.165	The system shall support the ability to email selected records in a bookshelf in any supported citation style format	Must	
1.6.166	The system shall allow for display of entire Authority record set as a separate section with customized access based on user class	Must	NF
1.6.167	The system shall allow for display of tailored views of Authority records based on user class	Must	NF
1.6.168	The system shall allow for seamless interfiling of authority access points (1XX, 4XX, 5XX) with bibliographic access points, referring users from references (4XX, 5XX) to authorized headings (1XX)	Must	NF
1.6.169	The system shall whenever a user is redirected from a reference (4XX, 5XX) to an authorized heading (1XX), by clicking on the See ____ reference, that user is next placed in the browse index that corresponds with the 1XX heading	Must	NF
1.6.170	The system shall display when an access point in a search result or browse display is from a 4XX field	Must	
1.6.171	The system shall allow for searching of all authority record access points: 1XX, 4XX, 5XX, including name/title combinations that include subfield \$t	Must	
1.6.172	The system shall allow for browsing of all authority record access points: 1XX, 4XX, 5XX, including name/title combinations that include subfield \$t	Must	

1.6.173	The system shall allow for display of all authority record access points: 1XX, 4XX, 5XX, including name/title combinations that include subfield \$t	Must	
1.6.174	The system shall support searching by MARC tag for uniform title = 130, 240	Must	
1.6.175	The system shall support searching by MARC tag for name/title combinations = XX0 + \$t	Must	
1.6.176	The system shall support searching by MARC tag for series = 830, 8XX + \$t, 490	Must	
1.6.177	The system shall support browsing by MARC tag for uniform title = 130, 240	Must	
1.6.178	The system shall support browsing by MARC tag for name/title combinations = XX0 + \$t	Must	
1.6.179	The system shall support browsing by MARC tag for series = 830, 8XX + \$t, 490	Must	
1.6.180	The system shall support searching by MARC tag for corporate name = X10	Must	
1.6.181	The system shall support browsing by MARC tag for corporate name = X10	Must	
1.6.182	The system shall support searching by MARC tag for conference name = X11	Must	
1.6.183	The system shall support browsing by MARC tag for conference name = X11	Must	
1.6.184	The system shall support searching by MARC tag for geographic name = X51 or \$z	Must	
1.6.185	The system shall support browsing by MARC tag for geographic name = X51 or \$z	Must	
1.6.186	The system shall support searching by MARC tag for title = X30 or \$t	Must	
1.6.187	The system shall support browsing by MARC tag for title = X30 or \$t	Must	
1.6.188	The system shall support searching MARC tag for personal name = X00	Must	
1.6.189	The system shall support browsing by MARC tag for personal name = X00	Must	
1.6.190	The system shall support searching by MARC tag for topical term = X50 or \$x	Must	
1.6.191	The system shall support browsing by MARC tag for topical term = X50	Must	
1.6.192	The system shall support searching by MARC tag for genre/form term = X55	Must	
1.6.193	The system shall support browsing by MARC tag for genre/form term = X55	Must	

1.6.194	The system shall support searching by MARC tag for topical subdivision = 180 or \$x	Must	
1.6.195	The system shall support browsing by MARC tag for topical subdivision = 180 or \$x	Must	
1.6.196	The system shall support searching by MARC tag for chronological subdivision = 182 or \$y	Must	
1.6.197	The system shall support browsing by MARC tag for chronological subdivision = 182 or \$y	Must	
1.6.198	The system shall support searching by MARC tag for form subdivision = 185 or \$v	Must	
1.6.199	The system shall support browsing by MARC tag for form subdivision = 185 or \$v	Must	
1.6.200	The system shall support searching by MARC tag for name/title combinations = XXO + \$t	Must	
1.6.201	The system shall support browsing by MARC tag for name/title combinations = XXO + \$t	Must	
1.6.202	The system shall support the ability to view previous searches	Must	
1.6.203	The system shall support the ability to edit previous searches	Must	
1.6.204	The system shall support the ability to delete previous searches	Must	
1.6.205	The system shall support the ability to combine previous searches	Must	
1.6.206	The system shall allow for the ability to save searches for logged in users	Must	
1.6.207	The system shall allow for the ability to set to receive notifications via email for relevant records added	Must	
1.6.208	The system shall allow for the ability to set to receive notifications via RSS Feed for relevant records added	Must	
1.6.209	The system shall allow for the ability to set notifications for relevant records added choosing frequency sent (daily, weekly, monthly)	Must	
1.6.210	The system shall allow for the ability to set notifications for relevant records added choosing format sent (Standard, MARC, .mrc, MARCXML)	Must	
1.6.211	The system shall allow for the ability to edit searches for logged in users	Must	
1.6.212	The system shall allow for the ability to delete previous searches for logged in users	Must	
1.6.213	The system shall allow for the ability to create search results lists for logged in users	Must	
1.6.214	The system shall allow for the ability to save search results lists for logged in users	Must	

1.6.215	The system shall allow for the ability to edit search results lists for logged in users	Must	
1.6.216	The system shall allow for the ability to delete search results lists for logged in users	Must	
1.6.217	The system shall allow for the ability to create persistent URLs to searches	Must	
1.6.218	The system shall allow for the ability to create persistent URLs to individual records	Must	
1.6.219	The system shall support the ability to access the results list	Must	
1.6.220	The system shall support the ability to refine the results list by predefined subcollections such as Congressional Serial Set, Electronic Titles, Serials, etc.	Must	
1.6.221	The system shall support the ability to sort results list by [Publication] Year (descending) then Title alphabetical	Must	
1.6.222	The system shall support the ability to sort results list by [Publication] Year (ascending) then Title alphabetical	Must	
1.6.223	The system shall support the ability to sort results list by Title alphabetical then [Publication] Year (descending)	Must	
1.6.224	The system shall support the ability to sort results list by Title alphabetical then [Publication] Year (ascending)	Must	
1.6.225	The system shall support the ability to sort results list by SuDoc Number (ascending)	Must	
1.6.226	The system shall support the ability to sort results list by SuDoc Number (descending)	Must	
1.6.227	The system shall support the ability to Jump to a numbered section of the results list	Must	
1.6.228	The system shall support 508 compliance across all interfaces and views	Must	NF
1.6.229	The system shall support the ability to post custom notices on all main entry screen views such as for Government Shutdowns or scheduled maintenance notices	Must	
1.6.230	The system shall the capability to change system configurations, such as the list of fields and subfields displayed and the order in various public views	Must	
1.6.231	The system shall support the capability to add system configurations, such as the list of fields and	Must	

	subfields displayed and the order in various public views		
1.6.232	The system shall allow for the capability to enable users to customize settings and preferences to enhance their experience based on user class	Must	
1.6.233	The system shall allow for the capability to use clusters and facets for results	Must	
1.6.234	The system shall allow for the capability to use clusters and facets for results according to their subject	Must	
1.6.235	The system shall allow for the capability to use clusters and facets for results according to their date	Must	
1.6.236	The system shall allow for the capability to use clusters and facets for results according to their author	Must	
1.6.237	The system shall allow for the capability to use clusters and facets for results according to their Journal Title	Must	
1.6.238	The system shall allow for the capability to use clusters and facets for results according to their Resource (for database searches)	Must	
1.6.239	The system shall allow for the capability to use clusters and facets for results according to their Catalog (subcollection) (for CGP searches)	Must	
1.6.240	The system shall allow for the capability to use clusters and facets for results according to their SuDoc stem	Must	
1.6.241	The system shall allow for the specification of which fields should be hyperlinked in standard view	Must	
1.6.242	The system shall allow for the ability to store library account information	Must	
1.6.243	The system shall allow for the ability to store library depository number	Must	
1.6.244	The system shall allow for the ability to store library depository type	Must	
1.6.245	The system shall allow for the ability to store library parent institution name	Must	
1.6.246	The system shall allow for the ability to store library name	Must	
1.6.247	The system shall allow for a link to the public Federal Depository Library Directory	Must	
1.6.248	The system shall allow for a link to the list of regional depository libraries	Must	

1.6.249	The system shall allow for a link to the list of multi-state regionals and the states they serve	Must	
1.6.250	The system shall allow for default access to a public interface	Must	
1.6.251	The system shall support custom internal login interfaces	Must	
1.6.252	The system shall support custom external login interfaces	Must	
1.6.253	The system shall allow for access to a GPO staff login interface that allows all fields and records even suppressed to be displayed, searched, etc.	Must	NF
1.6.254	The system shall allow for customized look and feel based on login interface	Must	
1.6.255	The system shall allow for customized look and feel based on user class	Must	
1.6.256	The system shall allow for customized look and feel based on user profile	Must	NF
1.6.257	The system shall allow for account creation based on user data from askGPO/FDL	Must	
1.6.258	The system shall support single sign on based on user class	Must	NF
1.6.259	The system shall support customized About pages	Must	
1.6.260	The system shall allow for the ability to add other customized pages	Must	
1.6.260	The system shall allow for the display of Title in the results list	Must	
1.6.261	The system shall allow for the display of Year in the results list	Must	
1.6.262	The system shall allow for the display of Author in the results list	Must	
1.6.263	The system shall allow for the display of Item Number in the results list for logged in users	Must	
1.6.264	The system shall allow for the display of multiple Item Numbers in the results list for each applicable record for logged in users	Must	
1.6.265	The system shall allow for the display of SuDoc Number in the results list	Must	
1.6.266	The system shall allow for the display of multiple SuDoc Numbers in the results list for each applicable record	Must	
1.6.267	The system shall allow for the display of Internet Access links in the results list	Must	

1.6.268	The system shall allow for the display of multiple Internet Access links in the results list for each applicable record	Must	
1.6.269	The system shall allow for linking to other systems for logged in users based on user class	Must	
1.6.270	The system shall allow for CGP Services Search (dynamic links in the Standard View of the record the execute Scan or Browse Searches)	Must	
1.6.271	The system shall allow for CGP Services Search for Author field in Standard view for all users	Must	
1.6.272	The system shall allow for CGP Services Search for SuDoc Number field in Standard view for all users	Must	
1.6.273	The system shall allow for CGP Services Search for Item Number field in Standard view for all users	Must	
1.6.274	The system shall allow for CGP Services Search for Series field in Standard view for all users	Must	
1.6.275	The system shall allow for CGP Services Search for Subjects fields in Standard view for all users	Must	
1.6.276	The system shall allow for CGP Services Search for Added Entry fields in Standard view for all users	Must	
1.6.277	The system shall allow for permalinks to each bibliographic record	Must	
1.6.278	The system shall allow for permalinks to bibliographic search results	Must	
1.6.279	The system shall allow for search tips, hints, and examples	Must	
1.6.280	The system shall allow for custom search tips, hints, and examples	Must	
1.6.281	The system shall support the Z39.50 protocol to access GPO's bibliographic data	Must	
1.6.282	The system shall allow for designation and customization of Z39.50 bib-1 Use Attributes	Must	
1.6.283	The system shall allow for designation and customization of Z39.50 bib-1 Use-values	Must	
1.6.284	The system shall allow for access to other libraries data via Z39.50	Must	
1.6.285	The system shall allow for export of up to 10,000 records at a time via Z39.50	Must	
1.6.286	The system shall allow for searching each 086\$z when there are multiple 086 \$z entries per record	Must	
1.6.287	The system shall allow for browsing each 086\$z when there are multiple 086 \$z entries per record	Must	
1.6.288	The system shall allow for links to FDL distribution information	Must	NF

1.6.289	The system shall allow for links to FDL holdings information	Must	NF
1.6.290	The system shall allow for links to GPO's FDLD	Must	
1.6.291	The system shall allow for editing the search parameters on the results list	Must	
1.6.292	The system shall allow for searching within the search results	Must	
1.6.293	The system shall allow for narrowing search results by collection (Catalog to Search)	Must	
1.6.294	The system shall allow for facets to limit by government agency	Must	
1.6.295	The system shall allow for limiting by mode of issuance and format (monograph, serial, IR, map, cartographic material, visual media, etc.)	Must	
1.6.296	The system shall allow for multiple results views	Must	
1.6.297	The system shall allow for a public default "Standard" view that includes customizable field order and fields to display and clickable hyperlinks	Must	
1.6.298	The system shall allow for a MARC view that allows for the ability to suppress some fields from view	Must	
1.6.299	The system shall support the ability to display when an FDL has an item (true union catalog)	Must	NF
1.6.300	The system shall support searching of variant/outdated SuDoc numbers	Must	
1.6.301	The system shall support searching the CGP directly without federating	Must	
1.6.302	The system shall support Lost Password features for logged in user classes	Must	
1.6.303	The system shall support searching database resource names on an A-Z resource landing page	Must	
1.6.304	The system shall support an A-Z listing of all database resources	Must	
1.6.305	The system shall support searching words contained in a database resource name	Must	
1.6.306	The system shall support grouping database resources by agency	Must	
1.6.307	The system shall support database resources to be added to a clipboard to create custom resource sets to search	Must	
1.6.308	The system shall support database resources results to be added to an e-shelf	Must	
1.6.309	The system shall support database resource results to be emailed from the results	Must	

1.6.310	The system shall support database resource results to be emailed from the e-shelf	Must	
1.6.311	The system shall support database resource results to be emailed in Standard format	Must	
1.6.312	The system shall support database resource results to be emailed in MARC21 format	Must	
1.6.313	The system shall support database resource results to be emailed in .mrc format	Must	
1.6.314	The system shall support any results (standard or database) to be saved in multiple citation formats	Must	
1.6.315	The system shall support any results (standard or database) to be saved by multiple citation tools	Must	
	Indexing Component Area		
1.7 Indexing		Priority	New Feature/Function
1.7.1	The system shall support word indexing	Must	
1.7.2	The system shall support direct numeric indexing	Must	
1.7.3	The system shall support heading indexing	Must	
1.7.4	The system shall support indexing of all fields	Must	
1.7.5	The system shall support indexing of field content	Must	
1.7.6	The system shall support indexing of subfield field content	Must	
1.7.7	The system shall support indexing of all fixed fields in bibliographic records	Must	
1.7.8	The system shall support indexing of all data elements	Must	
1.7.9	The system shall support customized indexing	Must	
1.7.10	The system shall support indexing of internal only fields	Must	
1.7.11	The system shall support indexing of SuDoc Number	Must	
1.7.12	The system shall support customized normalization of SuDoc Number	Must	
1.7.13	The system shall support customized display of SuDoc Number content in data entry modules removed for indexing purposes	Must	NF
1.7.14	The system shall support customized display of SuDoc Number content in public views removed for indexing purposes	Must	NF
1.7.15	The system shall support customized filing of SuDoc Number content in data entry modules removed for indexing purposes	Must	NF

1.7.16	The system shall support customized filing of SuDoc Number content in public views removed for indexing purposes	Must	NF
1.7.17	The system shall support indexing of local fields	Must	
1.7.18	The system shall support custom indexing of local fields	Must	
1.7.19	The system shall support custom indexing of local fields for internal use only	Must	
1.7.20	The system shall support custom indexing of fields for internal use only	Must	
1.7.21	The system shall support customized index display	Must	
1.7.22	The system shall support customized index display of content in data entry module that was removed for indexing purposes	Must	NF
1.7.23	The system shall support customized index display of content in public views that was removed for indexing purposes	Must	NF
1.7.24	The system shall support customized index filing	Must	
1.7.25	The system shall support customized index filing of content in data entry module that was removed for indexing purposes	Must	NF
1.7.26	The system shall support customized index filing of content in public views removed for indexing purposes	Must	NF
1.7.27	The system shall support customized index normalization	Must	
1.7.28	The system shall allow for subcollections to be set up based on specific indexed content defined by GPO	Must	
1.7.29	The system shall ignore diacritical marks or special characters at the beginning of a title browse search	Must	
1.7.30	The system shall index the following fields for uniform titles: 130, 240	Must	
1.7.31	The system shall index the following fields for series: 830, 8XX + \$t, 490	Must	
1.7.32	The system shall allow for indexing of all authority record access points: 1XX, 4XX, 5XX, including name/title combinations that include subfield \$t	Must	
1.7.33	The system shall allow for the ability to expand information into bibliographic record when exporting records (expand routines)	Must	
1.7.34	The system shall allow for backend indexing	Must	
1.7.35	The system shall allow for real-time indexing	Must	
1.7.36	The system shall allow for real-time indexing for newly created records	Must	

1.7.37	The system shall allow for real-time indexing for updated records	Must	
1.7.38	The system shall allow for real-time indexing for ingested records	Must	
1.7.39	The system shall allow for real-time indexing for ingested records sets	Must	
1.7.40	The system shall allow for real-time indexing for records export to system via TCP/IP	Must	
1.7.41	The system shall support full re-indexing of data	Must	
1.7.42	The system shall support full re-indexing of data with minimal downtime	Must	
1.7.43	The system shall support full re-indexing of data with minimal impact on system performance	Must	
	Data Reporting Component Area		
1.8 Data Reporting		Priority	New Feature/Function
1.8.1	The system shall allow for custom data reporting	Must	
1.8.2	The system shall allow for multiple user classes for access to customizable specific data elements for each class	Must	NF
1.8.3	The system shall support 3rd party reporting tools	Must	
1.8.4	The system shall support 3rd party reporting tools that allow customizable reports with granular permissions bases on user class	Must	
1.8.5	The system shall allow customized temporary record sets for reports	Must	NF
1.8.6	The system shall allow customized temporary record sets for reports that can be exported	Must	NF
1.8.7	The system shall allow for creation of temporary record sets for reporting	Must	NF
1.8.8	The system shall allow for managing temporary record sets	Must	NF
1.8.9	The system shall allow for viewing the temporary record sets	Must	NF
1.8.10	The system shall allow for adding records to the temporary record sets	Must	NF
1.8.11	The system shall allow customized record sets for reports that can be saved for logged in users	Must	NF
1.8.12	The system shall allow customized record sets for reports that are saved to be exported	Must	NF

1.8.13	The system shall allow for reports to be exported in CSV format	Must	NF
1.8.14	The system shall allow for visualizing reports prior to printing [accurate print preview]	Must	NF
1.8.15	The system shall allow for scheduling reports to run based on selected frequency or specific date	Must	NF
	Data Statistics Component Area		
1.9 Data Statistics		Priority	New Feature/Function
1.9.1	The system shall allow for custom statistics	Must	
1.9.2	The system shall allow for multiple user classes for access	Must	NF
1.9.3	The system shall allow for multiple user classes for access to customizable specific data elements for each class	Must	NF
1.9.4	The system shall allow for statistics to be exported in HTML format	Must	NF
1.9.5	The system shall allow for statistics to be exported in CSV format	Must	NF
1.9.6	The system shall support the ability to record and store staff use statistics	Must	
1.9.7	The system shall support the ability to record and store staff use statistics for records created	Must	
1.9.8	The system shall support the ability to record and store staff use statistics for records updated	Must	
	Data Analytics Component Area		
1.10 Data Analytics		Priority	New Feature/Function
1.10.1	The system shall support data analytics	Must	NF
1.10.2	The system shall support data visualization	Must	NF
1.10.3	The system shall allow for custom data analytics	Must	NF
1.10.4	The system shall allow for custom data visualization	Must	NF
1.10.5	The system shall allow for multiple user classes for access	Must	NF
1.10.6	The system shall allow for multiple user classes for access to customizable specific data elements for each class	Must	NF

1.10.7	The system shall allow for data analytics to be exported in HTML format	Must	NF
1.10.8	The system shall allow for data analytics to be exported in CSV format	Must	NF
1.10.9	The system shall allow for data visualization to be exported in HTML format	Must	NF
1.10.10	The system shall allow for data visualization to be exported in CSV format	Must	NF
	Interoperability Component Area		
1.11 Interoperability		Priority	New Feature/Function
1.11.1	The system shall allow for interfacing with GPO's DSIMS (Depository Selection Information Management System)	Must	NF
1.11.2	The system shall allow for interfacing with LC's BIBFRAME Editor	Must	NF
1.11.3	The system shall allow for interfacing with GPO Salesforce implementation	Must	NF
1.11.4	The system shall allow for interfacing with GPO's GovInfo	Must	NF
1.11.5	The system shall allow for interfacing with GPO's Bookstore	Must	NF
1.11.6	The system shall allow for interfacing with GPO's Federal Depository Library Directory (FDLD)	Must	NF
1.11.7	The system shall allow for interfacing with citation tools	Must	
1.11.8	The system shall allow for interfacing with 3rd party reporting tools	Must	
1.11.9	The system shall allow for interfacing with Z39.50	Must	
1.11.10	The system shall allow for interfacing with metadata tools such as MarcEdit	Must	
1.11.11	The system shall allow for interfacing with Single Sign On	Must	NF
1.11.20	The system shall allow for interfacing with APIs	Must	NF
1.11.21	The system shall allow for interfacing with GovInfo's APIs	Must	NF
1.11.22	The system shall allow for interfacing with OCLC APIs	Must	NF
1.11.23	The system shall allow for interfacing with GPO Publish system	Must	NF

1.11.24	The system shall support 3rd party analytics tools (such as Matomo On-Premise)	Must	NF
1.11.25	The system shall support 3rd party visualization tools (such as Power BI)	Must	NF
	Union Catalog Component Area		
1.12 Union Catalog		Priority	New Feature/Function
1.12.1	The system shall be a union catalog of Federal depository library holdings	Must	NF
1.12.2	The system shall support the ability to indicate when an FDL has an item	Must	NF
1.12.3	The system shall support the ability to display when an FDL has an item	Must	NF
1.12.4	The system shall support the ability to indicate when a Regional FDL has an item	Must	NF
1.12.5	The system shall support the ability to display when a Regional FDL has an item	Must	NF
1.12.6	The system shall support an automated approach to creating item/holding records from CSV files for all format types (monograph, serial, multipart, etc.)	Must	NF
1.12.7	The system shall support displaying all items/holdings records for all format types including those for FDLs	Must	NF
1.12.8	The system shall allow for links to FDL distribution information	Must	NF
1.12.9	The system shall allow for links to FDL holdings information	Must	NF
	System Reporting Component Area		
1.13 System Reporting		Priority	New Feature/Function
1.13.1	The system shall allow for custom system reporting	Must	NF
1.13.2	The system shall allow for multiple user classes for access	Must	NF
1.13.3	The system shall allow for multiple user classes for access to customizable specific system elements for each class	Must	NF
1.13.4	The system shall allow for statistics to be exported in HTML format	Must	NF

1.13.5	The system shall allow for statistics to be exported in CSV format	Must	NF
	System Statistics Component Area		
1.14 System Statistics		Priority	New Feature/Function
1.14.1	The system shall allow for custom system statistics	Must	
1.14.2	The system shall allow collection of statistics based on the total number of successful searches of the interface	Must	
1.14.3	The system shall allow collection of statistics based on the total number of successful searches of the bibliographic data set (CGP)	Must	
1.14.4	The system shall allow collection of statistics based on number of successful searches of the interface by year	Must	
1.14.5	The system shall allow collection of statistics based on number of successful searches of the bibliographic data set (CGP) by year	Must	
1.14.6	The system shall allow collection of statistics based on number of successful searches of the interface by month	Must	
1.14.7	The system shall allow collection of statistics based on number of successful searches of the bibliographic data set (CGP) by month	Must	
1.14.8	The system shall allow collection of statistics based on number of successful searches of the interface by day	Must	
1.14.9	The system shall allow collection of statistics based on number of successful searches of the bibliographic data set (CGP) by day	Must	
1.14.10	The system shall allow collection of statistics based on number of successful searches of the interface by hour	Must	
1.14.11	The system shall allow collection of statistics based on number of successful searches of the bibliographic data set (CGP) by hour	Must	
1.14.12	The system shall allow collection of statistics based on number of successful searches of the interface by request	Must	
1.14.13	The system shall allow collection of statistics based on number of user logins	Must	NF

1.14.14	The system shall allow collection of statistics based on number of user logins by user class	Must	NF
1.14.15	The system shall allow collection of statistics based on number of logins to Z39.50	Must	NF
1.14.16	The system shall allow collection of statistics based on number of logins to Z39.50 by logged in user	Must	NF
1.14.17	The system shall allow collection of statistics based on number of searches of Z39.50 by logged in user	Must	NF
1.14.18	The system shall allow collection of statistics based on number of records viewed from Z39.50 by logged in user	Must	NF
1.14.19	The system shall allow collection of statistics based on number of records exported from Z39.50 by logged in user	Must	NF
1.14.20	The system shall allow collection of statistics based on frequency of use of Z39.50 by logged in user	Must	NF
1.14.21	The system shall allow collection of statistics based on duration of access of Z39.50 by logged in user	Must	NF
1.14.22	The system shall allow collection of statistics based on concurrent logged in users	Must	
1.14.23	The system shall allow collection of statistics based on concurrent logged in users by year	Must	NF
1.14.24	The system shall allow collection of statistics based on concurrent logged in users by month	Must	NF
1.14.25	The system shall allow collection of statistics based on concurrent logged in users by day	Must	NF
1.14.26	The system shall allow collection of statistics based on concurrent logged in users by hour	Must	NF
1.14.27	The system shall allow collection of statistics based on search attribute	Must	NF
1.14.28	The system shall allow collection of server load statistics	Must	
1.14.29	The system shall allow collection of server load statistics for system: uptime, number of CPUs, average number of admin logins, minimum and maximum load	Must	
1.14.30	The system shall allow collection of server load statistics for system processes: total, sleeping, running, zombie, and stopped including averages and minimums and maximums	Must	
1.14.31	The system shall allow collection of server load statistics for system memory: total, used, free, and buffered averages	Must	

1.14.32	The system shall allow collection of server load statistics for system swap: total, free, used and cache averages	Must	
1.14.33	The system shall allow collection of server load statistics for system CPU States: averages, minimums and maximums for idle, nice, system, user, waiting for I/O, hardware interruptions, software interruptions	Must	
1.14.34	The system shall allow collection of server load statistics for system usage per day of the week: Oracle CPU, Oracle mem, each server, each admin user, load	Must	
1.14.35	The system shall allow collection of server load statistics for system usage per month: Oracle CPU, Oracle mem, each server, each admin user, load	Must	
1.14.36	The system shall allow collection of server load statistics for system usage per hour: Oracle CPU, Oracle mem, each server, each admin user, load	Must	
	System Analytics Component Area		
1.15 System Analytics		Priority	New Feature/Function
1.15.1	The system shall allow for custom system analytics	Must	
1.15.2	The system shall support 3rd party analytics tools (such as Matomo On-Premise)	Must	NF
1.15.3	The system shall support system visualization	Must	NF
1.15.4	The system shall allow for custom system analytics	Must	NF
1.15.5	The system shall allow for custom system visualization	Must	NF
1.15.6	The system shall allow for multiple user classes for access	Must	NF
1.15.7	The system shall allow for multiple user classes for access to customizable specific system usage elements for each class	Must	NF
1.15.8	The system shall allow for system usage analytics to be exported in HTML format	Must	NF
1.15.9	The system shall allow for system usage analytics to be exported in CSV format	Must	NF
1.15.10	The system shall allow for system usage visualization to be exported in HTML format	Must	NF
1.15.11	The system shall allow for system usage visualization to be exported in CSV format	Must	NF

2.0 Sub Components			
	User Classes Sub Component Area		
2.1 user classes		Priority	New Feature/Function
2.1.1	The system shall allow for the categorization of different user/user classes	Must	
2.1.2	The system shall support multiple user classes	Must	
2.1.3	The system shall support the assignment of one or more classes to a user	Must	
2.1.4	The system shall support the management of the functions permitted by a user class	Must	
2.1.5	The system shall prevent a user from performing a function unless the user possesses a user class permitting that functions	Must	
2.1.6	The system shall allow System Administration user class	Must	
2.1.7	The system shall allow for full Data Entry user class	Must	
2.1.8	The system shall allow for multiple levels of limited Data Entry user classes	Must	
2.1.9	The system shall allow for multiple levels of limited Data Entry modules view only user classes	Must	
2.1.10	The system shall allow for multiple levels of reporting, analytics, and statistics user classes	Must	
2.1.11	The system shall allow for multiple levels of reporting, analytics, and statistics view only user classes	Must	
2.1.12	The system shall allow a user to only view data components based on their user class	Must	
2.1.13	The system shall allow a user to only view select data components based on their user class	Must	
2.1.14	The system shall allow a user to only edit select data components based on their user class	Must	
2.1.15	The system shall allow multiple user classes with different select edit permissions	Must	
2.1.16	The system shall allow multiple user classes with different select view permissions	Must	
2.1.17	The system shall allow multiple user classes with different internal services permissions	Must	
2.1.18	The system shall allow multiple user classes with different external services permissions	Must	

2.1.19	The system shall allow for multiple user classes for GPO staff	Must	
2.1.20	The system shall allow for multiple user classes for GPO contractors	Must	
2.1.21	The system shall allow for user classes for FDLs	Must	
	Services Sub Component Area		
2.2 Services			
2.2.1 Metadata Management		Priority	New Feature/Function
2.2.1.1	The system shall allow for global changes across all data entry modules	Must	
2.2.1.2	The system shall allow for global changes in bibliographic records and record sets	Must	
2.2.1.3	The system shall allow for global changes in Item and Holding records and record sets	Must	
2.2.1.4	The system shall allow for global changes in Acquisitions records and record sets	Must	
2.2.1.5	The system shall allow for global changes in Authority records and record sets	Must	
2.2.1.6	The system shall allow for creating record sets	Must	
2.2.1.7	The system shall allow for creating record sets based on selected search criteria	Must	
2.2.1.8	The system shall allow for APIs	Must	
2.2.3 Data Export and Conversion		Priority	New Feature/Function
2.2.3.1	The system shall allow for export in and data conversion of records in different metadata schemas and file formats	Must	
2.2.3.2	The system shall allow for metadata export in MARC21 format	Must	
2.2.3.3	The system shall allow for metadata export in MARCXML format	Must	
2.2.3.4	The system shall allow for metadata export in .mrc format	Must	
2.2.3.5	The system shall allow for metadata export in RDA 3R	Must	NF
2.2.3.6	The system shall allow for metadata export in BIBFRAME	Must	NF
2.2.3.7	The system shall allow for metadata export via OMI-PMH	Must	

2.2.3.8	The system shall support the extraction and export of MARC records as a set	Must	
2.2.4 Data Import and Conversion		Priority	New Feature/Function
2.2.4.1	The system shall allow for metadata import of data in MARC21 format	Must	
2.2.4.2	The system shall allow for metadata import of data in .mrc format	Must	
2.2.4.3	The system shall allow for metadata import of data in RDA 3R	Must	NF
2.2.4.4	The system shall allow for metadata import of data in BIBFRAME	Must	NF
2.2.4.5	The system shall allow for updating import profiles	Must	
2.2.4.6	The system shall allow for updating import profiles matching criteria	Must	
2.2.5 Notifications		Priority	New Feature/Function
2.2.5.1	The system shall allow for SMTP (email)	Must	
2.2.5.2	The system shall allow for notification of newly cataloged records based on user search criteria by email	Must	
2.2.5.3	The system shall allow for monthly notification of newly cataloged records added the previous month by email	Must	
2.2.5.4	The system shall allow for notification monthly of newly ceased titles cataloged records add the previous month by email	Must	
Profiles Sub Component Area			
2.3 Profiles			
2.3.1 Profile management		Priority	New Feature/Function
2.3.1.1	The system shall allow for multiple profile types	Must	
2.3.1.2	The system shall allow for the creation of customized profile types	Must	
2.3.1.3	The system shall allow for editing of profile types	Must	
2.3.1.4	The system shall allow for deletion of profile types	Must	
2.3.1.5	The system shall allow for duplication and modification of profile types	Must	
2.3.1.6	The system shall allow for multiple profile types for levels of system administration for internal staff	Must	

2.3.1.7	The system shall allow for multiple profile types for levels of data entry for internal staff	Must	
2.3.1.9	The system shall allow for multiple profile types for levels services for systems administration for internal staff	Must	
2.3.1.10	The system shall allow for multiple profile types for levels services for internal staff	Must	
2.3.2 User Preferences and Profiles		Priority	New Feature/Function
2.3.2.1	The system shall allow for the ability to create a user profile to select settings when options are available for specific user classes	Must	
2.3.2.2	The system shall allow for the ability to customize settings	Must	

Glossary

508: See *Section 508*.

AACR/AACR2 (Anglo-American Cataloging Rules/Second Edition): International cataloging standards that were predecessors to RDA.

Access: Services and functions that allow users to determine the existence, description, location, and availability of content, and request delivery of content and metadata or business process information.

Access Copy: A digital publication whose characteristics (for example, a screen optimized PDF file) are designed for ease or speed of access rather than preservation. See also *Derivative*.

Accessibility: (1) Making tools and content available and usable for all users including those with disabilities. (2) The degree to which the public is able to retrieve or obtain Government Publications, either through the Federal Depository Library Program (FDLP) or directly through a digital information service established and maintained by a Government agency or its authorized agent or other delivery channels, in a useful format or medium and in a time frame whereby the information has utility.

Accuracy: An assessment of correctness.

ACSIS (Acquisitions Classification and Shipping Information System): The legacy system that maintains acquisition and brief bibliographic records on the publications included in the FDLP or

the C&I program, or other publications researched by LSCM staff as potential inclusions for the FDLP.

Adds and Drops: Item numbers that are newly selected on a library's selection profile are known as **adds** and item numbers that are newly deselected on a library's selection profile are known as **drops**. See *Select* and *Deselect*.

Administrative Metadata: Metadata which records responsibility, rights, and other information for managing the content. See also *Metadata*.

Agency: Agency means any Federal Government department, including any military department, independent regulatory agency, Government corporation, Government controlled corporation, or other establishment in the executive, legislative, or judicial branch.

Agency Code: A 3-digit code identifying the content originating agency. For example, the agency code for the Department of Agriculture is "001."

Agency Reference: The letter or letters that make up the beginning of the **SuDoc Classification Number** that indicates the originating agency. For example, the agency reference for the Department of Agriculture is "A."

Aleph: Brand name of GPO's current *ILS*.

Aleph GUI Client: See *ILS GUI*.

Aleph System Number: See **CGP System Number**.

Alert: A notification sent to current user of the system via the *GUI* (e.g., a pop-up) or message posted on the web site.

Alphabetical List of Government Authors: An alphabetical listing of the current names of active authoring agencies as used in the List of Classes. The name of each authoring agency is followed by the combination of the letter author symbol and number indicating the subordinate office used in *SuDoc Classification* to designate the agency as the content originator. The Alphabetical List of Government Authors is published as Appendix I in the *List of Classes*.

Amendment to Item Selections: An application that allowed depository libraries to make changes to their item selection profiles via a web interface. This application was retired when *DSIMS* was implemented.

Annual Update Cycle: Historically, the time period when depository libraries are allowed to amend their item selection profiles to include previously unselected item numbers (i.e., add item numbers). Generally, this takes place in June and July, with the changes taking effect October 1. Since the launch of *DSIMS*, the annual update cycle is no longer needed, because depository

libraries may add items to their carts at any time during the year. Items placed in carts become active on library selection profiles on October 1.

API (Application Programming Interface): An interface implemented by a software program to enable interaction with other software, much in the same way that a user interface facilitates interaction between humans and computers.

Application Security: The protection of application data and systems against unauthorized access to or modification of information, whether in storage, processing, or transit, and against denial of service to authorized user or the provision of service to unauthorized users, including those measures necessary to detect, document, and counter such threats at the application level. See also *Security*.

Archive (noun): A collection with related systems and services, organized to emphasize the long-term preservation of information.

Archive (verb): To place or store something in an archive.

ASCII (American Standard Code for Information Exchange): An international standard in which numbers, letters, punctuation marks, symbols, and control codes are assigned numbers from 0 to 127.

Assessment: A pre-defined task that evaluates whether the original attributes of a digital object are correct. The purpose of this assessment is to provide with information needed to identify necessary preservation processes.

Attribute: A feature or characteristic; a property. Often used to describe the nature of electronic data. For example, a data value's attributes may include its data type (numeric, character, or date), range of values, or length.

Audiovisual Production: A unified presentation, developed according to a plan or script, containing visual imagery, sound, or both, and used to convey information.

Authentic: Describes content that is verified by GPO to be complete and unaltered when compared to the version approved or published by the content originator.

Authenticate: To confirm the identity of an entity when that identity is presented.

Authentication: Validation of a user, a computer, or some digital object to ensure that it is what it claims to be. In the specific context of *GovInfo*, the assurance that an object is as the author or issuer intended it. See also *Certification*.

Authenticity: The identity, source, ownership, and/or other attributes of content are verified.

Authorized User: A user who has been granted permission to use the system.

Automated Harvesting: The use of automated tools and technologies that can identify and harvest both known and unknown publications from agency Web sites. See also *Manual Harvesting*, *Semi-manual Harvesting*.

Availability: The degree to which information is obtainable through an intentional or unintentional provision of information and services.

Backup: Making copies of the data so that these additional copies may be used to restore the original after a data loss event.

Batch of Jobs: A set of jobs selected by the user.

Batch Submission: The ability of submit multiple files at once. This includes the capability to submit a folder(s) and maintain the directory structure of the files.

BIBCO [monographic] Bibliographic Record Cooperative Program: See *PCC*.

BIBFRAME: Provides a foundation for the future of bibliographic description, both on the web, and in the broader networked world that is grounded in Linked Data techniques. A major focus of the initiative is to determine a transition path for the MARC 21 formats while preserving a robust data exchange that has supported resource sharing and cataloging cost savings in recent decades. More information on BIBFRAME at: <https://www.loc.gov/bibframe/>

Bibliographic Access: Ability to identify and find an information object that has been brought under bibliographic control.

Bibliographic Control: Standardized description of an information object recorded in a system.

Bibliographic Record: An entry in a bibliographic index or a library catalog which represents and describes a specific resource. An entry being a uniform representation and description of a specific content item in a bibliographic database or *ILS* containing data elements required for its identification and retrieval, as well as additional supporting information, presented in a formalized bibliographic format. GPO's ILS uses the standard *MARC* for the input of our bibliographic records.

Bin: The shelving location of a depository library's shipment box for tangible materials.

Bin Location: A numerical code indicating the location of a certain depository library's bin.

Book: A non-serial printed publication of any length bound in hard or soft covers or in loose-leaf format. Also called monograph. Includes sheet music and Braille.

Book Number: See *SuDoc Class Suffix*.

Born Digital: In the Federal Digital System context, digital objects, created in a digital environment, with the potential of multiple output products, including hard copy, electronic presentation, and digital media.

Box: A collection of tangible materials to be classified, listed on a shipping list, and distributed together. Referred to as a “box” because the materials are kept together in a box moving through the process.

Box Process: The process of classifying, creating shipping lists, and distributing tangible publications to depository libraries.

Braille: A system that uses characters comprised of raised dots that enables blind people to read printed documents.

Browse: To explore a body of information on the basis of the organization of the collections or by scanning lists.

Bureau: A subordinate office of an agency.

Bureau Code: A 3-digit code identifying a bureau as the content originator. This code is always used in conjunction with an Agency Code indicating the parent agency. For example, the Forest Service is a bureau with the Department of Agriculture, so the Forest Service is identified as a content originator by using the 3-digit Agency Code for the Department of Agriculture (001), followed by the 3-digit Bureau Code for the Forest Service (001).

Bureau Reference: The combination of letters and numbers up to the period that form the beginning of the SuDoc classification number to indicate the bureau that is the content originator. For example, the agency reference for the Forest Service is “A 13.”

Business Process (GPO): A set of one or more linked activities which collectively realize a business objective or policy goal, normally within the context of an organizational structure defining functional roles and relationships.

By-Law Program: LSCM administers the distribution of certain tangible publications, called the By-Law program. Under various provisions of **Title 44**, U.S.C., GPO is required to provide copies of publications to certain Federal agencies and others as directed by Congress. Two or more copies of every publication printed are provided to the Library of Congress. LSCM maintains mailing lists for By-Law distribution of specific publications, regardless of whether the publication is distributed to the Federal depository libraries. The National Archives and Records Administration is entitled to receive 3 copies of every publication printed. Additionally, on behalf of the Department of State, GPO distributes copies of publications to foreign legations.

C&I (Cataloging and Indexing Program): See *Cataloging and Indexing Program*.

Catalog of U.S. Government Publications (CGP): The finding tool for electronic and print publications from the executive, judicial, and legislative branches of the U.S. government. The CGP contains descriptive records for historical and current publications providing direct links to those that are online. See also *CGP*.

Cataloging: Cataloging is comprised of the processes involved in constructing a catalog: describing information or documents to identify or characterize them, providing “entry point” (terms) peculiar to the information or document (e.g., author, title, subject, and format information), by which the information can be located and retrieved. The immediate product of cataloging is bibliographic records, which are then compiled into catalogs.

Cataloging and Indexing Program (C&I): Under sections 1710 and 1711 of *Title 44*, U.S.C., GPO creates cataloging and a comprehensive index for all public documents issued or published by the Federal Government that are not confidential in character. Also, in Section 1710, "heads of each executive department, independent agency and establishment of the Government shall deliver to the (Public Printer) a copy of every document issued or published by the department, bureau, or office not confidential in nature." Documents are cataloged and indexed, as part of the creation of a National Bibliographic Records Inventory. The *CGP* contains the cataloging (bibliographic records) and indexes them.

CD-ROM (Compact Disc Read-Only Memory): Computer based information storage and retrieval medium based on laser technology that contains data in text and/or multimedia formats. See also *Tangible Electronic Publication*.

Certificate Authority: A trusted third party that issues digital certificates for use by other parties. See also *Digital Certificate*.

Certification: (1) Proof of verification, validation, or authority. Process associated with ensuring that a digital object is authentically the content issued by the author or issuer. (2) An assessment against a known standard.

Certified: Providing proof of verification of authenticity or official status.

CGI Scripts (Common Gateway Interface Scripts): A specification for transferring information between a World Wide Web server and a CGI program.

CGP (Catalog of U.S. Government Publications): GPO's Online Public Access Catalog (OPAC), the public facing module of GPO's ILS. Finding tool/gateway to federal government publications. The CGP can be found at: <https://catalog.gpo.gov>

CGP's "Catalogs to Search": other catalogs containing bibliographic record subsets of the "full catalog", all ILS data publicly accessible in the CGP. Currently, the CGP offers the following "Catalogs to Search":

Congressional Serial Set:

The Congressional Serial Set Catalog contains records for House and Senate Reports, House and Senate Documents, Senate Executive Reports and Documents, and Senate Treaty Documents. The records date from July 1976 and are complete from the 95th Congress (1977-1978) to the present. Links are provided to publications when they are available online.

Congressional Publications:

The Congressional Publications Catalog contains records for publications of the United States Congress, the House of Representatives, the Senate, and joint committees dating from July 1976 to the present. Links are provided to publications when they are available online.

Electronic Titles:

This catalog contains records for and links to Federal Government publications that are available online. Records date from July 1976 to the present.

FDLP Web Archive:

The Federal Depository Library Program (FDLP) Web Archive is comprised of selected U.S. Government Web sites, harvested and archived in order to create working "snapshots" of the Web sites at various points in time. The aim is to provide permanent public access to Federal Agency Web content.

Gov eBooks:

This catalog contains records for and links to Federal Government digital publications that are formatted specifically to be used with an eBook device or eBook reader software. GPO archives free eBook files found on public Federal Government websites and provides permanent public access to the content. Current eBook formats in the CGP: PDF, MOBI, and EPUB.

Historic Shelflist:

The GPO Historic Shelflist is the U.S. Government Printing Office's (GPO) historic card catalog covering U.S. Government documents from the 1800s to October 1992.

Serials:

This catalog contains bibliographic records for continuing Government titles such as journals, annuals, and periodicals. Records date from 1976 and they contain links to titles that are available online.

CGP's New Titles: Page on the CGP that contains, various dynamic new titles searches, the New Electronic Titles (NET) monthly archive reports, and a link to the historic NET archive reports.

CGP System Number (Catalog of U.S. Government Publication System Number): A system generated unique number from GPO's Aleph ILS implementation. Also, may be referred to as the Aleph System Number, ILS System Number, or simply System Number.

Claims: Depository libraries submit a claim to GPO-LSCM within 60 days, for the non-receipt of selected title(s) listed on shipping lists in their shipment boxes. GPO-LSCM fulfills claims with extra copies of publication stock, until stock is exhausted.

Claims Copies: Extra copies of publication stock beyond what is required to fulfill depository orders, acquired for the purpose of fulfilling claims from depository libraries.

Cloud: A network of remote servers hosted on the Internet and used to store, manage, and process data in place of local servers or personal computers. Basically, someone else's computer/server.

Commercial Off-The-Shelf (COTS): A prepackaged solution available in the marketplace which address all or most of the common needs of a large group of buyers of those solution and may require some configuration to meet specific needs.

Computer Files: The number of pieces of computer-readable disks, tapes, CD-ROMs and similar machine-readable files comprising data or programs that are locally held as part of the library's collections available to library clients.

CONSER (Cooperative Online Serials Program): See *PCC*.

Consortium: Cooperative association of libraries that coordinates resources and/or activities on behalf of its members that may exist on a variety of levels such as local, regional, national, etc. The goal of which is to enhance capabilities and services of their members through collective action. Libraries may belong to multiple consortia.

Content: The intellectual substance of a work, including text, data, symbols, numerals, images, and sound.

Content Delivery Network (CDN): An external service provider utilized for distributed storage and delivery.

Content Evaluator: A user class that determines whether submitted content is in scope for GPO's dissemination programs.

Content Management Lifecycle: The ability and processes used to create, ingest, process, manage, preserve, access, search, disseminate, and dispose content.

Content Originator: A user class that develops content, submits content to the system, and submits orders to GPO for services.

Content Package (OAIS): A file or group of related files composed of content/data object and its metadata.

Content Unit: Content matter defined and treated as a single entity (e.g. publication, video, audio of the State of the Union Address). See also *Piece*.

Controlled Vocabulary: A carefully selected list of words and phrases, which are used to tag units of information so that they may be more easily retrieved by a search. Controlled vocabularies ensure consistency and reduce ambiguity inherent in normal human languages where the same concept can be given different names. See also *Natural Language*.

Converted Content: Digital content created from a tangible publication.

Cooperative Publication: Publications excluded from GPO's dissemination programs because they are produced with non-appropriated funds or must be sold in order to be self-sustaining. (44 U.S.C. §1903)

Copy: One of the various examples or specimens of the same publication.

COTS: See *Commercial Off-The-Shelf*.

CRDP (Cataloging Record Distribution Project): Pilot project with MARCIVE (independent vendor) that LSCM provides bibliographic records to as part of this project. More information on the CRDP at: <https://www.fdlp.gov/catalogingandclassification/cataloging-record-distribution-program>

Customization: Providing the ability for users to tailor options to meet their needs and preferences. Customization is not delivered dynamically (e.g., personalization); it is managed by users and is static until changed. An example of customization would be a system that allows users to change their own display based on their own preferences.

Cutter: C.A. Cutter's Two-Figure Author Table, familiarly known as the Cutter table, was developed by Charles A. Cutter in the 1800's as a library tool for organizing library materials alphabetically. There is also a three-figure table. Both the two- and three-figure tables are used in the Superintendent of Documents classification system. Cutter numbers are used when there is no series number to identify the publications and dates are not appropriate for identification. Cutter numbers are used to distinguish publications in the category classes, as well as in unnumbered series classes.

Dark Archive (digital): The site or electronic environment wherein a second "copy" or instance of all master and derivative digital files, associated metadata, and underlying enabling code resides and is maintained, under the control of the managing organization or its proxy yet inaccessible to the general public. See also *Dark Archive (tangible)*.

Dark Archive (tangible): A collection of publicly inaccessible tangible materials preserved under optimal conditions, designed to safeguard the integrity and important artifactual characteristics of the archived materials for specific potential future use or uses. Eventual use of the archived materials (“lighting” the archives) is to be triggered by a specified event or condition. Such events might include failure or inadequacy of the service copy of the materials; lapse or expiration of restrictions imposed on use of the archives content; effect of the requirements of a contractual obligation regarding maintenance or use; or other events as determined under the charter of the dark archives. See also *Light Archive*.

Data Center: A facility used to house computer systems and associated components, such as telecommunications and storage systems.

Data Element: The fundamental data structure in a data processing system. A unit of data defined for processing is a data element; for example, ITEM NUMBER, SUDOC CLASS STEM, AGENCY/BUREAU CODE. A data element is defined by size (in characters) and type (alphanumeric, numeric only, true/false, date, etc.). A specific set of values or range of values may also be part of the definition. Technically, a data element is a logical definition of data, may also be part of the definition. Technically, a data element is a logical definition of data, whereas a field is the physical unit of storage in a record. See also *Field* and *Data Item*.

Data Item: A unit of data stored in a field. See also *Field*, *Data Element*.

Data Migration: The process of translating data from one format to another. Data migration is necessary when an organization decides to use a new computing system or database management system that is incompatible with the current system. Typically, the data migration is performed by a set of customized programs or scripts that automatically transfer the data.

Data Mining: Discovery method applied to large collections of data, which proceeds by classifying and clustering data (by automated means) often from a variety of different databases, then looking for associations. Specifically applied to the analysis of use and user data for GPO systems, data mining includes the tools and processes for finding, aggregating, analyzing, associating, and presenting BPI and metadata to enhance internal and external business efficiencies.

Databases: Collection of electronically stored data or unit records (facts, bibliographic data, and text) with a common user interface and software for the retrieval and manipulation of the data.

DDIS (Depository Distribution Information System): The legacy system that acts as an authority file for item numbers and SuDoc classification stems, maintains library selection profiles, and maintains contact and other library information needed for distribution. Replaced by DSIMS in 2012.

Deposited Content: Content received from content originators in digital form.

Depository Distribution: The former LSCM business unit that was responsible for distribution of depository materials to depository libraries. The function has been transferred to the Laurel Warehouse.

Depository Library: See **Federal Depository Library**.

Depository Library Number: A unique number assigned to each library that is designated a Federal Depository Library. (Format: 9999X)

Depository Order Count: The GPO-LSCM item number count, plus a number of excess copies needed to fill depository claims.

Depository Selection Information Management System (DSIMS): See *DSIMS*.

Depository Status: Indicates whether a depository library is active or inactive.

Depository type: Indicates whether a depository is a regional or selective depository library. See also *Library Type*.

Derivative: An alternate presentation of content, often optimized for a specific function (e.g., access, preservation, print).

Descriptive Metadata: Metadata which aids in locating information. See also *Metadata*.

Deselection: (1) The act of deselecting from a depository library's profile. (2) The non-selected item numbers on a depository library's selection profile.

Designation: The process by which a library or institution is made an official Federal depository library.

Designation Type: Indicates whether a depository library's designation was as a federal agency, territorial governors, land grant college, law school, Mayor of the District of Columbia, Representative, service academy, highest state appellate court library, Senatorial, state library, or special provision of the 1895 Printing Act.

Device: Content delivery mechanisms for digital media, such as data storage devices (e.g., CD, DVD, etc.), wireless handheld devices, future media, and storage at user sites.

Digital Documents: Information unit with a defined content that has been digitized by the library or acquired in digital form as part of the library collection. This includes eBooks, electronic patents, networked audiovisual documents or other digital documents, e.g., reports, cartographic and music documents, pre-prints, etc. Databases electronic serials are excluded.

Digital Lifecycle Management: The progressive technology and workflow processes needed to ensure long-term sustainability of and accessibility to digital objects and metadata. Lifecycle

management is about active stewardship of digital assets over time through policies, staffing, resources, and technologies.

Digital Master: An image file, PDF file, or another digital asset created for the purpose of reuse and re-expression. See also *Master*.

Digital Media: Any storage device that holds digital data, including hard and optical discs and USB drives.

Digital Object: (1) A discrete item that can be acted upon by the system. A digital object may be a form of content (e.g., an entire document or a granule). (2) An item stored in a digital library or other digital collection of information, consisting of data, metadata, and an identifier.

Digital Preservation: Combines policies, strategies, and actions to ensure access to reformatted and born digital content regardless of the challenges of media failure and technological change. The goal of digital preservation is the accurate rendering of authenticated content overtime.

Digital Preservation Lifecycle Management: The pro-active strategic approach to the long-term preservation of digital information dissemination products. This approach takes the form of administrative actions following preservation best practices and standards for the digital conversion of tangibles, the acquisition of born digital content, authentication, metadata, creating appropriate derivative files for user access, and digital repository management.

Direct Mail: Depository material mailed directly to the library from the printing contractor, i.e., not in shipment boxes or listed on a shipping list.

Directory Information: Information in the *Federal Depository Library Directory*.

Directory Structure: The method used to organize the data within the directory (hierarchy).

Discards: Unwanted materials disposed of through a regional depository after retaining 5 years or they are superseded.

Discontinued: A title that is no longer distributed to depository libraries or published by the publishing agency.

Disposition Process: A formal process administered by the regional depository in each region, established for the review and disposition of materials that are no longer needed or wanted by a depository library.

Dissemination: (1) The transfer from the stored form of a digital object in a repository to the client or user. (2) The act of making Government information products accessible to the public through distribution to depository or program libraries or by using a Government electronic information service.

Distribution: Applying GPO processes and services to a tangible publication and sending a tangible copy to depository libraries.

Document: (1) Digital object that is the analog of a physical document, especially textual materials; a document model is an object model for documents. (2) Any book, paper, machine-readable-material, audio visual production, or other documentary material, regardless of physical form or characteristic, disseminated by an agency to the public.

Draft: A preliminary version of content, not yet in its finalized form.

DSIMS (Depository Selection Information Management System): Allows Federal depository libraries to view and manage their item selection profiles. Launched in April 2012, DSIMS is a replacement for the Depository Distribution Information System (**DDIS**), which had been used by the U.S. Government Publishing Office (GPO) since 1982.

DSIMS allows libraries to drop publications and add online (**EL**) publications at any time. Meanwhile, libraries can queue adds into a cart at any time. The cart is processed at the start of each new fiscal year (October 1); therefore, there will no longer be an Annual Item Selection Update Cycle. DSIMS also provides enhanced backend functionality for GPO staff.

EL Records (Electronic records): Government publications that have a PURL in the bibliographic record which links to the resource itself which is either, in part or as a whole, available in an electronic format, such as PDF.

Electronic Serials: Serials published in electronic form only or in both electronic and other format.

Emulation: Replication of a computing system to process programs and data from an earlier system that is no longer available.

Ephemera: Content that is outside the scope of GPO's dissemination programs. This includes, but is not limited to envelopes, letterhead, and documents produced for an organization's internal use only.

Essential Titles: Specific titles in the FDL P that contain critical information about the activities of the U.S. Government and that are important reference publications for libraries and the public. These titles are to remain available for selection by depository libraries in paper format, so long as they are published in paper by the originating agency. Maintaining the availability of these titles for selection in paper format has been deemed essential to the purposes of the FDL P. A list of essential titles can be found at: <http://www.fdlp.gov/requirements-guidance-2/collections-and-databases/1443-essential-titles>

Essential Title Designation: A true/false data element indicating whether a title or SuDoc class stem has been designated an **Essential Title**.

Export: To format data in such a way that it can be used by another application. An application that can export data can create a file in a format that another application understands, enabling the two programs to share the same data. The two programs might be different types of word processors, or one could be a word processor, while the other could be a database management system. The flip side of exporting is importing. See also *Import*.

eXtensible Markup Language (XML): See *XML*.

eXtensible Stylesheet Language (XSL): See *XSL*.

External Activity: An activity that requires manual or automated processing external to the system.

External user: A user who is not part of the GPO organization. See also *Internal User* and *Remote User*.

Faithful Digital Reproduction: Digital objects that are optimally formatted and described with a view to their quality (functionality and use value), persistence (long-term access), and interoperability (e.g., across platforms and software environments). Faithful reproductions meet these criteria, and are intended to accurately render the underlying source document, with respect to its completeness, appearance of original pages (including tonality and color), and correct (that is, original) sequence of pages.

FDLP (Federal Depository Library Program): Established by Congress to ensure that the American public has access to its Government's information. The Federal Depository Library Program (FDLP) is administered by the U.S. Government Publishing Office (GPO) since 1895.

Since 1813, select U.S. Government documents have been made available throughout the United States and its territories to designated libraries. These designated libraries are called Federal depository libraries.

As members of the FDLP, depository libraries play a prominent role in providing Federal Government information to the public. FDLP libraries collaborate on a local and national level to provide informed access to both historical and current Federal Government resources distributed through the FDLP and deposited in libraries across the country.

Anyone can visit Federal depository libraries and use the Federal depository collections which are filled with information on careers, business opportunities, consumer information, health and nutrition, legal and regulatory information, demographics, and numerous other subjects.

As authorized by chapter 19 of Title 44, USC., the FDLP disseminates information products from all three branches of the Federal Government to Federal depository libraries nationwide.

For more information about the FDLP: <https://www.fdlp.gov> See also *Federal Depository Library Program*.

FDLP Partner: A depository library or other institution that stores and maintains for permanent access segments of the collection.

Federal Depository Library (FDL): A library designated under the provisions of 44 USC Chapter 19 that maintains a depository collection for use and local access by the general public and which offers professional assistance in locating and using government information products and services.

Federal Depository Library Directory (FDLD): An ILS application containing the library records of Federal depository libraries.

Federal Depository Library Program (FDLP): A nationwide geographically-dispersed system, established under the provisions of 44 U.S.C. Chapter 19 and administered by the Superintendent of Documents, consisting of libraries acting in partnership with the United States Government for the purpose of enabling the general public to have local access to Federal Government information at no cost.

FedRAMP (Federal Risk and Authorization Management Program): A government-wide program that provides a standardized approach to security assessment, authorization, and continuous monitoring for cloud products and services. More information on FedRAMP at: <https://www.fedramp.gov/>

FDLP eXchange: Provides libraries in the Federal Depository Library Program with a one-stop-shop for the entire needs and offers process. FDLP eXchange automates disposition processing by allowing libraries to enter information on materials they want to discard and to have the process managed by an automated workflow. The application also allows libraries to enter information on materials needed for their collections or digitization efforts. More information on FDLP eXchange at: <https://www.fdlp.gov/fdlp-exchange-page>

Field: A physical unit of data that is one or more bytes in size. A collection of fields make up a record. A field also defines a unit of data on a source document, screen, or report. Examples of fields are ITEM NUMBER, SUDOCs CLASSIFICATION NUMBER, TITLE. The field is the common denominator between the user and the computer. When you interactively query and update your database, you reference your data by field name. There are several terms that refer to the same unit of storage as a field. A data element is the logical definition of a field, and a data item is the actual data stored in the field. For each data element, there may be many fields in the database that hold the data items. See also *Data Element*, *Data Item*.

File Copy: Additional copies acquired for the Library of Congress beyond what is required for the FDLP.

Final Published Version: Content in a specific presentation and format approved by its Content Originator for release to an audience. See also *Government Publication* and *Publication*.

FIPNet (Federal Information Preservation Network): A strategy for a collaborative network of information professionals working in various partner roles to ensure access to the national collection of Government information for future generations.

Format: (1) In a general sense, the manner in which data, documents, or literature are organized, structured, named, classified, and arranged. Specifically, the organization of information for storage, printing, or display. The format of floppy disks and hard disks is the magnetic pattern laid down by the formatting utility. In a document, the format includes margins, font, and alignment used for text, headers, etc. In a database, the format comprises the arrangement of data fields and field names. (2) Form or format in which a publication is distributed or disseminated to libraries, as specified in the *List of Classes*.

FRBR (Functional Requirements for Bibliographic Records): A conceptual entity–relationship model developed by the International Federation of Library Associations and Institutions (IFLA) that relates user tasks of retrieval and access in online library catalogues and bibliographic databases from a user’s perspective. It represents a more holistic approach to retrieval and access as the relationships between the entities provide links to navigate through the hierarchy of relationships. The model is significant because it is separate from specific cataloguing standards such as Anglo-American Cataloguing Rules (**AACR**)/**RDA** or International Standard Bibliographic Description (**ISBD**).

FTP (File Transfer Protocol): A protocol used to transfer files over a TCP/IP network (Internet, UNIX, etc.). For example, after developing pages for a Web site on a local machine, they are typically uploaded to the new Web server using FTP. FTP includes functions to log in to the network, list directories, and copy files. It can also convert between the ASCII and EBCDIC character codes. FTP operations can be performed by typing commands at a command prompt or via an FTP utility running under a graphical user interface such as Windows.

Fulfillment: The processes related to the packaging and delivery of content in tangible or digital form for delivery.

Functional Requirements for Bibliographic Records (FRBR): See **FRBR**.

GovInfo: Provides free online access to official Federal Government publications and securely controls digital content throughout its lifecycle to ensure content integrity and authenticity. An enterprise Content Management System (CMS) and a Preservation Repository.

The repository guarantees long-term preservation and access to digital Government content. To meet this critical need for permanent access to Federal Government information, **GovInfo** follows archival system standards. GPO’s GovInfo is an ISO 16363 certified trustworthy digital repository—the only repository in the world with this certification. More information on ISO 16363 at:

<http://www.iso16363.org/>

Providing free online access to Government publications is provided under the authority of chapter 41 of Title 44, U.S.C. **GovInfo** can be found at: <https://www.GovInfo.gov/>

Government Information: Information created, collected, processed, disseminated, or disposed of by or for the Federal Government. See also **Government Publication**.

Government Publication: (1) A work of the United States Government, regardless of form or format, which is created or compiled in whole or in part at Government expense, or as required by law, except that which is required for official use only, is strictly operational or administrated in purpose having no public interest or educational value, or is classified for reasons of national security. (2) Informational matter which is published as an individual document at Government expense, or as required by law. (44 U.S.C. §1901)

GPO's MetaLib: GPO's federated search engine that searches multiple U.S. Federal government databases (including the CGP, **GovInfo**, and U.S. Government Bookstore), retrieving reports, articles, and citations while providing direct links to selected resources available online. GPO's MetaLib can be found at: <https://metalib.gpo.gov>

Granularity: The degree or level of detail (e.g., page, chapter, paragraph, line) available within content in the system.

GUI (Graphical User Interface): See *ILS GUI*.

Handle System: A comprehensive system for assigning, managing, and resolving persistent identifiers, known as "handles," for digital objects and other resources on the Internet. Handles can be used as Uniform Resource Names (URNs).

Hard Copy: Tangible printed content.

Harvest: The identification and replication of content resident on web servers outside GPO's control.

Harvested Content: Digital content within the scope of Superintendent of Documents' dissemination programs that is gathered from Federal agency Web sites.

Hash: A number generated from a string of characters.

History: A record of all system activities.

Holding Record: A separate record is attached to the bibliographic record for a serial title, multivolume or single item to track issues, parts or volumes. Holdings record contains summary holdings information; i.e., 852 \$a location, \$b sub-location \$c collection, \$h, call number. The 853/4/5 Captions and 853/4/5X enumerations are located in the HOL record.

Holdings: Number of documents of a certain type (e.g. books and serials, microforms, electronic serials) held locally or in remote resources for which access rights have been acquired, at least for a certain period of time. To be measured at the end of the reporting period. Note: Referred to as "stock" in ISO 2798.

IES (International Exchange Service): See *International Exchange Service*.

ILS (Integrated Library System): A commercial-off-the-shelf (COTS) library services software application designed to manage library: acquisitions, cataloging, circulation, financial, and inventory tracking. The ILS maintains all bibliographic metadata for items in the Cataloging and Indexing Program and items distributed to the depository libraries. The ILS currently contains nearly a million bibliographic records from approximately 1800s to the present. See also *Integrated Library System*.

ILS GUI (Integrated Library System Graphical User Interface): The staff's interface for the ILS to search, create or update bibliographic, item, holding, and/or order records. Also called the *Aleph GUI* Client, in LSCM.

ILS System Number: See **CGP System Number**.

Import: To use the data produced by another application. The ability to import data is very important in software applications because it means that one application can complement another. Many programs, for example, are designed to be able to import graphics in a variety of formats. See also *Export*.

Inactive Item Number: An item number for which all associated SuDoc class stems are inactive.

Inactive SuDoc Class Stem: The class stem for which the associated title has been discontinued, ceased, replaced, or deemed out-of-scope.

Inactive Title: (1) A title that has been discontinued, ceased, replaced, or deemed out-of-scope; (2) An in-scope title that hasn't been published in a long time but not linked to a formal statement from the publisher about discontinuation, cessation, replacement, for example, a title could be inactive due to lack of funding for printing while the intent to publish remains.

Indexed Field: A field that has been indexed in the system to make it searchable.

Indexing: The process of compiling a set of identifiers that characterize a document or other piece of information by analyzing the content of the item and expressing it in the terms of a particular system of indexing.

Information: Any communication or representation of knowledge such as facts, data, or opinions in any medium or form, including textual, numerical, graphic, cartographic, narrative, or audiovisual forms.

Information Dissemination Product: Any book, paper, map, machine-readable material, audiovisual production, or other documentary material, regardless of physical form or characteristic, disseminated by an agency to the public.

Information Life Cycle: Stages through which information passes, typically characterized as creation or collection, processing, dissemination, use, storage, and disposition.

Information Management: The planning, budgeting, manipulating, and controlling of information throughout its life cycle.

Information Resources: Includes both government information and information technology.

Information Resources Management: The process of managing information resources to accomplish agency missions. The term encompasses both information itself and related resources, such as personnel, equipment, funds, and information technology.

Information System: A discrete set of information resources organized for the collection, processing, maintenance, transmission, and dissemination of information, in accordance with defined procedures, whether automated or manual.

Information System Life Cycle: The phases through which an information system passes, typically characterized as initiation, development, operation, and termination.

Information Technology: Any equipment or interconnected system or subsystem of equipment, that is used in the automatic acquisition, storage, manipulation, management, movement, control, display, switching, interchange, transmission, or reception of data or information by an agency. For purposes of the preceding sentence, equipment is used by an agency if the equipment is used by the agency directly or is used by a contractor under a contract with the agency which (i) requires the use of such equipment, or (ii) requires the use, to a significant extent, of such equipment in the performance of a service or the furnishing of a product. The term “information technology” includes computers, ancillary equipment, software, firmware and similar procedures, services (including support services), and related resources. The term “information technology” does not include any equipment that is acquired by a Federal contractor incidental to a Federal contract. The term “information technology” does not include national security systems as defined by the Clinger-Cohen Act of 1996 (40 U.S.C. 1452).

Ingest (OAIS): The OAIS entity that contains the services and functions that accept SIPs from Content Originators, prepare Archival Information packages for storage, and ensure that information packages and their supporting descriptive information packages are established within OAIS.

In-Scope Content: Content that has been qualified to be included in one of GPO’s content dissemination programs (Federal Depository Library Program, GPO Sales Program, International Exchange Program, Cataloging and Indexing Program, By-Law Program). Depending on the context of in-scope, this can mean one of any programs or specifically one programs.

Integrated Library System (ILS): Usually comprises a relational database, software to interact with that database, and usually two graphical user interfaces (one for patrons, one for staff). Most ILSs have separate software functions into discrete programs called modules, each of them integrated with a unified interface. Examples of modules might include:

- acquisitions (ordering, receiving, and invoicing materials)

- cataloging (classifying and indexing materials)
- circulation (lending materials to patrons and receiving them back)
- serials (tracking magazine, journals, and newspaper holdings)
- online public access catalog or OPAC (public user interface)

Integrating Resource: An information resource that is added to or changed by means of updates that do not remain discrete and are integrated into the whole; integrating resources can be finite or continuing. Examples of integrating resources include updating loose-leaf materials and updating Web sites.

Integrity: Content integrity refers to providing an assurance that content has not been altered or destroyed in an unauthorized manner and that information is recorded about any authorized changes.

Integrity Mark: Conveys authentication information to users.

Interface: A shared boundary between any two persons and/or systems through which information is communicated.

Intended Use: The designation that specific content delivery methods, file formats, or content presentations must be used for the purpose of legal reference.

Internal User: A user who is a part of the GPO organization. See also ***External User*** and ***Remote User***.

International Exchange Service (IES): Authorized by Section 1719 of Title 44, U.S.C. and pursuant to an international treaty and convention at Brussels on March 15, 1889, an exchange of official U.S. Government publications was established. GPO distributes tangible Government publications to foreign governments. In return, those foreign governments agree to send to the United States similar publications of their governments for Library of Congress collections.

Interoperability: Ability of systems to communicate by exchanging data or services.

ISBN (International Standard Book Number): A unique numeric commercial book identifier based upon the 9-digit Standard Book Numbering (SBN).

ISSN (International Standard Serial Number): A unique eight-digit number used to identify a print or electronic periodical publication.

Issue (bibliographic control): A content unit that is part of a serial.

Item: A specific piece of material in a digital library or collection; a single instance, copy, or manifestation.

Item Count: See ***Item Number Count***.

Item Lister: A web-based collection management tool that lists an individual library's selected or non-selected item numbers (or both).

Item number: An identification number used in selecting to receive publications classified under one or more SuDoc Class Stems. (FORMAT: 9999-X-99)

Item Number Count: Total number of copies needed to meet the needs of selecting libraries. Item Number Count currently stored in DSIMS. See also *DSIMS*.

Item Selection Profile: An individual depository's composite profile of its selected item numbers.

Item Number: An identification number used in FDLP's selecting to receive publications classified under one or more associated SuDocs Class Stems. These numbers live in the 074 field of the bibliographic record in the ILS. Item numbers only have meaning for the FDLP and LSCM staff.

Item SuDoc Number: SuDoc Numbers that live in the Item Records of the ILS.

Item Record: Refers to the physical entity. Item records are dealt with in all the GUI modules and are required for circulation and serials control, i.e., each physical copy must have an item record for serials check-in or for circulation. An item record contains information such as the classification number, item type, barcode, location, status, chronology, enumeration, and links to order and holding records, if needed.

LCRI (Library of Congress Rule Interpretations): Provided interpretations to the Anglo-American Cataloging Rules (*AACR2*), starting in 1988. The last printed cumulation of LCRI was in 2005 and is out of print. Listed below are updates since that cumulation. These are available for free download. No further updates are planned. More information on LCRIs at:
<https://www.loc.gov/aba/publications/FreeLCRI/freelcri.html>

List of Classes (LoC): The official listing of SuDocs class stems and item numbers available for selection by depository libraries participating in the FDLP. This list is arranged according to the SuDocs classification numbering system and is designed to group together publications by government author. Currently, the *List of Classes* is published semi-annually in paper and sent to each depository library. An unedited electronic version is also published on a monthly basis.

Jacket Number (GPO Ordering): A sometimes unique identifying number required by LSCM to communicate with its primary contractor, the main GPO. Jacket numbers utilize intelligent numbering schemes and are of two types: red, in the form of 999-999, or black, in the form of 99-999.

Jacket/Print Order/Program (GPO Ordering): A valid combination of one or more of these values, creates the unique identifying number required by GPO-LSCM to communicate with its primary contractor. This number is created and assigned by the GPO-LSCM, when a federal agency submits a job to GPO-LSCM for the procurement of services, i.e., printing of a publication, or procurement &

conversion of information into tangible electronic format i.e., CD-ROM. This number combination is used to track and manage jobs that are handled either inside the agency or contracted out. Depending on the nature of the contract that is let, the valid combinations are: Jacket Number only, Jacket and Print Order, or Jacket/Print Order/Program.

Java Applets: The use of small Java programs. Java Applets allows Web pages to include functions such as animations, calculators, and other fancy tricks.

JavaScript: A scripting language to enable Web authors to design interactive sites.

JCP (Joint Committee on Printing): Established on August 3, 1846, and oversees the operations of the U.S. Government Publishing Office (GPO), whose support is essential to the legislative process of the Congress. The GPO also serves by law as the principal printing organization for Federal agencies, and so the Joint Committee generally oversees compliance by Federal agencies with laws, rules and regulations designed to minimize printing costs to the American people. More information on the JCP at: <https://cha.house.gov/subcommittees/joint-committee-printing-116th-congress>

Keyword: A word or phrase entered into a search engine in an effort to get the search engine to return matching and relevant results.

Legally Official Content: Content published by the Federal Government, at Government expense, or as required by law, that also meets the standard of having a clear chain of custody that can be audited throughout the information life cycle, from the point that the content is created through dissemination.

Legislative Number: A sometimes unique identifying number given to legislative publications. See also *Jacket*.

Library Profile: A record of a library's directory information in the Federal Depository Library Directory.

Library Services & Content Management (LSCM): The GPO business unit that administers the Federal Depository Library Program.

Library Type: Indicates whether the depository is an Academic General Library, Academic Community College Library, Academic Law Library, Federal Agency Library, Federal Court Library, Public Library, Service Academy, Highest State Court Library, State Library, or Special Library. Note that this list could expand in the future. See also *Depository Type*.

Lifecycle Management: Active stewardship of assets over time through policies, staffing, resources, and technologies. See also *Digital Lifecycle Management*.

Lifecycle Management Processes: Elements of information dissemination products' lifecycle include: creation, discovery and acquisition; bibliographic control and metadata; collection care

and conservation; digitization; authentication; access and dissemination; storage of tangible; and digital repository management.

Light Archive (digital): A collection of all master or derivative digital files, associated metadata, and underlying enabling code, designed to safeguard the integrity and important artifactual characteristics of the archived materials while supporting ongoing permitted use of those materials by the designated constituents of the archives. See also **Light Archive (tangible)**.

Light Archive (tangible): A collection of tangible materials preserved under optimal conditions, designed to safeguard the integrity and important artifactual characteristics of the archived materials while supporting ongoing permitted use of those materials by the designated constituents of the archives. A light archive normally presupposes the existence of a dark archive, as a hedge against the risk of loss or damage to the light archives content through permitted uses. A light archive is also distinct from regular collections of like materials in that it systematically undertakes the active preservation of the materials as part of a cooperative or coordinated effort that may include other redundant or complementary light archives. See also **Dark Archive**.

List of Classes: The official listing of SuDoc class stems and item numbers available for selection by depository libraries participating in the FDLDP. This list is arranged according to the SuDoc classification system and is designed to group together publications by government author. Currently, the List of Classes is published annually in paper and sent to each depository library. An unedited electronic version in csv format is also published on FDLDP.gov twice a month on the 1st and 15th.

List of Inactive Item Numbers: An appendix of the List of Classes. In the print version, this lists all the item numbers that have been inactivated since the last printing. In the comma delimited file posted online, it includes all inactive item numbers in DDIS.

Locate (discover): The organized process of finding Web-based documents or publications that are within scope for a particular collection.

Locate Libraries: Functionality incorporated into the Catalog of U.S. Government Publications which allows users to find a Federal depository library that selects a particular item number. Also called "Locate in a Library."

Loose-Leaf Publication: An integrating resource that constitutes of one or more base volumes updated by separate pages that are inserted, removed, and/or substituted.

LSCM Staff: GPO staff who work in **Library Services & Content Management (LSCM)**.

Machine Format (.mrc): The most commonly used exportable format of **MARC** records, can be in two formats:

-- **MARC-8** encoding is derived primarily from a collection of international standard character set that includes code points for a large repertoire of characters including Latin, Cyrillic, Arabic,

Hebrew, and Greek scripts and over 15,000 characters used in writing Chinese, Japanese and Korean. The total collection of characters that can be represented in MARC-8 encoding is called the MARC-8 character repertoire. This extensive repertoire is adequate for many library environments. No further additions are being made to it.

--UTF-8 (UCS Transformation Format-8): The Universal Character Set (UCS) aims to provide, in a single system, code points for the characters of all written languages. At present it includes over 100,000 characters used in dozens of scripts. ISO/IEC 10646 was developed in conjunction with the [Unicode Consortium](#), an international group of industries, educational institutions, government agencies, etc. The consortium provides the primary energy for maintenance and expansion of the UCS. For that reason, the UCS is frequently called Unicode. In this specification the terms UCS/Unicode, UCS, and Unicode may be considered synonymous when referring to the standard, either as encoding or as repertoire. With the constantly growing adoption of the UCS/Unicode standard it will become a preferred option also for libraries. Conversions to Unicode have already taken place in many large library systems. When UCS/Unicode encoding is used in MARC 21, characters are expressed in the UCS transformation format, UTF-8, an encoding form that algorithmically converts Unicode *scalar values* to an *octet*-based format. A particular character in UTF-8 may require from one to four octets.

More on information on .mrc: <http://www.loc.gov/marc/specifications/speccharintro.html>

Note: Both are default exportable formats from GPO's ILS. See also **MARC**.

Maintenance: The work of keeping something in proper condition; upkeep.

Major Information System: An information system that requires special management attention because of its importance to an agency mission; its high development, operating, or maintenance costs; or its significant role in the administration of agency programs, finances, property, or other resources.

Manage: In Information Technology contexts, to add, modify, or delete content.

Manifestation: Form given to an expression of a work (e.g., by representing it in digital form).

Manual Harvesting: The capture of known digital publications through manual identification and saving of all associated publication files. See also **Automated Harvesting**, **Semi-manual Harvesting**.

MARC (Machine-Readable Cataloging): It defines a data format that emerged from a Library of Congress-led initiative and provides the mechanism by which computers exchange, use, and interpret bibliographic information, and its data elements make up the foundation of most library catalogs used today. MARC became **USMARC** in the 1980s and **MARC 21** in the late 1990s. USMARC and CAN/MARC (Canadian MARC) formats were "harmonized" into MARC 21 in 1997. More information on MARC at: <https://www.loc.gov/marc/>

MARC 21 (Machine-Readable Cataloging 21): See **MARC**.

MARC Tags: User readable view of **MARC** format, also the name of a view of GPO's data in the ILS.

MARCXML (MAchine-Readable Cataloging eXtensible Markup Language): A framework schema that is intended to be flexible and extensible to allow users to work with **MARC** data in ways specific to their needs. More information on MARCXML at: <http://www.loc.gov/standards/marcxml/>
Note: exportable **XML** format from GPO's current **ILS**.

Master: An item from which duplicates are to be made. See also **Digital Master**.

Metadata (GPO): Metadata is a structured representation of information that facilitates interpretation, management, and location by describing essential attributes and significant properties. Metadata describes the content, quality, condition, or other characteristics of other data. Metadata describes how, when, and by whom information was collected, where it resides and how it is formatted. Metadata helps locate, interpret, or manage content.

Metadata Encoding and Transmission Standard (METS): An XML schema for encoding metadata associated with objects in a digital library. See also **METS**.

MetaLib: See **GPO's MetaLib**.

METS: A structure for encoding descriptive, administrative, and structural metadata schema regarding objects within a digital library, expressed using the XML schema language of the World Wide Web Consortium. More information on METS at: <http://www.loc.gov/standards/mets/>
Note: GPO's current ILS does NOT inherently support METS.

Microfiche: A length of film bearing a number of micro-images in a linear array. See also **Microforms**.

Microforms: Photographic reproductions of textual, tabular, or graphic material reduced in size so they can be used only with magnification. The two main types of microforms are micro reproductions on transparent material including roll microfilm, aperture cards, microfiche, and ultrafiche; and reproductions on opaque material.

MoCat (Monthly Catalog): The precursor to the CGP, was the Monthly Catalog of United States Government Publications (MoCat) the index had been issued monthly by the Government Printing Office from 1895-2007.

It was organized by issuing agency, with a variety of indexes to provide other kinds of access. Indexes refer to the entry number in the main section of the volume. Over time, the information in the entries and the indexes have changed, but there is usually at least an annual subject index with each volume. Author and title indexes are included with some ranges of years, and a United States Congressional Serial Set Supplement was issued with separate subject, author and title indexes for several years. The Serial Set Supplements were issued up to four years after the Congress which they index.

In 1941, the Government Printing Office started issuing author/title/subject indexes which cover periods of five or ten years each, making subject access much easier. This practice continued until 1976, when the main entries were expanded to conform with national standards for cataloging and a wider variety of annual indexes were printed.

In June of 2007, it was announced that the December 2004 issue of the MoCat would be the last printed version. The ILS backed CGP superseded it, when it was released on March 9, 2006. See also *Monthly Catalog*.

MODS: An XML markup schema for selected metadata from existing MARC 21 records as well as original resource description of a bibliographic element set that may be used for a variety of purposes, and particularly for library applications. More on MODS:

<http://www.loc.gov/standards/mods/>

Note: GPO's current ILS does NOT inherently support MODS.

Monograph: A bibliographic resource that is complete in one part or intended to be completed within a finite number of parts.

Monthly Catalog (MoCat): A monthly serial publication produced by the United States Government Printing Office (GPO) from 1895 to 2004 when it was superseded by the Catalog of United States Government Publications (CGP). Each issue of the Monthly Catalog listed the publications that had been cataloged by GPO during the previous month.

NACO (Name Authority Cooperative): See *PCC*.

National Collection of Government Information: A distributed collection that includes all Federal information products produced since 1789 with Federal funds, regardless of format or medium. This includes content

Natural Language: Any language which arises in an unpremeditated fashion as the result of the innate facility for language possessed by the human intellect. A natural language is typically used for communication, and may be spoken, signed, or written. Natural language is distinguished from constructed languages and formal languages such as computer-programming languages or the "languages" used in the study of formal logic, especially mathematical logic.

Needs and Offers(N&O): A tool used by depository librarians for collection development purposes; a regional or national list for libraries seeking to dispose of publications withdrawn from their collections, place publications with other depositories, or replace missing publications with publications from other depository collections. See also *FDLP eXchange*.

NET (New Electronic Titles): See *CGP's New Titles*.

No-Fee Access: There are no charges to individual or institutional users for searching, retrieving, viewing, downloading, printing, copying, or otherwise using digital publications in scope for the FDLP.

Notification: A message sent to a process or user (e.g., email, RSS, workflow instance).

OAI-PMH (Open Archives Initiative Protocol for Metadata Harvesting): The Open Archives Initiative Protocol for Metadata Harvesting is a protocol developed for harvesting metadata descriptions of records in an archive so that services can be built using metadata from many archives.

OCLC: A commercial vendor that provides a database of bibliographic records that libraries can download and include in their online library catalogs.

Official Content: Content published by the Federal Government, at Government expense, or as required by law. See also *Legally Official Content*.

Official Source: The Federal publishing agency, its business partner, or other trusted source.

Online Information eXchange (ONIX): A standard format that publishers can use to distribute electronic information about their books to wholesale, e-tail, and retail booksellers, other publishers, and anyone else involved in the sale of books.

Online Dissemination: Applying GPO processes and services to an online publication and making it available to depository libraries and the public.

Online Format: A digital publication that is published at a publicly accessible Internet site.

Open Archives Initiative Protocol for Metadata Harvesting (OAI-PMH): See *OAI-PMH*.

Open Archival Information Systems Reference Model (OAIS): ISO 14721:2003 – A reference model for an archive, consisting of an organization of people and systems that has accepted the responsibility to preserve information and make available for a designated community. The model defines functions, activities, responsibilities, and relationships within this archive, sets forth common terms and concepts, and defined component functions which serve as the basis for planning implementation.

Open Government: The governing doctrine which holds that citizens have the right to access the documents and proceedings of the government to allow for effective public oversight. The Memorandum on the Open Government Directive issued by the White House on December 8, 2009 establishes the three principles of transparency, participation, and collaboration as the cornerstone of an open government.

Open Requisition: The GPO business process information (job) submitted by a user to request multiple products or services over a specific time period. Multiple jobs can be associated with an open requisition (e.g., Congressional Bills jobs are requested daily and each are associated to a fiscal year open requisition).

Partner: A party to a partnership agreement.

Partnership: An official agreement between GPO and one or more parties that may include government corporate, educational, or other institutions in joint projects that benefit the FDLP.

PCC (Program for Cooperative Cataloging): A cooperative cataloging venture wherein members contribute bibliographic records and related data under a common set of standards and conventions using the bibliographic utilities. PCC members (LSCM is a member) contribute high quality records and subject proposals conforming to approved standards.

The four PCC programs are:

- **BIBCO** Monographic records
- **CONSER** Continuing resource records
- **NACO** Name authority records
- **SACO** Subject authority records

More on PCC: <https://www.loc.gov/aba/pcc/>

Permanent Access: Means that Government information products within the scope of the FDLP remain available for continuous, no fee public access through the program as required by 44 U.S.C. §1911.

Permanent Public Access (PPA): See *Permanent Access*.

Persistent Identifier: See *Persistent Name*.

Persistent Name: Provides permanence of identification, resolution of location, and is expected to be globally (e.g., internationally) registered, validated, and unique.

Personalization: Dynamically tailoring options to match user characteristics, behavior, or preferences. Personalization is often implemented by analyzing data and predicting future needs. An example of personalization is a web site which provides recommendations based on past use.

Piece: See *Document*.

Policy Neutral: Refers to a system which is sufficiently flexible to support changes in business policies without requiring major re-engineering or design changes.

Presentation Information: The details of how content is to be visually represented.

Preservation: Strategic initiatives, programs, and processes designed to maintain useful access to information assets, serving the information needs of both present and future generations.

Preservation Copy of Record (tangible): The version set aside to protect its informational content and intrinsic value from decay or destruction. The copy of record may be used to create a digital

surrogate to function as the use copy. Intrinsic value is the worth of an item beyond the information content; it includes a combination of factors including historic value and provenance.

Preservation Copy of Record (digital): The preservation master file stored in a trustworthy repository. Derivatives of the preservation master copy are made available for access. The digital copy of record should be produced to specifications that will allow the creation of a printed facsimile version, should one be needed.

Preservation Description Information: Information necessary for adequate preservation of content information, including information on provenance, reference, fixity, and context.

Preservation Master: A copy which maintains all of the characteristics of the original publication, from which true copies can be made.

Preservation Master Requirements: A set of attributes for a digital object of sufficient quality to be preserved and used as the basis for derivative products and subsequent editions, copies, or manifestations.

Preservation Metadata: Metadata which incorporates elements of the other types of metadata specific to preserving the information for the long term. See also *Metadata*.

Preservation Processes: Activities necessary to keep content accessible and usable, including *Migration*, *Refreshment*, and *Emulation*.

Print Materials: Materials consisting primarily of words and usually produced by making an impression with ink on paper. Included in this definition are materials that do not require magnification (books, journals, pamphlets, and printed sheets including music and two-dimensional cartographic materials), as well as printed materials that require magnification (microforms). This also includes *Braille* materials.

Print on Demand (POD): Hard copy produced in a short production cycle time and typically in small quantities.

Primary Source: Basically, artifacts and first-hand experiences. According to Library of Congress are the raw materials of history — original documents and objects which were created at the time. They are different from secondary sources, accounts or interpretations of events created by someone without firsthand experience. For more about using Primary Sources: <http://www.loc.gov/teachers/usingprimarysources/>

Process (GPO): A formalized view of a “business process,” represented as a coordinated (parallel and/or serial) set of process activities that are connected in order to achieve a common goal.

Product (bibliographic control): A publication regardless of presentation media or format.

Program for Cooperative Cataloging: See *PCC*.

Provenance: The chain of ownership and custody which reflects the entities that accumulated, created, used, or published information. In a traditional archival sense, provenance is an essential factor in establishing authenticity and integrity.

Public Domain: A term of American copyright law referring to works that are not copyright protected; free for all to use without permission.

Public Information: Any information, regardless of form or format, that an agency discloses, disseminates, or makes available to the public.

Publication Lifecycle Management: Managing tangible publications through their lifecycle stages of discovering, acquiring, classifying, cataloging, disseminating, accessing, archiving, and preserving.

Publisher: The agencies that originate or create material for distribution or sale.

Pull: A network communication where the initial request for data originates from the client, and then is responded to by the server. The reverse is known as *push* technology, where the server pushes data to clients. See also *push*.

PURL (Persistent Uniform Resource Locator): A URL that instead of pointing directly to the location of an Internet resource, points to an intermediate resolution service. The PURL resolution service associates the PURL with the actual URL and returns that URL to the client. The client can then complete the URL transaction in the normal fashion. In Web parlance, this is a standard HTTP redirect. (<http://purl.oclc.org>)

Push: On the internet refers to a style of communication protocol where the request for a given transaction originates with the publisher, or central server. It is contrasted with *pull* technology, where the request for the transmission of information originates with the receiver, or client. See also *pull*.

RDA (Resource Description and Access): The cataloging standard to replace AACR2, is based on FRBR, or Functional Requirements for Bibliographic Records, and was released in 2010. The FRBR model is internationally recognized as a viable and valuable way to conceptually structure and retrieve information. For more on GPO's use of RDA: <https://www.fdlp.gov/all-newsletters/featured-articles/23-about/projects/143-rda>

Reactivation: Changing the status of an item number or SuDoc class stem from Inactive to Active.

Real Time: Occurring immediately. The term is used to describe a number of different computer features. For example, real-time operating systems are systems that respond to input immediately. They are used for such tasks as navigation, in which a computer must react to a steady flow of new information without interruptions. Most general-purpose operating systems are not real-time because they can take a few seconds, or even, minutes, to react.

Receipt record: A record containing information on the receipt of publication stock.

Recipient: An authorized user or system process that is permitted to receive content per their user role and group.

Record (noun): A group of related fields that store data about a subject or activity. A collection of records make up a file.

Record (verb): To capture data according to system specifications.

Records: All books, papers, maps, photographs, machine-readable materials, or other documentary materials, regardless of physical form or characteristics, made or received by an agency of the United States Government under Federal law or in connection with the transaction of public business and preserved or appropriate for preservation by that agency or its legitimate successor as evidence of the organization, functions, policies, decisions, procedures, operations, or other activities of the government or because of the informational value of the data in them. Library and museum materials made or acquired and preserved solely for reference or exhibition purposes, extra copies of documents preserved only for convenience of reference, and stocks of publications and of processed documents are not included. (44 U.S.C. 3301)

Records Disposition: Any activity with respect to (1) disposal of temporary records no longer necessary for the conduct of business by destruction or donation; (2) transfer of records to Federal agency storage facilities or records centers; (3) transfer to the National Archives of the United States of records determined to have sufficient historical or other value to warrant continued preservation; or (4) transfer of records from one Federal agency to any other Federal agency.

Records Management: The planning, controlling, directing, organizing, training, promoting, and other managerial activities involved with respect to records creation, records maintenance and use, and records disposition in order to achieve adequate and proper documentation of the policies and transactions of the Federal Government and effective and economical management of agency operations. (44 U.S.C. 2901(2))

Reference Tools: Finding aids, bibliographies, and other services to assist in locating and use of information, often less formally organized than catalogs and indexes.

Refresh: To copy information content from one storage medium to another, so that the data remains unchanged but the underlying medium is replaced.

Regional Depository Library: A depository library that is designated a regional library receives all or most of the items available. These libraries maintain the collection for long-term public access and provide guidance and assistance to selective depository libraries.

Relationship: A statement of association between instances of entities. In PREMIS, the association(s) between two or more object entities, or between entities of different types, such as an object and an agent.

Remote user: A user who access the system from someplace other than GPO premises. Remote users may be either *External Users* or *Internal Users*.

Render: To transform digital information in the form received from a repository into a display on a computer screen or other presentation to a user.

Rendition: Instance of a publication expressed using a specific digital format.

Replication: Make copies of digital material for backup, performance, reliability, or preservation.

Repository: A computer system used to store digital collections and disseminate them to users. Also, a central location in which data is stored and managed.

Representation Information: The information that maps a data object into more meaningful concepts. An example is the *ASCII* definition that describes how a sequence of bits (i.e., a Data Object) is mapped into a symbol.

Report: Information organized in a narrative, graphic, or tabular form, prepared on an ad hoc, period, recurring, regular, or as required bases. Reports may refer to specific periods, events, occurrences, or subjects. For the purpose of this project, reports are system generated and delivered electronically or via printout.

Requisition: A written order or formal demand by the user(s) of a good or service (which is not made available without a specific request) to the organization's purchase (or stores) department. It generally includes the brand and model name or number, description, quantity, and the required delivery date.

Requisition record: A record containing information on the requisition of publication stock.

Response Time: The elapsed time between the end of an inquiry or demand on a computer system and the beginning of a response; for example, the length of the time between an indication of the end of an inquiry and the display of the first character of the response at a user terminal.

Rider: Request by GPO, agency, or Congress that adds copies to an order placed by a publishing agency or Congress.

SACO (Subject Authority Cooperative Program): See **PCC**.

Search: Process or activity of locating specific information in a database or on the World Wide Web. A search involves making a statement of search terms and refining the terms until satisfactory results is returned.

Section 508: Section 508 of the Rehabilitation Act (29 U.S.C. 794d) requires access to electronic and information technology procured by Federal agencies. The Access Board developed accessibility standards for the various technologies covered by the law. These standards have been folded into the Federal government's procurement regulations.

Security: The protections of systems against unauthorized access to or modification of information, whether in storage, processing, or transit, and against the denial of service to authorized users or the provision of service to unauthorized users, including those measures necessary to detect, document, and counter such threats. The measures and controls, including physical controls in conjunction with management, technical, and procedural controls, that ensure the confidentiality, integrity, and availability of information processed and sorted by a system. See also *Application Security*.

Select: To change an item number on a library's selection profile from non-selected to selected.

Selection: (1) The act of selecting an item for a depository library's selection profile. (2) The item numbers selected on a library's profile are also referred to as that library's selections.

Selection Profile: A record of all item numbers that are selected by a particular library.

Selective Depository Library: A depository library that is allowed to choose which items distributed by the FDLP it wishes to receive. Sections are based on the information needs of the community and the general public that they serve. Selective libraries are allowed to discard materials after a 5-year retention period.

Selective Housing Agreement (SHA): An agreement accompanying the extended loan of depository materials from a designated library to one that is not a depository, formalized through a signed Memorandum of Agreement.

Semi-Manual Harvesting: The use of a software tool to schedule the content capture and re-harvesting of known content at known Web sites. See also *Automated Harvesting* and *Manual Harvesting*.

Separate Shipments: Those depository items deemed inappropriate for shipment in regular depository boxes and whose shipping lists follow in regular shipment boxes.

Serial: A publication in any medium issued in successive parts bearing numerical or chronological designations and intended to be continued indefinitely. This definition includes periodicals, newspapers, and annuals (reports, yearbooks, etc.); the journals, memoirs, proceedings, transactions, etc., of societies; and numbered monographic series.

Serial Control: The activity of identifying and managing serials or series.

Serial Title: The bibliographic entity represented regardless of the number of subscriptions to that entity in a given format.

Serials Check-in: Recording process for checking in new issues into the ILS. Each check-in record contains information about the name of the series, imprint, etc. Each check-in record is attached to a single bibliographic record which contains the name of the series, imprint, etc. Note that each bibliographic record may have many check-in records attached.

Series: A group of separate publications related to one another by the fact that each bear, in addition to its own title proper, a collective title applying to the group as a whole. The individual publications may or may not be numbered.

Shared Repository: A facility established, governed, and used by multiple institutions to provide storage space and, in some instances limited service for low-use library materials, primarily paper-based materials that do not have to be readily available for consultation in campus libraries.

Shipping List: An itemized list of all documents sent to a regional depository or selective library in a shipment. It is a universal list sent to all libraries, not a unique packing list based on a library's selection profile.

Shipping List Numbers: A unique number assigned to each shipping list based on the format of the documents included. (FORMAT: 9999-9999-X. The first 4 numeric digits represent the fiscal year, and the alpha character at the end represents format, i.e., 2009-0001-P would be a shipping list for paper documents, 2009-0001-M would be a shipping list of microfiche documents, and 2009-0001-E would be a shipping list of tangible electronic documents.)

Shipping Lister: A web-based service from which a user can retrieve an official depository shipping list in PDF format.

Snapshot: A picture of your system at the time the snapshot is taken. Think of it as an image of your computer's hard drive. The snapshot files that are created contain only the changes that have occurred to the virtual machine since the snapshot was taken.

Standard Form 1 (SF1): Content originators use the *SF1-Request for Printing and Binding* to acquire printing and binding services from GPO. A completed form provides printing specifications for the publication. The information on the form is used by LSCM Acquisitions staff to determine whether to place a **Rider** on the order.

Status: A representation of the internal conditions defining the state of a process or activity at a particular point in time.

Stock: On hand copies of a publication.

Storage: The functions associated with saving digital publications on physical media, including magnetic, optical, or other alternative technologies.

Storage Media: Any media used for storing data, such as hard disks, floppy disks, optical disks, or magnetic tape.

Structural Metadata: Metadata which records structures, formats, and relationships. See also *Metadata*.

Subscription: An agreement by which a user obtains access to requested content by payment of a periodic fee or other agreed upon terms.

Subscription/Pattern/Items: The **subscription** contains information relevant to the specific subscription (copy) of the serials held in the ILS; there must be one subscription per each 'physical copy' received. **Patterns** are predictions set up based on frequency. **Items** are created automatically for every expected issue. One item is created for each physical copy of the issue received or expected.

SuDoc Class Stem: The class stem is the classification number up to the colon. It consists of letter author symbols for the parent issuing body, numbers indicating subordinate offices, followed by a period, and numbers designating category classes, series, or serial title, followed by a colon.

SuDoc Class Suffix: The part of the classification number following the colon, used to uniquely identify an individual publication and to differentiate one publication from all others classed under the same class stem. May be the series number printed on the publication, or if a publication has no number, a Cutter number from the Cutter table is used to complete the class. In former practice the book number for some online titles was a system-generated number, specifically a publication ID number in the ACSIS database (e.g., A 1.2: 2002000345). While this practice was discontinued, some online publications still have current SuDoc classes in this format. The SuDoc Class Suffix is also called the *Book Number*. See also SuDoc

SuDoc Classification: See *SuDoc Classification System*.

SuDoc Classification Number: Comprised of a SuDoc class stem, followed by a SuDoc class suffix or book number. Taken as a whole, the SuDoc Classification Number uniquely identifies an individual publication issued by the Federal government.

SuDoc Classification System: A system designed to group together publications by the same government author. Within an agency or department, publications are grouped according to the subordinate organization. The purpose of this system is to uniquely identify, logically relate, and physically arrange each publication so that all publications of a single agency or department may be found together.

SuDoc Stem (SuDoc Classification Stem): Combining the designations for authors and those for the series published by the authors results in the class stems for the various series of publications

issued by the U.S. Government. It consists of letter author symbols for the parent issuing body, numbers indicating subordinate offices followed by a period, and numbers designating category classes, series, or serial title followed by a colon. These stems live in the 086 field in bibliographic records in the *ILS*. Example: A 1.2:

SuDoc Number (SuDoc Classification Number): Same as SuDoc Stem, but may contain a cutter, series number or some other type of suffix after the colon. These numbers live in either the 086 in a bibliographic record or in an Item Record field in the ILS. Example: A 1.2:AC 4

Superintendent of Documents (SuDocs): A government official appointed by the Public Printer to oversee GPO's FDLP and sales programs.

Superseded List: List of document titles or series that are replaced by new editions.

System: An organized collection of components that have been optimized to work together in a functional whole.

System Metadata: Data generated by the system that records jobs, processes, activities, and tasks of the system. See also *Metadata*.

System Number: See **CGP System Number**. (Note: usual Aleph/CGP Number, but may also denote for another system).

Systems Administrator: User class that directly supports the use, operation, and integrity of the system.

Tangible (adjective): Refers to information conveyed on a physical medium.

Tangible Electronic Publication: Publications distributed on physical storage media, such as CD-ROM or DVD. Electronic publication disseminated online are not tangible publications.

Tangible Publication: Books, maps, VHS, diskettes, CD-ROMs, and DVDs distributed through the FDLP in in physical form. By contrast, items disseminated online are not tangible publications.

Tangible Records: Government publication bibliographic records where the resource itself is available in one or more of the following: paper, microfiche, mixed media, etc.

TCP/IP (Transmission Control Protocol/Internet Protocol): A suite of communication protocols used to interconnect network devices on the internet. Used in *FTP* and other methods. TCP/IP is used to export bibliographic records from *OCLC* to GPO's current *ILS*.

TDR: See *Trustworthy Digital Repository*.

Technical Metadata: See *Structural Metadata*. See also *Metadata*.

Term Contract: The business process information (job) submitted by a user to request products or services over a specific time period with specific Service Providers. Multiple jobs can be ordered off term contract (e.g., a magazine printed once a week for a year). Term contracts include single award, multiple award, direct deal, and general usage.

Test Case: (1) A set of test inputs, execution conditions, and expected results developed for a particular objective, such as to exercise a particular program path or to verify compliance with a specific requirement. (2) Documentation specifying inputs, predicted results, and a set of execution conditions for a test item. A document describing a single test instance in terms of input data, test procedure, test execution environment and expected outcome. Test cases also reference test objectives such as verifying compliance with a particular requirement or execution of a particular program path.

Title: The designation of a separate bibliographic whole, whether issued in one or several volumes, reels, discs, slides, or other parts. Titles are defined according to the Anglo-American Cataloging Rules (**AACR2**). A book or serial title may be distinguished from other such titles by its unique International Standard Book Number (**ISBN**) or International Standard Serial Number (**ISSN**). This definition applies equally to print, audiovisual, and other library materials. For unpublished works, the term is used to designate a manuscript collection or an archival record series. Two subscriptions to Science magazine, for example, are counted as one title. When vertical file materials are counted, a file folder is considered a title.

Title 44 U.S.C. (Title 44 United States Code): Title 44 of the United States Code outlines the role of public printing and documents in the United States Code.

More information about Title 44 (2018) at:

<https://www.GovInfo.gov/content/pkg/USCODE-2018-title44/pdf/USCODE-2018-title44.pdf>

See also **United States Code**.

Transmission Control Protocol/Internet Protocol (TCP/IP): See **TCP/IP**.

Trustworthy Digital Repository (TDR): More information about TDR at GPO can be found at:

<https://www.fdlp.gov/preservation/trusted-digital-repository-iso-16363-2012-audit-and-certification>

See also **ISO 16363**.

UAT (User Acceptance Testing): See *User Acceptance Testing*.

Unauthenticated Copies: Exact copies or reproductions of records or other materials that are not certified as such under seal and that need not be legally accepted as evidence.

Union Catalog: list the holdings of all the libraries in a library system or program. For example: for the CGP to be a Union Catalog for the FDLP it would need to list all of the holdings of all active FDLs.

Union List: In general, a complete list of the holdings of a group of libraries of materials of a certain type, on a certain subject, or in a particular field, usually compiled for the purpose of resource

sharing. Specific to the **FDLP**, the composite selection profiles in **DDIS** comprise a union list of the selection profiles of all Federal depository libraries.

UNION-L: The file that is downloaded from **DSIMS** containing the union list of all Federal depository libraries' selection profiles.

Unique Identifier: A character string that uniquely identifies digital objects, content packages and jobs within the system.

Unreported Publications: A U.S. Government publication that falls within the scope of the Federal Depository Library Program, but has not been included in the FDLP. These publications include tangible or digital products such as ink-on-paper, microforms, websites, CD-ROMs, or DVDs.

Use Case: A description of the behavior of a system or part of a system; a set of sequences or actions, including variants that a system performs to yield an observable result of value.

User: The person who uses a program, system, or collection of information to perform tasks and produce results.

User Acceptance Testing (UAT): Testing that validates that the system meets GPO's mission and business needs for the capabilities allocated to that release, in order to expose issues before the system is released to a wider audience in beta testing. This testing involves real-world, internal exposure or operation to the system.

User Class: A group of people with specifically designated: characteristics, permissions, user experience, and features needed.

User Interface: The user interface is the aggregate of means by which people (the users) interact with the **system**.

Vendor: Contracted companies that provide services for LSCM; also refers to as contractors. LSCM typically uses vendors to convert publications from its original form into microfiche. In some systems, the vendors are U.S. Government Agencies and Bureaus used to track materials order and received from them.

Version: Unique manifestation of content.

Version Control: The activity of identifying and managing versions.

Version Information: Information stored in metadata that describes the relationship between versions.

VIAF® (Virtual International Authority File): Combines multiple name authority files into a single OCLC-hosted name authority service. More information at: <http://viaf.org/>

Volume: A single physical unit of any printed, typewritten, handwritten, mimeographed or processed work, distinguished from other units by a separate binding, encasement, portfolio, or other clear distinction, which has been cataloged, classified, and made ready for use, and which is typically the unit used to charge circulation transactions. Either a serial volume is bound, or it comprises the serial issues that would be bound together if the library bound all serials.

Web Claim Form: A web form used by depository libraries to make claims for titles rightfully due to them based on their selection profiles.

WebTech Notes: Interactive online resource to locate information on corrections to SuDoc classification numbers, new or cancelled item numbers, new or cancelled SuDoc class stems, and status updates on serials or series.

Withdrawal: Document or item withdrawn from a collection during the reporting period. Withdrawals may be effected, for example, by discarding, transferring, or in the case of electronic resources by deletion from files or cancelling licenses.

XML (extensible Markup Language): A markup language that defines a set of rules for encoding documents in a format that is both human-readable and machine-readable.

XSL (extensible Stylesheet Language): Used to refer to a family of languages used to transform and render XML documents.

United States Code (USC/U.S.C.): The Code of Laws of the United States of America is the official compilation and codification of the general and permanent federal statutes of the United States. It contains 53 titles. Applicable code for GPO systems: **Title 44**. More information on U.S.C. at: <https://www.GovInfo.gov/app/collection/uscode>

USC/U.S.C. (United States Code): See *United States Code*.

USMARC (Machine-Readable Cataloging): See *MARC*.

Z39.50: A national and international (ISO 23950) standard defining a protocol for computer-to-computer information retrieval among different information systems. More information on Z39.50 at: <http://www.loc.gov/z3950/>

Note: GPO's current ILS does support Z39.50.

Appendix B: As-Is Workflow Process Maps

In the attached Appendix, you will find Workflow Process Maps (WPMs) depicting Library Services and Content Management (LSCM) uses for processes with touch points to the current Integrated Library System (ILS). These processes will need to be recreated to work in the replacement system. The WPMs are followed by a key of the symbols used and a list of terms and acronyms.

Brief descriptions of each WPM are listed below:	
MCS 1	This MCS high-level workflow diagrams the work of the acquisitions team as they make ride decisions and then create brief bibs for tangible content in advance of the cataloging workflows documented in MCS 2.
MCS 2	High-level diagram of the 3 different approaches (manual / semi-automated / automated) MCS takes to create new catalog records in the Catalog of U.S. Government Publications (CGP).
MCS 3	This is a sub-process diagram that documents the MCS workflow for creating and harvesting PURLs, which can occur before or during cataloging.
MCS 4	MCS tangible workflow for creating and maintaining continuing resources (serials and integrating resources) bibliographic holdings and item records in the CGP.
MCS 5	Maps the 2 primary start points for MCS Metadata Integrity Team (MI) to monitor the CGP for metadata that does not meet standards and address any errors. This same process is used to manage any MCS PURL corrections.
MCS 6	Workflow for maintaining functional PURLS and updating item-level metadata for serial and integrating resource online version catalog records in the CGP.
P&S 01	A representation of major processes run through the ILS interface.
P&S 02	Process to review, format, ingest, and conduct quality control on item records created in CGP from item-level inventories that document print material held in Preservation Steward partner collections.


P&S 03	New Electronic Titles: Extraction of record data from the ILS, data conversion, and distribution through posting on CGP website. Includes production of a specialty report on subsection of data produced for DHS.
P&S 04	Three-prong process for managing Aleph ILS User accounts, including creating new accounts, managing permissions, and deactivating accounts.
P&S 05	System Team process to deliver MCS requests for Aleph records in specified file types. Follows process through multiple software systems and conversion steps.
P&S 06	To get a count of the orders created each month for FDL, By Law, or C&I.
P&S 07	To get a count of the orders that have not been completed for FDL or C&I.
P&S 08	Process to evaluate, approve, and undertake requests to change the ILS Index. Includes Test and Prod runs, QC and validation, and notifications.
P&S 09	Two processes to alert ILS users to system status changes (such as moratoriums and server maintenance) in scheduled and unscheduled circumstances respectively.
P&S 10	Process to work with GPO IT to renew, deliver, implement, and verify website certifications.
P&S 11	Produces a MARC file of all the records publicly available in the CGP.
P&S 12	Working with contractor to update authorized access points in Aleph records to adhere to National Bibliographic standards and the Program for Cooperative Cataloging. Update and correct for cataloging errors and changes to MARC cataloging standards.
P&S 13	Working with contractor to update authorized access points in records created in the preceding month to adhere to Nat'l Bib standards and the PCC. Update and correct for cataloging errors and changes to MARC cataloging standards.
P&S 14	Provide access to records created in the previous month in the CGP for free. Process shows how specified records are pulled from Aleph, converted to appropriate formats, and uploaded to GitHub and DevOps. Process includes Systems, Web, and FDSS.

P&S 15	Process to ingest new records provided by MCS to Aleph.
P&S 16	Process to select, crawl, QA, catalog, and maintain collection of the archived websites; includes working with agencies.
P&S 17	Process to update 922 codes to assist with GovInfo workflows.
P&S 18	Process to permanently remove record marked for deletion by MCS.
P&S 19	Customizable process to provide MCS with statistics about records created, modified, or deleted.
P&S 20	Process outlining how Aleph can be customized – base process shown in map is the process to update the user interface in GUI including running the workflow in the Test and Production environments, working with contractors, restarting the server.
P&S 21	Process outlining how DPLA harvests CGP records for their online repository.
P&S 22	OAM receives notification or request for PURL work, investigates PURL and target, identifies one of many possible paths to resolve issues or complete requests.
Key	Shows the symbols used in diagrams.
Abbreviations / Acronyms / Terms	Provides definitions for terms, abbreviations, and acronyms used in diagrams.

MCS 1: Acquisitions, Rides, and Brief Bib Creation Workflows


This MCS high-level workflow diagrams the work of the acquisitions team as they make ride decisions and then create brief bibs for tangible content in advance of the cataloging workflows documented in MCS 2.

GPO but external to LSCM




MCS 2: Creating Catalog Records

High-level diagram of the 3 different approaches (manual / semi-automated / automated)
MCS takes to create new catalog records in the Catalog of U.S. Government Publications (CGP).




MCS 3 Sub-Process: Creating PURLs and Harvesting for Online Version CGP Records

This is a sub-process diagram that documents the MCS workflow for creating and harvesting PURLs, which can occur before or during cataloging.



MCS 4 Sub-Process: Continuing Resources Check-in and CGP Item Record Guidance


MCS tangible publication workflow (documented in LSCM DI 13-2023) for creating and maintaining continuing resources (serials and integrating resources) bibliographic holdings and item records in the CGP.



As-Is	To-Be
	
Business Model	System Model


MCS 5: CGP Quality Control (QC) and ILS Intersection


Maps the 2 primary start points for MCS Metadata Integrity (MI) Team to monitor the CGP for metadata that does not meet standards, and address any errors. This same process is used to manage any MCS PURL corrections. This diagram draws from SOP 36-2024 and DI 410.




MCS 6: Electronic Continuing Resources Management (ECRM)

Workflow for maintaining functional PURLs and updating item-level metadata for serial and integrating resource online version catalog records in the CGP.






A representation of major processes run through the ILS' s three interfaces.
The colors of are intended to show separate processes, they are not codified



Process to review, format, ingest, and conduct quality control on item records created in CGP from item-level inventories that document print material held in Preservation Steward partner collections.

P&S 3: New Electronic Titles (NET)




	As-Is	To-Be
Business Model	●	
System Model		
Model		

New Electronic Titles: Extraction of record data from the ILS, data conversion, and distribution through posting on CGP website. Includes production of a specialty report on subsection of data produced for DHS.

This is a Systems Team process except where noted. Work takes place in three phases.


- First, at the beginning of the month, the initial run produces a preliminary report and the error reports. These receive an initial QC and are sent to MCS.
- Second, MCS makes corrections.
- Third, once Systems is informed that the corrections have been made, the is re-run, processed, and posted with the DHS report being created at the same time as a subprocess based on the same data. The sending, making, and reporting of corrections is not a codified process.

Because the reporting runs a month in arrears, in February, the server files controlling the CGP website have to be updated for the new calendar year, adding a step that occurs in February only.



Three-prong process for managing Aleph ILS User accounts including creating new accounts, managing permissions, and deactivating accounts.


P&S 5: Systems Task Request for MARC XML files



As-Is	To-Be
Business Model	
System Model	

Systems Team process to deliver MCS requests for Aleph records in specified file types.
Follows process through multiple software systems and conversion steps.


P&S 6: Monthly Orders Process



To get a count of the orders created each month for FDL, By Law, or C&I.

Business Model	As-Is	To-Be
System Model		
Model		


P&S 7: Open Orders Process



Business Model	As-Is	To-Be
System Model		

To get a count of orders that have not been completed for FDL or C&I.


P&S 8: Index Management Process



As-Is	To-Be
Business Model	System Model

Process to evaluate, approve, and undertake requests to change the ILS Index. Includes Test and Prod runs, QC and validation, and notifications.


P&S 9: System Status Change Process



As-Is	To-Be
Business Model	System Model

Two processes to alert ILS users to system status changes (such as moratoriums and server maintenance) in scheduled and unscheduled circumstances respectively.


P&S 10: SSL Certification Process



Business Model	As-Is	To-Be
System Model		

Process to work with GPO IT to renew, deliver, implement, and verify website certifications.


P&S 11: ILS Annual Snapshot



Produces a MARC file of all the records publicly available in the CGP.

As-Is	To-Be
	
Business Model	System Model


P&S 12: Semi-Annual Authority Control (Moratorium)



Working with Backstage contractor to update authorized access points (i.e. LC Subject Headings) in most Aleph records to adhere to National Bibliographic standards and the Program for Cooperative Cataloging. Update and correct for cataloging errors and changes to MARC cataloging standards.


As-Is	To-Be
Business Model	
System Model	

P&S 13: Monthly Authority Control Process



Working with Backstage contractor to update authorized access points (i.e. LC Subject Headings) in the records created in the preceding month to adhere to National Bibliographic standards and the Program for Cooperative Cataloging. Update and correct for cataloging errors and changes to MARC cataloging standards.


P&S 14 FDM/GitHub MCS Monthly Data Pull



Provide access to records created in the previous month in the CGP for free. Process shows how specified records are pulled from Aleph, converted to appropriate formats, and uploaded to GitHub and DevOps. Process includes Systems, Web, and FDSS.

As-Is	To-Be
Business Model	
System Model	


P&S 15: Records Ingest Process



Systems team process to ingest new records provided by MCS to Aleph. Errors are usually all corrected in the Test phase of the process, but checks remain in Production phase to ensure data integrity.


	As-Is	To-Be
Business Model	●	
System Model		
Model		

P&S 16: Web Archiving Procedure



Process to select, crawl, QA, catalog, and maintain collection of the archived websites; includes working with agencies.
Bi-annual recrawl is standard maintenance window, occasionally quarterly or annually.

As-Is	To-Be
Business Model	Business Model
Process Model	Process Model
System Model	System Model



Process to update 922 codes to assist with GovInfo workflows (uses PURLs as unique identifiers but does not change them).


Note: Ad Hoc ingest requests are occasionally made – follow this process

For information on record selection, please consult: LSCM SOP 37-2024 - Permanent to GovInfo Monograph Ingest Workflow

This subprocess descends from MCS 3.

	As-Is	To-Be
Business Model		
System Model		
Model		

P&S 18: Semi-Annual Deletion Process




Process to permanently remove record marked for deletion by MCS

Twice-Annual Deletion Process

Starting at Split files: ALL tasks noted with a double arrow are performed TWICE, once for each file.

As-Is	To-Be
Business Model	
System Model	
Model	

P&S 19: Standard Metrics Process -- Regular Reporting Example



Business Model	As-Is	To-Be
System Model		


Customizable process to provide MCS with statistics about records created, modified, or deleted.

Basic Process also applies to the following (with or without customization for unique data):

- Monthly Serial metrics,
- Monthly HSL Contractors stats,
- Monthly Serial Live metrics,
- Quarterly EPQR stats,
- Semiannual PCC stats,
- & *ad hoc* requests

P&S 20 Aleph Customization

Basic Process: GUI Modification




Process outlining how Aleph can be customized – base process shown in map is the process to update the user interface in GUI including running the workflow in the Test and Production environments, working with contractors, restarting the server.

Also Applies to:
Annual Order Counter Update

Business Model	As-Is	To-Be
System Model		

P&S 21: DPLA Data Harvesting OAI




Process outlining how DPLA harvests CGP records for their online repository. The described process is the Systems' check of data availability and completeness.

Process also includes the creation of a rough count provided to DPLA to check against their harvest results to ensure full capture of intend records.

Business Model	As-Is	To-Be
System Model		
Model		








P&S 22: PURL Maintenance and Creation -- OAM



OAM receives notification or request for PURL work, investigates PURL and target, identifies one of many possible paths to resolve issues or complete requests

As-Is	To-Be
Business Model	Business Model
System Model	System Model
Model	Model

Workflow Process Mapping Project Diagram Key

	Basic start		Decision point <i>Referred to as a gateway in BPMN</i>		Catalog of U.S. Government Publications (CGP) <i>Public resource</i>		Script or code
	Timer start <i>For a monthly/quarterly/etc. process start</i>		Sequence flow <i>Direction of workflow in sequence</i>		Web-based resource or tool <i>External to the Aleph system</i>		Basic end event
	Message start <i>For a process that starts with a notification or request</i>		Message flow <i>Shows the sequence flow as a message being passed between external and internal entities</i>		Data repository or system <i>External to the Aleph system</i>		Error end event <i>Sequence flow on this branch Ends with an error addressed beyond the diagram</i>
	Interrupting intermediate event		Aleph system Graphic User Interface (GUI) <i>Used more heavily in MCS diagrams</i>				Escalation end event <i>Sequence flow ends by pointing to another workflow diagram</i>
	Non-interrupting intermediate event <i>This one is timer type to show an event that occurs on a schedule</i>		Aleph ILS system <i>Not the GUI</i>		Data collection		
	Task Activity/work that is performed during a process		Test server		Document or data object		
	Task This color task box signifies activities performed by an external entity						
	Sub-process A nested work process				Email or other message		

Workflow Process Mapping (WMP)

FY26 Q2

Abbreviations / Acronyms / Terms

Aleph	ILS for the CGP
API	Application Programming Interface
APS	Agency Procurement Services (GPO)
By-Law	Publications received by law
C&I	Cataloging and Indexing Program within MCS (GPO/LSCM)
CGP	Catalog of U.S. Government Publications
CPS	Congressional Publishing Services (GPO)
CSS	Collection Support Services within MCS (GPO/LSCM)
DiscoverGov	CGP discovery layer
DDD	Depository Distribution Division within Office of the SupDocs (GPO)
ECRM	Electronic Continuing Resources Management process in MCS (GPO/LSCM)
FDLP	Federal Depository Library Program (GPO)
FDM	FDLP Data Manager (GPO/FDLP system)
FDSS	Federal Depository Library Services unit (GPO/LSCM)
FY	Fiscal Year
GitHub	Web platform
GovInfo	GPO's trusted digital repository
GUI	Graphical User Interface
GP3	Government Publishing & Print Procurement (GPO)
IES	International Exchange Program (GPO)
ILS	Integrated Library System
LST	Library Systems Team within P&S (GPO/LSCM)
MARC	Standards for representing bibliographic information in machine-readable form
MCS	Metadata and Collection Services unit of GPO/LSCM
MODS	XML-based Metadata Object Description Schema
NET	New Electronic Titles; refers to both the process and resulting report within CGP
NTRG	New Electronic Titles Report Generator, bespoke software assists with NET
OAM	Office of Archival Management within P&S (GPO/LSCM)
OCLC	Formerly Online Computer Library Center (vendor)
P&S	Projects & Systems unit of GPO/LSCM
POCs	Point of Contact
PTFS	Progressive Technology Federal Systems, Inc (Contractor for ILS)

PURL	Persistent uniform resource locators
SF 1	Printing and Binding Requisition Form
Salesforce	Customer resource management system (vendor) (GPO)
SharePoint	Cloud file storage and document library (vendor) (GPO)
SFTP	Secure File Transfer Protocol
SME	Subject Matter Expert
QC	Quality Control

Contents

Document Control.....	1
Background.....	3
Glossary and Acronyms	3
System Architecture Overview	11
Current System State and Integration	13
ILS Interfaces and Integration Touch-points	13
Acquisition and Brief Bibliographic Record Creation Process.....	17
Classification Process Overview	22
Cataloguing Process Overview	24
Serials Processing	27
Process Related ILS Screenshots and Data elements	32
ILS Application Usage Summary	

Background

The Superintendent of Documents (SuDocs) leads the U.S. Government Publishing Office (GPO) in providing public access to Government information published by the U.S. Congress, Federal agencies, and the Federal courts. The SuDocs accomplishes this [dissemination of information](#) through the Cataloging and Indexing Program, the [Federal Depository Library Program](#) (FDLP), and the Publication Information Sales Program, as well as, operation of the [Federal Citizen Information Center](#) in [Pueblo](#).

GPO's Library Services & Content Management uses the Aleph Integrated Library System (ILS) as the primary infrastructure for its Metadata Content Services functions in support of the Cataloging & Indexing (C&I) and Federal Depository Library (FDLP) Programs, as required by Title 44 of the U.S. Code. The LSCM ILS is currently comprised of the cataloging module, and Online Public Access Catalog (OPAC), with capabilities for circulation, serials, and acquisitions. The OPAC, which GPO calls the Catalog of U.S. Government Publications (CGP), strives to be a comprehensive and authoritative national bibliography of Federal Government publications and is a central destination for both the public and FDLP library searchers. The CGP also serves the Federal Depository Library community through record sharing and services such as the FDLP login page.

The ILS contains MARC21 records, descriptive metadata generated by GPO staff following international standards, for Federal Government publications dating from the 1890s, and is updated daily with new and enhanced records. In addition, GPO is currently involved in a multi-year project to increase access to approximately 600,000 pre-1976 titles in the CGP.

The next generation library system will enable Library Services & Content Management (LSCM) to improve its internal organizational efficiencies; while leveraging new technology features and functionality in its ability to perform the statutorily authorized functions of the cataloging and Indexing Program (C&I) and the Federal Depository Library Program (FDLP) for its global customer-base.

Scope

The scope of this document is to capture the existing business process or As-Is /To-Be operational process regarding the usage of ILS application(s) by LSCM.

Applications: Our efforts focused on the Integrated Library system (ILS). Other application systems were deemed out-of-scope at this point of time.

Glossary and Acronyms

Glossary

Aleph: Brand name of GPO's current ILS.

Bibliographic record is an entry being a uniform representation and description of a specific content item in a bibliographic database or ILS containing data elements required for its identification and retrieval, as well as additional supporting information, presented in a formalized bibliographic format. GPO's ILS uses the standard MARC for the input of our bibliographic records.

CGP (Catalog of U.S. Government Publications) is GPO's Online Public Access Catalog (OPAC), the public facing module of GPO's ILS. The CGP can be found at: <http://catalog.gpo.gov>

CGP's "Catalogs to Search": are other catalogs containing record subsets of the "full catalog", all ILS data publicly accessible in the CGP. Currently, the CGP offers the following "Catalogs to Search":

Congressional Serial Set: The Congressional Serial Set Catalog contains records for House and Senate Reports, House and Senate Documents, Senate Executive Reports and Documents, and Senate Treaty Documents. The records date from July 1976 and are complete from the 95th Congress (1977-1978) to the present. Links are provided to publications when they are available online.

Congressional Publications: The Congressional Publications Catalog contains records for publications of the United States Congress, the House of Representatives, the Senate, and joint committees dating from July 1976 to the present. Links are provided to publications when they are available online.

Historic Shelflist: The GPO Historic Shelflist is the U.S. Government Printing Office's (GPO) historic card catalog covering U.S. Government documents from the 1800s to October 1992.

Electronic Titles: This catalog contains records for and links to Federal Government publications that are available online. Records date from July 1976 to the present.

FDLP Web Archive: The Federal Depository Library Program (FDLP) Web Archive is comprised of selected U.S. Government Web sites, harvested and archived in order to create working "snapshots" of the Web sites at various points in time. The aim is to provide permanent public access to Federal Agency Web content.

Gov eBooks: This catalog contains records for and links to Federal Government digital publications that are formatted specifically to be used with an eBook device or eBook reader software. GPO archives free eBook files found on public Federal Government websites and provides permanent public access to the content. Current eBook formats in the CGP: MOBI and EPUB.

Serials: This catalog contains bibliographic records for continuing Government titles such as journals, annuals and periodicals. Records date from 1976 and they contain links to titles that are available online.

CGP System Number: Catalog of U.S. Government Publication System Number is a system generated unique number from our Aleph ILS.

DSIMS (Depository Selection Information Management System): Depository Selection Information Management System (DSIMS) allows Federal depository libraries to view and manage their item selection profiles. It is an Oracle backed system that is part of GBIS (GPO Business Information System).

Electronic: Government publications that have a PURL in the bibliographic record which links to the resource itself, which is either, in part or as a whole, available in an electronic format, such as PDF.

GPO's MetaLib: GPO's federated search engine that searches multiple U.S. Federal government databases (including the CGP), retrieving reports, articles, and citations while providing direct links to selected resources available online. It is an Ex Libris product back in part by their Primo Central Knowledge Base (CKB). GPO's MetaLib can be found at: <http://metalib.gpo.gov/V/>

Holding Record: A separate record attached to the bibliographic record for a serial title, multivolume or single item to track issues, parts or volumes. Holdings record contains summary holdings information; i.e., 852 \$a location, \$b sub-location \$c collection, \$h, call number. The 853/4/5 Captions and 853/4/5X enumerations are located in the HOL record.

ILS (Integrated Library System): Our current ILS is a commercial-off-the-shelf (COTS) library services software application based on a multi-tier architecture and client/server model, connecting to the Oracle relational database through a middleware. It is designed to manage library acquisitions, cataloging, circulation, financial, and inventory tracking. The ILS maintains all bibliographic metadata for items in the Cataloging and Indexing Program and items distributed to the depository libraries. The ILS currently contains bibliographic records from approximately 1800s to the present. GPO's bib library is medium sized: currently (8/2013) with about 900K BIB records, 250,000 AUT records, high 500K Item records, and close to 925K holding records and growing. We have about 150K bibliographic records that have PURLs. We also have a variety of indexes (Keyword, Direct and Heading). For the BIB database we currently have 45 direct indexes, 39 heading indexes, and 78 word indexes in use. We also have some Authority headings. We have about 75-100 staff user and contractor staff who may need a variety of levels, permission and access to our ILS system. We average about 1.5-2 million hits on the public Catalog of U.S. Government Publications (CGP) per month, have thousands of users download hundreds of thousands of records via our Z39.50 (some are accessed through our MetaLib federated search interface).

ILS GUI (Integrated Library System Graphical User Interface): The staff's interface for the ILS to search, create or update bibliographic, item, holding, and/or order records.

Item Lister: A web-based collection management tool that lists an individual library's selected or non-selected item numbers (or both).

Item Number: An identification number used in selecting to receive publications classified under one or more associated SuDocs Class Stems. These numbers live in the 074 field of the bibliographic record in the ILS.

Item SuDoc Number: SuDoc Numbers that live in the in Item Records of the ILS.

Item Record: In our ILS, an item record refers to the physical entity. Item records are dealt with in all the GUI modules and are required for circulation and serials control, i.e., each physical copy must have an item record for serials check-in or for circulation. An item record contains information such as the classification number, [item type](#), [barcode](#), [location](#), [status](#), [chronology](#), enumeration, and links to order and holding records if needed.

List of Classes: The official listing of SuDocs class stems and item numbers available for selection by depository libraries participating in the FDLP. This list is arranged according to the SuDocs classification numbering system and is designed to group together publications by government author. Currently, the *List of Classes* is published semi-annually in paper and sent to each depository library. An unedited electronic version is also published on a monthly basis.

Machine format (.mrc): .mrc is the most commonly used exportable format of MARC records, can be in two formats:

MARC-8 encoding is derived primarily from a collection of international standard character set that includes code points for a large repertoire of characters including Latin, Cyrillic, Arabic, Hebrew, and Greek scripts and over 15,000 characters used in writing Chinese, Japanese and Korean. The total collection of characters that can be represented in MARC-8 encoding is called the MARC-8 character repertoire. This extensive repertoire is adequate for many library environments. No further additions are being made to it.

UTF-8 (UCS Transformation Format-8), the Universal Character Set (UCS) aims to provide, in a single system, code points for the characters of all written languages. At present it includes over 100,000 characters used in dozens of scripts. ISO/IEC 10646 was developed in conjunction with the [Unicode Consortium](#), an international group of industries, educational institutions, government agencies, etc. The consortium provides the primary energy for maintenance and expansion of the UCS. For that reason, the UCS is frequently called Unicode. In this specification the terms UCS/Unicode, UCS, and Unicode may be considered synonymous when referring to the standard, either as encoding or as repertoire. With the constantly growing adoption of the UCS/Unicode standard it will become a preferred option also for libraries. Conversions to Unicode have already taken place in many large library systems. When UCS/Unicode encoding is used in MARC 21, characters are expressed in the

UCS transformation format, UTF-8, an encoding form that algorithmically converts Unicode *scalar values* to an *octet*-based format. A particular character in UTF-8 may require from one to four octets.

For more on .mrc: <http://www.loc.gov/marc/specifications/speccharintro.html>

*****Note: Both are default exportable formats from GPO's current ILS*****

MARC Tags: A user readable view of MARC format, also the name of a view of GPO's data in the ILS.

MARCXML: A framework schema that is intended to be flexible and extensible to allow users to work with MARC data in ways specific to their needs.

More on MARCXML: <http://www.loc.gov/standards/marcxml/>

*****Note: exportable XML format from GPO's current ILS*****

METS: A structure for encoding descriptive, administrative, and structural metadata schema regarding objects within a digital library, expressed using the [XML schema language](#) of the [World Wide Web Consortium](#).

More on METS: <http://www.loc.gov/standards/mets/>

*****Note: GPO's current ILS does NOT inherently support METS*****

MODS: An XML markup schema for selected metadata from existing MARC 21 records as well as original resource description of a bibliographic element set that may be used for a variety of purposes, and particularly for library applications.

More on MODS: <http://www.loc.gov/standards/mods/>

*****Note: GPO's current ILS does NOT inherently support MODS*****

OCLC (Online Computer Library Center): A computer library service and research organization dedicated to the public purposes of furthering access to the world's information and reducing the rate of rise of library costs. It is essentially an electronic, informal union catalog of bibliographic information worldwide. The ILS shares data with the OCLC for member access. This is done through exporting each bibliographic record created/updated by the Catalogers in OCLC in real time via TCP/IP.

SaaS (Software as a Service): A software distribution model in which applications are hosted by a vendor or service provider and made available to customers over a network, typically the Internet.

SOA (Service Oriented Architecture): claims to enable more comprehensive and effective management of all resources and collections with more flexible workflows and the ability to interoperate more easily with other systems.

SuDoc Classification System: A system designed to group together publications by the same government author. Within an agency or department, publications are grouped according to the subordinate organization. The purpose of this system is to uniquely identify, logically relate, and physically arrange each publication so that all publications of a single agency or department may be found together.

SuDoc Stem (SuDoc Classification Stem): Combining the designations for authors and those for the series published by the authors results in the class stems for the various series of publications issued by the U.S. Government. It consists of letter author symbols for the parent issuing body, numbers indicating subordinate offices followed by a period, and numbers designating category classes, series, or serial title followed by a colon. These stems live in the 086 field in bibliographic records in the ILS.

SuDoc Number (SuDoc Classification Number): Same as SuDoc Stem, but may contain a cutter, series number or some other type of suffix after the colon. These numbers live in either the 086 in a bibliographic record or in an Item Record field in the ILS.

Tangible: Government publications where the resource itself is available in one or more of the following: paper, microfiche, mixed media, etc.

UNION-L: The file that is downloaded from DSIMS containing the union list of all Federal depository libraries' selection profiles.

Z39.50: A national and international (ISO 23950) standard defining a protocol for computer-to-computer information retrieval among different information systems.

More on Z39.50: <http://www.loc.gov/z3950/>

*****Note: GPO's current ILS does support Z39.50*****

Acronyms and Initialisms

ADM Administrative (ILS module)
ACQ Acquisitions (ILS module)
C&I Cataloging and Indexing
CDRP Cataloging Distribution Record Project [no longer active]
CGP Catalog of U.S. Government Publications
COOP Continuity of Operations Plan
CSV Comma Separated Value (file extension .csv)
DBA Database Administrator
DC Dublin Core
DR Disaster Recovery
DSIMS Depository Selection Information Management System
EL Electronic (often used at GPO to refer to electronic/digital records)
EPIC Procurement Information System
FDLD Federal Depository Library Directory [now Salesforce]
FDLP Federal Depository Library Program
FDSYS Federal Digital System [now GovInfo]
FISMA Federal Information Security Modernization Act
FTP File Transfer Protocol
GBIS GPO Business Information System
GPO U.S. Government Publishing Office
GUI Graphic User Interface
IES International Exchange Program
ILL Interlibrary Loan (ILS module)
ILS Integrated Library System
LSCM Library Services and Content Management
MARC Machine Readable Cataloging
MCS Metadata and Collection Services [Formerly Library Technical Services (LTS) Office]
METS Metadata Encoding and Transmission Standard
MODS Metadata Object Description Schema
MRC Machine Readable Cataloging format (file extension .mrc)
OCLC Online Computer Library Center
OPAC Online Public Access Catalog
PDF Portable Document Format
PEPS Production Estimating and Planning System [now?]
PICS Procurement Information Control System [now EPIC]
PM Project Manager
PURL Persistent Uniform Resource Locator
RDA Resource Description and Access
RFI Request for Information
RFQ Request for Quote
SaaS Software as a Service
Secure FTP Secure File Transfer Protocol
SOA Service Oriented Architecture

SuDocs Superintendent of Documents

SysAdmin System Administrator

TCP/IP (Transmission Control Protocol/Internet Protocol)

TXT Text: plain text flat file (file extension .txt)

UNION-L Union List of all Federal depository libraries' selection profiles

UTF-8 UCS [Universal Character Set] Transformation Format-8

System Architecture Overview

ALEPH (ILS) is a library services agent, providing application services to clients via its proprietary APIs (Application Program Interfaces). ALEPH's architecture is based on a multi-tier, client/server model. Client/Server communication is based on a stateless (self-contained) transaction model. Nonetheless, ALEPH Application Servers keep continuous connections (with time-out) to the database, to ensure high performance.


ALEPH features a flexible database design. Each ALEPH site is composed of seven interrelated, yet separate, units, called modules: Authority, Bibliographic, Holdings, Administrative, Interlibrary Loan, Course Reading, and a system-wide administration unit. Each database unit can have many occurrences with many-to-many links to the other database units. ALEPH's database design supports a wide range of database configurations and implementations, including independent installations of different units on different hosts. ALEPH's database design plays a crucial role in the system's scalability potential.

ALEPH's architecture is based on a scalable, distributed logic model and relies on an object-oriented design. Two key features of ALEPH's architecture are:

Multi-tier, Client/Server model - ALEPH is split into logical segments with a clearly defined interface based on message passing.

Modularity - The key notion of the distributed logic design that underlies ALEPH is modularity - both vertical (between tiers) and horizontal (within the tiers). This ensures that the system is easy to maintain and extend, and that new technologies and concepts can be quickly integrated.

ALEPH (ILS) Architecture



The ALEPH server is composed of the following tiers:

- **Presentation Services & Logic**

Provides the interface with which the user interacts.

- **Application Logic**

- **Application Servers tier** - A front-end tier which is composed of dedicated servers for each interface. Each application server receives a query from a source client, translates


the query to a uniform format and directs it to the relevant Application Service object (API). Once translated, all queries have the same format, regardless of their origin (Z39.50 client, ALEPH client, Web browser or standard character mode terminal).

- **Application Services tier (APIs)** - The heart of ALEPH is the application services tier, composed of sets of APIs. The APIs provide library services for the different clients. For example, a FIND API provides FIND services to all clients after a FIND query is invoked at one of the clients (WWW, Z39.50, Telnet, or ALEPH proprietary). As part of its open system architecture, ALEPH includes mechanisms to integrate new APIs as well as to extend the Application Services to other clients or applications. This provides considerable potential for extensibility.
- **Data Services and Logic**
 - **ALEPH Database Middleware (or I/O Engine)** - This is a high-level database management layer. A logical server provides data services to the application services objects. It contains a group of objects which intermediates between the application and the database. The I/O engine translates an application request to a sequence of database commands. In addition, the I/O engine provides SQL enhancement which is required because of the textual, non-formatted nature of library catalog data. ALEPH's I/O engine also exploits the knowledge that the system has about the DBMS's special characteristics, in order to optimize data updating and retrieval. It is in this logical layer that ALEPH incorporates its experience and know-how of libraries' special data structures and formats. Having an intermediate level of the I/O Engine between the application and the DBMS ensures maximum flexibility of DBMS logical and physical design.
- **ALEPH Database** - The ALEPH database run under Oracle RDBMS.

** Reference: Ex Libris ALPEH System Administrator's Guide – System Overview **

Current System State and Integration

The picture below outlines a high-level overview of the current system state and all the integration “touch points” of other systems and interfaces with ILS Application system.



ILS Interfaces and Integration Touchpoints

The following interfaces exist between ILS and other GPO systems. Some of these interfaces are bi-directional and real-time in nature, whereas some are either in-bound or out-bound and are unidirectional in nature.

- **Item and Stem Data**

System : DSIMS (Oracle GBIS)
Type : Manual Access
Filename : N/A
Frequency : N/A
Derivative Process: Manual Lookup/Search

High-level details about reviewing Item and SuDoc Stem Data:

- As part of publication classification process, LSCM currently uses Oracle E-Business Applications to capture and maintain Item and SuDoc Stem records.
- Along with Item and SuDoc Stem records, the other relevant details such as counts, format, and agency details are also captured in DSIMS application.
- As needed, by means of manual look up LSCM team members can access DSIMS application to review the item, SuDoc stem details and all the corresponding data.
- The data available in DSIMS application is updated real-time and is the most current metadata.
- This data is very critical for LSCM team members to perform their many day-to-day operational activities and also to support all the critical business processes that are handled within ILS application, such as (but not limited to):
 - Acquisition Process
 - Cataloging Process
 - Serials and Patterns

- **Publication Bibliographic Records**

System : OCLC
Type : Outbound
Filename : Export based
Frequency: Ad-hoc / daily
Derivative Process: Export based updates driven ILS System Record #

High-level details about updating bibliographic data:

- OCLC's [Connexion] provides cataloging service suite of tools used to create and edit quality bibliographic and authority records, to help users find the materials they need faster, and share records with the entire OCLC cooperative to the benefit of libraries around the world. It is available to access through the web or as a locally installed client. LSCM catalogers use the locally installed client.

- As part of publication cataloging process, LSCM currently uses OCLC application to create and manage all full level bibliographic records.
- All the individual Librarian team members in MCS use OCLC to create and manage the full level bibliographic records which are in their queue.
- Primarily driven by an outbound interface, the data is exported to ILS application with all the updates in real time via TCP/IP.
- The updates are mapped by the unique ILS Record System #, which is also exported by means of the interface.

- **Catalog of U.S. Government Publications (CGP)**

System : CGP

Type : Real-time

Filename : N/A

Frequency : Real-time

Derivative Process: Data retrieval initiated by search/queries

High-level details about CGP:

- The CGP is the finding tool for federal publications that includes descriptive bibliographic records for historical and current publications and provides direct links to those that are available on-line.
- The CGP is the OPAC module of the ILS.
- Using the CGP users can search a variety of ways, including by authoring agency, title, subject and general keywords and identifying numbers such as SuDoc and Item Numbers.
- Based on the initiated search, the ILS provides the related data back to the users by leveraging the interface between the two.

- **Library Selection Profile Information**

System : Item Lister & FDLD

Filename : UNION-L / Raw data file

Frequency : Weekly

Derivative Process: FTP


Type: File Based

High-level details about UNION-L / Raw data file:

- Oracle DSIMS application provides library selection data on a weekly basis to Item Lister.

- The file contains the selected item profile data of all the depository libraries that is, currently being stored in iStore and Install Base modules.
 - By means of the existing infrastructure that's in-place, UNION-L file is being uploaded every Friday, on a weekly basis in comma delimited and fixed field formats.
 - The FDLD downloads the UNION-L file weekly. This file is used to give a snapshot in time of a FDLP member's selection when using the Locate in a Library function that is integrated with the ILS's OPAC, the CGP. [Legacy Process]
-
- **Library Amendment of Selections**
 - DSIMS's Oracle iStore application module is currently being used.
 - This application provides an on-line web-based interface to all the depository libraries.
 - Depository libraries are able to login and self-manage their profile. The corresponding changes to their selections are being updated real-time in DSIMS's Installed Base module.
 - Authorized LSCM staff members have access to the profile data of all the depository libraries.
-
- **Acquisition Data**
 - ILS application is also used by LSCM to capture all the acquisition related data.
 - The depository library selection counts are also captured as part of this process to support acquisition and distribution process of all the publications.
 - The relevant data is extracted and shared acquisition team. The data is critical for PICS system, which initiates and handles the actual acquisition of the publications. [Legacy process]
 - Currently, the required data from ILS is sent to acquisition team manually by means of paper-based forms. [Legacy process]

Acquisition and Brief Bibliographic Record Creation Process



Process Narrative Details:

As part of the overall process, MCS: Orders Unit Team is primarily responsible for creation of Acquisition and Brief Bibliographic Records with in LSCM's ILS application.

Acquisition Records Creation Process:

- ILS application's Acquisition Module is used for creation of acquisition records.
- For every publication, two or three acquisition records are created, which are :
 - Distribution Acquisition Record or Non-Tangible Distribution Acquisitions Record, depending on distribution determination (paper or electronic formats).
 - Record the one copy we order for Cataloging and Indexing purposes.
 - By-Law Acquisition Record
 - IES Acquisitions Record (International Exchange Program)


- Acquisition Record is primarily made of the following details of the publication and requisition:
 - Distribution Quantity/By-Law Quantity /IES Quantity
 - Jacket Number
 - Print Order Number
 - Program Number
 - Requisition Number
 - Material Format Type
 - Material Type
 - Acquisitions Method
 - Acquisitions Notes
 - Quantity Notes
 - Publication Language
 - Agency/Bureau Code
 - Agency Contact Details
 - Distribution Type
 - Order Status
 - The By-law Acquisition record is also made of similar details of publication, except for distribution quantity. Instead, it captures the By-Law quantity needed for the Library of Congress. Default value of this is 15 copies.
 - The IES Acquisition record is also made of similar details of publication, except for distribution quantity. Instead, it captures the IES quantity needed for copies we send to the International Exchange Program. No default value.
- ILS application's Acquisition module is also used for creation of "Holding Record". Depending on if there is acquisitions information to input at the time of bibliographic record creation. If not, then the holdings record is created in the Bibliographic module.
- The following details are captured in holdings record:
 - Location (DGPO).
 - Sublocation (NABIB) National Bibliographic Collection.
 - Shelving Location (GEN) General.
 - SuDoc Class; and
 - Serial Publications include the following, in addition to holding elements above:
 - Pattern Information
 - Chronology
 - Enumeration
 - Textual Holdings Information (852, 853, 853 X, and 866)
- Holding Records are either created in ILS's Acquisition module or Cataloging Module
 - This is driven by the information that is available during the record creation process.
 - Item Record is also created; shipping list information is contained here as well as in the bibliographic record.
- Once the records are created, the details are sent to classification team for review and validation.

- Classification/Collection Development team is mainly responsible for making sure the item/Complete SuDoc Class (Stem and Suffix) details are accurate. If needed, they can update these details in ILS. They are responsible for closing acquisitions/order records upon quantity receipt.

Brief Bibliographic Records Creation Process.

- ILS application's Cataloging Module is used for creation of Brief Bibliographic records (preliminary or full level).
 - This happens before the creation of Acquisition Record
- Preliminary Bibliographic Record is primarily made of the following details of the publication:
 - Title
 - Publication Info
 - Item/Stem/SuDoc Class
 - Is this part of FDLP? (Y/N) if not, a part of Cataloging and Indexing Program (C&I)
- ILS application's Cataloging module is also used for creation of "Holding Record" and "Item Records".
- The following details are captured in holdings record:
 - Location (DGPO).
 - Sublocation (NABIB) National Bibliographic Collection.
 - Shelving Location (GEN) General.
 - SuDoc Class; and
 - Serial Publications include the following, in addition to holding elements above:
 - Pattern Information
 - Chronology
 - Enumeration
 - Textual Holdings Information (852, 853, 853 X, and 866)
- Holding Records are either created in ILS's Acquisition module or Cataloging Module
 - This is driven by the information that is available during the record creation process.
- Once the bibliographic and acquisitions records are created, the details are sent to cataloging team for creation of complete bibliographic record.
- Cataloging team makes use of OCLC application to create the bibliographic record based on the ILS Record Number and other details provided by Orders Unit Team and Classification/Collection development as part of the above brief bibliographic record, order record creation process.
- Shipping List Info is also captured in the bibliographic record during the cataloging process
 - This is used for distribution of publications to all the subscribing libraries

High-level overview of Overall Integrated Process




Process Narrative Details

- Publication requisition request received by MCS: Technical Processing Unit (Order Unit). Usually Library services “rides” a requisition job initiated by an outside agency (ex: Labor, HUD, USDA) as to not pay the initial printing setup costs.
- As part of the initial receiving process, a SF1 form is created by the TPU, which initiates the initial investigation process
- As part of the investigation process, the team verifies if the publication falls within the Scope of FDLP program or not.
 - If not, the process stops right there.
 - If it falls within the scope of FDLP program, the team will “ride” the job via the SF1 or 3868 and then rest of the process is followed.

- Once the scope is verified, the format details are reviewed to check if it's available in electronic format, if so, it's usually will not be distributed in tangible format. In addition to checking the internet this requires verifying the distribution format in the List of Classes.
- If it's Electronic, then the details are sent to MCS: Orders Unit team for acquisition and cataloging process.
- If it's tangible, then TPU team initiates the BOX process by sending one copy to MCS: Orders Unit Team for acquisition and cataloging process and other copy stays with them for in the distribution/warehouse.
- Once the details are received by the Orders Unit, the acquisition process is initiated.
- As part of the acquisition process, the team creates the Acquisition and Holding records, and Item Records as applicable in ILS application.
- Once the records are created, MCS: Classification/Collection development team is responsible for making sure the Item/Stem and SuDoc Class details captured by Orders Unit team are accurate. As and if needed, they can correct the items and holding records.
- The Orders team also then initiates the creation of Brief Bibliographic Record in ILS application.
- Once the brief bibliographic record is created, the details are sent downstream to Cataloging team for creation of complete bibliographic record.
- Cataloging team makes use of OCLC application to complete the record creation process.
- The completed bibliographic record details are exported to ILS application and are updated in ILS application based on the original record number.
- The shipping list information is also captured within ILS once the cataloging process is completed.
- Once the tangible publication is ready for distribution, the shipping list details are sent back to warehouse for actual distribution of the publication to all the subscribing libraries.

Classification Process Overview

Current State: Technical Information Specialists Process (Specific to usage of ILS Application)




Current Classification Process Narrative:

- Technical Information Specialists from classification team review different agency websites on a regular basis to looking for new publications.
- The new publications are pulled from the agency website for initial investigation and to initiate the classification process, as applicable to the program.
- If the publication requires a new item and class, then the existing process of creation of these records is followed and they are created in DSIMS application.
- A WebTech Note is written by Classification to inform the depository libraries about the new class/item no. (This is an online database we use to inform the depository libraries of changes, corrections, or updates to our records or the List of Classes. WebTech Notes are created by Classification or Cataloging, there is a standard format which is used for each type of note.)

- After the publication has been given a SUDOC and an Item number, the classification team also creates a brief bibliographic record with in LSCM's "Integrated Library System", also known as "ILS".
 - As part of this process the following high-level details are captured with in ILS
 - Item Record
 - Holdings Record
 - Publication Title and description
 - URL (if available)
 - Classification number also referred as SUDOC number
- Along with above details, the corresponding ILS Record # details are printed out of the ALEPH or ILS's brief bibliographic record captured on relevant paper forms.
- All the details along with appropriate printed documents are then placed on the cataloging table. The same is applicable for tangible publications, as well as, completely electronic publications.
- Once the details are received by the cataloging team, they search within the ILS application to determine the SUDOC is not a duplicate or the record itself is not a duplicate.
- If errors are found in the Classification/Acquisition work (i.e. a duplicate SUDOC, an incorrectly assigned SUDOC or item number, a duplicate record has been created, problems exist with the holdings/item records in the ILS) the process stops. A paper Problem Resolution Form is filled out, attached to the Brief Bibliographic record print out (and the tangible publication if applicable) and placed in the Problem Box in Acquisitions section.
- Cataloging team mainly uses "OCLC" application to initiate the creation and maintenance of bibliographic records.
- The bibliographic record creation process is completely local to OCLC application used by all the individual team members of the cataloging team.
- As part of the record creation and completion process, all the necessary data elements of the record are captured, such as author, complete title, physical description, format, etc.
 - If this is an electronic (EL) publication, a PURL is created using the PURLZ software and included in the bibliographic record. The publication is also saved to our permanent server. For serials, an email is sent to the Office of Archival Management telling them to archive (or save to permanent) past issues of a serial, as well as, place this website on the schedule for regular harvesting.
- Once the record creation process is completed, the bibliographic record details and corresponding data elements can be made available to all the libraries by clicking the "Produce" button within the application, which is also known as "Tape Load" process. This generates a FTP file, which the individual libraries can buy. The libraries also receive the records from Z39.50, which is derived from ALEPH (ILS). They can also go into OCLC on their own and export the record to their own ILS application.
- The same record details and data elements are exported to ILS application using the existing ILS system number to completely overlay the original brief bibliographic record with the new completed bibliographic record.

- Include cataloger's code using OCLC macro to indicate date and who created record, this is retained in the ILS record.
- Cataloger goes into the ILS item record to change "Item Process Status" to "Blank" which indicates the record as a whole is completed.
- Tangible items are then placed in the boxes going to archives OR distributed tangible publications (i.e. on a Shipping List) are placed in their corresponding Shipping List box.
- ILS application/data base is LSCM's "System of Records" for all the bibliographic records.
 - It's the keeper of all the master records/authority records.
 - Unlike OCLC, only LSCM team members can make changes to any records which are in ILS.
 - The individual libraries can copy the record from OCLC and create their own version by making any changes as needed.

MCS Cataloging Process: Creation and Overlaying of Brief Bibliographic Records



Current Cataloging Process Narrative:

- As part of the initial classification process, Acquisition team creates the initial item and stem record within GPO's DSIMS (Oracle E-Business) Application.
 - A new one is only entered when a new agency or new series is identified
 - For most monograph publications the SUDOC stem and item no should already have been created.

- The Acquisition team uses the List of Classes to choose the SUDOC and item no. which best fits the monograph publication.
 - Then they use the publication to determine what numbers/letters to use to make the stem unique (a numbered series for example).
 - The stem would refer to numerous publications by that agency or in that series. Most monograph publications require no work in DSIMS.
 - They each have a unique SUDOC but the stem is the same for related publications. They are made unique by the numbers/letters which come after the stem.
 - This is different from serials which EACH get a unique stem entered into DSIMS. However, right now the SUDOC numbers for serials are being done by Catalogers not Acquisitions
- After the publication has been given a SUDOC and an Item number, the acquisition team also creates a brief bibliographic record with in LSCM's "Integrated Library System", also known as "ILS".
 - As part of this process the following high-level details are captured with in ILS
 - Item Record
 - Holdings Record
 - Publication Title and description
 - URL (if available)
 - Classification number also referred as SUDOC number
 - Along with above details, the corresponding ILS Record # details are printed out of the ALEPH or ILS's brief bibliographic record captured on relevant paper forms.
 - All the details along with appropriate printed documents are then placed on the cataloging table. The same is applicable for tangible publications, as well as, completely electronic publications.
 - Once the details are received by the cataloging team, they search within the ILS application to determine the SUDOC is not a duplicate or the record itself is not a duplicate.
 - If errors are found in the Classification/Acquisition work (i.e. a duplicate SUDOC, an incorrectly assigned SUDOC or item number, a duplicate record has been created, problems exist with the holdings/item records in the ILS) the process stops. A paper Problem Resolution Form is filled out, attached to the Brief Bibliographic record print out (and the tangible publication if applicable) and placed in the Problem Box in Acquisitions section.
 - Cataloging team mainly uses "OCLC" application to initiate the creation and maintenance of bibliographic records.
 - About OCLC :


OCLC is a global application built record by record, keystroke by keystroke by librarians. The librarians built OCLC into the world's largest library cooperative, mainly dedicated to the public purposes of furthering access to the world's information and reducing the rate of rise of library costs. This global network links members to a powerful, cloud-based infrastructure that provides the system wide intelligence and cooperative platform needed to collectively and innovate and drive operational efficiencies in metadata creation,

interlibrary loan, digitization, discovery and delivery. The community stands by its dedication to the values of leadership, cooperation, resource sharing and universal access.

- The bibliographic record creation process is completely local to OCLC application used by all the individual team members of the cataloging team.
- As part of the record creation and completion process, all the necessary data elements of the record are captured, such as author, complete title, physical description, format, etc.
 - If this is an electronic (EL) publication, a PURL is created using the PURLZ software and included in the bibliographic record. The publication is also saved to our permanent server. For serials, an email is sent to the Office of Archival Management telling them to archive (or save to permanent) past issues of a serial, as well as, place this website on the schedule for regular harvesting.
- Once the record creation process is completed, the bibliographic record details and corresponding data elements can be made available to all the libraries by clicking the “Produce” button within the application, which is also known as “Tape Load” process. This generates an ftp file, which the individual libraries can buy. The libraries also receive the records from Z39.50, which is derived from ALEPH (ILS). They can also go into OCLC on their own and export the record to their own ILS application.
- The same record details and data elements are exported to ILS application using the existing ILS system number to completely overlay the original brief bibliographic record with the new completed bibliographic record.
- Include cataloger’s code using OCLC macro to indicate date and who created record, this is retained in the ILS record.
- Cataloger goes into the ILS item record to change “Item Process Status” to “Blank” which indicates the record as a whole is completed.
- Tangible items are then placed in the boxes going to archives OR distributed tangible publications (i.e. on a Shipping List) are placed in their corresponding Shipping List box.
- ILS application/data base is LSCM’s “System of Records” for all the bibliographic records.
 - It’s the keeper of all the master records/authority records.
 - Unlike OCLC, only LSCM team members can make changes to any records which are in ILS.

The individual libraries can copy the record from OCLC and create their own version by making any changes as needed.

Current Cataloging Process for New Serials:




For example, processes for serials cataloging:

Basic serials cataloging for new serials:

- Serial is picked up from serials shelves or discovered by cataloger.
- New Class and Item no. Request is sent through DSIMS by the cataloger (approval can take an extended amount of time).
- Class/Item no. is approved by Classification through DSIMS, an email notification is sent to cataloger.
- A WebTech Note is written by Classification to inform the depository libraries about the new class/item no. (This is an online database we use to inform the depository libraries of changes, corrections, or updates to our records or the List of Classes. WebTech Notes are created by Classification or Cataloging, there is a standard format which is used for each type of note.)
- Cataloger creates record in OCLC with new class and new item number in bibliographic record.

- PURL is created for electronic serials using PURLZ software. The PURL is sent through email to the Office of Archival Management to notify them to archive (or save to permanent) past issues of the serial, as well as, put the publication on the schedule for regular harvesting.
- Edit record in OCLC for local practices.
- Export to ALEPH, use code in 049 field to automatically create item/holdings record according to format, include cataloger's code using OCLC macro to indicate date and who created record.
- Item process status automatically blank when new record is created.
- If this is a tangible publication, it is placed on the cart outside in order to allow serials check in to take place.


Current Cataloging Process for Existing Serials:



Closing/Editing an existing serial record:

- Cataloger makes changes to the existing record in OCLC.
- Edit record for local practices.
- Include cataloger's code using OCLC macro to indicate date and who edited record.
- Export and overlay existing record in ALEPH by system no.
- Email sent to Office of Archival Management in order to make sure the issues are saved to the permanent server. If the serial has ceased, the PURL is redirected to the permanent server location unless the live site has a more user friendly display than the site capture on permanent server.
- If changes were made to the title, frequency, format, or publication status in a record, create a WebTech Note (This is an online database we use to inform the depository libraries of changes, corrections, or updates to our records or the List of Classes. The WebTech Note is usually created by the cataloger. A WebTech Note is also required when a serial is dead in order to remove the class and item number from the List of Classes).
- Tangible publications are placed on the cart in order to allow serials check in to take place.

Current Process Flow Diagram: Serials/Subscriptions check-in Processing and corresponding records creation process:



Process Narrative Details:

As part of the overall process, MCS: Serials Team is primarily responsible for processing serials subscriptions, prediction patterns, check-in, and maintaining Holdings records in ILS.

Serial control Process:

- ILS application's Serials Module is used by Serials Management team to create several types of records related to serials.
- Serials Module is combined within ILS's Acquisition Module.
- Normally serials follow the standard Aleph process.
- The process starts with creation of brief bibliographic record by the acquisition team
- Then followed by the validation by the classification team, after SuDoc Classification is assigned and entered in the brief bib, it passes on to the cataloging team.
- Cataloging team makes use of OCLC application to create the complete bibliographic record, which is then overlaid on top of the existing brief bibliographic record in ILS.

- If the brief bibliographic record is not created during acquisition, the cataloging team will directly export the complete (fully-cataloged) bibliographic record from OCLC into ILS to create a new serial bib record.
- Once the complete bibliographic record is created, it is passed on to Serials Management team for serials check-in Process.
- The following records are created by the Serials Management team within ILS:
 - Holdings Record*
 - Subscription Record
 - Patterns Record
 - Items Record*
- When a search is initiated using CGP for a serial, the serial's holdings and Items information can be accessed by clicking on a link called 'All Items' in the bib record.
- All serial-related records are embedded/linked through the bibliographic records and only selected information in Holdings and Items records is shared with external users through CGP access.

**It should be worth noting that the process can also completely skip the Acquisitions section, if it is a serial or if it is a monographic series discovered by a cataloger, this process would start with the cataloger, who would submit their own class request through DSIMS (Needed for a serial or new series of monographs) and then create the record in OCLC and export a NEW record into the ILS rather than overlaying the brief bibliographic record. Through the export process, an item and holdings record would be produced automatically using a code.

Process Related ILS Screenshots and Data elements

Brief Bibliographic Record

ALEPH Cataloging - Version 20.01 Library: GPO01 - GPO BIB (GPO01) Server: 128.121.25.99:6991 (20.01) User: BCB19

ALEPH View Cataloging Items Edit Actions Edit Text Record Manager Remote Services Help ?

BK System No. 913087 Prescription sleep aid use among adults ()

ADM Sys No.

[R] Edit Records
GPO01-913087 (NEW364.MRC)
[I] Import Records
[T] Triggers

GPO01 - 913087
OBJECTS (No record available)
GPO60
HOL - NABIB GEN STA (907259)
GPO50 - 913087

Holding Record
Item Record

Leader 001 0000nam'a22
Control No. 001 000913087
Date and time 005 20131114120257.0
Fixed Data 008 131108s
GPO No. 074 a 0600-E-17 (online)
Gov. Doc. No. 086 0 a HE 20.6234:127
Main Title 245 00 a Prescription sleep aid use among adults :
United States, 2005-2010.
Pub. Statement 264 a Hyattsville, MD :
U.S. Department of Health and Human Services, Centers for Disease Control and
Prevention, National Center for Health Statistics,
c 2013.
Carrier Type 338 a online resource
Series 490 0 a NCHS data brief ;
v no. 127
Series 490 a DHHS publication ;
v no. (PHS) 2013-1209
General Note 500 a "August 2013."
Elec. Loc. Acc. 856 4 u http://www.cdc.gov/nchs/data/databriefs/db127.pdf
Elec. Loc. Acc. 856 3 u (online)
http://catalog.gpo.gov/fdpdir/locate.jsp?ItemNumber=0600-E-17&SYS=000913087
Catalog Code 955 a ACQ16

System Record Number
SuDoc
Title
URL
Acquisition Code

1. Messages | 2. Tag Information | 3. Browser | 4. HOL Records | 5. Objects

HOL Library: GPO60

LKR Text: NABIB GEN | HOL No.: 907259 | HOL Information: HE 20.6234:127

Edit
Create

start | GPO Cataloging... | Index - Microsoft... | ALEPH Cataloging... | Special Projects... | ScreenShot tool... | 3:28 PM

Item Record

ALEPH Cataloging - Version 20.01 Library: GP001 - GPO BIB (GP001) Server: 128.121.25.99:6991 (20.01) User: BCB19

ALEPH View Cataloging Items Edit Actions Edit Text Record Manager Remote Services Help ?

ADM Sys No. BIB= 913087 ADM= 913087 - Prescription sleep aid use among adults ()

[1] Functional [2] Overview

[L] Items List (0/1)
 [A] All Items History
 [I] Item (913087-10, HE 20.6234:127)
 [H] History (Last updated 11/14/13)
 [Z] Circulation Log (-----)
 [S] Circ Summary
 [O] Objects List (0)
 [J] Object
 [B] Bibliographic Info.
 [T] Trigger List

Seq.	B-C	Sublibrary	Description	Call number	Collection	Status	Note/Loans
10	913087-	National	HE	General	SuDoc	0	
10		Bibliography	20.6234:127		Completed		

Sort Options: [v]

1. Item Display 2. General Information (1) 3. General Information (2) 4. Serial Information 5. Serial Levels

Barcode: 913087-10 Item Status: 01

Sublibrary: NABIB Item Process Stat: SC

Collection: GEN Enum. Level.1 (A):

Copy Number: Enum. Level.2 (B):

Material Type: EL

Hol. Link: 907259 **Holding Record Link**

85X Type/Linking Num: 0 Temporary Locat:

Call No. Type/Call No: 3 \$\$\$HE 20.6234:127

Shipping List No.:

Description:

Item Status
Item Process Status
 Refresh
 Item Process Status Code:
 SC = Sudoc Completed
 (Blank) = Record Completed
 Cancel

start OLC Connection... Inbox - Microsoft... ALEPH Cataloging... Special Projects... Screenshots.docx... 3:38 PM

Holding Record

ALEPH Cataloging - Version 20.01 Library: GP001 - GPO:BIB (GP001) Server: 128.121.25.99:6991 (20.01) User: BCB19

ALEPH View Cataloging Items Edit Actions Edit Text Record Manager Browse *Services Help ?

HO System No. 907259 Prescription sleep aid use among adults ()

ADM Sys No. [v]

[R] Edit Records
 GPO60-907259 (NEW365.MRC)
 GPO01-913087 (NEW364.MRC)
 [I] Import Records
 [I] Triggers

Leader DDR --- ^^^^nx^^a22^^^i^4500
 Bib. Control N. 004 --- 000913087
 Fixed Data 008 --- 1311142g^^^g^^4001bueng0000000
 Link LKR --- a HOL
 1 GP001
 b 000913087 ← **System Record Number**
 b NABIB
 c GEN
 h HE 20.6234:127 ← **SuDoc**

Location 852 3

GPO01 - 913087
 △ OBJECTS (No record available)
 GPO60
 + HOL - NABIB-GEN STA () [907259]
 + GPO50 - 913087 ← **Holding Record**
 ← **Item Record**

1. Messages | 2. Tag Information | 3. Browser | 4. HOL Records | 5. Objects

HOL Library: GPO60

LKR Text	HOL No.	HOL Information
NABIB GEN	907259	HE 20.6234:127

Edit
Create

OCLC Record View

OCLC Connexion
Page 1 of 1

OCLC 864684031 Held by GPO - no other holdings

Rec stat n	Entered 20131204	Replaced 20131204
Type a	ELvl	Src c
BLvl m	Form o	Conf 0
	Cont bs	GPub f
Desc l	Ills a	Fest 0
		DiSt s
		Dates 2013

006 m o d f

001 864684031

007 c #b r #d c #e n

040 GPO #b eng #e rda #e pn #c GPO

042 pcc

043 n-us---

074 0500-E-17 (online)

086 0 HE 20.6234:127

049 GPOO

100 1 Chong, Yinong, #e author.

245 1 0 Prescription sleep aid use among adults : #b United States, 2005-2010 / #c Yinong Chong, Cheryl D. Fryar, Qiuping Gu.

264 1 Hyattsville, MD : #b U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Health Statistics, #c 2013.

300 1 online resource (7 pages) : #b color illustrations.

336 text #b txt #2 rdacontent

337 computer #b c #2 rdamedia

338 online resource #b cr #2 rdacarrier

490 1 NCHS data brief ; #v no. 127

490 1 DHHS publication ; #v no. 1209

599 000913087

500 Title from title screen (viewed on Dec. 4, 2013).

500 "August 2013."

504 Includes bibliographical references (page 7).

650 0 Hypnotics #z United States #v Statistics.

650 0 Sleep #z United States #v Statistics.

700 1 Fryar, Cheryl D., #e author.

700 1 Gu, Qiuping, #e author.

710 2 National Center for Health Statistics (U.S.), #e issuing body.

776 0 8 #1 Print version: #a Chong, Yinong. #1 Prescription sleep aid use among adults #w (OCoLC)864684069

830 0 NCHS data brief ; #v no. 127.

830 0 DHHS publication ; #v no. 2013-1209.

856 4 0 #u <http://purl.fdlp.gov/GPO/gpo411892>

856 4 #u <http://www.cdc.gov/nchs/data/databriefs/db127.pdf>

955 bcb19 20131204 #b 20131204

Title

SuDoc

System Record Number

PURL

Cataloger Code

Delete Holdings- Export- Label- Produce-C Submit- Replace- Report Error- Update Holdings- Validate- My Status-RachelM Workflow-In Process

OC LC Record Export Process View

OCLC Connexion - [Online WorldCat: Prescription sleep aid use among adults]

File Cataloging Authorities Edit Action Batch View Tools Window Help

1 2 **Export**

*940915120

Text Strings 1-18 User Tools

OCLC 864684031 Held by GPO - no other holdings

OCLC Gateway Export Status

Status:
Export processing completed. Close

Host Messages:
 I:Start handling input record
 S:Matching bib found - Input doc merged into GPO01.000913087
 I:End handling input record

ILS System Record Number

336 text #b txt #2 rdacontent
 337 computer #b c #2 rdamedia
 338 online resource #b cr #2 rdacarri
 490 1 NCHS data brief ; #v no. 127
 490 1 DHHS publication ; #v no. 2013-
 500 Title from title screen (viewed on
 500 "August 2013."
 504 Includes bibliographical referenc
 650 0 Hypnotics #z United States #v St
 650 0 Sleep #z United States #v Statist
 700 1 Ervar, Cheryl D., #e author.
 700 1 Gu, Qiuning, #e author.
 710 2 National Center for Health Statis
 776 0 8 #i Print version: #a Chong, Yinor
 830 0 NCHS data brief ; #v no. 127.
 830 0 DHHS publication ; #v no. 2013-2009.
 856 4 0 #u <http://publ.fda.gov/GPO/gpo41692>
 856 4 #u <http://www.cdc.gov/nchs/data/databriefs/db127.pdf>
 955 #a bcb19 20131204 #b 20131204

Delete Holdings Export Label Produce C Submit Replace Report Error Update Holdings Validate

My Status-RachelM Workflow-In Process Inst-GPO Edit INS 36.32

start OCLC Connexion -... Intex - Microsoft... ALEPH Cataloging... Special Projects... Screenwhale disc... 3:49 PM

Overlaid Brief Bib Record In ILS

ALEPH Cataloging - Version 20.01 Library: GPO01 - GPO BIB (GPO01) Server: 128.121.25.99:6991 (20.01) User: BCB19

ALEPH View Cataloging Items Edit Actions Edit Text Record Manager Remote Services Help ?

ADM Sys No. BK System No. 913087 Prescription sleep aid use among adults (Chong, Yinong, au

[R] Edit Records
GPO01-913087 (NEW366
GPO60-907259 (NEW365
[I] Import Records
[T] Triggers

GPO01 - 913087
OBJECTS (No record a
GPO60
HOL - NABIB GEN S
GPO60 - 913087

Leader	LDR	-----	AAAAAname^2200493^4500
Control No.	001	-----	000913087 ← System Record Number
Date and Time	005	-----	20131204154519.0
Auth. Fixed Data	006	-----	m^AAAAAname^4500
Phys. Descrip.	007	-----	cr^cn
Fixed Data	008	-----	131204s2013^AAAAAname^4500
System No.	035	-----	a (OCoLC)864684031 ← OCLC Control Number
Catal. Source	040	-----	a GPO b eng e rda e pn c GPO
Authent. Code	042	-----	a pcc
Geog. Area Code	043	-----	a n-us-
GPO No.	074	-----	a 0500-E-17 (online)
Gov. Doc. No.	086	-----	a HE 20.6234:127 ← SuDoc
Personal Name	100	-----	1 a Chong, Yinong, e author.
Main Title	245	-----	10 a Prescription sleep aid use among adults : ← Title b United States, 2005-2010 / c Yinong Chong, Cheryl D. Fryar, Qiuping Gu.
Pub. Statement	264	-----	1 a Hyattsville, MD : b U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Health Statistics, c 2013.
Physical Des.	300	-----	a 1 online resource (7 pages) : b color illustrations.
Content Type	336	-----	a text b txt 2 rdacontent
Media Type	337	-----	a computer b c 2 rdamedia
Carrier Type	338	-----	a online resource b cr 2 rdacarrier

start OCLC Connexion... Inbox - Microsoft... ALEPH Cataloging... US Special Project... Screenshots.docx... 3:55 PM

Overlaid Brief Bib Record In ILS

ALEPH Cataloging - Version 20.01 Library: GPO01 - GPO BIB (GPO01) Server: 128.121.25.99:6991 (20.01) User: BCB19

ALEPH View Cataloging Items Edit Actions Edit Text Record Manager Remote Services Help ?

BK System No. 913087 Prescription sleep aid use among adults (Chong, Yinong, au

ADM Sys No.

[R] Edit Records
GPO01-913087 (NEW366)
GPO60-907259 (NEW365)

[I] Import Records
[T] Triggers

GPO01 - 913087
OBJECTS (No record a
GPO60
HOL - NABIB GEN S
GPO50 - 913087

Series	490	1	a	NCHS data brief ;
			v	no. 127
Series	490	1	a	DHHS publication ;
			v	no. 2013-1209
General Note	500		a	Title from title screen (viewed on Dec. 4, 2013).
General Note	500		a	"August 2013."
Bibliog. Note	504		a	Includes bibliographical references (page 7).
Subject-Top Term	650	0	a	Hypnotics
			z	United States
			v	Statistics.
Subject-Top Term	650	0	a	Sleep
			z	United States
			v	Statistics.
A.E. Pers. Name	700	1	a	Fryar, Cheryl D.,
			e	author.
A.E. Pers. Name	700	1	a	Gu, Qiuping,
			e	author.
A.E. Corp. Name	710	2	a	National Center for Health Statistics (U.S.),
			e	issuing body.
Acc. Phys. Form E	776	08	i	Print version:
			a	Chong, Yinong.
			t	Prescription sleep aid use among adults
			w	(OCoLC)864684069
Ser. Uniform 1i	830	0	a	NCHS data brief ;
			v	no. 127.
Ser. Uniform 1i	830	0	a	DHHS publication ;
			v	no. 2013-1209.
Elec. Loc. Acc	856	40	u	http://purl.fdlp.gov/GPO/gpo41892 ← PURL
Elec. Loc. Acc	856	4	u	http://www.cdc.gov/nchs/data/databriefs/db127.pdf
OCLC-MARC	994		a	C0
			b	GPO
Local Holdings	049		a	GPO
Cataloger Code	955		a	ACQ16 ← Acquisition Code
Cataloger Code	955		a	bcbl9 20131204
			b	20131204 ← Cataloger Code

start OCLC Connection... Library - Microsoft... ALEPH Catalog... LIL Special Proj... Screenshots.doc... 3:55 PM

Completed Item Record In ILS

ALEPH Cataloging - Version 20.01 Library: GPO01 - GPO BIB (GPO01) Server: 128.121.25.99:6991 (20.01) User: BCB19

ALEPH View Cataloging Items Edit Actions Edit Text Record Manager Remote Services Help ?

ADM Sys No. BIB= 913087 ADM= 913087 - Prescription sleep aid use among adults (Chong, Yinong, author)

Items List

Seq.	B-C	Sublibrary	Description	Call number	Collection	Status	Notes	Loans
10	913087-1	National		HE 20.6234:127	General	For Distribution		0
0		Bibliography						

Sort Options:

[1] Functional [2] Overview

[L] Items List (0/1)

[A] All Items History

[I] Item (913087-10, HE 20.6234:127)

[H] History (Last updated)

[Z] Circulation Log

[S] Circ Summary

[O] Objects List (0)

[D] Object

[B] Bibliographic Info.

[T] Trigger List

1. Item Display 2. General Information (1) 3. General Information (2) 4. Serial Information 5. Serial Levels 6. HOL Links

Barcode: 913087-10 Item Status: 01

Sublibrary: NABIB Item Process Stat.

Collection: GEN Enum. Level.1 (A)

Copy Number: Enum. Level.2 (B)

Material Type: EL

Hol. Link: 907259

85X Type/Linking Num: 0 Temporary Location

Call No. Type/Call No: 3 \$\$\$HE 20.6234:127

Shipping List No.:

Description:

Item Status Update

Item Process Status Save Defaults Refresh Cancel

Item Process Status Code :
'' (Blank) = Record Completed

start Sent Items - Microsc General Duties Daily Screenshots.docx - H ALEPH Cataloging - V 8:02 AM

ILS Application Usage Summary

Based on the review done so far, the modular based usage of ILS application has been captured as below. The identified data elements are some of the important ones, but the overall elements are not just limited to the ones captured below.

Modules being Used Actively

The following ILS modules are being used actively:

- Acquisition Module
 - Serials
- Cataloging Module
- Web OPAC Module
- Circulation Module

Modules Usage and corresponding Data elements

Acquisition Module

- ILS application's Acquisition Module is used for:
 - Creation and maintenance of Acquisition records
 - Capturing of Order details
 - Capturing of Vendor details
 - Creation of Holding Records
 - Creation of Item records
 - Capturing of Arrivals
- Overall, this module is being used only 30% of its available functionalities
- Acquisition Record is primarily made of the following details of the publication:
 - Distribution Quantity/By-Law Quantity /IES Quantity
 - Jacket Number
 - Print Order Number
 - Program Number
 - Requisition Number
 - Material Format Type
 - Material Type
 - Acquisitions Method
 - Acquisitions Notes
 - Quantity Notes
 - Publication Language
 - Agency/Bureau Code
 - Agency Contact Details
 - Distribution Type
 - Order Status
- The following details are captured in holdings record:
 - Location (DGPO);
 - Sublocation (NABIB) National Bibliographic Collection;
 - Shelving Location (GEN) General;
 - SuDoc Class; and

- Serial Publications include the following, in addition to holding elements above:
 - Pattern Information
 - Chronology
 - Enumeration
 - Textual Holdings Information (852, 853, 853 X, and 866)

Cataloging Module

- Creation and maintenance of Bibliographic Records
 - Overlay of existing brief bibliographic as well as old existing records by means of export based integration with OCLC
 - Creation of new bibliographic records
 - Update/maintenance of bibliographic records
- Usage is completely driven by templates
 - Only 15% of the features are being used
- Creation of items for materials that have no orders attached
- Creation and maintenance of holdings records

Web OPAC Module

- Used for providing access to external users by means of web portal
 - Catalog of U.S. Government Publication – CGP
- CGP (Catalog of U.S. Government Publications) is GPO's Online Public Access Catalog (OPAC), the public facing piece of GPO's ILS. The CGP can be found at: <http://catalog.gpo.gov>
- The CGP is the most customized of all of the ILS modules. There are both a public and FDLP login side of the CGP.
- CGP is also used frequently by in-house staff for various work-related activities such as data checking/comparison, quality control and etc..
- Z39.50 services offered by CGP: this service enables FDLP users by using Z39.50 standard query syntaxes to query and retrieve CGP data in MARC 21 format on a 24/7 basis. The number of user requests from FDLP community in the calendar year of 2023 is on average 9,213 per month.
- CGP OPAC is a 24-by-7 service (assisted by online applications developed locally for enhanced services) to the FDLP community as well as the public users throughout the country. We have users worldwide.
- The CGP is the only module that integrates other services or provides locally developed services, such as the Federal Depository Library Directory (FDLD) through the Locate in a Library field and the New Titles pages. [Some Legacy Processes]

Circulation Module

- This module is interconnected with Web OPAC Module.
- Mainly used for creation and maintenance of FDLP Library login accounts for CGP.
 - Access roles and privileges

Serials Management Module

- This contains bibliographic records for continuing Government titles such as journals, annuals and periodicals. Records date from 1976 and they contain links to titles that are available online.
- Mainly used for:
 - Processing serials subscriptions
 - Prediction patterns
 - Check-ins
 - Maintaining Holdings