

SPECIAL PACKAGING INSTRUCTION			CODE ID	SPI NO (TPO)
			98748	F 01-310-4076
			SHEET 1 OF 3	
PART OR DRAWING NO.	NATIONAL STOCK NO.	CURR REV	ILL	P. BROWNING
9547M27G03	2840-01-310-4076 PR	B	PS	F. PITTMAN
ITEM NOMENCLATURE		ORIG DATE	CHK	V. STRAIN
COMPRESSOR SHROUD		93104	AUTH	K. MAGSAM

PRESERVATION IAW MIL-STD-2073	PACKING AS SPECIFIED BELOW AND BILL OF MATERIALS
SERVICEABLE METHOD: 10	LEVEL SPEC STYLE TYPE CL VRTY GR TR
UNSERVICEABLE METHOD: 10	A N/A N/A N/A N/A N/A N/A
QUP 001	B ASTM-D-5118 FTC CF WR DW V11C N/A
ICQ N/A	
CLEANING & DRYING IAW MIL-STD-2073-1	LEVEL A LEVEL B
PRESERVATIVE N/A	GROSS CU FT N/A 4.670
MARKING IAW MIL-STD-129	GROSS WT LBS N/A 45
	DESIGN FRAGILITY G N/A 110+
SPECIAL MARKINGS:	LENGTH WIDTH DEPTH
A) SPI NO. F 01-310-4076	CNTNR I.D.
B) REUSABLE CONTAINER AND DUNNAGE	LEVEL A: N/A N/A N/A
DO NOT DESTROY.	LEVEL B: 36 36 5
C) NOT FOR OUTSIDE STORAGE.	CNTNR O.D.
	LEVEL A: N/A N/A N/A
CLOSURE	LEVEL B: 37 7/8 37 7/8 5 5/8
LEVEL A: IAW ASTM-D-1974	ITEM DIM 32 1/8 32 1/8 4 1/4
LEVEL B: IAW ASTM-D-1974	ITEM WT LBS 30 LBS.

REVISIONS		
LTR	DESCRIPTION	DATE
	NEW	93104
A	REVISION	95192
B	REVISED AND REDRAWN	09295

5	1	TOP PAD	35 3/4 X 35 3/4 X 1/4	ASTM-D-4727 CF, DOM
4	1	WRAPPING MATERIAL	AS REQUIRED	MIL-PRF-121 TYPE I
3	1	LINER	143 X 4 1/4 X 1/2	ASTM-D-4727 CF, DOM
2	1	BASE INSERT	35 3/4 X 35 3/4 X 1/2	ASTM-D-4727 CF, DOM
1	1	CONTAINER I.D.	36 X 36 X 5	SEE LEVEL OF PACK
PART NO.	QTY.	NOMENCLATURE OR DESCRIPTION	SIZE (INCHES UNLESS SPECIFIED) TOLERANCES ON FRAC. ± 1/8, DECIMAL ± .10, ANGLES ± 1°.	MATERIAL SPECIFICATION

NOTES:

1) USE ADDITIONAL PADS⑤AS REQUIRED TO INSURE A TIGHT PACK.

TABLE ONE	
NSN	PART NUMBER
2840-01-310-4076 PR	9547M27G03
2840-01-527-5183 PR	2215M67G01


SPECIAL PACKAGING INSTRUCTION

CODE ID
98748

SPI NO. (TPO)
F 01-310-4076

ITEM NOMENCLATURE
COMPRESSOR SHROUD

SHEET 2 OF 3




SPECIAL PACKAGING INSTRUCTION

CODE ID
98748


SPI NO. (TPO)
F 01-310-4076

ITEM NOMENCLATURE
COMPRESSOR SHROUD

SHEET 3 OF 3



BASE INSERT ②



LINER ③