

Questions and Answers

- Please confirm if not meeting the specifications listed will be disqualifying? The spec's listed do not appear to match even the unit provided for reference (weight, size, tunnel size, conveyor height)

We can consider variations in dimensions of the X-ray machine listings provided.

- Please confirm what Automatic Liquids Detection you are looking for? Liquid explosive detection is usually used on small tunnel X-ray and may require special operational considerations and/or procedures.

The Liquids detection is not required to be used for explosive detection.

- Confirm if the **115-inch length** requirement applies to the table or the scanner? Our **ACSTL-approved vendors** meets all other specifications except for this length.

The 115-inch length was tailored towards the entire scanner itself

- If vendor's solution appears to meet key functional and compliance requirements:
 - TSA ACSTL Qualified listing
 - Dual-view imaging capability
 - Material discrimination and threat detection features
 - However there are differences between the proposed system specifications and the Salient CharacteristicsWould a system with the above deviations be considered acceptable for evaluation? Are the physical dimensional limits (particularly length) strictly mandatory, or is there flexibility if operational requirements are met? Would the Government consider equivalent systems that meet ACSTL qualification but vary slightly in physical specifications?

The variations you listed are acceptable for evaluation if the vendors meet the key functional and compliance requirements: TSA ACSTL Qualified Listing, Dual-view imaging capability, and material discrimination and threat detection features . The physical dimensional limits (particularly length) have flexibility as long as the key operational requirements are met.