

420VAULTBOT

Complete Administrator & Operator Manual

Complete v5.8.7 reference • 30 major Discord chapters • full command and workflow coverage.

01 • Operator Start

Run 420_setup, 420_admin, and 420_diagnostics. Configure channels, role mappings, Terms, storage sources, subscriptions/payments, licensing, and search behavior. Test the complete flow with a non-admin account before production use.

Chapter 1 of 30

02 • Admin Dashboard

420_admin exposes Overview, Vault Storage, Google Drive, Search & Delivery, Link Library & Scraper, Remote File Servers, Channels, Access Roles, Terms & Verification, Licensing, Subscriptions, Payments, Transactions, Security, Logs, Audio Previews, Updates & Recovery, and Diagnostics.

Chapter 2 of 30

03 • Channels

Configure allowed search/delivery channels, the persistent license activation channel, and audit/log destinations. If no search channels are configured, search is allowed everywhere until restricted. 420_showchannels displays the important mappings.

Chapter 3 of 30

04 • Roles & Access

Map roles by Discord role ID so renames do not break configuration. Recommended roles include TOS Accepted, Verified, Unverified, Paid Member, Beta Tester, plus optional custom bot-admin/Vault Overseer. The bot role must be above roles it assigns/removes and needs Manage Roles.

Chapter 4 of 30

05 • Terms System

Terms are paginated to avoid truncation. The knowledge check samples five randomized questions and randomizes answers. Pass percent and minimum read time are configurable. Acceptance stores a Terms version so material updates can require re-verification. Role assignment must succeed before acceptance is saved.

Chapter 5 of 30

06 • Physical Vault

Configure any accessible local/external/network folder. Scan Changes updates the persistent SQLite/FTS catalog; Full Reindex rebuilds it. A missing/disconnected root must not be treated as permission to erase the index. `420_admin_delete_vault_index` clears only this guild's index and never deletes physical files.

Chapter 6 of 30

07 • Audio Previews

v5.8.7 auditions .wav and .mp3 only. Presets such as .fst are never marked playable. Audio audition is separate from original download. Admin audio settings control preview duration/bitrate/cache behavior where transcoding is needed. Discord itself controls playback/autoplay.

Chapter 7 of 30

08 • Link Library

The unified link pipeline discovers lists.txt, lists_part_2.txt, lists_part_3.txt, lists_part_4.txt, and future links_part_5.txt, links_part_6.txt, etc. Imported and scraper links are incrementally indexed in SQLite/FTS. Runtime search combines bundled and managed sources while deduplicating results.

Chapter 8 of 30

09 • Site Search

Users can run `420_search_site <domain> [query]` or use `site:domain` query in normal `420_search`. Matching includes the exact domain and subdomains. This works across bundled runtime lists and managed database links.

Chapter 9 of 30

10 • Web Scraper

Admin → Link Library & Scraper → New Web Scrape. The crawler has page/concurrency limits, public-host checks, live progress, recent discoveries, Stop, preview/export, and managed-list actions. Successful scraper output can create the next links_part_N.txt and reload runtime search without overwriting earlier parts.

Chapter 10 of 30

11 • Google Drive

Configure the root folder/ID and OAuth refresh-token credentials, test access, then synchronize metadata. 420_drive_sync runs in the background and prevents concurrent guild syncs. Drive search uses indexed metadata. Keep OAuth secrets server-side.

Chapter 11 of 30

12 • Remote Servers

The current implementation uses an HTTPS JSON manifest URL, optional bearer token, and server name. Test/sync before exposing 420_server_search. Temporary downtime should mark the source unavailable rather than destroy indexed metadata. Do not document arbitrary SFTP/SMB as implemented in this build.

Chapter 12 of 30

13 • Subscription Plans

Defaults: 1 Month \$25 / 30d; 3 Months \$75 / 90d; 6 Months \$100 / 182d; 1 Year \$150 / 365d; 2 Years \$200 / 730d; 3 Years \$250 / 1095d; Lifetime \$500. Admin GUI can change plan name, price, duration, grace days, Stripe Price ID, and PayPal Plan ID.

Chapter 13 of 30

14 • Payments

Cash App/manual transactions remain pending until administrator approval. Stripe and PayPal use provider-hosted flows when enabled. Provider webhook IDs/events are deduplicated to reduce duplicate fulfillment. Never store raw PAN/CVV or expose payment secrets.

Chapter 14 of 30

15 • Licensing

Licenses use a private HMAC signing secret plus database state. Generated licenses are assigned to the selected customer and activation UI is delivered by DM when possible. Admin tools support generation/grants, resend, revoke, inspect, list, reset activation, and payment approval. Keep LICENSE_SIGNING_SECRET private.

Chapter 15 of 30

16 • API / Base44

VAULT_API_KEY is the server-side bearer credential (Base44 may store it as VAULT_API_SECRET). It is separate from LICENSE_SIGNING_SECRET. API routes also use guild/user identity headers and admin routes re-check current Discord administrative authority. Do not expose secrets client-side.

Chapter 16 of 30

17 • Watchdog & Heartbeat

run_420vault_watchdog.bat is a Windows process supervisor: it restarts Python after exit. It is not Discord's Gateway heartbeat. discord.py handles Gateway heartbeat inside the running process. The independent health watchdog can report latency/thread state and optionally request Windows to keep the system awake while allowing the display to turn off.

Chapter 17 of 30

18 • Updates & Recovery

Preserve .env and persistent database/data when installing a new release. Admin Updates & Recovery accepts a build ZIP or extracted folder through the updater. Restart after Python-code updates. Back up the database before schema-changing releases and verify the package version/root before distribution.

Chapter 18 of 30

19 • Diagnostics

420_diagnostics reports database health, configured channels, Vault path/index count, loaded links, heartbeat state/interval/latency, and keep-awake state. 420_features gives a user-facing feature card plus Vault size, Drive size, and total link count.

Chapter 19 of 30

20 • Admin Commands

420_admin_manual • 420_setup • 420_admin • 420_diagnostics • 420_vault_path • 420_reindex_vault • 420_admin_delete_vault_index • 420_drive_config • 420_drive_sync • 420_drive_status • 420_importlinks • 420_reloadlinks • 420_resovellinks • 420_showchannels • 420_lockdown • 420_unlock • 420_exportserver • license/payment administration commands.

Chapter 20 of 30

21 • Security Checklist

Never ship .env, bot tokens, OAuth refresh tokens, payment secrets, API bearer keys, or license-signing secrets. Verify role hierarchy, guild scoping, webhook signatures/idempotency, path traversal protection, upload limits, backup/recovery, and version consistency before release.

Chapter 21 of 30

22 • Feature/Stats Commands

420_features is the combined live overview. 420_sources maps every search source. 420_vault_info, 420_drive_info, and 420_links_stats expose focused live totals. These are useful for verifying what the running installation has actually indexed rather than relying on marketing numbers.

Chapter 22 of 30

23 • Direct Admin Panel Commands

v5.8.7 adds direct commands for major Admin Dashboard areas: 420_link_library, 420_scraper, 420_audio_settings, 420_roles_admin, 420_channels_admin, 420_tos_admin, 420_licenses_admin, 420_subscriptions_admin, 420_payments_admin, 420_transactions_admin, 420_remote_admin, 420_security_admin, and 420_updates_admin. Each opens the same authoritative AdminView section instead of creating a second configuration path.

Chapter 23 of 30

24 • Link Search Operations

Use `420_links_stats` to verify the deduplicated searchable total. Use `420_search_site` domain query for a dedicated site filter or `site:domain` query inside normal `420_search`. `420_link_library` opens managed lists/import controls; `420_scraper` opens the scraper section.

Chapter 24 of 30

25 • Vault Operations

420_vault_info gives focused size/count/type statistics. 420_vault_path changes the configured root.

420_reindex_vault rebuilds the index. 420_admin_delete_vault_index deletes database index records only after confirmation and never deletes the physical Vault files.

Chapter 25 of 30

26 • Drive Operations

420_drive_info gives indexed Drive totals. 420_drive_config, 420_drive_sync, and 420_drive_status manage the source. The Drive total is metadata-derived; Google-native items and missing size metadata can make byte totals differ from the storage provider UI.

Chapter 26 of 30

27 • Payment & License Operations

Use `420_payments_admin`, `420_transactions_admin`, `420_subscriptions_admin`, and `420_licenses_admin` to jump directly into those dashboard sections. Existing administrative text commands remain available for approval, resend, revoke, inspection, listing and reset workflows.

Chapter 27 of 30

28 • Roles, Channels & Terms Operations

Use `420_roles_admin`, `420_channels_admin`, and `420_tos_admin` to jump directly to their control panels. Keep role hierarchy valid, use role IDs for mappings, and republish/reverify Terms when the configured Terms version materially changes.

Chapter 28 of 30

29 • Recovery & Security Operations

Use 420_updates_admin for updater/recovery controls and 420_security_admin for the security overview. Keep .env and persistent data out of public release archives. Validate backups before upgrades and never expose bot/payment/OAuth/API/signing secrets in Discord.

Chapter 29 of 30

30 • Complete Operator Directory

Dashboard: 420_admin, 420_setup, 420_admin_manual, 420_diagnostics plus all direct *_admin panel commands. Vault: path/reindex/delete-index. Drive: config/sync/status. Links: import/reload/resolve/link_library/scraper. Licensing/payment: add/revoke/show/list/reset/resend/approve plus panel commands. Operations: showchannels, lockdown/unlock, exportserver, updates/security panels.

Chapter 30 of 30