

420VAULTBOT

Complete Administrator & Operator Manual

v5.8.8 moves feature statistics, site filtering, and major administration controls into Discord GUIs. Use 420_features for the Feature Center and 420_admin for the full operator dashboard.

01 • Operator Start

Run ``420_setup``, ``420_admin``, and ``420_diagnostics``. Configure channels, role mappings, Terms, storage sources, subscriptions/payments, licensing, and search behavior. Test the complete flow with a non-admin account before production use.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

02 • Admin Dashboard

`420\_admin` exposes Overview, Vault Storage, Google Drive, Search & Delivery, Link Library & Scraper, Remote File Servers, Channels, Access Roles, Terms & Verification, Licensing, Subscriptions, Payments, Transactions, Security, Logs, Audio Previews, Updates & Recovery, and Diagnostics.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

03 • Channels

Configure allowed search/delivery channels, the persistent license activation channel, and audit/log destinations. If no search channels are configured, search is allowed everywhere until restricted.

`420\_showchannels` displays the important mappings.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

04 • Roles & Access

Map roles by Discord role ID so renames do not break configuration. Recommended roles include TOS Accepted, Verified, Unverified, Paid Member, Beta Tester, plus optional custom bot-admin/Vault Overseer. The bot role must be above roles it assigns/removes and needs Manage Roles.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

05 • Terms System

Terms are paginated to avoid truncation. The knowledge check samples five randomized questions and randomizes answers. Pass percent and minimum read time are configurable. Acceptance stores a Terms version so material updates can require re-verification. Role assignment must succeed before acceptance is saved.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

06 • Physical Vault

Configure any accessible local/external/network folder. Scan Changes updates the persistent SQLite/FTS catalog; Full Reindex rebuilds it. A missing/disconnected root must not be treated as permission to erase the index. ``420_admin_delete_vault_index`` clears only this guild's index and never deletes physical files.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

07 • Audio Previews

v5.8.8 auditions `.wav` and `.mp3` only. Presets such as `.fst` are never marked playable. Audio audition is separate from original download. Admin audio settings control preview duration/bitrate/cache behavior where transcoding is needed. Discord itself controls playback/autoplay.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

08 • Link Library

The unified link pipeline discovers ``lists.txt``, ``lists_part_2.txt``, ``lists_part_3.txt``, ``lists_part_4.txt``, and future ``links_part_5.txt``, ``links_part_6.txt``, etc. Imported and scraper links are incrementally indexed in SQLite/FTS. Runtime search combines bundled and managed sources while deduplicating results.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

09 • Site Search

Users can run the ****Search by Site**** button inside the Link Search/Feature Center GUI (the underlying query uses ``site:domain query``). Matching includes the exact domain and subdomains. This works across bundled runtime lists and managed database links.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

10 • Web Scraper

Admin → Link Library & Scraper → New Web Scrape. The crawler has page/concurrency limits, public-host checks, live progress, recent discoveries, Stop, preview/export, and managed-list actions. Successful scraper output can create the next `links\_part\_N.txt` and reload runtime search without overwriting earlier parts.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

11 • Google Drive

Configure the root folder/ID and OAuth refresh-token credentials, test access, then synchronize metadata. ``420_drive_sync`` runs in the background and prevents concurrent guild syncs. Drive search uses indexed metadata. Keep OAuth secrets server-side.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

12 • Remote Servers

The current implementation uses an HTTPS JSON manifest URL, optional bearer token, and server name. Test/sync before exposing `420\_server\_search`. Temporary downtime should mark the source unavailable rather than destroy indexed metadata. Do not document arbitrary SFTP/SMB as implemented in this build.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

13 • Subscription Plans

Defaults: 1 Month \$25 / 30d; 3 Months \$75 / 90d; 6 Months \$100 / 182d; 1 Year \$150 / 365d; 2 Years \$200 / 730d; 3 Years \$250 / 1095d; Lifetime \$500. Admin GUI can change plan name, price, duration, grace days, Stripe Price ID, and PayPal Plan ID.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

14 • Payments

Cash App/manual transactions remain pending until administrator approval. Stripe and PayPal use provider-hosted flows when enabled. Provider webhook IDs/events are deduplicated to reduce duplicate fulfillment. Never store raw PAN/CVV or expose payment secrets.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

15 • Licensing

Licenses use a private HMAC signing secret plus database state. Generated licenses are assigned to the selected customer and activation UI is delivered by DM when possible. Admin tools support generation/grants, resend, revoke, inspect, list, reset activation, and payment approval. Keep `LICENSE\_SIGNING\_SECRET` private.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

16 • API / Base44

`VAULT\_API\_KEY` is the server-side bearer credential (Base44 may store it as `VAULT\_API\_SECRET`). It is separate from `LICENSE\_SIGNING\_SECRET`. API routes also use guild/user identity headers and admin routes re-check current Discord administrative authority. Do not expose secrets client-side.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

17 • Watchdog & Heartbeat

`run\_420vault\_watchdog.bat` is a Windows process supervisor: it restarts Python after exit. It is not Discord's Gateway heartbeat. discord.py handles Gateway heartbeat inside the running process. The independent health watchdog can report latency/thread state and optionally request Windows to keep the system awake while allowing the display to turn off.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

18 • Updates & Recovery

Preserve ``.env`` and persistent database/data when installing a new release. Admin Updates & Recovery accepts a build ZIP or extracted folder through the updater. Restart after Python-code updates. Back up the database before schema-changing releases and verify the package version/root before distribution.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

19 • Diagnostics

`420\_diagnostics` reports database health, configured channels, Vault path/index count, loaded links, heartbeat state/interval/latency, and keep-awake state. `420\_features` gives a user-facing feature card plus Vault size, Drive size, and total link count.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

20 • Admin Commands

`420\_admin\_manual` • `420\_setup` • `420\_admin` • `420\_diagnostics` • `420\_vault\_path` •
`420\_reindex\_vault` • `420\_admin\_delete\_vault\_index` • `420\_drive\_config` • `420\_drive\_sync` •
`420\_drive\_status` • `420\_importlinks` • `420\_reloadlinks` • `420\_resovelinks` • `420\_showchannels` •
`420\_lockdown` • `420\_unlock` • `420\_exportserver` • license/payment administration commands.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

21 • Security Checklist

Never ship `.env``, bot tokens, OAuth refresh tokens, payment secrets, API bearer keys, or license-signing secrets. Verify role hierarchy, guild scoping, webhook signatures/idempotency, path traversal protection, upload limits, backup/recovery, and version consistency before release.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

22 • Feature/Stats Commands

`420\_features` opens the combined **Feature Center GUI**. Its cards show Vault, Drive and Link totals, and its buttons open Link Search, Search by Site, Vault, Drive and Remote browsing. These are useful for verifying what the running installation has actually indexed rather than relying on marketing numbers.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

23 • Direct Admin Panel Commands

v5.8.8 is GUI-first. Run ``420_admin`` once, then use its section menu for Link Library/Scraper, Audio, Roles, Channels, Terms, Licensing, Subscriptions, Payments, Transactions, Remote Servers, Security, Updates and Diagnostics. Those sections are not duplicated as standalone shortcut commands.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

24 • Link Search Operations

Use **420_admin** → Link Library & Scraper for managed lists, scraper jobs/imports and link totals. Users use the **Search by Site** GUI button in the normal Link Search or Feature Center.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

25 • Vault Operations

Use ****Admin → Vault Storage**** for path, connection test, scan, full reindex and stats. The user Feature Center also shows the current Vault count/size/types. The explicit delete-index maintenance command still requires confirmation and never deletes physical files.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

26 • Drive Operations

Use ****Admin → Google Drive**** for folder, OAuth, test, sync, status, archive parsing and disconnect. The Feature Center shows current indexed Drive totals. Metadata-derived byte totals can differ from the provider UI when size metadata is unavailable.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

27 • Payment & License Operations

Use ``420_payments_admin``, ``420_transactions_admin``, ``420_subscriptions_admin``, and ``420_licenses_admin`` to jump directly into those dashboard sections. Existing administrative text commands remain available for approval, resend, revoke, inspection, listing and reset workflows.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

28 • Roles, Channels & Terms Operations

Use ``420_roles_admin``, ``420_channels_admin``, and ``420_tos_admin`` to jump directly to their control panels. Keep role hierarchy valid, use role IDs for mappings, and republish/reverify Terms when the configured Terms version materially changes.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

29 • Recovery & Security Operations

Use ``420_updates_admin`` for updater/recovery controls and ``420_security_admin`` for the security overview. Keep ``.env`` and persistent data out of public release archives. Validate backups before upgrades and never expose bot/payment/OAuth/API/signing secrets in Discord.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.

30 • Complete Operator Directory

Primary operator interface: `420\_admin` plus `420\_setup`, `420\_admin\_manual` and `420\_diagnostics`. Use the Admin Dashboard section menu for Vault, Drive, Links/Scraper, Roles, Channels, Terms, Licensing, Subscriptions, Payments, Transactions, Remote Servers, Security, Logs, Audio, Updates and Diagnostics. Legacy maintenance/action commands remain where a direct textual operation is useful.

GUI-first note: use the relevant button/menu in the Feature Center, Search Browser, or Admin Dashboard whenever this chapter describes a configurable feature.