

420VaultBot Complete Administrator & Operator Manual

Setup, GUI, roles, Terms, Vault, audio, Link Library, scraper, site search, Drive, remote servers, subscriptions, payments, licensing, API, watchdog, updates, diagnostics, and security.

v5.8.6 • 21 complete Discord chapters • Printable reference edition

This manual mirrors the built-in Discord manual and documents the current v5.8.6 behavior. Server administrators may customize prices, channels, roles, providers, storage roots, and limits.

Contents

1. 01 • Operator Start
2. 02 • Admin Dashboard
3. 03 • Channels
4. 04 • Roles & Access
5. 05 • Terms System
6. 06 • Physical Vault
7. 07 • Audio Previews
8. 08 • Link Library
9. 09 • Site Search
10. 10 • Web Scraper
11. 11 • Google Drive
12. 12 • Remote Servers
13. 13 • Subscription Plans
14. 14 • Payments
15. 15 • Licensing
16. 16 • API / Base44
17. 17 • Watchdog & Heartbeat
18. 18 • Updates & Recovery
19. 19 • Diagnostics
20. 20 • Admin Commands
21. 21 • Security Checklist

01 • Operator Start

Run ``420_setup``, ``420_admin``, and ``420_diagnostics``. Configure channels, role mappings, Terms, storage sources, subscriptions/payments, licensing, and search behavior. Test the complete flow with a non-admin account before production use.

02 • Admin Dashboard

`420\_admin` exposes Overview, Vault Storage, Google Drive, Search & Delivery, Link Library & Scraper, Remote File Servers, Channels, Access Roles, Terms & Verification, Licensing, Subscriptions, Payments, Transactions, Security, Logs, Audio Previews, Updates & Recovery, and Diagnostics.

03 • Channels

Configure allowed search/delivery channels, the persistent license activation channel, and audit/log destinations. If no search channels are configured, search is allowed everywhere until restricted.

`420\_showchannels` displays the important mappings.

04 • Roles & Access

Map roles by Discord role ID so renames do not break configuration. Recommended roles include TOS Accepted, Verified, Unverified, Paid Member, Beta Tester, plus optional custom bot-admin/Vault Overseer. The bot role must be above roles it assigns/removes and needs Manage Roles.

05 • Terms System

Terms are paginated to avoid truncation. The knowledge check samples five randomized questions and randomizes answers. Pass percent and minimum read time are configurable. Acceptance stores a Terms version so material updates can require re-verification. Role assignment must succeed before acceptance is saved.

06 • Physical Vault

Configure any accessible local/external/network folder. Scan Changes updates the persistent SQLite/FTS catalog; Full Reindex rebuilds it. A missing/disconnected root must not be treated as permission to erase the index. `420\_admin\_delete\_vault\_index` clears only this guild's index and never deletes physical files.

07 • Audio Previews

v5.8.6 auditions `.wav` and `.mp3` only. Presets such as `.fst` are never marked playable. Audio audition is separate from original download. Admin audio settings control preview duration/bitrate/cache behavior where transcoding is needed. Discord itself controls playback/autoplay.

08 • Link Library

The unified link pipeline discovers ``lists.txt``, ``lists_part_2.txt``, ``lists_part_3.txt``, ``lists_part_4.txt``, and future ``links_part_5.txt``, ``links_part_6.txt``, etc. Imported and scraper links are incrementally indexed in SQLite/FTS. Runtime search combines bundled and managed sources while deduplicating results.

09 • Site Search

Users can run ``420_search_site <domain> [query]`` or use ``site:domain query`` in normal ``420_search``. Matching includes the exact domain and subdomains. This works across bundled runtime lists and managed database links.

10 • Web Scraper

Admin → Link Library & Scraper → New Web Scrape. The crawler has page/concurrency limits, public-host checks, live progress, recent discoveries, Stop, preview/export, and managed-list actions. Successful scraper output can create the next `links\_part\_N.txt` and reload runtime search without overwriting earlier parts.

11 • Google Drive

Configure the root folder/ID and OAuth refresh-token credentials, test access, then synchronize metadata. `420\_drive\_sync` runs in the background and prevents concurrent guild syncs. Drive search uses indexed metadata. Keep OAuth secrets server-side.

12 • Remote Servers

The current implementation uses an HTTPS JSON manifest URL, optional bearer token, and server name. Test/sync before exposing `420\_server\_search`. Temporary downtime should mark the source unavailable rather than destroy indexed metadata. Do not document arbitrary SFTP/SMB as implemented in this build.

13 • Subscription Plans

Defaults: 1 Month \$25 / 30d; 3 Months \$75 / 90d; 6 Months \$100 / 182d; 1 Year \$150 / 365d; 2 Years \$200 / 730d; 3 Years \$250 / 1095d; Lifetime \$500. Admin GUI can change plan name, price, duration, grace days, Stripe Price ID, and PayPal Plan ID.

Plan	Default	Duration
1 Month	\$25	30 days
3 Months	\$75	90 days
6 Months	\$100	182 days
1 Year	\$150	365 days
2 Years	\$200	730 days
3 Years	\$250	1,095 days
Lifetime	\$500	No automatic expiry

14 • Payments

Cash App/manual transactions remain pending until administrator approval. Stripe and PayPal use provider-hosted flows when enabled. Provider webhook IDs/events are deduplicated to reduce duplicate fulfillment. Never store raw PAN/CVV or expose payment secrets.

15 • Licensing

Licenses use a private HMAC signing secret plus database state. Generated licenses are assigned to the selected customer and activation UI is delivered by DM when possible. Admin tools support generation/grants, resend, revoke, inspect, list, reset activation, and payment approval. Keep ``LICENSE_SIGNING_SECRET`` private.

16 • API / Base44

`VAULT\_API\_KEY` is the server-side bearer credential (Base44 may store it as `VAULT\_API\_SECRET`). It is separate from `LICENSE\_SIGNING\_SECRET`. API routes also use guild/user identity headers and admin routes re-check current Discord administrative authority. Do not expose secrets client-side.

17 • Watchdog & Heartbeat

`run\_420vault\_watchdog.bat` is a Windows process supervisor: it restarts Python after exit. It is not Discord's Gateway heartbeat. discord.py handles Gateway heartbeat inside the running process. The independent health watchdog can report latency/thread state and optionally request Windows to keep the system awake while allowing the display to turn off.

18 • Updates & Recovery

Preserve `.env`` and persistent database/data when installing a new release. Admin Updates & Recovery accepts a build ZIP or extracted folder through the updater. Restart after Python-code updates. Back up the database before schema-changing releases and verify the package version/root before distribution.

19 • Diagnostics

`420\_diagnostics` reports database health, configured channels, Vault path/index count, loaded links, heartbeat state/interval/latency, and keep-awake state. `420\_features` gives a user-facing feature card plus Vault size, Drive size, and total link count.

20 • Admin Commands

`420\_admin\_manual` • `420\_setup` • `420\_admin` • `420\_diagnostics` • `420\_vault\_path` •
`420\_reindex\_vault` • `420\_admin\_delete\_vault\_index` • `420\_drive\_config` • `420\_drive\_sync` •
`420\_drive\_status` • `420\_importlinks` • `420\_reloadlinks` • `420\_resolveLinks` • `420\_showchannels` •
`420\_lockdown` • `420\_unlock` • `420\_exportserver` • license/payment administration commands.

21 • Security Checklist

Never ship `.env``, bot tokens, OAuth refresh tokens, payment secrets, API bearer keys, or license-signing secrets. Verify role hierarchy, guild scoping, webhook signatures/idempotency, path traversal protection, upload limits, backup/recovery, and version consistency before release.