

EVALUATION DEVICE

DC 21.6-26.4V

X10

intended to be used into end of the two

into end of the two

into end of the two

into end of the two

into end of the two

into end of the two

into end of the two

into end of the two

into end of the two

into end of the two

into end of the two

into end of the two



X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3

X4

X5

X1

X3