

Total length (cm): 104

Total weight (kg): 3.7

Barreled Action

Bolt throw: Straight pull

Locking: 7 hardened steel balls

Finsih: blued

Trigger

Type: Two stage trigger 5020

Version: right

Tilting range (mm):

Adjustment of the trigger shoe (mm): 23

Trigger blade: 008541

Color of the trigger shoe: Black

Safety: Sliding safety catch

Trigger weight, adjusted (g): 550

Adjustment of the trigger weight (mm): 90-650

Barrel

Material: Steel

Finish: Nitrided

Caliber: .22 l.r.

Length of twist (mm): 420

Number of grooves: 8

Rifling (mm): 534

Barrel verison: Sprint

Muzzle diameter (mm):	19
Barrel length (mm):	550
Stock	
Aluminuim grooved rail on the side:	yes
Aluminuim grooved rail on the lower side:	yes
Stippled checkering:	yes
Length of stock (mm):	670
Clamping piece at the cheek:	yes
Butt plate:	yes
Butt plate:	Biathlon butt plate
Material:	Walnut
Stock finish:	laquered
Length of pull (mm):	320-375
Butt Plate	
Material:	Aluminum
Adjustable (mm):	25
Weight (g):	115
Magazine	
Caliber:	.22 l.r.
Capacity:	5



Height: user.height - 4 cm



Target Distace: 50 m **Number of targets**: 5

Target diameter: 45 mm(prone position); 115mm(standing position)

Action: Flip from black to white when hit

Penalties (when missing):

- ski around 150 m circuit loop, taking around 20-30s
- Add one minute to the skiier time
- Use of an extra cartridge (placed at the shooting range) to hit the target; only three such extras are available for each round, and a penalty loop must be done for each target left standing.

https://en.wikipedia.org/wiki/Biathlon

http://jga.anschuetz-sport.com/index.php5%3FproduktID%3D267%26menu%3D99%26sprache %3D1%26produktShow%3Ddetail