

Coffee&restaurant

<https://coffeerestaurant.000webhostapp.com/index.php>

Visoka ICT

Smer: Internet tehnologije

Modul: Web programiranje

Sajt rađen za predmet Praktikum iz PHP-a

Nelica Stojadinović 136/18

Table of Contents

1. Korišćeni programski jezici	3
2. Template	3
3. Funkcionalnosti sajta.....	3
3.1 Site stranice	3
3.2 Admin stranice	6
4. Struktura folder	7
5. Baza	11
6. Sitemap.....	12
7. Stranice sajta.....	12
7.1 Site stranice	12
7.2 Admin stranice	28
8. Kodovi.....	49
8.1 Index.....	49
8.2 Views	49
8.2.1 Site	49
8.2.1.1 Fixed	49
8.2.1.1.1 head.php	51
8.2.1.1.2 nav.php	52
8.2.1.1.3 footer.php	55
8.2.1.1.4 login.php	56
8.2.1.1.5 registracija.php	56
8.2.1.2. about.php.....	57
8.2.1.3. cart.php	58
8.2.1.4. contact.php	59
8.2.1.5. home.php.....	60
8.2.1.6. menu.php	62
8.2.1.7. product.php.....	63
8.2.1.8. shop.php	64
8.2.2. Admin	66
8.2.2.1 Fixed	66

8.2.2.1.1 head.php	66
8.2.2.1.2 nav.php	67
8.2.2.1.3 footer.php	69
8.2.2.2. AddUser.php	70
8.2.2.3. dashboard.php	71
8.2.2.4. insertJela.php	80
8.2.2.3 kategorije.php	84
8.2.2.4 kolicine.php	86
8.2.2.5 KorisniciLista.php	87
8.2.2.6. meni.php	88
8.2.2.7. posete.php	91
8.2.2.8. profilePage.php.....	92
8.2.2.9. restoranInfoPrikaz.php	94
8.2.2.10. spisakJela.php	96
8.2.2.11. tags.php.....	99
8.2.2.12. uloge.php	100
8.2.2.13. updateJela.php.....	101
8.3 Models.....	107
8.3.1. AdminPanel.php.....	107
8.3.1.1. BrisanjeAdmin.php.....	107
8.3.1.2. DownloadExcel.php.....	107
8.3.1.3. insertAdmin.php	108
8.3.1.4. insertJelo.php.....	109
8.3.1.5. insertPodKat.php	112
8.3.1.6. obrisiJelo.php	113
8.3.1.7. prikazi.php.....	114
8.3.1.8. removeBlock.php	115
8.3.1.9. selectIdRod.php	116
8.3.1.10. update.php.....	117
8.3.1.11. updateJelo.php.....	118
8.3.1.12. updateProfile.php	117
8.3.1.13. updateRestoranInfo.php	119

8.3.2. downloadAutor.php	119
8.3.1. filtrirajAll.php	120
8.3.1. insertContact.php.....	123
8.3.1. KorpalInsert.php	124
8.3.1. loginServer.php	124
8.3.1. logout.php	126
8.3.1. podkategorije.php.....	127
8.3.1. prikaziCenuDropdown.php	127
8.3.1. regServer.php.....	128
8.3.1. functions.php	129
8.4 Config.....	139
8.4.1. .env.....	139
8.4.2. congif.php	139
8.4.3. konekcija.php	139
8.5 Assets/js	143
8.5.1. main.js	143

1. Korišćeni programski jezici i tehnologije

- HTML
- CSS
- Bootstrap
- JavaScript
- jQuery
- PHP
- MySQL
- Rađen u Visual Studio Code-u.

2. Template

Template je preuzet sa <https://colorlib.com/>.

Responsive je.

Deo za admin panel preuzet kao template takođe.

3. Funkcionalnosti sajta

- Svi delovi sajta se učitavaju iz index stranice u odnosu na url adresu.
- Navigacioni meni se dinamički prikazuje u odnosu na ulogu ulogovanog korisnika iz baze.

3.1 Site stranice

- **Home** - sadrži dinamički ispisane informacije o restoranu : ime, opis, radne dane, radne sate, email, sajt stranice, broj telefona. Isčitava se iz tekstulanog fajla.
- **Menu** - prikaz jelovnika sa nazivom jela, dostupnim količinama i njegovom cenom ispisano ispod glavne i podkategorije kojom pripada. Slika sa manjom rezolucijom prikazana. Sve je ispisano dinamički iz baze.

- **Contact** - takođe dinamički ispisane informacije o restoranu, ukoliko je korisnik ulogovan email adresa je automatski popunjena, ukoliko nije mora da se unese. Regularni izrazi i na klijentskoj i na serverskoj strani. Upis u bazu ukoliko je sve u redu.
- **About** - strana sa slikom i informacijama o autoru sajta, download informacija u vidu word fajla.
- **Shop** - ne prikazuje se neautorizovanom korisniku. Deo za poručivanje hrane. Dinamički ispisani svi proizvodi sa prikazanom najmanjom količinom, odnosno cenom najmanje količine. Slika prikazana u manjoj rezoluciji. Postoji sort po najnovijem dodatom, cenom od niže ka višoj i obrnuto. Filter za kategoriju, kada se odabere kategorija prikazuju se njene podkategorije takođe omogućen filter. Filter za maksimalnu cenu i filter po tagovima. Paginacija uslkađena sa svim opcijama. Klikom na add cart dodaje se proizvod u Local Storage sa količinom 1.
- **Product** - stranica sa pojedinačnim proizvodima. Prikazana originalna slika. Prikazana cena za odabranu količinu iz dropdown listre. Kada se odabere druga veličina, cena se prilagodi tome. Deo za menjanje količine za dodavanje u korpu. Klikom na add to cart dodaje se u Local Storage.
- **Cart** - prikaz svih jela koji su dodati u korpu. Jelo može da se izbriše ili da se promeni količina. Prikazana cena za proizvode, i ispod prikazano ukupna cena za sve. Ukoliko se izbriše proizvod, iznos se menja. Kada se potvrди porudžbina upisuje se u bazu.
- **Log in** - provera regularnim izrazima i na servrskoj i na klijentskoj strani. Ukoliko se više od 3 puta u roku od 5 minuta uloguje se pogrešnom lozinkom šalje se mail kao obaveštenje da je korisnik banovan.
- **Sign up** - provera regularnim izrazima i na servrskoj i na klijentskoj strani. Ukoliko je sve u redu, insert korisnika u bazu.


3.2. Admin stranice

- **Dashboard** - prikaz danas ulogovanih korisnika, u dnu prikaz ukupnog broja ulogovanih. Prikaz banovanih korisnika i mogućnost brisanje iz liste blokiranih korisnika. Oba isčitana iz tekstualnih fajlova. Prikaz statistike stranicama sajta i admin stranicama u procentima. Prvi blok je u roku od 24h, drugi je od početka log fajla. Prikazan i broj. Poruke sa stranice contact i brisanje. Prikaz svih porudžbina, update statusa porudžbine, brisanje porudžbine.


- **Insert jela**- insert jela sa regularnim izrazima i na serverskoj i na klijentskoj strani. Ukoliko je sve u redu insert u bazu.
- **Spisak jela** - spisak svih jela dinamički iz baze. Mogućnost brisanja iz baze i update.
- **Update jela** - Prikazane sve informacije o tom jelu, moguća promena svih vrednosti. Regularni izrazi i na klijentskoj i na serverskoj strani.
- **Restoran informacije** - infromacije koje se prikazuju na stranici home i contact. Isčitane iz tekstualnog fajla i mogućnost updatea svih vrednosti. Regularni izrazi odrađeni.
- **Posete sajtu** - isčitan log fajl
- **Kategorije** - prikazane glavne kategorije. Update moguć, u skladu sa regularnim izrazima. Insert takođe sa regualrnim izrazima. Podkategorije u tabeli ispod. U dropdown listi prikazana kategorija kojoj pripadaju mogućnost updatea i naziva i kategorije u skladu sa regularnim. Mogućnost inserta podkategorije.
- **Meni** - glavni meni prikazan ispod njega i podmeni, mogućnost updatea. Delete ne postoji zbog index stranice i switcha. Mogućnost inserta i glavnog menija i podmenija.
- **Tags, količine, uloge** - prikaz dinamički iz baze, mogućnost inserta, updatea, delete uz poštovanje regualrnih izraza.
- **Uloge** - **download excel fajla**.
- **Korisnici** - prikaz svih korisnika mogućnost updatea uloge korisnika. Insert korisnika, provera i na klijentskoj i na serverskoj strani. Insert u bazu.
- **Update profila admina** - update svih info o ulogovanom adminu.

5. Struktura foldera


- assets




- config i data




- models



- views



5. Baza



6. Sitemap


```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
<url>
<loc>https://coffeerestaurant.000webhostapp.com/index.php</loc>
<lastmod>2021-06-10</lastmod>
<changefreq>daily</changefreq>
<priority>1</priority>
</url>

</urlset>
```


7.2 Stranice sajta

- ✓ navigacioni meni


neautorizovan





autorizovan




admin



- ✓ log in





✓ sign up

X

Sign up

Your first name First letter must be capital.

Your last name First letter must be capital.

Your email something@something.something.


Your password Must contain minimum 5 characters.

Your address Name number, place

Your profile picture Choose File | No file chosen Sign up

or if you have an account [Log in](#)

✓ home





Discover
OUR STORY

Our sustainability program includes low waste culinary practices, recycling, organic cleaning supplies, biodegradable sugar fiber paper goods and corn plastic cups. We work with our local produce provider to bring in as much organic produce as possible and our chefs personally source our beef and poultry from the southwest region. Most emphatically we do not want to capitalize on healthy dietary trends and green business practices solely for monetary gain. We do have the best sustainable practices of any restaurant

world every day 85 10,567

ABOUT US

Our sustainability program includes low waste culinary practices, recycling, organic cleaning supplies, biodegradable sugar fiber paper goods and corn plastic cups.

HAVE A QUESTIONS?

📍 198 West 21th Street, Suite 721 New York
NY 10016

📞 0652452256

✉️ coffee@gmail.com

DRINKS

- Beer

	Heineken
	Small 50000 din
	Large 250 din
	Extra large 350 din

	Dead good beer
	Large 350 din
	Extra large 450 din

- Coffee

	Coffee to go
	Small 250 din
	Large 300 din
	Extra large 380 din

	Espresso
	Small 200 din
	Large 280 din

MAIN DISHES

- Pizza

	Capricciosa
	Small 500 din
	Large 860 din
	Extra large 1500 din

	Vegetarian
	Extra small 360 din
	Small 560 din
	Large 760 din

- Pasta

	Bolognese
	Small 300 din
	Large 450 din

	Carbonara
	Small 400 din
	Large 520 din

	Macchiato
	Small 120 din
	Large 200 din
	Extra large 280 din

	Turkish
	Small 150 din

- Tea

	Strawberry tea
	Small 250 din
	Large 280 din

- Juice

	Fanta
	Large 280 din

	Coca cola
	Small 250 din
	Large 300 din

- Hamburgers

	Hamburger bacon
	Extra small 250 din
	Small 350 din
	Large 450 din

	Fish burger
	Extra small 250 din
	Small 350 din
	Large 420 din

DESSERTS

- Pancakes



Honey pancake

Extra small 150 din
Small 250 din
Large 320 din



Fruity

Small 300 din
Large 350 din

- Cookies



Cookie

Small 250 din

- Cakes



Blueberry cake

Small 290 din

✓ contact

Contact Information

Address: 198 West 21th Street, Suite 721 New York
NY 10016

Phone: 0652452256

Email: coffee@gmail.com

Website:
coffeerestaurant.000webhostapp.com

Your Email

Subject

Message

Send Message

Your Email

something@something.something

Subject

The subject of product can only be written in letters, minimum 4

Message

The message of product can only be written in letters and contain - or . or ,

Send Message

- ✓ ulogovan korisnik upisan email

The screenshot shows a dark-themed messaging interface. At the top, the recipient's email is displayed: `srki@gmail.com`. Below it is a **Subject** field. A red error message below the subject field states: "The subject of product can only be written in letters, minimum 4". The next section is labeled **Message**, which is currently empty. Another red error message below the message area states: "The message of product can only be written in letters and contain - or , or .". At the bottom center is a yellow rectangular button with the text "Send Message".

- ✓ about



Ime
Nelica

Prezime
Stojadinovic


Datum rođenja
30.06.1999.

Srednja skola
Gimnazija Velika Plana

Download info about author in word doc:

[!\[\]\(777425ae3a771afb5989b69cc88a3a70_img.jpg\)](#)

✓ shop



Order by

All Drinks Main dishes Desserts

Price

Tags

ALCOHOLIC

APPLE

BACON

BEEF

BLUEBERRY

BUN

CARAMELA

CARBONATED

CHEESE



HEINEKEN

Id venenatis a condimentum
vitae sapien pellentesque
habitant

50000 din

Add to Cart



CAPRICIOSA

Capriciosa pizza is a classic
Italian pizza

500 din

Add to Cart



DEAD GOOD BEER

Beer is one of the oldest and
most widely consumed
alcoholic drinks in the world
and the third most popular
drink overall after water and

tea



HAMBURGER BACON

Hamburger a burger
consisting of beef meat one
or more cooked patties of it
placed inside a sliced bread
roll or bun

250 din

All

Drinks

Main dishes

Desserts

Beer

Coffee

Tea

Juice

Price

Tags

ALCOHOLIC

APPLE

BACON

BEEF

BLUEBERRY

BUN



HEINEKEN

Id venenatis a condimentum
vitae sapien pellentesque
habitant



DEAD GOOD BEER

Beer is one of the oldest and
most widely consumed
alcoholic drinks in the world



COFFEE TO GO

Disposable coffee cups may
be made out of paper or
polystyrene foam



ESPRESSO

Espresso is a type of Italian
coffee that is concentrated

200 din



COFFEE TO GO

Disposable coffee cups may
be made out of paper or
polystyrene foam

250 din

Add to Cart



HAMBURGER BACON

Hamburger a burger
consisting of beef meat one
or more cooked patties of it
placed inside a sliced bread
roll or bun

250 din

Add to Cart



COCA COLA

CocaCola is a carbonated
soft drink sold in stores

250 din

Add to Cart



STRAWBERRY TEA

Tea is an aromatic beverage
prepared by pouring hot or
boiling water over cured or
fresh leaves

250 din

Add to Cart

1 2 3

index.php?page=Shop

Praktikum predava...

coffererestaurant.000webhostapp.com says

Added to cart!

OK

Item	Description	Price	Action
MACCHIATO	Macchiato is an Italian word meaning marked or stained	120 din	Add to Cart
TURKISH	Turkish Coffee is coffee prepared by boiling very finely powdered roast coffee beans two or three times in a pot	150 din	Add to Cart
HONEY PANCAKE	A pancake is a flat cake often thin and round prepared from a starch based batter that may contain eggs milk and butter and cooked on a hot surface	150 din	Add to Cart
ESPRESSO	Espresso is a type of Italian coffee that is concentrated	200 din	Add to Cart

✓ product

BOLOGNESE

300 din

Bolognese sauce is a sauce made with meat that is then mixed with pasta before eating

Small ▾

- 1 +

Add to Cart



BOLOGNESE

450 din

Bolognese sauce is a sauce made with meat that is the pasta before eating

Large ▾

-

1

+

Add to Cart



BOLOGNESE

300 din

Bolognese sauce is a sauce made with meat that is the pasta before eating

Small ▾

Small

Large

1

+

Add to Cart

t&id=43

coffeerestaurant.000webhostapp.com says

Added to cart!

OK

BOLOGNESE

450 din

Bolognese sauce is a sauce made with meat that is pasta before eating

Large ▾

- 5 +

Add to Cart



✓ cart

	Product	Price	Quantity	Total
	MACCHIATO Far far away, behind the word mountains, far from the countries	120	1	120
	BOLOGNESE Far far away, behind the word mountains, far from the countries	450	5	2250

CART TOTALS

TOTAL	2370
-------	------

Proceed

be Praktikum predava... coffeerestaurant.000webhostapp.com says Quantity updated

MACCHIATO
Far far away, behind the word mountains,
far from the countries

BOLOGNESE
Far far away, behind the word mountains,
far from the countries

Quantity **Total**

120	2	120
450	5	2250

7.2 Admin stranice

The screenshot shows the Admin panel interface. On the left is a sidebar with a coffee cup icon and a list of navigation items:

- Dashboard
- Insert jela
- Spisak jela
- Restoran informacije
- Posete sajtu
- Kategorije
- Tags
- Kolicine
- Korisnici

The main content area has two tables:

Danas ulogovani korisnici	
Email	Datum
novica@gmail.com	2021-06-10
novica@gmail.com	2021-06-10
nelica.stojadinovic@gmail.com	2021-06-10
mica@gmail.com	2021-06-10
siki@gmail.com	2021-06-10

Blokirani korisnici zbog 3 neuspela pokusaja logina u 5 min		
Email	Datum	Remove from block list
micika@gmail.com	2021-06-09	Remove

A top navigation bar includes a logo, a search bar, and a user profile section:

- Welcome, Novica Novo
- Profile
- Logout



- Dashboard
- + Insert jela
- ≡ Spisak jela
- Restoran informacije
- Posete sajtu
- ≡ Kategorije
- ≡ Tags
- ≡ Kolicine
- ♫ Korisnici
- ≡ Uloge
- ≡ Meni
- ← Nazad na sajt

DASHBOARD

Danas ulogovani korisnici

	Email	Datum
	novica@gmail.com	2021-06-10
	novica@gmail.com	2021-06-10
	nelica.stojadinovic@gmail.com	2021-06-10
	mica@gmail.com	2021-06-10
	srki@gmail.com	2021-06-10
	srki@gmail.com	2021-06-10
	srki@gmail.com	2021-06-10
	novica@gmail.com	2021-06-10
Ukupno poseta danas		8

Blokirani korisnici zbog 3 neuspela pokusaja logina u 5 min

Email	Datum	Remove from block list
 micika@gmail.com	2021-06-09	Remove

Orders

Order ID	Customer Name	Address	Order Status	Order Time	See order	Price	Delete
9	 Nelica Stojadinovic	Nbhs jsk 25, Mncdh	Done	2021-06-09 21:57:34	See order	700 din	Delete
11	 Milica Jovanovic	Prvomajska 33, Paracin	Pending	2021-06-08 18:24:11	See order	530 din	Delete
12	 Nelica Stojadinovic	Nbhs jsk 25, Mncdh	Pending	2021-06-09 13:12:02	See order	1320 din	Delete
13	 Srki Stojad		Pending	2021-06-10 12:55:35	See order	2250 din	Delete



Order products


Product ID	Food Item	Price	Quantity
43	 Bolognese	300	1
46	 Coffee to go	250	1
57	 Turkish	150	1

[Close](#)

Messages

Message ID	Customer email	Subject	Message	Delete
5	novica@gmail.com	Pozdrav	Pozdrav	Delete
6	novica@gmail.com	Pitanje	Pitanje	Delete





✓ insert jela

Tr [Autunim panel](#) / [Insert jela](#)

INSERT JELA

Product Name <input type="text" value="Product Name"/>	Select main category <input type="text" value="Choose"/>	Select category type <input type="text" value=""/>
Tags and ingredients <input type="checkbox"/> alcoholic <input type="checkbox"/> beef <input type="checkbox"/> caramela <input type="checkbox"/> chicken <input type="checkbox"/> fish <input type="checkbox"/> fruity <input type="checkbox"/> honey <input type="checkbox"/> meat <input type="checkbox"/> non-carbonated <input type="checkbox"/> parmesan <input type="checkbox"/> pork <input type="checkbox"/> tomato <input type="checkbox"/> vegeterian	<input type="checkbox"/> apple <input type="checkbox"/> blueberry <input type="checkbox"/> carbonated <input type="checkbox"/> chocolate <input type="checkbox"/> fried <input type="checkbox"/> ham <input type="checkbox"/> lettuce <input type="checkbox"/> mincemeat <input type="checkbox"/> nuttela <input type="checkbox"/> pasta(Penne,Fusilli,etc..) <input type="checkbox"/> refreshing <input type="checkbox"/> tomato sauce <input type="checkbox"/> warm	<input type="checkbox"/> bacon <input type="checkbox"/> bun <input type="checkbox"/> cheese <input type="checkbox"/> dough <input type="checkbox"/> fruit <input type="checkbox"/> hazelnut <input type="checkbox"/> mushrooms <input type="checkbox"/> non-alcoholic <input type="checkbox"/> onion <input type="checkbox"/> pepper <input type="checkbox"/> strawberry <input type="checkbox"/> tunaaaa

vegetarian
 warm

No option that fits? Insert it Insert

Quantities available for this food:

Extra small
 Small
 Large

Extra large

Description

Product Image

Insert

INSERT JELA

Product Name The name of product can only be written in letters.

Select main category You must choose main category Select category type

Choose

Tags and ingredients You must choose at least 2 tags.

<input type="checkbox"/> alcoholic	<input type="checkbox"/> apple	<input type="checkbox"/> bacon
<input type="checkbox"/> beef	<input type="checkbox"/> blueberry	<input type="checkbox"/> bun
<input type="checkbox"/> caramel	<input type="checkbox"/> carbonated	<input type="checkbox"/> cheese
<input type="checkbox"/> chicken	<input type="checkbox"/> chocolate	<input type="checkbox"/> dough
<input type="checkbox"/> fish	<input type="checkbox"/> fried	<input type="checkbox"/> fruit
<input type="checkbox"/> fruity	<input type="checkbox"/> ham	<input type="checkbox"/> hazelnut
<input type="checkbox"/> honey	<input type="checkbox"/> lettuce	<input type="checkbox"/> mushrooms
<input type="checkbox"/> meat	<input type="checkbox"/> mincemeat	<input type="checkbox"/> non-alcoholic
<input type="checkbox"/> non-carbonated	<input type="checkbox"/> nutella	<input type="checkbox"/> onion
<input type="checkbox"/> parmesan	<input type="checkbox"/> pasta(Penne,Fusilli,etc.)	<input type="checkbox"/> pepper
<input type="checkbox"/> pork	<input type="checkbox"/> refreshing	<input type="checkbox"/> strawberry
<input type="checkbox"/> tomato	<input type="checkbox"/> tomato sauce	<input type="checkbox"/> tunaaaa
<input type="checkbox"/> vegetarian	<input type="checkbox"/> warm	

No option that fits? Insert it Insert

non-carbonated
 parmesan
 pork
 tomato
 vegetarian

nutella
 pasta(Penne,Fusilli,etc.)
 refreshing
 tomato sauce
 warm

onion
 pepper
 strawberry
 tunaaaa
 warm

No option that fits? Insert it Insert

Quantities available for this food:

Extra small
 Small
 Large

You must choose at least one quantity

Description The description of product can only be written in letters and contain - or . or ,

Product Image You must add a picture.

Upload Images...

Insert

Insert tag

You can only enter lowercase letters and a minimum of 3 characters.

Close
Insert

mincemeat
non-alcoholic

nutella
onion

✓ Spisak jela

PRODUCT LIST

ID	Name	Description	Main category	Category	Image	Amount/price	Tags	Update	Delete
39	Heineken	Id venenatis a condimentum vitae sapien pellentesque habitant	Drinks	Beer		Small 50000 din Large 250 din Extra large 350 din	alcoholic refreshing	 	
40	Capricciosa	Capricciosa pizza is a classic Italian pizza	Main dishes	Pizza		Small 500 din Large 860 din Extra large 1500 din	cheese dough ham mashrooms tomato sauce warm	 	
41	Dead good beer	Beer is one of the oldest and most widely consumed alcoholic drinks in the world and the third most popular drink overall after water and tea	Drinks	Beer		Large 350 din Extra large 450 din	alcoholic refreshing	 	
42	Hamburger bacon	Hamburger a burger consisting of beef meat one or more cooked patties of it placed inside a sliced bread roll or bun	Main dishes	Hamburgers		Extra small 250 din Small 350 din Large 450 din	cheese tomato mincemeat bacon lettuce chicken beef	 	

✓ update jela

UPDATE JELA

Product Name

Select main category

Select category type

Tags and ingredients

<input checked="" type="checkbox"/> alcoholic	<input type="checkbox"/> apple	<input type="checkbox"/> bacon
<input type="checkbox"/> beef	<input type="checkbox"/> blueberry	<input type="checkbox"/> bun
<input type="checkbox"/> caramela	<input type="checkbox"/> carbonated	<input type="checkbox"/> cheese
<input type="checkbox"/> chicken	<input type="checkbox"/> chocolate	<input type="checkbox"/> dough
<input type="checkbox"/> fish	<input type="checkbox"/> fried	<input type="checkbox"/> fruit
<input type="checkbox"/> fruity	<input type="checkbox"/> ham	<input type="checkbox"/> hazelnut
<input type="checkbox"/> honey	<input type="checkbox"/> lettuce	<input type="checkbox"/> mashrooms
<input type="checkbox"/> meat	<input type="checkbox"/> mincemeat	<input type="checkbox"/> non-alcoholic
<input type="checkbox"/> non-carbonated	<input type="checkbox"/> nuttela	<input type="checkbox"/> onion
<input type="checkbox"/> parmesan	<input type="checkbox"/> pasta(Penne,Fusilli,etc..)	<input type="checkbox"/> pepper
<input type="checkbox"/> pork	<input checked="" type="checkbox"/> refreshing	<input type="checkbox"/> strawberry
<input type="checkbox"/> tomato	<input type="checkbox"/> tomato sauce	<input type="checkbox"/> tunaaaa
<input type="checkbox"/> vegeterian	<input type="checkbox"/> warm	

No option that fits? Insert it

Powered by 

No option details inserted

Insert

Quantities available for this food:

Extra small

Price for Extra small

Small

50000

Large

250

Extra large

350

Description

Id venenatis a condimentum vitae sapien pellentesque habitant

Product Image



Powered by  000webhost

Quantities available for this food:

Extra small

Price for Extra small

Small

50000

Large

250

Extra large

350

✓ Restoran informacije

Name	Coffee&restaurant
Address	198 West 21th Street, Suite 721 New York NY 10016
Phone	0652452256
Email	coffee@gmail.com
Website	coffeerestaurant.000webhostapp.com
About	Our sustainability program includes low waste culinary practices, recycling, organic cleaning supplies, biodegradable sugar fiber paper goods and corn plastic cups.
OpenDays	Monday,Tuesday,Wednesday,Thursday
OpenHours	08:30-22:30
Story	Our sustainability program includes low waste culinary practices, recycling, organic cleaning supplies, biodegradable sugar fiber paper goods and corn plastic cups. We

Update open days

- Saturday
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday

Close

Update open days

Monday,Tuesday,Wednesday,Thursday



Update hours

From

Ex: 23:59

To

Ex: 23:59

Close

Update open hours

Monday,Tuesday,Wednesday,Thursday



08:30-22:30




✓ Posete sajtu

POSETE SAJTU			
Strana	Deo sajta	IP adresa	Datum
/PraktikumPHP/index.php	page=Admin panel / admin=Dashboard	::1	2021-06-05 20:14:04
/PraktikumPHP/models/filtrirajAll.php		::1	2021-06-05 20:14:05
/PraktikumPHP/index.php	page=Admin panel / admin=Dashboard	::1	2021-06-05 20:14:09
/PraktikumPHP/models/filtrirajAll.php		::1	2021-06-05 20:14:09
/PraktikumPHP/index.php	page=Admin panel / admin=Dashboard	::1	2021-06-05 20:14:11
/PraktikumPHP/models/filtrirajAll.php		::1	2021-06-05 20:14:11
/PraktikumPHP/index.php	page=Admin panel / admin=Dashboard	::1	2021-06-05 20:14:11
/PraktikumPHP/models/filtrirajAll.php		::1	2021-06-05 20:14:11
/PraktikumPHP/index.php	page=Admin panel / admin=Dashboard	::1	2021-06-05 20:14:11
/PraktikumPHP/models/filtrirajAll.php		::1	2021-06-05 20:14:12
/PraktikumPHP/index.nho	nane=Admin nanel / admin=Dashboard	::1	2021-06-05 20:14:12

✓ Kategorije

GLAVNE KATEGORIJE

Id	Naziv	Delete
1	Drinks	Delete
8	Main dishes	Delete
27	Desserts	Delete
Category Name		INSERT



Naziv	Delete
Drinks	Delete
Main dishes254	Delete
Desserts	Delete
Category Name	INSERT

PODKATEGORIJE KATEGORIJE

Id	Naziv	Glavna kategorija	Delete
3	Pizza	Main dishes	Delete
4	Pasta	Main dishes	Delete
6	Hamburgers	Main dishes	Delete
7	Pancakes	Desserts	Delete
10	Beer	Drinks	Delete
11	Coffee	Drinks	Delete
12	Tea	Drinks	Delete
13	Juice	Drinks	Delete
10	Beer	Drinks	Delete
11	Coffee	Drinks	Delete
12	Tea	Drinks	Delete
13	Juice	Drinks	Delete
25	Cookies	Desserts	Delete
26	Cakes	Desserts	Delete
Category Name		Choose category	INSERT

✓ tags

GLAVNE TAGS		
Id	Naziv	Delete
1	alcoholic	Delete
41	apple	Delete
20	bacon	Delete
23	beef	Delete
46	blueberry	Delete
12	tomato sauce	Delete
13	tunaaaa	Delete
5	vegeterian	Delete
48	warm	Delete
Tag Name		INSERT

✓ cart
✓ cart

✓ Kolicine

The screenshot shows a list of items in a mobile application. A modal dialog is displayed in the center, indicating a validation error from a remote server.

Modal Dialog Content:

- Text: "coffeerestaurant.000webhostapp.com says"
- Text: "'Mora da bude unique naziv! Nije uspeo update'"
- Button: OK

List of Items:

- ID: 24, Item: kum predava..., Status: Host 🔥 baza, Action: Delete
- ID: 43, Item: strawberry, Action: Delete
- ID: 51, Item: tomato, Action: Delete
- ID: 12, Item: tomato sauce, Action: Delete
- ID: 13, Item: tunaaaa, Action: Delete
- ID: 5, Item: vegeterian, Action: Delete
- ID: 48, Item: warm, Action: Delete

Input Field at the Bottom:

- Text: "warm"
- Action: INSERT

✓ kolicine

GLAVNE KOLICINE

Id	Naziv	Delete
1	Extra small	Delete
2	Small	Delete
3	Large	Delete
4	Extra large	Delete
Quantity Name		INSERT


✓ uloge

GLAVNE ULOGE

Download to excel: [Download](#)

Id	Naziv	Delete
1	user	Delete
2	admin	Delete
3	unauthorized	Delete
Role Name		INSERT

✓ meni



The screenshot shows the Admin panel interface for managing menus. The top navigation bar includes links for Admin panel, Log in, and Log out. The main content area is divided into two sections: GLAVNI MENI (Main Menu) and OTDANICE MENIJA (Submenu).

GLAVNI MENI:

Id	Naziv	Delete
10	Site	Delete
11	Admin	Delete

Below the table is a form field labeled "Meni Name" and an "INSERT" button.

OTDANICE MENIJA:

18	Posete sajtu	Admin	Delete
19	Kategorije	Admin	Delete
20	Tags	Admin	Delete
21	Kolicine	Admin	Delete
22	Korisnici	Admin	Delete
23	Uloge	Admin	Delete
24	Cart	Site	Delete
25	Meni	Admin	Delete

Below the table is a form field for "Meni Name", a dropdown menu for "Choose category", and an "INSERT" button.

✓ korisnici


GLAVNE KORISNICI

Id	Ime	Prezime	Email	Adresa	Slika	Uloga	
40	Nelica	Stojadinovic	nelica@gmail.com	Nbhs jsk 25, Mncdh		<input type="button" value="user"/> ▼	Delete
42	Milica	Mica	mica@gmail.com			<input type="button" value="admin"/> ▼	Delete
43	Jelena	Stojad	jeka@nhv.sdf			<input type="button" value="admin"/> ▼	Delete
44	Srki	Stojad	srki@gmail.com			<input type="button" value="user"/> ▼	Delete
45	Anita	Stoajd	anita@gmail.com			<input type="button" value="user"/> ▼	Delete
47	Milica	Mikic	mikic@gmail.com	7. jul 58, Beograd		<input type="button" value="user"/> ▼	Delete
48	Nelica	Stojadinovic	nelica.stojadinovic@gmail.com	Bla bla 125, Velika Plana		<input type="button" value="admin"/> ▼	Delete
51	Milicia	Stoajd	micika@gmail.com	Milica 58, Beograd		<input type="button" value="user"/> ▼	Delete
52	Milica	Jovanovic	mikipn99@gmail.com	Prvomajska 33,		<input type="button" value="user"/> ▼	Delete
47	Milica	Mikic	mikic@gmail.com	7. jul 58, Beograd		<input type="button" value="user"/> ▼	Delete
48	Nelica	Stojadinovic	nelica.stojadinovic@gmail.com	Bla bla 125, Velika Plana		<input type="button" value="adr"/> ▼	Delete
51	Milicia	Stoajd	micika@gmail.com	Milica 58, Beograd		<input type="button" value="user"/> ▼	Delete
52	Milica	Jovanovic	mikipn99@gmail.com	Prvomajska 33, Paracin		<input type="button" value="user"/> ▼	Delete
56	Novica	Novo	novica@gmail.com	Bhjg 254, Bhgb		<input type="button" value="adr"/> ▼	Delete

Add new user

[INSERT](#)

✓ insert korisnika



8. Kodovi

8.1. Index.php

```
<?php

if(isset($_GET['page']) && $_GET['page']=="Admin panel"){
    include "views/admin/fixed/head.php";
    include "views/admin/fixed/nav.php";
    if(isset($_GET['admin'])){
        switch($_GET['admin']){
            case "Insert jela":
                include "views/admin/insertJela.php";
                break;
            case "Spisak jela":
                include "views/admin/spisakJela.php";
                break;
            case "profilePage":
```

```

        include "views/admin/profilePage.php";
        break;
    case "Restoran informacije":
        include "views/admin/restoranInfoPrikaz.php";
        break;
    case "Update jela":
        include "views/admin/updateJela.php";
        break;
    case "Posete sajtu":
        include "views/admin/posete.php";
        break;
    case "Dashboard":
        include "views/admin/dashboard.php";
        break;
    case "Kategorije":
        include "views/admin/kategorije.php";
        break;
    case "Kolicine":
        include "views/admin/kolicine.php";
        break;
    case "Tags":
        include "views/admin/tags.php";
        break;
    case "Korisnici":
        include "views/admin/korisniciLista.php";
        break;
    case "AddUser":
        include "views/admin/AddUser.php";
        break;
    case "Uloge":
        include "views/admin/uloge.php";
        break;
    case "Meni":
        include "views/admin/meni.php";
        break;

    default:
        include "views/admin/dashboard.php";
    }
}
else{
    include "views/admin/dashboard.php";
}
include "views/admin/fixed/footer.php";
}

else{
    include "views/site/fixed/head.php";
    include "views/site/fixed/nav.php";

    if(isset($_GET['page']) && $_GET['page']!="Admin panel"){

```

```

switch($_GET['page']){
    case "Shop":
        include "views/site/shop.php";
        break;
    case "Contact":
        include "views/site/contact.php";
        break;
    case "Menu":
        include "views/site/menu.php";
        break;
    case "Product":
        include "views/site/product.php";
        break;
    case "Cart":
        include "views/site/cart.php";
        break;
    case "About":
        include "views/site/about.php";
        break;
    default:
        include "views/site/home.php";
}

}
else{
    include "views/site/home.php";
}

include "views/site/fixed/footer.php";
}

?>

```

8.2.1.1 head.php

```

<!DOCTYPE html>
<html lang="en">

<head>
<title>Coffee & restaurant</title>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<link href="https://fonts.googleapis.com/css?family=Poppins:300,400,500,600,700"
      rel="stylesheet">

```

```

<link href="https://fonts.googleapis.com/css?family=Josefin+Sans:400,700" rel="stylesheet">
<link href="https://fonts.googleapis.com/css?family=Great+Vibes" rel="stylesheet">
<link rel="stylesheet" href="assets/css/open-iconic-bootstrap.min.css">
<link rel="stylesheet" href="assets/css/animate.css">
<link rel="stylesheet" href="assets/css/owl.carousel.min.css">
<link rel="stylesheet" href="assets/css/owl.theme.default.min.css">
<link rel="stylesheet" href="assets/css/magnific-popup.css">
<link rel="stylesheet" href="assets/css/aos.css">
<link rel="stylesheet" href="assets/css/ionicons.min.css">
<link rel="stylesheet" href="assets/css/bootstrap-datepicker.css">
<link rel="stylesheet" href="assets/css/jquery.timepicker.css">
<link rel="stylesheet" href="assets/css/flaticon.css">
<link rel="stylesheet" href="assets/css/icomoon.css">
<link rel="stylesheet" href="assets/css/style.css">
<link rel="shortcut icon" type="image/x-icon" href="assets/images/logo.png">
<meta name="description" content="Welcome to our restaurant.">
<meta name="keywords" content="Pizza, Hamburger, Desserts, Cakes, Cookies, Drink s">
</head>

```

8.2.1.1.2 nav.php

```

<?php
require_once "models/functions.php";
session_start();
?>
<body><?php
if(isset($_SESSION['ulogovan'])): ?>
    <input type="hidden" id="idUlogovan" value="<?=$_SESSION['ulogovan']->idKor?"/><?php
endif;?>
    <div class="col-md-10 col-lg-6 col-sm-11" id="log">
        <a href="#"><h2><span class=" d-flex justify-content-end scale icon icon-close"></span></h2></a>
        <form class="d-flex flex-column align-items-center justify-content-around" action="#" enctype="multipart/form-data" method="POST" class="contact-form">
            <?php
                include_once "views/site/fixed/login.php";
                include_once "views/site/fixed/registracija.php";
            ?>
            </form>
        </div>

```

```

<div id="layer">
    <nav class="navbar navbar-expand-xl navbar-dark ftco-navbar bg-dark ftco-navbar-light" id="ftco-navbar">
        <div class="container">
            <a class="navbar-brand" href="index.php">Coffee<small>&restaurant</small></a>
            <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#ftco-nav" aria-controls="ftco-nav" aria-expanded="false" aria-label="Toggle navigation">
                <span class="oi oi-menu"></span> Menu
            </button>
            <div class="collapse navbar-collapse" id="ftco-nav">
                <ul class="navbar-nav ml-auto">
<?php
if(isset($_SESSION['ulogovan'])){
    $uloga=$_SESSION['ulogovan']->IdUloga;
}
else{
    $uloga="3"; //unauthorized
}

$meni=upitWhereVise("meni","idRod",["10"]);
foreach($meni as $m):
    if($m->naziv=="Admin panel" && $uloga!="2"){continue;}
    if( ($m->naziv=="Shop" || $m->naziv=="Cart") && $uloga=="3"){continue;}
    if($m->naziv=="Cart"):>
        <li class="nav-item cart"><a href="index.php?page=<?=$m-naziv?>" class="nav-link"><span class="icon icon-shopping_cart"></span><span class="bag d-flex justify-content-center align-items-center"><small id="korpaPlus">0</small></span></a></li>
<?php else: ?>
        <li class="nav-item active"><a href="index.php?page=<?=$m-naziv?>" class="nav-link"><?=$m->naziv?></a></li>

<?php endif;?>

        <?php endforeach; ?>
        <li class="nav-item active"><a href="dokumentacija.pdf" target="_blank" class="nav-link">Docs</a></li>

        <?php if(isset($_SESSION['ulogovan'])):>
            <li class="nav-item logout"><a href="#" class="nav-link pl-3"><span class="icon icon-person"></span>Log out</a></li>
            <?php else:>
                <li class="nav-item log"><a href="#" class="nav-link pl-3"><span class="icon icon-person"></span>Login</a></li>
            <?php endif;?>

```

```

        </ul>
    </div>
</div>
</nav>
<section class="home-slider owl-carousel">
<div class="slider-item" style="background-image: url(assets/images/bg_1.jpg);">
<div class="overlay"></div>
<div class="container">
<div class="row slider-text justify-content-center align-items-center" data-
scrollax-parent="true">
<div class="col-md-8 col-sm-12 text-center ftco-animate">
<span class="subheading">Welcome to the</span>
<h1 class="mb-4"><?php echo prikazTxt("Name", 'infoRestaurant.txt'); ?></h1>
<p class="mb-4 mb-md-
5"><?php echo prikazTxt("About", "infoRestaurant.txt"); ?></p>
<p><a href="index.php?page=Shop" class="btn btn-primary p-3 px-xl-4 py-xl-
3">Order Now</a> <a href="index.php?page=Menu" class="btn btn-white btn-outline-
white p-3 px-xl-4 py-xl-3">View Menu</a></p>
</div>
</div>
</div>
</div>
</section>
<section class="ftco-intro">
<div class="container-wrap">
<div class="wrap d-flex">
<div class="info container-fluid col-12">
<div class="d-flex flex-xl-row flex-column flex-wrap align-items-center no-
gutters">
<div class="col-md-4 d-flex ftco-animate">
<div class="icon"><span class="icon-phone"></span></div>
<div class="text">
<h3>Phone number:</h3>
<p><?php echo prikazTxt("Phone", "infoRestaurant.txt"); ?></p>
</div>
</div>
<div class="col-md-4 d-flex ftco-animate">
<div class="icon"><span class="icon-my_location"></span></div>
<div class="text">
<h3>Address</h3>
<p> <?php echo prikazTxt("Address", "infoRestaurant.txt"); ?></p>
</div>
</div>
<div class="col-md-4 d-flex ftco-animate">
<div class="icon"><span class="icon-clock-o"></span></div>
<div class="text">
<h3>Open: <?php echo prikazTxt("OpenDays", "infoRestaurant.txt"); ?></h3>
<p>from <?php echo prikazTxt("OpenHours", "infoRestaurant.txt"); ?></p>
</div>
</div>

```

```
</div></div>
    </div>
</div>
</section>
```

8.2.1.1.3 footer.php

```
<footer class="ftco-footer ftco-section img">
<div class="overlay"></div>
<div class="container">
<div class="row mb-5">
<div class="col-lg-3 col-md-6 mb-5 mb-md-5">
<div class="ftco-footer-widget mb-4">
<h2 class="ftco-heading-2">About Us</h2>
<p><?php echo prikazTxt("About",'infoRestaurant.txt');?></p>
</div>
</div>

<div class="col-lg-3 col-md-6 mb-5 mb-md-5">
<div class="ftco-footer-widget mb-4">
<h2 class="ftco-heading-2">Have a Questions?</h2>
<div class="block-23 mb-3">
<ul>
<li><span class="icon icon-map-marker"></span><span class="text"><?php echo prikazTxt("Address",'infoRestaurant.txt');?></span></li>
<li><a href="#"><span class="icon icon-phone"></span><span class="text"><?php echo prikazTxt("Phone",'infoRestaurant.txt');?></span></a></li>
<li><a href="#"><span class="icon icon-envelope"></span><span class="text"><span><?php echo prikazTxt("Email",'infoRestaurant.txt');?></span></a></li>
</ul>
</div>
</div>
</div>
</div>

<div class="row">
<div class="col-md-12 text-center">
</div>
</div>
</div>
</div>

<div id="ftco-loader" class="show fullscreen"><svg class="circular" width="48px" height="48px"><circle class="path-bg" cx="24" cy="24" r="22" fill="none" stroke-width="4" stroke="#eeeeee" /><circle class="path" cx="24" cy="24" r="22" fill="none" stroke-width="4" stroke-miterlimit="10" stroke="#F96D00" /></svg></div>
```

```
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/jquery-migrate-3.0.1.min.js"></script>
<script src="assets/js/popper.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/jquery.easing.1.3.js"></script>
<script src="assets/js/jquery.waypoints.min.js"></script>
<script src="assets/js/jquery.stellar.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
<script src="assets/js/jquery.magnific-popup.min.js"></script>
<script src="assets/js/aos.js"></script>
<script src="assets/js/jquery.animateNumber.min.js"></script>
<script src="assets/js/bootstrap-datepicker.js"></script>
<script src="assets/js/jquery.timepicker.min.js"></script>
<script src="assets/js/scrollax.min.js"></script>
<script src="assets/js/main.js"></script>
<script>
```

8.2.1.1.4 login.php

```
<div id="l">
    <h2 class="mx-auto">Log in</h2>
    <div class="form-group">
        <input type="email" id="logEmail" class="form-control" placeholder="Your email">
        <small id="logRegEmail" class="d-none text-danger"></small>
    </div>
    <div class="form-group">
        <input type="password" id="logPass" class="form-control" placeholder="Your password">
        <small id="logRegPass" class="d-none text-danger"></small>
    </div>
    <div class="form-group">
        <input type="submit" id="login" value="Login" class="btn btn-primary py-3 px-5">
    </div>
    <span>or if you don't have an account</span>
    <a class="scale div" href="index.php">Sign up</a>
</div>
```

8.2.1.1.5 registracija.php

```
<div id="r">
    <h3 class="mx-auto">Sign up</h3>
    <div class="row">

        <div class="form-group">
            <input type="text" class="form-control" id="regIme" placeholder="Your first name">
            <small id="regImeTekst" class="d-none text-danger"></small>
        </div>
        <div class="form-group">
            <input type="text" class="form-control" id="regPrezime" placeholder="Your last name">
```

```

        <small id="regPrezimeTekst" class="d-none text-danger"></small>
    </div></div>
    <div class="form-group">
        <input type="email" class="form-control" id="regEmail" placeholder="Your email">
        <small id="regEmailTekst" class="d-none text-danger"></small>
    </div>
    <div class="form-group">
        <input type="password" class="form-control" id="regPass" placeholder="Your password">
        <small id="regPassTekst" class="d-none text-danger"></small>
    </div>
    <div class="form-group">
        <input type="text" class="form-control" id="regAdress" placeholder="Your address">
        <small id="regAddressTekst" class="d-none text-danger"></small>
    </div>
    <div class="row">
        <div class="form-group ">
            <label for="regPic">Your profile picture</label>
            <input type="file" accept=".jpg, .jpeg, .png" class="form-control" id="regPic" placeholder="Your photo">
            <small id="regPicTekst" class="d-none text-danger"></small>
        </div>
        <div class="form-group">
            <input type="submit" id="reg" value="Sign up" class="btn btn-primary py-3 px-5">
        </div>
    </div>
    <input type="hidden" class="ulogaAddUser" value="1"/>

    <span>or if you have an account</span>
    <a class="scale div" href="index.php">Log in</a></div>

```

8.2.1.2. about.php

```

<section class="ftco-section contact-section">
<div class="container mt-5">
<div class="row block-9">
<div class="col-md-4 contact-info ftco-animate">

</div>
<div class="col-md-1"></div>
<div class="col-md-6 ftco-animate">
<div class="col-md-12">
<div class="form-group">
    <form action="models/downloadAutor.php" method="POST">
<small>Ime</small>
<p name="aboutIme" class="form-control">Nelica</p>

```

```

<input type="hidden" name="aboutIme" value="Nelica"/>
</div>
<div class="form-group">
<small>Prezime</small>
<p class="form-control">Stojadinovic</p>
<input type="hidden" name="aboutPrezime" value="Stojadinovic"/>

</div>
<div class="form-group">
<small>Datum rodjenja</small>
<p class="form-control">30.06.1999.</p>
<input type="hidden" name="aboutDatum" value="30.06.1999."/>

</div>
<div class="form-group">
<small>Srednja skola</small>
<p class="form-control">Gimnazija Velika Plana</p>
<input type="hidden" name="aboutSkola" value="Gimnazija Velika Plana"/>

</div>
</div>
<div class="d-flex flex-row justify-content-center">
<p class="col-9">Download info about author in word doc:</p>
<button type="submit" class="form-control" name="dugme" value="dugme" type="submit"><span class="icon h4 icon-file-word-o"></span></button>

</div>

</form>
</div>
</div>
</div>
</section>

```

8.2.1.3. cart.php

```

<section class="ftco-section ftco-cart">
<div class="container">
<div class="row">
<div class="col-md-12 ftco-animate">
<div class="table-responsive">
<table class="table">
<thead class="thead-primary">
<tr class="text-center">
<th>&nbsp;</th>
<th>&nbsp;</th>
<th>Product</th>
<th>Price</th>
<th>Quantity</th>
<th>Total</th>
</tr>

```

```

</thead>
<tbody class="korpaPrikaz">

</tbody>
</table>
</div>
</div>
</div>
<div class="row justify-content-end">
<div class="col col-lg-6 col-md-6 m-auto pt-5 cart-wrap ftco-animate">
<div class="cart-total mb-3">
<h3>Cart Totals</h3>
<hr>
<p class="d-flex total-price">
<span>Total</span>
<span id="korpaTotal"></span>
</p>
</div>
<p class="text-center"><a href="#" id="krajKorpa" class="btn btn-primary py-3 px-4">Proceed</a></p>
</div>
</div>
</div>
</section>

```

8.2.1.4. contact.php

```

<?php
if(isset($_SESSION['ulogovan'])){
    $email=$_SESSION['ulogovan']->email;
    $disabled="disabled";
}
else{
    $email="";
    $disabled="";
}
// var_dump($email);
?>

<section class="ftco-section contact-section">
<div class="container mt-5">
<div class="row block-9">
<div class="col-md-4 contact-info ftco-animate">
<div class="row">
<div class="col-md-12 mb-4">
<h2 class="h4">Contact Information</h2>
</div>
<div class="col-md-12 mb-3">
<p><span>Address:</span> <?php echo prikazTxt("Address","../data/infoRestaurant.txt");?></p>
</div>

```

```

<div class="col-md-12 mb-3">
<p><span>Phone: </span><?php echo prikazTxt("Phone","../data/infoRestaurant.txt"
);?></p>
</div>
<div class="col-md-12 mb-3">
<p><span>Email: </span><?php echo prikazTxt("Email","../data/infoRestaurant.txt"
);?></span></a></p>
</div>
<div class="col-md-12 mb-3">
<p><span>Website: </span> <a href="<?php echo prikazTxt("Website","../data/infoR
estaurant.txt");?>"><?php echo prikazTxt("Website","../data/infoRestaurant.txt")
;?></a></p>
</div>
</div>
</div>
<div class="col-md-1" style="background-color: #f0f0f0; padding: 10px; border-radius: 5px; margin-bottom: 10px;">
<div class="col-md-6 ftco-animate">
<form action="#" class="contact-form">
<div class="col-md-12">
<div class="form-group">
<input type="text" id="emailContact" class="form-
control" value="<?=$email?>" placeholder="Your Email" <?=$disabled?>>
<small id="regPorukaEmail" class="d-none text-danger"></small>
</div>
</div>
<div class="form-group">
<input type="text" class="form-control" id="subject" placeholder="Subject">
<small id="regSubject" class="d-none text-danger"></small>
</div>
<div class="form-group">
<textarea id="message" id="" cols="30" rows="7" class="form-
control" placeholder="Message"></textarea>
<small id="regMessage" class="d-none text-danger"></small>
</div>
<div class="form-group">
<input type="submit" value="Send Message" id="contact" class="btn btn-
primary py-3 px-5">
</div>
</form>
</div>
</div>
</div>
</section>

```

8.2.1.5. home.php

```

<section class="ftco-about d-md-flex">

```

```

<div class="one-half img" style="background-
image: url(assets/images/bg_2.jpg);"></div>
<div class="one-half ftco-animate">
<div class="overlap">
<div class="heading-section ftco-animate ">
<span class="subheading">Discover</span>
<h2 class="mb-4">Our Story</h2>
</div>
<div>
<p><?php echo prikazTxt("Story",'infoRestaurant.txt'); ?></p>
</div>
</div>
</div>
</section>
<section class="ftco-counter ftco-bg-dark img" id="section-counter">
<div class="overlay"></div>
<div class="container">
<div class="row justify-content-center">
<div class="col-md-10">
<div class="row">
<div class="col-md-6 col-lg-3 d-flex justify-content-center counter-wrap ftco-
animate">
<div class="block-18 text-center">
<div class="text">
<div class="icon"><span class="flaticon-coffee-cup"></span></div>
<span>To serve best coffee in the world every day</span>
</div>
</div>
</div>
<div class="col-md-6 col-lg-3 d-flex justify-content-center counter-wrap ftco-
animate">
<div class="block-18 text-center">
<div class="text">
<div class="icon"><span class="flaticon-coffee-cup"></span></div>
<strong class="number" data-number="85">0</strong>
<span></span>
</div>
</div>
</div>
<div class="col-md-6 col-lg-3 d-flex justify-content-center counter-wrap ftco-
animate">
<div class="block-18 text-center">
<div class="text">
<div class="icon"><span class="flaticon-coffee-cup"></span></div>
<span>And to make you happy</span>
</div>
</div>
</div>
<div class="col-md-6 col-lg-3 d-flex justify-content-center counter-wrap ftco-
animate">

```

8.2.1.6. menu.php

```
<section class="ftco-section">
<div class="container">
<div class="row">
<?php
$mainKat=upitWhereVise("kategorije","idRod",["0"]);
foreach($mainKat as $k):?>
<div class="col-md-6 mb-5 pb-3">
<h3 class="mb-1 heading-pricing ftco-animate"><?= $k->naziv?></h3>
<?php
$id=$k->idKat;
$parentId=upitWhereVise("kategorije","idRod",[$id]);
foreach($parentId as $p):
?>
<p class="ftco-animate">- <?= $p->naziv?></p><br>
<?php
$jela=jeloKat("jelo.idKat",[$p->idKat],(""));
foreach($jela as $j):
    // var_dump($j);
if($j->deleted==1){continue;}
?>
<div class="pricing-entry d-flex ftco-animate">
<div class="img" style="background-
image: url(assets/images/food_small/small_<?= $j->src?>);"></div>
<div class="desc pl-3">
<div class="d-flex text-align-items-center">
<h3><span><?= $j->naziv?></span></h3>
</div>
<?php
$cenaKolicina=kolicinaCenaJelo([$j->idJelo]);
foreach($cenaKolicina as $kc):
?>
<p class="price"><?= $kc->kolicina ?> <?= $kc->iznos?> din</p>
<?php endforeach;?>
<div class="d-block">
```

```

</div>
</div>
</div>
<?php endforeach; endforeach;?>
</div>
<?php endforeach;?>

</div>
</section>

```

8.2.1.7. product.php

```

<section class="ftco-section">
<?php
$id=$_GET['id'];
$jelo=jeloKat("jelo.idJelo",[$id],"");
foreach($jelo as $j):
?>
<div class="container">
<div class="row">
<div class="col-lg-6 mb-5 ftco-animate">
<a href="#" class="image-
popup">naziv?>"></a>
</div>
<div class="col-lg-6 product-details pl-md-5 ftco-animate">
<h3><?=$j->naziv?></h3>
<p class="price" id="iznos"><span ><?=$j->iznos?> din</span></p>
<input type="hidden" value="<?=$j->iznos?>" class="cenaKorpa"/>
<p><?=$j->opis?></p>
<div class="row mt-4">
<div class="col-md-6">
<div class="form-group d-flex">
<div class="select-wrap">
<div class="icon"><span class="ion-ios-arrow-down"></span></div>
<select name="" data-id="<?=$j-
>idJelo?>" id="prikazCeneZaKolicinu" class="idKJ form-control">
<?php
$sveKolicine=kolicinaCenaJelo([$j->idJelo]);
if(count($sveKolicine)==0){ echo "No product"; }
foreach($sveKolicine as $k):
if($k->kolicina==$kolicina->kolicina):
?>
<option value="<?=$k->idKJ?>" selected><?=$k->kolicina?></option>
<?php else:>

```

```

<option value=<?=$k->idKJ?>><?=$k->kolicina?></option>
    <?php
endif; endforeach; ?>
</select>
</div>
</div>
</div>
<div class="w-100"></div>
<div class="input-group col-md-6 d-flex mb-3">
<span class="input-group-btn mr-2">
<button type="button" class="quantity-left-minus btn" data-type="minus" data-
field="">
<i class="icon-minus"></i>
</button>
</span>
<input type="text" id="quantity" name="quantity" class="form-control input-
number quantity" value="1" min="1" max="100">
<span class="input-group-btn ml-2">
<button type="button" class="quantity-right-plus btn" data-type="plus" data-
field="">
<i class="icon-plus"></i>
</button>
</span>
</div>
</div>
<p><a href="#" data-jedan="true" data-slika=<?=$j->src?>" data-naziv=<?=$j-
>naziv?>" class="btn btn-primary py-3 px-5 korpa">Add to Cart</a></p>
</div>
</div>
</div>
<?php endforeach; ?>
</section>

```

8.2.1.8. shop.php

```

<section class="ftco-menu">
<div class="container">
<div class="row d-md-flex">
<div class="form-group container-fluid d-flex justify-content-end product-
details pl-md-5 ftco-animate">
<div class="select-wrap">
<select name="" id="sort" class="form-control ">
<option value="0">Order by</option>
<option value="date">Order by newest</option>
<option value="iznos">Order by price(low to high)</option>
<option value="iznos_DESC">Order by price(high to low)</option>

</select>
</div></div>
<div class="col-lg-12 m-auto ftco-animate p-md-5">

```

```

<div class="row">

    <!-- GLAVNE KATEGORIJE -->
    <div class="container-fluid d-flex flex-column nav-link-wrap mb-5">

        <div class="nav ftco-animate nav-pills justify-content-center" id="v-pills-tab" role="tablist" aria-orientation="vertical">

            <a class="nav-link filterKat" href="index.php?index.php?page=Shop" data-kat="all" data-toggle="pill" role="tab" aria-controls="v-pills-0" aria-selected="true">All</a>
            <?php
                $glavneKat= upitWhereVise("kategorije","idRod",["0"]);
                foreach($glavneKat as $k):
            ?>
            <a class="nav-link filterKat" href="#" data-kat="<?=$k->idKat?>" data-toggle="pill" role="tab" aria-controls="v-pills-0" aria-selected="true"><?=$k->naziv?></a>
            <?php endforeach;?>

        </div>

        <div class="nav ftco-animate nav-pills justify-content-center mt-2" role="tablist" aria-orientation="vertical">

            <ul id="idRoditelj">
                </ul>

        </div>

    </div>

    <div class="d-flex flex-column flex-lg-row">
        <div class="sidebar-box ftco-animate fadeInUp ftco-animated">
            <div class="mb-1">
                <label for="customRange1" class="form-control-range"><h3>Price</h3></label>
                <input type="range" max="5000" min="0" class="custom-range" id="customRange1">
                <p class="justify-content-center d-flex" id="range"></p>
            </div>
            <h3 class="mt-2">Tags</h3>
            <div class="tagcloud col-12 d-flex flex-column">

                <?php
                    $tags=sve("podkategorije");
                    foreach($tags as $t):
                ?>

```

```

<a href="#" data-form="podKat<?= $t->idPodKat?>" class="tag-cloud-link"><?= $t-
>naziv?></a>
<?php endforeach;?>
</div>
</div>

<div class="col-lg-9 col-xl-11 d-flex">
<div class="tab-content ftco-animate" id="v-pills-tabContent">
<div class="tab-pane fade show active" id="v-pills-0" role="tabpanel" aria-
labelledby="v-pills-0-tab">
<div class="row flex-wrap d-flex" id="jela">

</div>
</div>
<div class="container-fluid col-10 m-auto">
    <ul id="pagination" class="pagination d-flex justify-content-center m-
5">
        </ul>
</div>
</div>

</div>
</section>

```

8.2.2.1.1 head.php

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width,initial-scale=1">
    <title>Foodtech Dashboard</title>
    <!-- Iconic Fonts -->
    <link href="https://fonts.googleapis.com/icon?family=Material+Icons" rel="styl
esheet">
    <link href="assets/admin/vendors/iconic-fonts/font-
awesome/css/all.min.css" rel="stylesheet">
    <link rel="stylesheet" href="assets/admin/vendors/iconic-fonts/flat-
icons/flaticon.css">
    <!-- <link href="assets/admin/css/sweetalert2.min.css" rel="stylesheet"> -->
    <link rel="stylesheet" href="assets/admin/vendors/iconic-
fonts/cryptocoins/cryptocoins.css">
    <link rel="stylesheet" href="assets/admin/vendors/iconic-
fonts/cryptocoins/cryptocoins-colors.css">
    <!-- Bootstrap core CSS -->

```

```

<link href="assets/admin/css/bootstrap.min.css" rel="stylesheet">
<!-- jQuery UI -->
<link href="assets/admin/css/jquery-ui.min.css" rel="stylesheet">
<!-- Page Specific CSS (Slick Slider.css) -->
<link href="assets/admin/css/slick.css" rel="stylesheet">
<link href="assets/admin/css/datatables.min.css" rel="stylesheet">
<!-- Foodtech styles -->
<link href="assets/admin/css/style.css" rel="stylesheet">
<!-- Favicon -->
<link rel="icon" type="image/png" sizes="32x32" href="assets/images/logo.png">
</head>

```

8.2.2.1.2 nav.php

```

<?php
session_start();
if(isset($_SESSION['ulogovan']) && $_SESSION['ulogovan']->IdUloga==2){
require_once "models/functions.php";

?>

<body class="ms-body ms-aside-left-open ms-primary-theme ms-has-quickbar">
<!-- Overlays -->
<div class="ms-aside-overlay ms-overlay-left ms-toggler" data-target="#ms-side-nav" data-toggle="slideLeft"></div>
<div class="ms-aside-overlay ms-overlay-right ms-toggler" data-target="#ms-recent-activity" data-toggle="slideRight"></div>
<!-- Sidebar Navigation Left -->
<aside id="ms-side-nav" class="side-nav fixed ms-aside-scrollable ms-aside-left">
<!-- Logo -->
<div class="logo-sn ms-d-block-lg">
<a class="pl-0 ml-0 text-center" href="index-2.html">

</a>
</div>
<!-- Navigation -->
<ul class="accordion ms-main-aside fs-14" id="side-nav-accordion">
<!-- Dashboard -->
<?php
$meni=upitWhereVise("meni","idRod",["11"]);
$fafa=["dashboard","add","list","info","visibility","list","list","list","list"];
$brojac=0;
foreach($meni as $m):?>
<li class="menu-item">
<a href="index.php?page=Admin%20panel&admin=<?=$m->naziv?>"> <span><i class="material-icons"><?=$fafa[$brojac];?></i><?=$m->naziv?></span>

```

```

        </a>
    </li>
<?php $brojac++; endforeach;?>
<li class="menu-item">
    <a href="index.php?"> <span><i class="material-
icons">arrow_back</i>Nazad na sajt</span>
        </a>
    </li>
</aside>
<!-- Main Content -->
<main class="body-content">
    <!-- Navigation Bar -->
    <nav class="navbar ms-navbar">
        <div class="ms-aside-toggler ms-toggler pl-0" data-target="#ms-side-
nav" data-toggle="slideLeft"> <span class="ms-toggler-bar bg-primary"></span>
            <span class="ms-toggler-bar bg-primary"></span>
            <span class="ms-toggler-bar bg-primary"></span>
        </div>
        <div class="logo-sn logo-sm ms-d-block-sm">
            <a class="pl-0 ml-0 text-center navbar-brand mr-
0" href="index.php?page=Admin panel"> </a>
        </div>
        <ul class="ms-nav-list ms-inline mb-0" id="ms-nav-options">
            </li>
            <li class="ms-nav-item ms-nav-user dropdown">
                <a href="#" id="userDropdown" data-toggle="dropdown" aria-
haspopup="true" aria-expanded="false">
                    
                </a>
                <ul class="dropdown-menu dropdown-menu-right user-dropdown" aria-
labelledby="userDropdown">
                    <li class="dropdown-menu-header">
                        <h6 class="dropdown-header ms-inline m-0"><span class="text-
disabled">Welcome, <?php
                            $user=$_SESSION['ulogovan'];
                            echo $user->ime." ".$user->prezime;
                            ?></span></h6>
                    </li>
                    <li class="dropdown-divider"></li>
                    <li class="ms-dropdown-list">
                        <a class="media fs-14 p-
2" href="index.php?page=Admin%20panel&admin=profilePage"> <span><i class="flaticon-
on-user mr-2"></i> Profile</span>
                        </a>
                        <li class="dropdown-menu-footer">
                            <a class="media fs-14 p-
2 logout" href="#"> <span><i class="flaticon-shut-down mr-2"></i> Logout</span>

```

```

        </a>
    </li>
</ul>
</li>
</ul>
<div class="ms-toggler ms-d-block-sm pr-0 ms-nav-toggler" data-
toggle="slideDown" data-target="#ms-nav-options"> <span class="ms-toggler-
bar bg-primary"></span>
    <span class="ms-toggler-bar bg-primary"></span>
    <span class="ms-toggler-bar bg-primary"></span>
</div>
</nav>
<!-- Body Content Wrapper --&gt;
&lt;div class="ms-content-wrapper"&gt;
    &lt;div class="row"&gt;

        &lt;div class="col-md-12"&gt;
            &lt;nav aria-label="breadcrumb"&gt;
                &lt;ol class="breadcrumb pl-0"&gt;
                    &lt;li class="breadcrumb-item"&gt;&lt;a href="#"&gt;&lt;i class="material-
icons"&gt;home&lt;/i&gt; &lt;?php echo $_GET['page']; ?&gt;&lt;/a&gt;&lt;/li&gt;
                        &lt;?php if(isset($_GET['admin'])): ?&gt;
                        &lt;li class="breadcrumb-item active" aria-
current="page"&gt;&lt;?php echo $_GET['admin']; ?&gt;&lt;/li&gt;
                            &lt;?php endif; ?&gt;
                &lt;/ol&gt;
            &lt;/nav&gt;

        &lt;/div&gt;
        &lt;?php } else{
            header("Location:404.php");
        }?&gt;
    </pre>

```

8.2.2.1.3 footer.php

```

<script src="assets/admin/js/jquery-3.3.1.min.js"></script>
<script src="assets/js/popper.min.js"></script>
<script src="assets/admin/js/bootstrap.min.js"></script>
<script src="assets/admin/js/perfect-scrollbar.js">
</script>
<script src="assets/admin/js/jquery-ui.min.js">

</script>

<script src="assets/admin/js/promise.min.js">
</script>
</script>
<script src="assets/admin/js/Chart.bundle.min.js">
</script>
<script src="assets/admin/js/widgets.js"> </script>

```

```

<script src="assets/admin/js/clients.js"> </script>
<script src="assets/admin/js/Chart.Financial.js"> </script>
<script src="assets/admin/js/d3.v3.min.js">
</script>
<script src="assets/admin/js/topojson.v1.min.js">
</script>
<script src="assets/admin/js/datatables.min.js">
</script>
<script src="assets/admin/js/data-tables.js">
</script>
<script src="assets/admin/js/framework.js"></script>
<script src="assets/admin/js/settings.js"></script>
<script src="assets/js/main.js"></script>

</body>

</html>

```

8.2.2.2. AddUser.php

```

<div class="ms-panel col-9 m-auto">
<div class="ms-panel-header">
    <h6><?php echo $_GET['admin'];?></h6>
</div>
<div class="form-group">
    <input type="text" class="form-
control" id="regIme" placeholder="First name">
    <small id="regImeTekst" class="d-none text-danger"></small>
</div>
<div class="form-group">
    <input type="text" class="form-
control" id="regPrezime" placeholder="Last name">
    <small id="regPrezimeTekst" class="d-none text-danger"></small>
</div>
<div class="form-group">
    <input type="email" class="form-
control" id="regEmail" placeholder="Email">
    <small id="regEmailTekst" class="d-none text-danger"></small>
</div>
<div class="form-group">
    <input type="password" class="form-
control" id="regPass" placeholder="Password">
    <small id="regPassTekst" class="d-none text-danger"></small>
</div>
<div class="form-group">
    <input type="text" class="form-
control" id="regAdress" placeholder="Your address">
    <small id="regAddressTekst" class="d-none text-danger"></small>
</div>

```

```

<div class="form-group">
    <label for="regPic">Profile picture</label>
    <input type="file" accept=".jpg, .jpeg, .png" class="form-control" id="regPic" placeholder="Your photo">
        <small id="regPicTekst" class="d-none text-danger"></small>
</div>
<div class="form-group">
    <label for="regUloga">Uloga</label>
    <select id="regUloga" class="ulogaAddUser form-control"><option value="0">Odaberi ulogu</option>
        <?php
        $upit=sve("uloge");
        foreach($upit as $u):
        ?>
        <option value=<?= $u->idUloga?>><?= $u->naziv?></option>
        <?php endforeach;?>
    </select>
    <small id="regUloga" class="d-none text-danger"></small>
</div>

<div class="form-group">
    <input type="submit" id="insertKorisnika" value="Sign up" class="btn btn-primary py-3 px-5">
</div>
</div>

```

8.2.2.3. dashboard.php

```

<div class="ms-panel col-12 d-flex flex-row">

    <div class="ms-panel-body col-5">
        <div class="ms-panel-header">
            <h6><?php if(isset($_GET['admin'])){echo $_GET['admin'];}?></h6>
        </div>
        <div class="table-responsive">
            <div class="body d-flex">
                <div class="container-fluid">
                    <div class="row clearfix">
                        <div class="col-lg-12">
                            <div class="card">
                                <div class="card-body">
                                    <strong>Danas ulogovani korisnici</strong><hr/>

                                    <table id="mainTable" class="table container-fluid table-hover">

                                        <thead>
                                            <tr>
                                                <th></th>
                                                <th>Email</th>

```

```

<th>Datum</th>

</tr>

<?php
$danasjniDatum=date("Y-m-d");
$file=file("data/ulogovani.txt");
$broj=0;
foreach($file as $f):
list($email,$datum)=explode("\t"
,$f);
$korisnik=upitWhere("korisnik",
$email,[${email}]);
$datum=trim($datum);
if($datum==$danasjniDatum):
// var_dump($korisnik-
>pic);
$broj++;
?>
<tr>

<td>ime?>" class="img"></td>
<td><?=$email?></td>
<td><?=$datum?></td>

</tr>

<?php endif; endforeach; ?>
<tfoot class="border">
<tr>
<td scope="row">Ukupno poseta da
nas</td>
<td></td>
<td><strong><?php echo $broj;?><
/strong></td>
</tr>
</tfoot>
</thead>
<tbody>

</tbody>
</table>
</div>
</div>
</div>
</div>
</div>

```

```

        </div>

        </div>
    </div>
    <div class="ms-panel-body col-7">
        <div class="ms-panel-header">
            <h6><?php if(isset($_GET['admin'])){echo $_GET['admin'];}?></h6>
        </div>
        <div class="table-responsive">
            <div class="body d-flex ">
                <div class="container-fluid">
                    <div class="row clearfix">
                        <div class="col-lg-12">
                            <div class="card">
                                <div class="card-body">
                                    <strong>Blokirani korisnici zbog 3 neuspela pokusaja logina u 5 min</strong><hr/>

```

Blokirani korisnici zbog 3 neuspela pokusaja logina u 5 min

```

                                    <table id="mainTable" class="table container-fluid table-hover">

                                        <thead>
                                            <tr>
                                                <th></th>
                                                <th>Email</th>
                                                <th>Datum</th>
                                                <th>Remove from block list</th>

```

Remove from block list

```

                                            </tr>

```

Remove from block list

```

                                        <?php
                                            $danasnjiDatum=date("Y-m-d");
                                            $file=file("data/blokirani.txt");
                                            $broj=0;
                                            foreach($file as $f):
                                                list($email,$datum)=explode("\t"
,$f);
                                                $korisnik=upitWhere("korisnik",
"email",[$email]);
                                            ?>
                                            <tr>
                                                <td>ime?> class="img"></td>
                                                <td><?=$email?></td>
                                                <td><?=$datum?></td>
                                                <td><a class="RemoveBlock" data-
email=<?=$korisnik->email?>" href="#">Remove</a></td>
                                            </tr>

```

```

                <?php endforeach; ?>
            </thead>
            <tbody>

                </tbody>
            </table>
        </div>
    </div>
</div>

</div>
</div>
</div>

<div class="ms-panel col-12">

<!-- PORUKE -->
<h6 class="d-flex justify-content-center">Messages</h6>
<div class="ms-panel-body">
    <div class="table-responsive">
        <table class="table table-hover thead-primary">
            <thead>
                <tr>
                    <th scope="col">Message ID</th>
                    <th scope="col">Customer email</th>
                    <th scope="col">Subject</th>
                    <th scope="col">Message</th>
                    <th scope="col">Delete</th>
                </tr>
            </thead>
            <tbody class="poruke">
                </tbody>
        </table></div></div>

                <h6 class="d-flex justify-content-center">Orders</h6>
<div class="ms-panel-body">
    <div class="table-responsive">
        <table class="table table-hover thead-primary">
            <thead>
                <tr>
                    <th scope="col">Order ID</th>
                    <th scope="col"></th>
                    <th scope="col">Customer Name</th>
                    <th scope="col">Address</th>
                </tr>
            </thead>

```

```

        <th scope="col">Order Status</th>
        <th scope="col">Order Time</th>
        <th scope="col">See order</th>
        <th scope="col">Price</th>

        <th scope="col">Delete</th>

    </tr>
</thead>
<tbody class="prikazKorpe">
<?php
$korpa=sve("korpa");
foreach($korpa as $k):
$iznos=0;
$jela=jeloSve([$k->idKorpa]);
// var_dump($jela);

$korisnik=upitWhere("korisnik","idKor",[$k->idK]);
?>
<tr>
<th scope="row"><?=$k->idKorpa?></th>
<td><img alt="<?=$korisnik-
ime?>" src="assets/images/users/<?=$korisnik->pic?>"/></td>
<td><?=$korisnik->ime?> <?=$korisnik->prezime?></td>
<td><?=$korisnik->address?></td>
<?php if($k->izvrsero==0):?>
<td><a href="#" data-idKorpa="<?=$k->idKorpa?>" data-
status="1" class="updateStatus"><span class="badge badge-
primary">Pending</span></a></td>
<?php else:&?>
<td><a href="#" data-idKorpa="<?=$k->idKorpa?>" data-
status="0" class="updateStatus"><span class="badge badge-
success">Done</span></a></td>
<?php endif;?>
<td><?=$k->datum?></td>
<td>
<button type="button" class="btn btn-primary mt-0" data-
toggle="modal" data-target="#exampleModal<?=$k->idKorpa?>">
See order
</button>

<!-- Modal -->
<div class="modal fade" id="exampleModal<?=$k-
>idKorpa?>" tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel<?=$k-
>idKorpa?>" aria-hidden="true">
<div class="modal-dialog" role="document">
<div class="modal-content">
<div class="modal-header">
<h5 class="modal-title" id="exampleModalLabel<?=$k-
>idKorpa?>">Order products</h5>

```

```

        <button type="button" class="close" data-
dismiss="modal" aria-label="Close">
            <!-- <span aria-hidden="true">&times; </span> -->
        </button>
    </div>
    <div class="modal-body">
        <div class="table-responsive">
            <table class="table table-hover">
                <thead>
                    <tr>
                        <th scope="col">Product ID</th>
                        <th scope="col">Food Item</th>
                        <th scope="col">Price</th>
                        <th scope="col">Quantity</th>
                    </tr>
                </thead>
                <tbody>
                    <?php foreach($jela as $j):>
                    $iznos+=$j->kolicina*$j->iznos;
                ?>

                    <?php
                ?>
                    <tr>
                        <td><?=$j->idJelo?></td>
                        <td class="ms-table-f-
w"> naziv?>"> <?=$j->naziv?> </td>
                        <td><?=$j->iznos?></td>
                        <td>
                            <?=$j->kolicina?></td>
                        </tr>

<?php endforeach;?>
                </tbody>
            </table>
        </div>
        </div>
        <div class="modal-footer">
            <button type="button" class="btn btn-secondary" data-
dismiss="modal">Close</button>
        </div>
    </div>
</div>

        </td>
        <td><?=$iznos?> din</td>

```

```

                <td><a href="#" class="obrisiAdmin" data-
parametar="idKorpa" data-tabela="korpa" data-id="<?=$k-
>idKorpa?>">Delete</a></td>
            </tr>

                <?php endforeach;?>
            </tbody>
        </table>
    </div>
</div>

<hr/>
<h6 class="d-flex justify-content-center">Statistika poseta sajta</h6>
<hr/>

<div class="col-12 d-inline-flex">
    <div class="ms-panel-body border mr-2 col-6">
        <p>Prikaz statistike posete stranicama sajta <strong> u poslednja 24
        h </strong></p>
    <hr/>
    <?php
    $straneSajta=upitWhereVise("meni","idRod",[10]);
    foreach($straneSajta as $s):
        $broj=posete("site",$s->naziv);
        // var_dump($broj['rezultat']);
    ?>

        <span class="progress-label"> <strong><?=$s-
        >naziv?></strong> </span>
        <div class="progress">
            <div class="progress-bar bg-
primary" role="progressbar" style="width: <?=$broj['rezultat'];?>%" aria-
valuenow="<?=$broj['rezultat'];?>" aria-valuemin="0" aria-
valuemax="100"><?=$broj['rezultat']?>%</div>
        </div>
        <p class="border p-2"> Broj poseta <?=$broj['broj'];?></p>
        <?php endforeach;?>
    </div>

    <div class="ms-panel-body border mr-2 mt-0 col-6">
        <p>Prikaz statistike posete <strong>stranicama sajta</strong></p>
    <hr/>
    <?php
    $straneSajta=upitWhereVise("meni","idRod",[10]);
    foreach($straneSajta as $s):
        $broj=poseteSve("site",$s->naziv);
    ?>
```

```

// var_dump($broj['rezultat']);
?>

    <span class="progress-label"> <strong><?= $s->naziv?></strong> </span>
        <div class="progress">
            <div class="progress-bar bg-primary" role="progressbar" style="width: <?= $broj['rezultat']; ?>%" aria-valuenow="<?= $broj['rezultat']; ?>" aria-valuemin="0" aria-valuemax="100"><?= $broj['rezultat']; ?>%</div>
        </div>
        <p class="border p-2"> Broj poseta <?= $broj['broj']; ?></p>
        <?php endforeach; ?>
    </div>

</div>

<hr/>
<h6 class="d-flex justify-content-center">Statistika poseta admin stranica</h6>
<hr/>

    <div class="col-12 d-inline-flex">
        <div class="ms-panel-body border mr-2 col-6">
            <p>Prikaz statistike posete admin stranicama <strong>u poslednja 24h</strong></p>
            <hr/>
            <?php
                $straneSajta=upitWhereVise("meni","idRod",[11]);
                foreach($straneSajta as $s):
                    $broj=posete("admin",$s->naziv);
                ?>
                    <span class="progress-label"> <strong><?= $s->naziv?></strong> </span>
                    <div class="progress">
                        <div class="progress-bar bg-primary" role="progressbar" style="width:<?= $broj['rezultat']; ?>%" aria-valuenow="<?= $broj['rezultat']; ?>" aria-valuemin="0" aria-valuemax="100"><?= $broj['rezultat']; ?>%</div>
                    </div>
                    <p class="border p-2"> Broj poseta <?= $broj['broj']; ?></p>
                    <?php endforeach;
                    $adduser=posete("admin","AddUser");
                    $updateJela=posete("admin","Update jela");
                    $profileUpdate=posete("admin","profilePage"); ?>
                    <span class="progress-label"> <strong>Add user</strong> </span>
                    <div class="progress">
                        <div class="progress-bar bg-primary" role="progressbar" style="width:<?= $adduser['rezultat'] ?>%" aria-

```

```

valuenow=<?= $adduser['rezultat']?>" aria-valuemin="0" aria-
valuemax="100"><?= $adduser['rezultat']?>%</div>
    </div>
    <p class="border p-2"> Broj poseta <?=$adduser['broj'];?></p>

    <span class="progress-label"> <strong>Update jela</strong> </span>
    <div class="progress">
        <div class="progress-bar bg-
primary" role="progressbar" style="width:<?= $updateJela['rezultat']?>%" aria-
valuenow=<?= $updateJela['rezultat']?>" aria-valuemin="0" aria-
valuemax="100"><?= $updateJela['rezultat']?>%</div>
    </div>
    <p class="border p-2"> Broj poseta <?=$updateJela['broj'];?></p>

    <span class="progress-
label"> <strong>Update profile</strong> </span>
    <div class="progress">
        <div class="progress-bar bg-
primary" role="progressbar" style="width:<?= $profileUpdate['rezultat']?>%" aria-
valuenow=<?= $profileUpdate['rezultat']?>" aria-valuemin="0" aria-
valuemax="100"><?= $profileUpdate['rezultat']?>%</div>
    </div>
    <p class="border p-
2"> Broj poseta <?=$profileUpdate['broj'];?></p>

    </div>

    <div class="ms-panel-body border col-6">
        <p>Prikaz statistike posete <strong>admin stranicama</strong></p>
<hr/>
<?php
$straneSajta=upitWhereVise("meni","idRod",[11]);
foreach($straneSajta as $s):
    $broj=poseteSve("admin",$s->naziv);
?>
        <span class="progress-label"> <strong><?=$s-
>naziv?></strong> </span>
        <div class="progress">
            <div class="progress-bar bg-
primary" role="progressbar" style="width:<?=$broj['rezultat']?>%" aria-
valuenow=<?=$broj['rezultat'];?>" aria-valuemin="0" aria-
valuemax="100"><?=$broj['rezultat'];?>%</div>
        </div>
        <p class="border p-2"> Broj poseta <?=$broj['broj'];?></p>

        <?php endforeach;
$adduser=poseteSve("admin","AddUser");
$updateJela=poseteSve("admin","Update jela");
$profileUpdate=poseteSve("admin","profilePage");?>
        <span class="progress-label"> <strong>Add user</strong> </span>

```

```
<div class="progress">
    <div class="progress-bar bg-
primary" role="progressbar" style="width:<?= $adduser['rezultat']?>%" aria-
valuuenow="<?= $adduser['rezultat']?>" aria-valuemin="0" aria-
valuemax="100"><?= $adduser['rezultat']?>%</div>
</div>
<p class="border p-2"> Broj poseta <?=$adduser['broj'];?></p>

<span class="progress-label"> <strong>Update jela</strong> </span>
<div class="progress">
    <div class="progress-bar bg-
primary" role="progressbar" style="width:<?= $updateJela['rezultat']?>%" aria-
valuuenow="<?= $updateJela['rezultat']?>" aria-valuemin="0" aria-
valuemax="100"><?= $updateJela['rezultat']?>%</div>
</div>
<p class="border p-2"> Broj poseta <?=$updateJela['broj'];?></p>

<span class="progress-
label"> <strong>Update profile</strong> </span>
<div class="progress">
    <div class="progress-bar bg-
primary" role="progressbar" style="width:<?= $profileUpdate['rezultat']?>%" aria-
valuuenow="<?= $profileUpdate['rezultat']?>" aria-valuemin="0" aria-
valuemax="100"><?= $profileUpdate['rezultat']?>%</div>
</div>
<p class="border p-
2"> Broj poseta <?=$profileUpdate['broj'];?></p>

</div>
</div>
</div>
<hr/>
</div>
</main>
```

8.2.2.4. insertJela.php

```
<div class="col-xl-12 col-md-12">
  <div class="ms-panel ms-panel-fh">
    <div class="ms-panel-header">
      <h6><?php echo $_GET['admin']; ?></h6>
    </div>
    <div class="ms-panel-body">
      <form novalidate method="POST" enctype="multipart/form-data">
        <div class="form-row">
          <div class="col-md-12 mb-3">
```

```

        <label for="validationCustom18">Product Name</label>
        <div class="input-group">
            <input type="text" class="form-
control" id="insertJeloName" placeholder="Product Name">
            <div class="invalid-feedback d-block">
                <strong id="reginsertJeloName" class="d-none text-
danger"></strong>
            </div>
        </div>
    </div>

    <div class="col-md-6 mb-3">
        <label for="validationCustom22">Select main category</label>
        <div class="input-group">
            <select class="form-control" id="insertJeloKat1" required>
                <option value="0">Choose</option>
                <?php
                    $kat=upitWhereVise("kategorije","idRod",["0"]);
                    foreach($kat as $k):?>
                        <option value="<?=$k->idKat?>"><?=$k-
                >naziv?></option>
                    }
                <?php endforeach; ?>

            </select>
            <div class="invalid-feedback d-block">
                <strong id="reginsertJeloKat1" class="d-none text-
danger"></strong>
            </div>
        </div>
    </div>
    <div class="col-md-6 mb-3">
        <label for="validationCustom22">Select category type</label>
        <div class="input-group">
            <select class="form-
control" disabled id="insertJeloKat2" >

            </select>
        </div>
    </div>
    <label>Tags and ingredients</label>
    <br />
    <div class="col-md-12 mb-3 d-md-flex flex-wrap form-group">
        <div id="divPodKat">

            <?php
                $tags=sve("podkategorije");
                foreach($tags as $t):

                    ?>

```

```
            <label class="custom-control col-  
3 custom-checkbox custom-control-inline">  
                <input type="checkbox" value="<?=$t->idPodKat?>" class="custom-control-input insertJeloTagsChb" name="checkbox"  
                      data-parsley-errors-  
                      container="#error-checkbox">  
                <span class="custom-control-  
label"><?= $t->naziv?></span>  
            </label>  
        <?php endforeach;?></div>  
        <div class="invalid-feedback d-block">  
            <strong id="reginsertJeloTag" class="d-none text-  
danger"></strong>  
        </div>  
        <div class="border-top border-bottom p-3 col-md-9 flex-  
wrap d-flex mx-auto align-items-center justify-content-between">  
            <h6>No option that fits? Insert it </h6>  
            <button type="button" class="btn btn-primary mt-0" data-  
toggle="modal" data-target="#exampleModal">  
                Insert  
            </button>  
  
            <!-- Modal -->  
            <div class="modal fade" id="exampleModal" tabindex="-  
1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">  
                <div class="modal-dialog" role="document">  
                    <div class="modal-content">  
                        <div class="modal-header">  
                            <h5 class="modal-  
title" id="exampleModalLabel">Insert tag</h5>  
                            <button type="button" class="close" data-  
dismiss="modal" aria-label="Close">  
                                <!-- <span aria-hidden="true">&times;</span> -->  
                            </button>  
                        </div>  
                        <div class="modal-body">  
                            <input type="text" class="form-  
control" id="insertTagVrednost" placeholder="Tag name">  
                            <strong id="reginsertTag" class="d-none text-  
danger"></strong>  
                        </div>  
                        <div class="modal-footer">  
                            <button type="button" class="btn btn-secondary" data-  
dismiss="modal">Close</button>  
                            <button type="button" id="insertTag" data-  
dismiss="modal" class="btn btn-primary">Insert</button>  
                        </div>  
                    </div>  
                </div>  
            </div>
```

```

        </div>
        </div>
        </div>
        <label>Quantities available for this food:</label>
        <br />
<div class="col-md-12 mb-3 d-md-flex flex-wrap form-group">
    <?php
    $kol=sve("kolicina");
    foreach($kol as $k):
        ?>
        <label class="custom-control col-3 custom-checkbox custom-control-inline">
            <input type="checkbox" value="<?=
            =>" id="<?=$k->kolicina?>" class="custom-control-
            input insertJeloKolChb" name="insertJeloKolChb[]" data-parsley-errors-
            container="#error-checkbox">
            <span class="custom-control-
            label"><?=$k->kolicina?></span>
        </label>
        <p id="error-checkbox"></p>
        <?php endforeach;?>
        <div class="invalid-feedback d-
        block">
            <strong id="reginsertJeloKol" class="d-none text-
            danger"></strong>
        </div>
        </div>
<div class="col-md-12 mb-3" id="addPoljeCena">
    </div>

<div class="col-md-12 mb-3">
    <label for="validationCustom12">Description</label>
    <div class="input-group">
        <textarea rows="5" id="insertJeloDesc" class="form-
        control" placeholder="Description" ></textarea>
        <div class="invalid-feedback d-block">
            <strong id="reginsertJeloDesc" class="d-none text-
            danger"></strong>
        </div>
    </div>
    </div>
    <div class="col-md-12 mb-3">
        <label for="validationCustom12">Product Image</label>
        <div class="custom-file">
            <input type="file" class="custom-file-
            input" id="insertJeloPic">

```

```
        <label class="custom-file-label" for="validatedCustomFile">Upload Images...</label>
        <div class="invalid-feedback d-block">
            <strong id="reginsertJeloPic" class="d-none text-danger"></strong>
            </div>
        </div>
    </div>
</div>

        <input type="submit" id="insertJeloBtn" class="btn btn-primary" value="Insert"/>
    </form>

        </div>
    </div>

</div>

</main>
```

8.2.2.3 kategorije.php

```
<div class="ms-panel col-9 m-auto">
    <div class="ms-panel-header">
        <h6>Glavne <?php echo $_GET['admin'];?></h6>
    </div>
    <div class="ms-panel-body mb-3">
        <div class="table-responsive">
            <div class="body d-flex ">
                <div class="container-fluid">
                    <div class="row clearfix">
                        <div class="col-lg-12">
                            <div class="card">
                                <div class="card-body">
                                    <table id="mainTable" class="table container
-fluid table-hover">
                                        <thead >
                                            <tr>
                                                <th>Id</th>
                                                <th>Naziv</th>
                                                <th>Delete</th>
                                            </tr>
                                        </thead>
                                        <hr/>
                                        <tbody class="od">
                                            </tbody>
                                        </table>
                                    </div>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```



```

        <th>Id</th>
        <th>Naziv</th>
        <th>Delete</th>
    </tr>
</thead>
<hr/>
<tbody class="od">

        </tbody>
        <tr>

            <td></td>
            <td class="input-group">
                <input type="text" class="form-
control textInsertAdmin" placeholder="Category Name"></td>
                <td colspan="3"><a data-
tabela="kolicina" class="m-auto d-flex justify-content-
center insertAdminKat" href="">INSERT</a></td>
            </tr>
        </table>
    </div>
    </div>
    </div>
    </div>
</div>

        </div>
    </div>
</div>

```

8.2.2.5 KorisniciLista.php

```

<div class="ms-panel col-9 m-auto">
    <div class="ms-panel-header">
        <h6>Glavne <?php echo $_GET['admin'];?></h6>
    </div>
    <div class="ms-panel-body mb-3">
        <div class="table-responsive">
            <div class="body d-flex ">
                <div class="container-fluid">
                    <div class="row clearfix">
                        <div class="col-lg-12">
                            <div class="card">
                                <div class="card-body">
                                    <table id="mainTable" class="table container
-fluid table-hover">
                                        <thead >
                                            <tr>
                                                <th>Id</th>

```

8.2.2.6. Meni

```


| Id | Naziv | Delete |
|----|-------|--------|
|----|-------|--------|


```

8227 Posete

<div class="ms-panel col-12">

```

<div class="ms-panel-header">
    <h6><?php echo $_GET['admin'];?></h6>
</div>
<div class="ms-panel-body">
    <div class="table-responsive">
        <div class="body d-flex">
            <div class="container-fluid">
                <div class="row clearfix">
                    <div class="col-lg-12">
                        <div class="card">
                            <div class="card-body">
                                <table id="mainTable" class="table container
-fluid table-hover">
                                    <thead>
                                        <tr>
                                            <th>Strana</th>
                                            <th>Deo sajta</th>
                                            <th>IP adresa</th>
                                            <th>Datum</th>
                                        </tr>
                                    </thead>
                                    <tbody>
                                        <?php
                                            $file=file("data/log.txt");
                                            foreach($file as $f):
                                                list($strana,$deo,$ip,$datum)=ex
                                                plode("\t",$f);
                                                $d=str_replace(["%20","&"],[" ","
                                                / "],$deo);
                                                ?>
                                            <tr>
                                                <td><?= $strana?></td>
                                                <td><?= $d?></td>
                                                <td><?= $ip?></td>
                                                <td><?= $datum?></td>
                                            </tr>
                                        <?php endforeach; ?>
                                    </tbody>
                                </table>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

        </div>
    </div>
</div>

        </div>
    </div>
</div>

</div>

</div>
</div>

```

8.2.2.8. profilePage.php

```

<div class="ms-panel-body col-12">
<div class="ms-panel-header">
    <h6><?php if(isset($_GET['admin'])){echo $_GET['admin'];;}?></h6>
</div>
<div class="table-responsive">
<div class="body d-flex ">
    <div class="container-fluid">
        <div class="row clearfix">
            <div class="col-lg-12">
                <div class="card">
                    <div class="card-body d-flex flex-column ">
                        <?php $korisnik=upitWhere("korisnik","idKor",[$_SESSION['ulogovan']->idKor]);
                                //      var_dump($korisnik); ?>
<div class="form-group col-9 row d-flex justify-content-around">
ime?>"/>
<div class="form-group ">
    <label for="regPic">Update pic</label>
    <input type="file" accept=".jpg, .jpeg, .png" class="form-control" id="upPic" placeholder="Your photo">
        <small id="upPicTekst" class="d-none text-danger"></small>
    </div>
</div>

<div class="form-group">
    <input type="text" class="form-control" id="upIme" value="<?=$korisnik->ime?>" placeholder="First name">
        <small id="upImeTekst" class="d-none text-danger"></small>
    </div>
<div class="form-group">
    <input type="text" class="form-control" id="upPrezime" value="<?=$korisnik->prezime?>" placeholder="Last name">
        <small id="upPrezimeTekst" class="d-none text-danger"></small>
    </div>

```

```

        </div>
        <div class="form-group">
            <input type="email" class="form-control" id="upEmail" value="<?=$korisnik->email?>" placeholder="Email">
                <input type="hidden" id="stariEmail" value="<?=$korisnik->email?>"/>
                <small id="upEmailTekst" class="d-none text-danger"></small>
            </div>
            <div class="form-group">
                <input type="password" class="form-control" id="upPass" placeholder="New password">
                <small id="upPassTekst" class="d-none text-danger"></small>
            </div>
            <div class="form-group">
                <input type="text" class="form-control" id="upAdress" value="<?=$korisnik->address?>" placeholder="Your address">
                <small id="upAddressTekst" class="d-none text-danger"></small>
            </div>

            <div class="form-group ">
                <label for="upUloga">Update uloge</label>
                <select id="upUloga" class="ulogaAddUser form-control">
                    <?php
                    $upit=sve("uloge");
                    foreach($upit as $u):
                        if($u->idUloga==$korisnik->IdUloga):
                    ?>
                        <option value="<?=$u->idUloga?>" selected><?=$u->naziv?></option>
                    <?php else:>
                        <option value="<?=$u->idUloga?>"><?=$u->naziv?></option>
                    <?php endif; endforeach;?>
                </select>
                <small id="upUloga" class="d-none text-danger"></small>
            </div>
            <div class="form-group">
                <input type="hidden" id="idK" value="<?=$korisnik->idKor?>"/>
                <input class="btn btn-primary" type="submit" id="updateProfile" value="Update"/>
            </div>

        </div>
    </div>
</div>
</div>
</div>
</div>

```

8.2.2.9. restoranInfoPrikaz.php


```

        </div>
        <?php
        $value=trim($value);
        $value=explode(",",$value);
        $dani=[ "Saturday", "Sunday", "Monday", "Tuseday", "Wednesday", "Thursday", "Friday" ];
        foreach($dani as $d){
            if(in_array($d,$value)):?>
                <label class="custom-control col-3 custom-checkbox custom-control-inline">
                    <input type="checkbox" value="<?=$d?>" class="custom-control-input daniChb" name="checkbox" checked/>
                    <span class="custom-control-label"><?=$d?></span>
                </label>
            <?php else:?:>
                <label class="custom-control col-3 custom-checkbox custom-control-inline">
                    <input type="checkbox" value="<?=$d?>" class="custom-control-input daniChb" name="checkbox"/>
                    <span class="custom-control-label"><?=$d?></span>
                </label>
            <?php endif;
        }
        ?>
        <div class="modal-footer">
            <button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>
            <button type="button" id="updateDaysRestoran" data-key="<?=$key?>" data-dismiss="modal" class="btn btn-primary">Update open days</button>
        </div>
        </div>
    </div></td>
    </tr>

    <?php elseif($key=="OpenHours")?:?>
        <tr>
            <th><?=$key?></th>
            <td><?=$value?></td>
            <td> <a class="btn active mt-0" data-toggle="modal" data-target="#exampleModal2">
                <i class="fas fa-edit"></i> </a>
                <br>
                <!-- Modal -->
                <div class="modal fade" id="exampleModal2" tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
                    <div class="modal-dialog" role="document">
                        <div class="modal-content p-3">
                            <div class="modal-header">

```

```

        <h5 class="modal-
title" id="exampleModalLabel">Insert tag</h5>
            <button type="button" class="close" data-
dismiss="modal" aria-label="Close">
                <!-- <span aria-hidden="true">&times;</span> -->
            </button>
        </div>
        <p class="pt-2">From</p>

        <div class="input-group mb-3" data-
rm-control time24 from" style="width: 150px;">
            <input type="text" class="form-
control" placeholder="Ex: 23:59" style="width: 100%;"/>
        </div>
        <p class="pt-2">To</p>

        <div class="input-group mb-3 p-
2" data-
rm-control time24 to" style="width: 150px;">
            <input type="text" class="form-
control" placeholder="Ex: 23:59" style="width: 100%;"/>
        </div>
        <div class="modal-footer" style="text-align: right; margin-top: 10px;">
            <button type="button" class="btn btn-secondary" data-
dismiss="modal">Close</button>
            <button type="button" id="updateTimeRestoran" data-
key="<?=$key?>" data-dismiss="modal" class="btn btn-
primary" style="margin-left: 10px;">Update open hours</button>
        </div>
    </div></div></td>
</tr>

<?php
else:?>
<tr>
<th><?=$key?></th>
<td class="input-
group" style="text-align: center; vertical-align: top;">
<textarea data-key="<?=$key?>" type="text" class="form-
control updateRestoranInfo" style="width: 100%; height: 100px;"><?=$value?></textarea>


```

```

                </tbody>
            </table>
        </div>
    </div>
</div>

</div>
</div>
</div>

</div>
</div>
</div>

</main>

```

8.2.2.10. spisakJela.php

```

<div class=" ms-panel table-responsive">
    <div class="ms-panel-header">
        <h6>Product List</h6>
    </div>
    <div class="ms-panel-body">
        <div class="table-responsive">
            <div class="body d-flex ">
                <div class="container-fluid">
                    <div class="row clearfix">
                        <div class="col-lg-12">
                            <div class="card">
                                <div class="card-body table-responsive">
                                    <table id="mainTable" class="table table-
responsive table-hover">
                                        <thead>
                                            <tr>
                                                <th>Id</th>
                                                <th>Name</th>
                                                <th>Description</th>
                                                <th>Main category</th>
                                                <th>Category</th>
                                                <th>Image</th>
                                                <th>Amount/price</th>
                                                <th>Tags</th>

```

```

<th>Update</th>
<th>Delete</th>
</tr>
</thead>
<tbody>
<?php $jela=jelo("");
foreach($jela as $j):
$kat=upitWhere("kategorije","idKat",[$j->idKat]);
$mainKat=upitWhere("kategorije","idKat",
[$kat->idRod]);
$cene=jedinstvenaCena("cena","kolicina_jelo",
"idCena", "idKJ",[$j->idKJ]);
$kol
$cenaCena=kolicinaCenaJelo([$j->idJelo]);
$tags=getTags([$j->idJelo]);
// var_dump($tags);
?>
<tr>
<td><?= $j->idJelo?></td>
<td><?= $j->naziv?></td>
<td><?= $j->opis?></td>
<td><?= $mainKat->naziv?></td>
<td><?= $kat->naziv?></td>
<td>naziv?> class="img-thumbnail"></td>
<td><?php foreach($kolicinaCena
as $kc):?>
<small><?= $kc-
>kolicina ?></small> <small><?= $kc->iznos?> din</small><br/>
<?php endforeach; ?>
</td>
<td><?php foreach($tags as $t):
?>
<small><?= $t-
>naziv ?></small><br/>
<?php endforeach; ?></td>
<td class="d-flex justify-
content-
center"><a href="index.php?page=Admin%20panel&admin=Update%20jela&id=<?=$j-
>idJelo?>"><i class="fas fa-edit"></i></a></td>
<td><a class="deleteJela" href="#"
 data-id="<?=$j->idJelo?>"><i class="fas fa-trash-alt"></i></a></td>
</tr>
<?php endforeach; ?>
</tbody>
</table>
</div>
</div>

```

```

        </div>
    </div><!-- row end-->
</div>

</div>
</div>
</div>

</div>

</div>
</div>

</main>
```

8.2.2.11. tags.php

```

<div class="ms-panel col-9 m-auto">
    <div class="ms-panel-header">
        <h6>Glavne <?php echo $_GET['admin'];?></h6>
    </div>
    <div class="ms-panel-body mb-3">
        <div class="table-responsive">
            <div class="body d-flex ">
                <div class="container-fluid">
                    <div class="row clearfix">
                        <div class="col-lg-12">
                            <div class="card">
                                <div class="card-body">
                                    <table id="mainTable" class="table container
-fluid table-hover">
                                        <thead >
                                            <tr>
                                                <th>Id</th>
                                                <th>Naziv</th>
                                                <th>Delete</th>
                                            </tr>
                                        </thead>
                                        <hr/>
                                        <tbody class="od">

```


8.2.2.13. updateJela.php

```

        <input type="text" class="form-control" id="updateJeloName" value=<?= $j->naziv?> placeholder="Product Name">
            <div class="invalid-feedback d-block">
                <strong id="regupdateJeloName" class="d-none text-danger"></strong>
            </div>
        </div>

        <div class="col-md-6 mb-3">
            <label for="validationCustom22">Select main category</label>
            <div class="input-group">
                <?php
                    // $mainKat=upitWhereVise("kategorije","idRod",[0]);
                    // $katJela=upitWhere("kategorije","idKat",[$j->idKat]);
                    // $mainKatjela=upitWhere("kategorije","idKat",[$katJela->idRod]);
                    // var_dump($mainKatjela);
                ?>
                <select class="form-control" id="insertJeloKat1" required>
                    <?php
                        $mainKat=upitWhereVise("kategorije","idRod",[0]);
                        $katJela=upitWhere("kategorije","idKat",[$j->idKat]);
                        $mainKatjela=upitWhere("kategorije","idKat",[$katJela->idRod]);
                        foreach($mainKat as $k):
                            if($k->idKat==$mainKatjela->idKat):
                                $kat=$mainKatjela->idKat;?>
                                <option value=<?= $k->idKat?>" selected><?=$k->naziv?></option>
                            <?php else:>
                                <option value=<?= $k->idKat?>><?=$k->naziv?></option>
                            <?php endif; endforeach; ?>

                    </select>
                    <div class="invalid-feedback d-block">
                        <strong id="regupdateJeloKat1" class="d-none text-danger"></strong>
                    </div>
                </div>
            <div class="col-md-6 mb-3">
                <label for="validationCustom22">Select category type</label>
                <div class="input-group">
                    <select class="form-control" id="insertJeloKat2" >
                        <?php
                            $svePodKat=upitWhereVise("kategorije","idRod",[$kat]);
                            foreach($svePodKat as $k):
                                if($k->idKat==$katJela->idKat):?>

```

```

        <option value="<?=$k->idKat?>" selected><?=$k-
>naziv?></option>
        <?php else:>
            <option value="<?=$k->idKat?>"><?=$k-
>naziv?></option>
        <?php endif; endforeach; ?>
    </select>
</div>
</div>
<label>Tags and ingredients</label>
<br />
<div class="col-md-12 mb-3 d-md-flex flex-wrap form-group">
    <div id="divPodKat">

        <?php
        $tags=sve("podkategorije");
        $tagoviJela=upitWhereVise("jelo_podkat","idJelo"
,[${j->idJelo}]);
        $niz=[];
        foreach($tagoviJela as $tj){
            array_push($niz,$tj->idPodKat);
        }
        foreach($tags as $t):
        if(in_array($t->idPodKat,$niz)):
            ?>

            <label class="custom-control col-
3 custom-checkbox custom-control-inline">
                <input type="checkbox" value="<?
=$t->idPodKat?>" class="custom-control-input updateJeloTagsChb" name="checkbox"
                    data-parsley-errors-
                    container="#error-checkbox" checked>
                <span class="custom-control-
label"><?=$t->naziv?></span>
            </label>
            <?php else:>
                <label class="custom-control col-
3 custom-checkbox custom-control-inline">
                    <input type="checkbox" value="<?
=$t->idPodKat?>" class="custom-control-input updateJeloTagsChb" name="checkbox"
                        data-parsley-errors-
                        container="#error-checkbox">
                    <span class="custom-control-
label"><?=$t->naziv?></span>
                </label>
            <?php endif; endforeach;?></div>
        <div class="invalid-feedback d-block">
            <strong id="regupdateJeloTag" class="d-none text-
danger"></strong>
    
```

```

                </div>
            <div class="border-top border-bottom p-3 col-md-9 flex-
wrap d-flex mx-auto align-items-center justify-content-between">
                <h6>No option that fits? Insert it </h6>
                <button type="button" class="btn btn-primary mt-0" data-
toggle="modal" data-target="#exampleModal">
                    Insert
                </button>

                <!-- Modal -->
                <div class="modal fade" id="exampleModal" tabindex="-
1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
                    <div class="modal-dialog" role="document">
                        <div class="modal-content">
                            <div class="modal-header">
                                <h5 class="modal-
title" id="exampleModalLabel">Insert tag</h5>
                                <button type="button" class="close" data-
dismiss="modal" aria-label="Close">
                                    <!-- <span aria-hidden="true">&times;</span> -->
                                </button>
                            </div>
                            <div class="modal-body">
                                <input type="text" class="form-
control" id="insertTagVrednost" placeholder="Tag name">
                                    <strong id="reginsertTag" class="d-none text-
danger"></strong>
                                </div>
                            <div class="modal-footer">
                                <button type="button" class="btn btn-secondary" data-
dismiss="modal">Close</button>
                                <button type="button" id="insertTag" data-
dismiss="modal" class="btn btn-primary">Insert</button>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
            <label>Quantities available for this food:</label>
            <br />
            <div class="col-md-12 mb-3 d-md-flex flex-wrap form-group">
                <strong id="regupdateJeloCena" class="d-none text-danger"></strong>

                <?php
                $kol=sve("kolicina");
                $kolicineJela=kolicinaCenaJelo([{$j->idJelo}]);
                foreach($kolicineJela as $k){
                    $niz2[]=$k->idKol;
                    $cene[]=$k->iznos;

```

```

        }
        $broj=0;
        foreach($kol as $k):
        if(in_array($k->idKol,$nizz2)):
            ?>

                <label class="custom-control col-
3 custom-checkbox custom-control-inline">
                    <input type="checkbox" value="<?
=$k->idKol?>" id="<?=$k->kolicina?>" class="custom-control-
input cenaUpdate updateJeloKolChb" name="updateJeloKolChb[]"
                        data-parsley-errors-
container="#error-checkbox" checked>
                        <span class="custom-control-
label"><?=$k->kolicina?></span>
                    </label>
                    <p id="error-checkbox"></p>
                    <div class="input-group">
                        <input type="text" class="form-control <?=$k-
>idKol?> updatetJeloCena" value="<?=$cene[$broj]?>" placeholder="Price for <?=$k-
>kolicina?>">
                        <div class="invalid-feedback d-block">
                        </div>
                    </div>
                <?php $broj++; else:>

                <label class="custom-control col-
3 custom-checkbox custom-control-inline">
                    <input type="checkbox" value="<?
=$k->idKol?>" id="<?=$k->kolicina?>" class="custom-control-
input cenaUpdate updateJeloKolChb" name="updateJeloKolChb[]"
                        data-parsley-errors-
container="#error-checkbox">
                    <span class="custom-control-
label"><?=$k->kolicina?></span>
                    </label>
                    <p id="error-checkbox"></p>
                    <div class="input-group">
                        <input type="text" class="form-control <?=$k-
>idKol?>" value="" placeholder="Price for <?=$k->kolicina?>" disabled>
                        <div class="invalid-feedback d-block">
                        </div>
                    </div>
                <?php endif;

                endforeach;

            ?>

```

```


<div class="invalid-feedback d-
block">
        <strong id="regiupdateJeloKol" class="d-none text-
danger"></strong>
        </div>
    </div>
    <div class="col-md-12 mb-3">
        <label for="validationCustom12">Description</label>
        <div class="input-group">
            <textarea rows="5" id="updateJeloDesc" class="form-
control" placeholder="Description" ><?= $j->opis?></textarea>
            <div class="invalid-feedback d-block">
                <strong id="regupdateJeloDesc" class="d-none text-
danger"></strong>
            </div>
        </div>
    </div>
    <div class="col-md-12 mb-3">
        <label for="validationCustom12">Product Image</label><br/>
        <img class="img" alt="<?= $j->naziv?>" name="<?= $j-
>src?>" src="assets/images/food_small/small_<?= $j->src?>"/>
    </div>
    <div class="col-md-12 mb-3">
        <br/><label for="validationCustom123">Upload new image</label>
        <div class="custom-file">
            <input type="file" class="custom-file-
input" id="updateJeloPic">
            <label class="custom-file-
label" for="validatedCustomFile">Upload Images...</label>
            <div class="invalid-feedback d-block">
            </div>
        </div>
    </div>
    <?php endforeach;?>


```



```

        <input type="submit" id="updateJeloBtn" class="btn btn-
primary" value="Update"/>
    </form>

```



```

        </div>
    </div>

```



```

</div>
</main>
<?php

```

```

else:
    http_response_code(404);
    header("Location:404.php");
endif;
?>

```

8.3 Models

8.3.1. AdminPanel

8.3.1.1. Brisanje admin

```

<?php
session_start();
header('Content-type:application/json');
require_once $_SERVER['DOCUMENT_ROOT']."/PraktikumPHP/models/functions.php";
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    $status=200;
    $tabela=$_POST['tabela'];
    $id=$_POST['id'];
    $parametar=$_POST['parametar'];
    $uspeh=delete($tabela,$id,[ $parametar ]);
    $poruka="Deleted";
    $status=202;

}
else{$poruka="404";
    $status=404;
}
echo json_encode($poruka);
http_response_code($status);
?>

```

8.3.1.2. DownloadExcel

```

<?php
session_start();

require_once $_SERVER['DOCUMENT_ROOT']."/PraktikumPHP/models/functions.php";
if(isset($_POST['dugme'])){
    $status=200;
    $ispis="";
    $uloge=sve("uloge");
    if(count($uloge)>0){
$ispis.= '<table class="excelTable">
<thead>
<tr>
<td>Id</td><td>Uloga</td></tr>
</thead>
<tbody>';

```

```

foreach($uloge as $u){
    $ispis.= '<tr><td>' . $u->idUloga . '</td><td>' . $u->naziv . '</td></tr>';
}
$ispis.= `</tbody></table>`;

}

header("Content-type: application/xls");
header("Content-Disposition: attachment;Filename=uloge.xls");
echo $ispis;

}

else{$poruka="404";
    $status=404;
}
http_response_code($status);
?>

```

8.3.1.3. insertAdmin.php

```

<?php
session_start();
header('Content-type:application/json');
require_once $_SERVER['DOCUMENT_ROOT'].'/PraktikumPHP/models/functions.php';
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    $status=200;
    $value=$_POST['value'];
    $tabela=$_POST['tabela'];
    $idRod=0;
    $greske=[];
    $textGreske=[];
    if(isset($_POST['dropdownCat'])){
        if($_POST['dropdownCat']==0){
            $greske[]=false;
            $textGreske[]="Mora da se izabere vrednost iz dropdown liste";
        }
        else{
            $idRod=$_POST['dropdownCat'];
        }
    }
    $reg='/^A-z(\s)*+$/';
    if(!preg_match($reg,$value)){
        $textGreske[]="Vrednost nije u dobrom formatu";
        $greske[]=false;
    }
    if(!in_array(false,$greske)){
        if($tabela=="kategorije" || $tabela=="meni"){
            $uspeh=insert($tabela,[null,$value,$idRod]);
        }
        else{
            $uspeh=insert($tabela,[null,$value]);
        }
    }
}

```

```

    if($uspeh){
        $poruka="Inserted!";
    }
    else{
        $status=500;
    }
}
else{
    $poruka="Greska";
    var_dump($textGreske);
    $status=406;
}

}
else{$poruka="404";
    $status=404;
}
echo json_encode($poruka);
http_response_code($status);
?>

```

8.3.1.4. insertJelo.php

```

<?php
session_start();
header('Content-type:application/json');
require_once $_SERVER['DOCUMENT_ROOT']."/PraktikumPHP/models/functions.php";
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    // var_dump($_POST);
    $status=200;
    $ime=$_POST['objName'];
    $podKat=$_POST['objpodKat'];
    $tags=explode(",",$_POST['objTags']);
    $cena=explode(",",$_POST['objCena']);
    $desc=$_POST['objDesc'];
    $kol=explode(",",$_POST['objKolicina']);
    $pic=$_FILES['objPic'];
    $tmp=$pic['tmp_name'];
    $name=$pic['name'];
    $size=$pic['size'];
    $desc=$_POST['objDesc'];
    $ekstenzija=explode("/",$pic['type']);
    $ekstenzija=$ekstenzija[1];
    $putanjaOrg=$_SERVER['DOCUMENT_ROOT']."/PraktikumPHP/assets/images/food_
original/";
    $naziv=time()."_" . $name;
    $putanjaOrg=$putanjaOrg."original_" . $naziv;
}

```

```

$putanjaSmall=$_SERVER['DOCUMENT_ROOT'].'/PraktikumPHP/assets/images/foo
d_small";
$regIme='^([A-z](\s)*+$';
$regCena='^([0-9]{1,})$';
$regDesc='^([A-z][.\-\,]*(\s)*+$';
$greske=[];
if(!preg_match($regIme,$ime)){array_push($greske,"Name nije u dobrom for
matu");}
foreach($cena as $c){
    if(!preg_match($regCena,$c)){array_push($greske,"Cena nije u dobrom
formatu");}
}
if(!preg_match($regDesc,$desc)){array_push($greske,"Description nije u d
obrom formatu");}
// var_dump($greske);
if($size<4000000 && count($greske)==0){ //SREDI OVO KOLIKO TREBA VELIKA
SLIKA DA BUDE
    $move=move_uploaded_file($tmp,$putanjaOrg);
    if($move){
        $slika=resizeSlike(180,$ekstenzija,$putanjaOrg,$name,$putanjaSma
ll,"small");
        if($slika){
            global $konekcija;
            $insertJelo=insert("jelo",[null,$ime,$desc,$podKat,$nazi
v,0,null]);
            $idJelo=$konekcija->lastInsertId();
            if($insertJelo){
                $brojac=count($kol);
                for($i=0;$i<$brojac;$i++){
                    $insertKolicina=insert("kolicina_jelo",[null
,$kol[$i],$idJelo]);
                    $kolId=$konekcija->lastInsertId();
                    $insertCena=insert("cena",[null,null, $cena[
$i],$kolId]);
                }
                if($insertCena){
                    foreach($tags as $t)
                        $insertTags=insert("jelo_podkat",[null,$t,$idJel
o]);
                }
                if($insertTags){
                    $poruka="Inserted!";
                }
            }
        }
    }
}

```

```

        }
        else{
            $status=422;
            $poruka="Slika nije uspela da uploduje.";
        }
    }
    else{
        if(count($greske)==0){
            $poruka="Image is too big! Max 4 MB";
        }
        else{$poruka=$greske;}
        $status=422;
    }
}

else{$poruka="404";
    $status=404;
}
echo json_encode($poruka);
http_response_code($status);
?>

```

8.3.1.5. insertPodKat

```

<?php
session_start();
header('Content-type:application/json');
require_once $_SERVER['DOCUMENT_ROOT']."/PraktikumPHP/models/functions.php";
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    $status=200;
    $naziv=$_POST['objPodKat'];
    $sveKat=sve("podkategorije");
    foreach($sveKat as $k){
        if($k->naziv==$naziv){
            $status=500;
            $poruka="Already exist";
            break;
        }
    }
    if($status!=500){
        $insert=insert("podkategorije",[null,$naziv]);
        if($insert){
            $poruka=sve("podkategorije");
        }
    }
}
else{$poruka="404";

```

```

        $status=404;
    }
    echo json_encode($poruka);
    http_response_code($status);
?>
```

8.3.1.6. obrisiJelo

```

<?php
session_start();
header('Content-type:application/json');
require_once $_SERVER['DOCUMENT_ROOT']."/PraktikumPHP/models/functions.php";
if(isset($_POST['id'])){
    $status=200;
    $id=$_POST['id'];
    $obrisi=edit("jelo",["deleted"],[1],"idJelo",$id);
    if($obrisi){
        $poruka="Deleted!";
    }
    else{
        $status=500;
    }
}
else{
    header("Location:404.php");
    $poruka="404";
    $status=404;
}
echo json_encode($poruka);
http_response_code($status);
?>
```

8.3.1.7. prikazi

```

<?php
session_start();
header('Content-type:application/json');
require_once $_SERVER['DOCUMENT_ROOT']."/PraktikumPHP/models/functions.php";
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    $status=200;
    $tabela=$_POST['tabela'];
if(isset($_POST['idRod'])){
    if($_POST['idRod']==0){
        $poruka=upitWhereVise($tabela,"idRod",[$_POST['idRod']]);
    }
    else{
        $poruka=upitWhereViseZnakVece($tabela,"idRod",[$_POST['idRod']]);
    }
}
else{
    $poruka=sve($tabela);
```

```

}

}
else{$poruka="404";
    $status=404;
}
echo json_encode($poruka);
http_response_code($status);
?>
```

8.3.1.8. removeBlock.php

```

<?php
session_start();
header('Content-type:application/json');
require_once $_SERVER['DOCUMENT_ROOT']."/PraktikumPHP/models/functions.php";
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    $status=200;
    $email=$_POST['email'];
    $brisi=brisanjeBlockList($email);
    if($brisi){
        $poruka="Deeleted!";

    }
}
else{$poruka="404";
    $status=404;
}
echo json_encode($poruka);
http_response_code($status);
?>
```

8.3.1.9. selectIdRod.php

```

<?php
session_start();
header('Content-type:application/json');
require_once $_SERVER['DOCUMENT_ROOT']."/PraktikumPHP/models/functions.php";
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    $status=200;
    $tabela=$_POST["tabela"];
    $idKat=$_POST["objKat"];
    $kat=upitWhereVise($tabela,"idRod",[$idKat]);
    $poruka=$kat;

}
else{
$poruka="404";
$status=404;
}
```

```

    }
    echo json_encode($poruka);
    http_response_code($status);
?>

```

8.3.1.10. update.php

```

<?php
session_start();
header('Content-type:application/json');
require_once $_SERVER['DOCUMENT_ROOT']."/PraktikumPHP/models/functions.php";
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    $status=200;
    $tabela=$_POST['tabela'];
    $idK=$_POST['idK'];
    $kolonaUpdate=$_POST['kolonaUpdate'];
    $kolonaWhere=$_POST['kolonaWhere'];
    $value=$_POST['value'];
    // var_dump($kolonaUpdate);
    $update=edit($tabela,[ $kolonaUpdate ],[$value],$kolonaWhere,$idK);
    if($update){
        $poruka="Updated!";
    }
    else{
        $poruka="Mora da bude unique naziv! Nije uspeo update";
        $status=500;
    }
}
else{$poruka="404";
    $status=404;
}
echo json_encode($poruka);
http_response_code($status);
?>

```

8.3.1.11. updateJelo.php

```

<?php
session_start();
header('Content-type:application/json');
require_once $_SERVER['DOCUMENT_ROOT']."/PraktikumPHP/models/functions.php";
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    // var_dump($_POST);
    $status=200;
    $id=$_POST['id'];
    $ime=$_POST['objName'];
    $podKat=$_POST['objpodKat'];
    $tags=explode(",",$_POST['objTags']);
    $cena=explode(",",$_POST['objCena']);
    $desc=$_POST['objDesc'];
}

```

```

$kol=explode(",",$_POST['objKolicina']);
if(isset($_FILES['objPic'])){
    $pic=$_FILES['objPic'];
    $tmp=$pic['tmp_name'];
    $name=$pic['name'];
    $size=$pic['size'];
    $ekstenzija=explode("/",$pic['type']);
    $ekstenzija=$ekstenzija[1];
    $putanjaOrg=$_SERVER['DOCUMENT_ROOT']. "/PraktikumPHP/assets/images/food_original/";
    $naziv=time()."_" . $name;
    $putanjaOrg=$putanjaOrg."original_".$naziv;
    $putanjaSmall=$_SERVER['DOCUMENT_ROOT']. "/PraktikumPHP/assets/images/food_small/";
    if($size<4000000){
        $move=move_uploaded_file($tmp,$putanjaOrg);
        if($move){
            $slika=resizeSlike(180,$ekstenzija,$putanjaOrg,$name,$putanjaSmall,"small");
            if($slika){
                $update=edit("jelo",["src"],[$naziv],"idJelo",$id);
            }
        }
    }
}

$desc=$_POST['objDesc'];

$regIme='/^([A-z](\s)*+$/';
$regCena='/^([0-9]{1,})$/';
$regDesc='/^([A-z][.\-\,\,]*(\s)*+$/';
$greske=[];
if(!preg_match($regIme,$ime)){array_push($greske,"Name nije u dobrom formatu");}
foreach($cena as $c){
    if(!preg_match($regCena,$c)){array_push($greske,"Cena nije u dobrom formatu");}
}
if(!preg_match($regDesc,$desc)){array_push($greske,"Description nije u dobrom formatu");}
// var_dump($greske);
if(count($greske)==0){
    global $konekcija;
    $updateJelo=edit("jelo",["naziv","opis","idKat"],[$ime,$desc,$podKat],"idJelo",$id);

    $brojac=count($kol);
    $update=edit("kolicina_jelo",["active"],[0],"idJelo",$id);
}

```

```

        for($i=0;$i<$brojac;$i++){
            $insertKolicina=insert("kolicina_jelo",[null,$kol[$i],$id,1]);
            $kolId=$konekcija->lastInsertId();
            $insertCena=insert("cena",[null,null, $cena[$i],$kolId]);
        }

        $delete=delete("jelo_podkat","idJelo",[$id]);
        if($delete){
            foreach($tags as $t)
                $insertTags=insert("jelo_podkat",[null,$t,$id]);
        }

        $poruka="Updated!";
    }

}

else{$poruka="404";
    $status=404;
}
echo json_encode($poruka);
http_response_code($status);
?>
```

8.3.1.12. updateProfile.php

```

<?php
session_start();
header('Content-type:application/json');
require_once $_SERVER['DOCUMENT_ROOT'].'/PraktikumPHP/models/functions.php';
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    $status=200;
    $id=$_POST['idK'];
$regPass='/^.{5,}$/';

$ime=$_POST['objIme'];
$prezime=$_POST['objPrezime'];
$email=$_POST['objEmail'];
$stariEmail=$_POST['stariEmail'];
$pass=$_POST['objPass'];
if(isset($_FILES['objPic'])){


```

```

$pic=$_FILES['objPic'];
$tmp=$pic['tmp_name'];
$name=$pic['name'];
$size=$pic['size'];
$ekstenzija=explode("/",$pic['type']);
$ekstenzija=$ekstenzija[1];
$putanja=$_SERVER[ 'DOCUMENT_ROOT' ]."/PraktikumPHP/assets/images/users/";
if($size<4000000){
    $naziv=resizeSlike(180,$ekstenzija,$tmp,$name,$putanja,"profile");
    $update=edit("korisnik",["pic"],[$naziv],"idKor",$id);
}

}
else{
    $poruka="Slika max 4 MB";
}
}
if($pass!=" " && preg_match($regPass,$pass)){
$pass=md5($pass);
$update=edit("korisnik",["pass"],[$pass],"idKor",$id);
}

$regIme='^([A-Z][a-z]{2,})$';
$regMail='^(\w\d\.\.-)+@[a-z]{2,}(\.[a-z]{2,3})+$';
$regPass='^.{5,}$';
$uloga=$_POST['uloga'];
$regAddress='^(\w\.-)+[\dA-z]+,\s*(\w\.-)+$';
$address=$_POST['address'];
$greske=[];
if(!preg_match($regIme,$ime)){array_push($greske,"Ime nije u dobrom formatu");}
if(!preg_match($regIme,$prezime)){array_push($greske,"Prezime nije u dobrom formatu");}
if(!preg_match($regMail,$email)){array_push($greske,"Email nije u dobrom formatu");}
if(!preg_match($regAddress,$address)){array_push($greske,"Adresa nije u dobrom formatu");}
if(count($greske)==0){
    $update=edit("korisnik",["ime","prezime","email","address","IdUloga"],[$ime,$prezime,$email,$address,$uloga],"idKor",$id);
    // update tekstualnog
    $blokirani=updateTxt("blokirani.txt",$stariEmail,$email,date("Y-m-d")."\t".date("H:i:s")."\n");
    $neuspeh=updateTxt("neuspeh.txt",$stariEmail,$email,date("Y-m-d")."\t".date("H:i:s")."\t".$_SERVER['REMOTE_ADDR']."\n");
    $ulogovani=updateTxt("ulogovani.txt",$stariEmail,$email,date("Y-m-d")."\n");
    $poruka="Updated!";
}
if(count($greske)){
    $status=500;
    $poruka=$greske;
}

```

```

        }
    }
    else{
        $poruka="404";
        $status=404;
    }
    echo json_encode($poruka);
    http_response_code($status);
?>

```

8.3.1.13. updateRestoranInfo.php

```

<?php
session_start();
header('Content-type:application/json');
require_once $_SERVER['DOCUMENT_ROOT']."/PraktikumPHP/models/functions.php";
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    $status=200;
    $valueForm=$_POST['value'];
    $keyForm=$_POST['key'];
    $sadrzaj="";
    $file=file("../data/infoRestaurant.txt");
    foreach($file as $f){
        list($key,$value)=explode("=", $f);
        $value=trim($value);
        if($key==$keyForm){
            $sadrzaj.=$keyForm."=". $valueForm."\n";
        }
        else{
            $sadrzaj.=$key."=". $value."\n";
        }
    }
    $upis=fopen("../data/infoRestaurant.txt","w");
    fwrite($upis,$sadrzaj);
    if(fclose($upis)){
        $poruka="Updated!";
    }
}
else{$poruka="404";
    $status=404;
}
echo json_encode($poruka);
http_response_code($status);
?>

```

8.3.2. downloadAutor.php

```

<?php
session_start();
header("Content-type: application/vnd.ms-word");
header("Content-Disposition: attachment;Filename=author.doc");
$status=200;

```

```

$ime=$_POST['ime'];
$prezime=$_POST['prezime'];
$datum=$_POST['datum'];
$skola=$_POST['skola'];
echo "<html>";
echo "<meta http-equiv=\"Content-Type\" content=\"text/html; charset=Windows-1252\">";
echo "<body>";
echo "<h6>Ime: $ime</h6>";
echo "<h6> Prezime: $prezime</h6>";
echo "<h6>Datum rodjenja: $datum</h6>";
echo "<h6>Srednja skola: $skola</h6>";

echo "</body>";
http_response_code($status);
?>

```

8.3.1. filtrirajAll.php

```

<?php
session_start();
header('Content-type:application/json');
require_once $_SERVER['DOCUMENT_ROOT']."/PraktikumPHP/models/functions.php";
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    $status=200;
    $broj=$_POST['broj'];
    $broj=($broj-1)*PAGINACIJA;
    $dodatak=" LIMIT ".PAGINACIJA." OFFSET $broj";
    $parametar=$_POST['parametar'];
    $sort="";
    $order="";
    $cene="";
    $kategorije="";

    $upitTags="";
    if(isset($_POST['tags'])){
        for($i=0;$i<count($_POST['tags']);$i++){
            $upitTags.="jelo_podkat.idPodKat=?";
            if($i+1!=count($_POST['tags'])){
                $upitTags.=" OR ";}}}

    $vrednost=(int)$parametar;
    if($vrednost){
        $kategorije="idRod";
    }else{
        $kategorije="kategorije.naziv";}
    if(isset($_POST['cene'])){
        $cene=$_POST['cene'];}
    if(isset($_POST['sort'])){

```

```

$sort=$_POST['sort'];
if($sort!="date" && $sort!="iznos"){
    $sort="iznos";
    $order="DESC"; } }

//FILTRIRANJE SORTIRANJE U ODNOSU NA SVE PROIZVODE SA PAGINACIJOM
if($parametar=="all"){
    if(isset($_POST['sort']) && empty($_POST['cene']) && empty($_POST['tags'])){
        $paginacija=count(jeloSort($sort,$order, ""));
        $jela=jeloSort($sort,$order, $dodatak);
    }
    else if(isset($_POST['sort']) && isset($_POST['cene']) && empty($_POST['tags'])){
        $paginacija=count(jeloSortPrice($sort,$order,[<$cene], ""));
        $jela=jeloSortPrice($sort,$order,[<$cene],$dodatak);
    }
    else if(isset($_POST['sort']) && isset($_POST['cene']) && isset($_POST['tags'])){
        $paginacija=count(jeloTagsSortPrice("",$upitTags,$_POST['tags'],
$sort,$order,$cene));
        $jela=jeloTagsSortPrice($dodatak,$upitTags,$_POST['tags'],$sort,
$order,$cene);
    }
    else if(empty($_POST['sort']) && isset($_POST['cene']) && empty($_POST['tags'])){
        $paginacija=count(jeloPrice([<$cene],""));
        $jela=jeloPrice([<$cene],$dodatak);
    }
    else if(empty($_POST['sort']) && isset($_POST['cene']) && isset($_POST['tags'])){
        $paginacija=count(jeloTagsPrice("",$upitTags,$_POST['tags'],$cene));
        $jela=jeloTagsPrice("",$upitTags,$_POST['tags'],$cene);
    }
    else if(empty($_POST['sort']) && empty($_POST['cene']) && isset($_POST['tags'])){
        $paginacija=count(jeloTags("",$upitTags,$_POST['tags']));
        $jela=jeloTags($dodatak,$upitTags,$_POST['tags']);
    }
    else if(isset($_POST['sort']) && empty($_POST['cene']) && isset($_POST['tags'])){
        $paginacija=count(jeloTagsSort("",$upitTags,$_POST['tags'],$sort,
$order));
        $jela=jeloTagsSort($dodatak,$upitTags,$_POST['tags'],$sort,$order);
    }
    else{
        $paginacija=count(jelo(""));
        $jela=jelo($dodatak);
    }
}

```

```

        }
    }
    else{

        //FILTRIRANJE SORTIRANJE U ODNOSU NA KATEGORIJU SA PAGINACIJOM
        if(isset($_POST['sort']) && empty($_POST['cene']) && empty($_POST['tags'])){
            $paginacija=count(jeloKatSort($kategorije,[ $parametar ],$sort,$order,""));
            $jela=jeloKatSort($kategorije,[ $parametar ],$sort,$order,$dodatak);
        }
        else if(isset($_POST['sort']) && isset($_POST['cene']) && empty($_POST['tags'])){
            $paginacija=count(jeloKatSortPrice($kategorije,[ $parametar,$cene ],$sort,$order,""));
            $jela=jeloKatSortPrice($kategorije,[ $parametar,$cene ],$sort,$order,$dodatak);
        }
        else if(isset($_POST['sort']) && isset($_POST['cene']) && isset($_POST['tags'])){
            $paginacija=count(jeloKatPriceTagsSort($kategorije,$parametar,$cene,$upitTags,$_POST['tags'],$sort,$order,$dodatak));
            // var_dump($paginacija);
            $jela=jeloKatPriceTagsSort($kategorije,$parametar,$cene,$upitTags,$_POST['tags'],$sort,$order,$dodatak);
        }
        else if(empty($_POST['sort']) && isset($_POST['cene']) && empty($_POST['tags'])){
            $paginacija=count(jeloKatPrice($kategorije,[ $parametar,$cene ],""),$dodatak);
        }
        else if(empty($_POST['sort']) && isset($_POST['cene']) && isset($_POST['tags'])){
            $paginacija=count(jeloKatPriceTags($kategorije,$parametar,$cene,$upitTags,$_POST['tags']),$dodatak);
            $jela=jeloKatPriceTags($kategorije,$parametar,$cene,$upitTags,$_POST['tags'],$dodatak);
        }
        else if(empty($_POST['sort']) && empty($_POST['cene']) && isset($_POST['tags'])){
            $paginacija=count(jeloKatTags($kategorije,$parametar,$upitTags,$_POST['tags']),$dodatak);
            $jela=jeloKatTags($kategorije,$parametar,$upitTags,$_POST['tags'],$dodatak);
        }
        else if(isset($_POST['sort']) && empty($_POST['cene']) && isset($_POST['tags'])){
    }
}

```

```

        $paginacija=count(jeloKatTagsSort($kategorije,$parametar,$upitTags,$_POST['tags'],$sort,$order,""));
        $jela=jeloKatTagsSort($kategorije,$parametar,$upitTags,$_POST['tags'],$sort,$order,$dodatak);
    }
    else{
        $paginacija=count(jeloKat($kategorije,[ $parametar],""));
        $jela=jeloKat($kategorije,[ $parametar],$dodatak);
    }
}
$poruka=$jela;

}
else{
    $poruka="404";
    $status=404;
}
echo json_encode(["data"=>$poruka,"paginacija"=>$paginacija]);
http_response_code($status);
?>

```

8.3.1. insertContact.php

```

<?php
session_start();
header('Content-type:application/json');
require_once $_SERVER['DOCUMENT_ROOT']."/PraktikumPHP/models/functions.php";
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    $status=200;
    $email=$_POST['email'];
    $message=$_POST['message'];
    $subject=$_POST['subject'];
    $regEmail='/^[\w\d\.\-]+@[a-z]{2,}(\.[a-z]{2,3})+$/';
    $regSubject='/^([A-z](\s)*){4,}$/';
    $regMess='/^([A-z](\.\-\,\,]*(\s)*+$/';
    $greske=[];
    if(!preg_match($regEmail,$email)){array_push($greske,"Email nije u dobrom formatu");}
    if(!preg_match($regSubject,$subject)){array_push($greske,"Subject nije u dobrom formatu");}
    if(!preg_match($regMess,$message)){array_push($greske,"Message nije u dobrom formatu");}
    if(count($greske)==0){
        $insert	insert("poruke",[null,$email,$subject,$message]);
        if($insert){
            $poruka="Thanks for your feedback!";
        }
        else{
            $status=500;
        }
    }
}

```

```

    }
    else{$poruka="404";
        $status=404;
    }
    echo json_encode($poruka);
    http_response_code($status);
?>
```

8.3.1. KorpalInsert.php

```

<?php
session_start();
header('Content-type:application/json');
require_once $_SERVER['DOCUMENT_ROOT']."/PraktikumPHP/models/functions.php";
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    $status=200;
    $korpa=$_POST['korpa'];
    $korisnik=$korpa[0]["idK"];
    $insertKorpa=insert("korpa",[null,$korisnik,null,0]);
    if($insertKorpa){
        $idKorpe=$konekcija->lastInsertId();
        for($i=1;$i<count($korpa);$i++){
            $insertProizvoda=insert("korpa_jelo",[null,$korpa[$i]['idKJ'],$korpa[$i]['kolicina'],$idKorpe]);
        }

        $poruka="Done!";
    }
    else{
        $status=500;
    }
}
else{$poruka="404";
    $status=404;
}
echo json_encode($poruka);
http_response_code($status);
?>
```

8.3.1. loginServer.php

```

<?php
session_start();
header('Content-type:application/json');
require_once $_SERVER['DOCUMENT_ROOT']."/PraktikumPHP/models/functions.php";
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    $status=200;
    $email=$_POST['objEmail'];
    $pass=$_POST['objPass'];
    $regMail='/^[\w\d\.\-\+]@[a-z]{2,}(\.[a-z]{2,3})+\$/';
    $regPass='/^.{5,}\$/';
}
```

```

$greske=[];
if(!preg_match($regMail,$email)){array_push($greske,"Email nije u dobrom
formatu");}
if(!preg_match($regPass,$pass)){array_push($greske,"Password nije u dobr
om formatu");}
if(count($greske)==0){
    $pass=md5($pass);
    $blok=file("../data/blokirani.txt");
    $emailBlok=[];
    foreach($blok as $b){
        list($e,$datum,$vreme)=explode("\t",$b);
        $emailBlok[]=$e;
    }
    // var_dump($emailBlok);
    // var_dump($email);
    if(!in_array($email,$emailBlok)){
        $korisnik=upitWhere2("korisnik","email","pass",[$email,$pass]);
        if($korisnik){
            $file=fopen("../data/ulogovani.txt","a");
            $sadrzaj=$email."\t".date("Y-m-d")."\n";
            fwrite($file,$sadrzaj);
            if(fclose($file)){
                $poruka="ok";
                $_SESSION['ulogovan']=$korisnik;
            }
            else{
                $status=500;
            }
        }
        else{
            $status=422;
            $okEmail=upitWhere("korisnik","email",[$email]);
            if($okEmail){
                $file=fopen("../data/neuspeli.txt","a");
                $sadrzaj=$email."\t".date("Y-m-
d")."\t".date("H:i:s")."\t".$_SERVER['REMOTE_ADDR']."\n";
                fwrite($file,$sadrzaj);
                fclose($file);
                $fileNeuspeli=file("../data/neuspeli.txt");
                $broj=0;
                foreach($fileNeuspeli as $n){
                    list($emailNeuspeli,$datum,$vreme,$ip)=explode("\t",$
n);
                    $danasnjiDatum=date("Y-m-d");
                    $trenutnoVreme=date("H:i:s");
                    $trenutnoVreme = strtotime($trenutnoVreme);
                    $vreme= strtotime($vreme);
                    $razlikaMinuti = round(abs($trenutnoVreme - $vreme) / 60
,2);

```

```

        if($danasnjiDatum==$datum && $razlikaMinuti<=5 && $email==$emailNeuspeh){
                $broj++;
        }
        if($broj>3){
                $file=fopen("../data/blokirani.txt","a");
                $sadrzaj=$email."\t".date("Y-m-d")."\t".date("H:i:s")."\n";
                fwrite($file,$sadrzaj);
                fclose($file);
                $email= slanjeMail($email);
                if ($email){
                        $status=403;
                }
                $poruka="Account blocked.More than 3 failed login attempts.";
        }
        else{
                $status= 401;
                $poruka="Password is incorrect";
        }
}
else{
        $status= 401;
        $poruka="Email is incorrect";
}
}

}
else{
        $poruka="This account is on block list.";
        // var_dump($poruka);
        $status=403;
}
}

}
else{
        $poruka="404";
        $status=404;
}
echo json_encode($poruka);
http_response_code($status);
?>

```

8.3.1. logout.php

```

<?php
session_start();
header('Content-type:application/json');
if(isset($_POST['dugme'])){
    $status=200;
unset($_SESSION['ulogovan']);
$poruka="ok";
}
else{
    $poruka="404";
    $status=404;
}
echo json_encode($poruka);
http_response_code($status);
?>

```

8.3.1. podkategorije.php

```

<?php
session_start();
header('Content-type:application/json');
require_once $_SERVER['DOCUMENT_ROOT'].'/PraktikumPHP/models/functions.php';
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    $status=200;
    $parametar=$_POST['parametar'];
    $poruka=upitWhereVise("kategorije","idRod",[{$parametar}]);
}
else{$poruka="404";
    $status=404;
}
echo json_encode($poruka);
http_response_code($status);
?>

```

8.3.1. prikaziCenuDropdown.php

```

<?php
session_start();
header('Content-type:application/json');
require_once $_SERVER['DOCUMENT_ROOT'].'/PraktikumPHP/models/functions.php';
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    $status=200;
    $idJelo=$_POST['idJelo'];
    $idKJ=$_POST['idKJ'];
    $poruka=kolicinaCenaJelo($idJelo);

}
else{$poruka="404";
    $status=404;
}

```

```

    }
    echo json_encode($poruka);
    http_response_code($status);
?>

```

8.3.1. regServer.php

```

<?php
session_start();
header('Content-type:application/json');
require_once $_SERVER['DOCUMENT_ROOT']."/PraktikumPHP/models/functions.php";
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    $status=200;
$ime=$_POST['objIme'];
$prezime=$_POST['objPrezime'];
$email=$_POST['objEmail'];
$pass=$_POST['objPass'];
$pic=$_FILES['objPic'];
$tmp=$pic['tmp_name'];
$name=$pic['name'];
$size=$pic['size'];
$ekstenzija=explode("/",$pic['type']);
$ekstenzija=$ekstenzija[1];
$putanja=$_SERVER['DOCUMENT_ROOT']."/PraktikumPHP/assets/images/users/";
$regIme='^([A-Z][a-z]{2,})$';
$regMail='^([\w\d\.\-\-]+@[a-z]{2,}(\.[a-z]{2,3})+$';
$regPass='^.{5,}$';
$uloga=$_POST['uloga'];
$regAddress='^[\w\-\-]+[\dA-z]+\s*[\w\-\-]+$';
$address=$_POST['address'];
$greske=[];
if(!preg_match($regIme,$ime)){array_push($greske,"Ime nije u dobrom formatu");}
if(!preg_match($regIme,$prezime)){array_push($greske,"Prezime nije u dobrom formatu");}
if(!preg_match($regMail,$email)){array_push($greske,"Email nije u dobrom formatu");}
if(!preg_match($regPass,$pass)){array_push($greske,"Password nije u dobrom formatu");}
if(!preg_match($regAddress,$address)){array_push($greske,"Adresa nije u dobrom formatu");}
if($uloga==0){array_push($greske,"Uloga nije izabrana");}
if($size<4000000 && count($greske)==0){
    $naziv=resizeLike(180,$ekstenzija,$tmp,$name,$putanja,"profile");
    $pass=md5($pass);
    $funkcija	insert("korisnik", [null,$ime,$prezime,$email,$pass,$uloga,null,$naziv,$address]);
    if($funkcija){
        $status=201;
    }
}

```

```

        $poruka="Successfully registered!";
    }
    else{
        $status=500;
        $poruka="Email already exists";
    }
}
else{
    $status=500;
    if(count($greske)){
        $poruka=$greske;
    }
    else{
        $poruka="Image is too big! Max 4 MB";
    }
}
else{
    $poruka="404";
    $status=404;
}
echo json_encode($poruka);
http_response_code($status);
?>

```

8.3.1. functions.php

```

<?php
require_once $_SERVER['DOCUMENT_ROOT'].'/PraktikumPHP/config/konekcija.php';
define("PAGINACIJA", "8");

//dohvatanje svih proizvoda
function sve($tabela){
    $upit="SELECT * FROM $tabela";
    $rez=upitSvi($upit);
    return $rez;
}

//dohvatanje sa where jedan red
function upitWhere($tabela,$kolona,$parametar){
    $upit="SELECT * FROM $tabela WHERE $kolona=?";
    $rez=upitPrepare($upit,$parametar);
    return $rez;
}

//dohvatanje sa where vise redova
function upitWhereVise($tabela,$kolona,$parametar){
    $upit="SELECT * FROM $tabela WHERE $kolona=?";
    $rez=upitPrepareVise($upit,$parametar);
    return $rez;
}

```

```

//dohvatanje sa where vise redova
function upitWhereViseZnakVece($tabela,$kolona,$parametar){
    $upit="SELECT * FROM $tabela WHERE $kolona>?";
    $rez=upitPrepareVise($upit,$parametar);
    return $rez;
}

//get tags
function getTags($id){
    $upit="SELECT podkategorije.* from jelo_podkat INNER JOIN podkategorije ON p
odkategorije.idPodKat=jelo_podkat.idPodKat WHERE jelo_podkat.idJelo=?";
    $rez=upitPrepareVise($upit,$id);
    return $rez;
}

//inner join sa 4 tabele - 1 where vise redova
function kolicinaCenaJelo($parametar){
    $upit="SELECT kolicina.*,cena.* FROM cena INNER JOIN kolicina_jelo ON cena.i
dCena=(SELECT idCena FROM cena WHERE idKJ=kolicina_jelo.idKJ ORDER BY datum DESC
LIMIT 1) INNER JOIN jelo ON jelo.idJelo=kolicina_jelo.idJelo
    INNER JOIN kolicina ON kolicina_jelo.idKol=kolicina.idKol WHERE jelo.idJelo
=? AND jelo.deleted=0 AND kolicina_jelo.active=1";
    $rez=upitPrepareVise($upit,$parametar);
    return $rez;
}

//kada ima vise cena uzimanje poslednje dodata cene - za prikaz na meniju
function jedinstvenaCena($tabela1,$tabela2,$parametar1, $kolona,$parametar){
    $upit="SELECT * from $tabela1 INNER JOIN $tabela2 ON $tabela1.$parametar1=(S
ELECT $parametar1 from $tabela1 WHERE $tabela2.$kolona=$kolona ORDER BY datum DE
SC LIMIT 1)
    WHERE $tabela1.$kolona=? AND kolicina_jelo.active=1";
    $rez=upitPrepareVise($upit,$parametar);
    return $rez;
}

//dohvatanje svih podataka za jelo za prikaz na dashboardu sa svim cenama
function jeloSve($parametar){
    $upit="SELECT * FROM korpa k INNER JOIN korpa_jelo kj ON k.idKorpa=kj.idKorp
a INNER JOIN cena c ON c.idKJ=kj.idKJ
    INNER JOIN kolicina_jelo ON c.idKJ=kolicina_jelo.idKJ INNER JOIN jelo ON jel
o.idJelo=kolicina_jelo.idJelo
    WHERE k.idKorpa=?";
}

```

```

    $rez=upitPrepareVise($upit,$parametar);
    return $rez;
}

//dohvatanje svih podataka za jelo za prikaz na strani shop
function jelo($dodatak){
    $upit="SELECT * FROM jelo INNER JOIN kolicina_jelo ON kolicina_jelo.idKJ=(SELECT idKJ from kolicina_jelo WHERE idJelo=jelo.idJelo AND kolicina_jelo.active=1 LIMIT 1)
    INNER JOIN cena ON cena.idCena=(SELECT idCena FROM cena WHERE idKJ=kolicina_jelo.idKJ ORDER BY datum DESC LIMIT 1) WHERE jelo.deleted=0 $dodatak ";
    $rez=upitSvi($upit);
    return $rez;
}

//dohvatanje svih podataka za jelo za prikaz na strani shop sa odabranim sortiranjem
function jeloSort($order,$parametar,$dodatak){
    $upit="SELECT * FROM jelo INNER JOIN kolicina_jelo ON kolicina_jelo.idKJ=(SELECT idKJ from kolicina_jelo WHERE idJelo=jelo.idJelo AND kolicina_jelo.active=1 LIMIT 1)
    INNER JOIN cena ON cena.idCena=(SELECT idCena FROM cena WHERE idKJ=kolicina_jelo.idKJ ORDER BY datum DESC LIMIT 1) WHERE jelo.deleted=0 ORDER BY $order $parametar $dodatak";
    $rez=upitSvi($upit);
    return $rez;
}

//dohvatanje svih podataka za jelo za prikaz na strani shop sa odabranim sortiranjem i cenom
function jeloSortPrice($order,$parametar,$cena,$dodatak){
    $upit="SELECT * FROM jelo INNER JOIN kolicina_jelo ON kolicina_jelo.idKJ=(SELECT idKJ from kolicina_jelo WHERE idJelo=jelo.idJelo AND kolicina_jelo.active=1 LIMIT 1)
    INNER JOIN cena ON cena.idCena=(SELECT idCena FROM cena WHERE idKJ=kolicina_jelo.idKJ ORDER BY datum DESC LIMIT 1) WHERE iznos<? AND jelo.deleted=0 ORDER BY $order $parametar $dodatak";
    $rez=upitPrepareVise($upit,$cena);
    return $rez;
}

//dohvatanje svih podataka za jelo za prikaz na strani shop sa odabranom cenom
function jeloPrice($cena,$dodatak){
    $upit="SELECT * FROM jelo INNER JOIN kolicina_jelo ON kolicina_jelo.idKJ=(SELECT idKJ from kolicina_jelo WHERE idJelo=jelo.idJelo AND kolicina_jelo.active=1 LIMIT 1)
    INNER JOIN cena ON cena.idCena=(SELECT idCena FROM cena WHERE idKJ=kolicina_jelo.idKJ ORDER BY datum DESC LIMIT 1) WHERE iznos<? AND jelo.deleted=0 $dodatak";
    $rez=upitPrepareVise($upit,$cena);
    return $rez;
}

```

```

//dohvatanje svih podataka za jelo za prikaz na strani shop sa odabranom kategorijom
function jeloKat($kolona,$parametar,$dodatak){
    $upit="SELECT jelo.*,cena.* FROM jelo INNER JOIN kolicina_jelo ON kolicina_jelo.idKJ=(SELECT idKJ from kolicina_jelo WHERE idJelo=jelo.idJelo AND kolicina_jelo.active=1 LIMIT 1)
    INNER JOIN cena ON cena.idCena=(SELECT idCena FROM cena WHERE idKJ=kolicina_jelo.idKJ ORDER BY datum DESC LIMIT 1) INNER JOIN kategorije ON kategorije.idKat=jelo.idKat
    WHERE $kolona=? AND jelo.deleted=0 $dodatak";
    $rez=upitPrepareVise($upit,$parametar);
    return $rez;
}

//dohvatanje svih podataka za jelo za prikaz na strani shop sa odabranom kategorijom i tagovima
function jeloKatTags($kolona,$parametar,$upit,$parametri,$dodatak){
    $parametri[]=$parametar;
    $upit="SELECT DISTINCT jelo.*,cena.* FROM jelo INNER JOIN kolicina_jelo ON kolicina_jelo.idKJ=(SELECT idKJ from kolicina_jelo WHERE idJelo=jelo.idJelo AND kolicina_jelo.active=1 LIMIT 1)
    INNER JOIN cena ON cena.idCena=(SELECT idCena FROM cena WHERE idKJ=kolicina_jelo.idKJ ORDER BY datum DESC LIMIT 1) INNER JOIN kategorije ON kategorije.idKat=jelo.idKat
    INNER JOIN jelo_podkat ON jelo.idJelo=jelo_podkat.idJelo
    WHERE ($upit) AND $kolona=? AND jelo.deleted=0 $dodatak";
    $rez=upitPrepareVise($upit,$parametri);
    return $rez;
}

//dohvatanje svih podataka za jelo za prikaz na strani shop sa odabranom kategorijom i tagovima i sortom
function jeloKatTagsSort($kolona,$parametar,$upit,$parametri,$order,$p,$dodatak)
{
    $parametri[]=$parametar;
    $upit="SELECT DISTINCT jelo.*,cena.* FROM jelo INNER JOIN kolicina_jelo ON kolicina_jelo.idKJ=(SELECT idKJ from kolicina_jelo WHERE idJelo=jelo.idJelo AND kolicina_jelo.active=1 LIMIT 1)
    INNER JOIN cena ON cena.idCena=(SELECT idCena FROM cena WHERE idKJ=kolicina_jelo.idKJ ORDER BY datum DESC LIMIT 1) INNER JOIN kategorije ON kategorije.idKat=jelo.idKat
    INNER JOIN jelo_podkat ON jelo.idJelo=jelo_podkat.idJelo
    WHERE ($upit) AND $kolona=? AND jelo.deleted=0 ORDER BY $order $p $dodatak";
    // var_dump($upit);
    $rez=upitPrepareVise($upit,$parametri);
    return $rez;
}

```

```

//dohvatanje svih podataka za jelo za prikaz na strani shop sa odabranom kategorijom i sortiranjem
function jeloKatSort($kolona,$parametar,$order,$p,$dodatak){
    $upit="SELECT jelo.*,cena.* FROM jelo INNER JOIN kolicina_jelo ON kolicina_jelo.idKJ=(SELECT idKJ from kolicina_jelo WHERE idJelo=jelo.idJelo AND kolicina_jelo.active=1 LIMIT 1)
        INNER JOIN cena ON cena.idCena=(SELECT idCena FROM cena WHERE idKJ=kolicina_jelo.idKJ ORDER BY datum DESC LIMIT 1) INNER JOIN kategorije ON kategorije.idKat=jelo.idKat
        WHERE $kolona=? AND jelo.deleted=0 ORDER BY $order $p $dodatak";
    $rez=upitPrepareVise($upit,$parametar);
    return $rez;
}

//dohvatanje svih podataka za jelo za prikaz na strani shop sa odabranom kategorijom i sortiranjem i cenom
function jeloKatSortPrice($kolona,$parametar,$order,$p,$dodatak){
    $upit="SELECT jelo.*,cena.* FROM jelo INNER JOIN kolicina_jelo ON kolicina_jelo.idKJ=(SELECT idKJ from kolicina_jelo WHERE idJelo=jelo.idJelo AND kolicina_jelo.active=1 LIMIT 1)
        INNER JOIN cena ON cena.idCena=(SELECT idCena FROM cena WHERE idKJ=kolicina_jelo.idKJ ORDER BY datum DESC LIMIT 1) INNER JOIN kategorije ON kategorije.idKat=jelo.idKat
        WHERE $kolona=? AND iznos<? AND jelo.deleted=0 ORDER BY $order $p $dodatak";
    $rez=upitPrepareVise($upit,$parametar);
    return $rez;
}

//dohvatanje svih podataka za jelo za prikaz na strani shop sa odabranom kategorijom i cenom
function jeloKatPrice($kolona,$parametar,$dodatak){
    $upit="SELECT jelo.*,cena.* FROM jelo INNER JOIN kolicina_jelo ON kolicina_jelo.idKJ=(SELECT idKJ from kolicina_jelo WHERE idJelo=jelo.idJelo AND kolicina_jelo.active=1 LIMIT 1)
        INNER JOIN cena ON cena.idCena=(SELECT idCena FROM cena WHERE idKJ=kolicina_jelo.idKJ ORDER BY datum DESC LIMIT 1) INNER JOIN kategorije ON kategorije.idKat=jelo.idKat
        WHERE $kolona=? AND iznos<? AND jelo.deleted=0 $dodatak";
    $rez=upitPrepareVise($upit,$parametar);
    return $rez;
}

//dohvatanje svih podataka za jelo za prikaz na strani shop sa odabranom kategorijom i cenom i tagovima
function jeloKatPriceTags($kolona,$parametar,$cene,$upit,$parametri,$dodatak){
$parametri[]=$parametar; //KOLONA
$parametri[]=$cene;
// var_dump($parametri);
    $upit="SELECT DISTINCT jelo.*,cena.* FROM jelo INNER JOIN kolicina_jelo ON kolicina_jelo.idKJ=(SELECT idKJ from kolicina_jelo WHERE idJelo=jelo.idJelo AND kolicina_jelo.active=1 LIMIT 1)

```

```

        INNER JOIN cena ON cena.idCena=(SELECT idCena FROM cena WHERE idKJ=kolicina_
jelo.idKJ ORDER BY datum DESC LIMIT 1) INNER JOIN kategorije ON kategorije.idKat
=jelo.idKat
        INNER JOIN jelo_podkat ON jelo.idJelo=jelo_podkat.idJelo
        WHERE ($upit) AND $kolona=? AND iznos<? AND jelo.deleted=0 $dodatak";
        // var_dump($upit);
        $rez=upitPrepareVise($upit,$parametri);
        return $rez;
    }

function jeloKatPriceTagsSort($kolona,$parametar,$cene,$upit,$parametri,$order,$
p,$dodatak){
    $parametri[ ]=$parametar; //KOLONA
    $parametri[ ]=$cene;
    // var_dump($parametri);
    $upit="SELECT DISTINCT jelo.*,cena.* FROM jelo INNER JOIN kolicina_jelo ON k
olicina_jelo.idKJ=(SELECT idKJ from kolicina_jelo WHERE idJelo=jelo.idJelo AND k
olicina_jelo.active=1 LIMIT 1)
        INNER JOIN cena ON cena.idCena=(SELECT idCena FROM cena WHERE idKJ=kolicina_
jelo.idKJ ORDER BY datum DESC LIMIT 1) INNER JOIN kategorije ON kategorije.idKat
=jelo.idKat
        INNER JOIN jelo_podkat ON jelo.idJelo=jelo_podkat.idJelo
        WHERE ($upit) AND $kolona=? AND iznos<? AND jelo.deleted=0 ORDER BY $order
$p $dodatak";
    // var_dump($upit);
    $rez=upitPrepareVise($upit,$parametri);
    return $rez;
}

//dohvatanje svih podataka za jelo za prikaz na strani shop sa odabranim tagovima
//(podkategorijama)
function jeloTags($dodatak,$tags,$parametri){
    $upit="SELECT DISTINCT jelo.*, cena.* FROM jelo INNER JOIN kolicina_jelo ON kolicina_jelo.idKJ=(SELECT idKJ from kolicina_jelo WHERE idJelo=jelo.idJelo AND kolicina_jelo.active=1 LIMIT 1)
        INNER JOIN cena ON cena.idCena=(SELECT idCena FROM cena WHERE idKJ=kolicina_
jelo.idKJ ORDER BY datum DESC LIMIT 1) INNER JOIN jelo_podkat ON jelo.idJelo=jelo_podkat.idJelo WHERE jelo.deleted=0 AND ($tags) $dodatak ";

    $rez=upitPrepareVise($upit,$parametri);
    return $rez;
}

//dohvatanje svih podataka za jelo za prikaz na strani shop sa odabranim tagovima
//(podkategorijama) i cenom
function jeloTagsPrice($dodatak,$tags,$parametri,$cena){
    $upit="SELECT DISTINCT jelo.*, cena.* FROM jelo INNER JOIN kolicina_jelo ON kolicina_jelo.idKJ=(SELECT idKJ from kolicina_jelo WHERE idJelo=jelo.idJelo AND kolicina_jelo.active=1 LIMIT 1)

```

```

        INNER JOIN cena ON cena.idCena=(SELECT idCena FROM cena WHERE idKJ=kolicina_jelo.idKJ ORDER BY datum DESC LIMIT 1) INNER JOIN jelo_podkat ON
        jelo.idJelo=jelo_podkat.idJelo WHERE jelo.deleted=0 AND ($tags) AND iznos<
? $dodatak ";
    $parametri[]=$cena;
    $rez=upitPrepareVise($upit,$parametri);
    return $rez;
}

//dohvatanje svih podataka za jelo za prikaz na strani shop sa odabranim tagovima
//(podkategorijama) i sortom
function jeloTagsSort($dodatak,$tags,$parametri,$order,$p){
    $upit="SELECT DISTINCT jelo.*, cena.* FROM jelo INNER JOIN kolicina_jelo ON
kolicina_jelo.idKJ=(SELECT idKJ from kolicina_jelo WHERE idJelo=jelo.idJelo AND
kolicina_jelo.active=1 LIMIT 1)
    INNER JOIN cena ON cena.idCena=(SELECT idCena FROM cena WHERE idKJ=kolicina_jelo.idKJ ORDER BY datum DESC LIMIT 1) INNER JOIN jelo_podkat ON
    jelo.idJelo=jelo_podkat.idJelo WHERE jelo.deleted=0 AND ($tags) ORDER BY $order $p $dodatak ";
    $rez=upitPrepareVise($upit,$parametri);
    return $rez;
}

//dohvatanje svih podataka za jelo za prikaz na strani shop sa odabranim tagovima
//(podkategorijama) i sortom i cenom
function jeloTagsSortPrice($dodatak,$tags,$parametri,$order,$p,$cene){
    $parametri[]=$cene;
    $upit="SELECT DISTINCT jelo.*, cena.* FROM jelo INNER JOIN kolicina_jelo ON
kolicina_jelo.idKJ=(SELECT idKJ from kolicina_jelo WHERE idJelo=jelo.idJelo AND
kolicina_jelo.active=1 LIMIT 1)
    INNER JOIN cena ON cena.idCena=(SELECT idCena FROM cena WHERE idKJ=kolicina_jelo.idKJ ORDER BY datum DESC LIMIT 1) INNER JOIN jelo_podkat ON
    jelo.idJelo=jelo_podkat.idJelo WHERE jelo.deleted=0 AND ($tags) AND iznos<?
ORDER BY $order $p $dodatak ";
    $rez=upitPrepareVise($upit,$parametri);
    return $rez;
}

//resize slike
function resizeSlike($sirina,$ekstenzija,$tmp,$name,$putanja,$tip){
    list($originalSirina,$originalVisina)=getimagesize($tmp);
    $visina=$originalVisina*$sirina/$originalSirina;
    $praznaSlika=imagecreatetruecolor($sirina,$visina);
    $naziv=$tip.'_'.$time().'_'.$name;
    switch($ekstenzija){
        default:
            $orgSlika=imagecreatefromjpeg($tmp);
            break;
        case "png":
            $orgSlika=imagecreatefrompng($tmp);

```

```

        break;
}
imagecopyresized($praznaSlika,$orgSlika,0,0,0,0,$sirina,$visina,$originalSirina
,$originalVisina);

switch($ekstenzija){
    default:
        imagejpeg($praznaSlika,$putanja.$naziv);
        break;
    case "png":
        imagepng($praznaSlika,$putanja.$naziv);
        break;
}
imagedestroy($praznaSlika);
return $naziv;
}

//select tekstualnog fajla
function prikazTxt($parametar,$fajl){
    $file=fopen('data/'.$fajl, "r");
    if($file){
        $podaci=file('data/'.$fajl);
        foreach($podaci as $p){
            list($key,$value)=explode("=", $p);
            if($key==$parametar){
                $vrednost=trim($value);
            }
        }
        return $vrednost;
    }
}

//procenat dnevne posete starnicama
function posete($parametar,$tekst){
    $file=file("data/log.txt");
    $broj=0;
    $ukupno=0;
    foreach($file as $f){
        list($strana,$deo,$ip,$datum)=explode("\t", $f);

        $d=str_replace(["%20","&"],[" ","="],$deo);
        $danasnjiDatum=date("Y-m-d H:i:s");
        $danasnjiDatum=strtotime($danasnjiDatum);
        $datum=strtotime($datum);
        if(strlen($d)==0){
            continue;

        }
        else{

```

```

if($danasnjiDatum -$datum < 60*60*24){
    $niz=explode("=", $d);
    if($parametar=="site"){
        $ukupno++;
        if($niz[1]==$tekst){
            $broj++;
        }
    }
    else if($parametar=="admin" && count($niz)>2){
        $ukupno++;
        if($niz[3]==$tekst){
            $broj++;
        }
    }
}

}

if($broj==0){
    $rezultat=0;
}
else{
    $rezultat=round($broj/$ukupno*100,2);
}

return ["rezultat"=>$rezultat, "broj"=>$broj];
//return $rezultat;
}

//procenat posete starnicama
function poseteSve($parametar,$tekst){
    $file=file("data/log.txt");
    $broj=0;
    $ukupno=0;
    foreach($file as $f){
        list($strana,$deo,$ip,$datum)=explode("\t",$f);
        $d=str_replace(["%20","&"],[" ", "="],$deo);
        if(strlen($d)==0){
            continue;
        }
    }
    else{
        $niz=explode("=", $d);

        $niz=explode("=", $d);
        if($parametar=="site"){
            $ukupno++;
            if($niz[1]==$tekst){
                $broj++;
            }
        }
    }
}

```

```

        }
    }

    if($parametar=="admin" && count($niz)>2){
        $ukupno++;
        if($niz[3]==$tekst){
            $broj++;
        }
    }

}

if($broj==0){
    $rezultat=0;
}
else{
    $rezultat=round($broj/$ukupno*100,2);
}

}

return ["rezultat"=>$rezultat, "broj"=>$broj];
}

function brisanjeBlockList($email){
    $file=file('..../data/blokirani.txt');

    $sadrzaj="";
    foreach($file as $f){
        list($emailTxt,$datum,$vreme)=explode("\t",$f);
        if($emailTxt==$email){
            continue;
        }
        else{
            $sadrzaj.=$emailTxt."\t".$datum."\t".$vreme;
        }
    }
    $text=fopen("..../data/blokirani.txt","w");
    fwrite($text,$sadrzaj);
    fclose($text);
    return true;
}

function updateTxt($txt,$stariEmail,$noviEmail,$template){
$file=file("..../data/".$txt);
$sadrzaj="";
foreach($file as $f){

```

```

list($email)=explode("\t",$f);
if($stariEmail==$email){
    $sadrzaj.=$noviEmail."\t".$template;
}
else{
    $sadrzaj.=$email."\t".$template;
}
}

$open=fopen("../data/".$txt,"w");
fwrite($open,$sadrzaj);
fclose($open);
}

?>

```

8.4 Config

8.4.2. config.php

```

<?php

define("ABSOLUTE_PATH", $_SERVER['DOCUMENT_ROOT']."/PraktikumPHP");

define("ENV", ABSOLUTE_PATH."/config/.env");
define("LOG", ABSOLUTE_PATH."/data/log.txt");

define("SERVER", funkEnv("SERVER"));
define("DBNAME", funkEnv("DBNAME"));
define("USERNAME", funkEnv("USERNAME"));
define("PASS", funkEnv("PASSWORD"));

function funkEnv($parametar){
    $fajl=fopen(ENV,"r");
    $podaci=file(ENV);
    $vr="";
    foreach($podaci as $p){
        $vrednost=explode("=", $p);
        if($vrednost[0]==$parametar){
            $vr=trim($vrednost[1]);
            break;
        }
    }
    return $vr;
}

?>

```

8.4.3. konekcija.php

```
<?php
require_once "config.php";

zabeleziPristup();

try{
    $konekcija=new PDO('mysql:host=' . SERVER . ';' . dbname= ' . DBNAME . ' ,USERNAME,PASS);
    $konekcija->setAttribute(PDO::ATTR_ERRMODE,PDO::ERRMODE_EXCEPTION);
    $konekcija->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);

}
catch(PDOException $e){
    http_response_code(500);
    echo "Nije povezano sa bazom. Greska je: ". $e->getMessage();
}

//izvrsavanje query upita sa fetch all
function upitSvi($upit){
    global $konekcija;
    try{
        $redovi=$konekcija->query($upit)->fetchAll();
        http_response_code(200);
        return $redovi;
    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}

//izvrsavanje query upita sa fetch
function upitJedan($upit){
    global $konekcija;
    try{
        $red=$konekcija->query($upit)->fetch();
        http_response_code(200);
        return $red;
    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}

//izvrsavanje query upita sa prepare jedan red
function upitPrepare($upit,$parametri){
    global $konekcija;
    try{
```

```
$rez=$konekcija->prepare($upit);
$rez->execute($parametri);
$rez=$rez->fetch();
http_response_code(200);
return $rez;

}
catch(PDOException $e){
    echo $e->getMessage();
    http_response_code(500);
}

//izvrsavanje query upita sa prepare vise redova
function upitPrepareVise($upit,$parametri){
    global $konekcija;
    try{
        $rez=$konekcija->prepare($upit);
        $rez->execute($parametri);
        $rez=$rez->fetchAll();
        http_response_code(200);
        return $rez;

    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}

//delete
function delete($tabela,$kolona,$parametri){
    global $konekcija;
    try{
        $delete="DELETE FROM $tabela WHERE $kolona=?";
        $rez=$konekcija->prepare($delete);
        $rez->execute($parametri);
        http_response_code(204);
        return $rez;

    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}

//insert
function insert($tabela,$parametri){
    global $konekcija;
```

```

try{
    // $konekcija->beginTransaction();
    $insert="INSERT INTO $tabela VALUES (";
    for($i=1;$i<=count($parametri);$i++){
        $insert.=?";
        if(count($parametri)==$i){
            $insert.=")";
        }
        else{
            $insert.=",";
        }
    }
    $insert=$konekcija->prepare($insert);
    $insert->execute($parametri);
    // $konekcija->commit();
    return $insert;
}
catch(PDOException $e){
    // $konekcija->rollBack();
    // echo $e->getMessage();
    http_response_code(500);
}

//update

function edit($tabela,$kolone,$parametri,$kolona,$parametar){
    global $konekcija;
    try{
        $update="UPDATE $tabela SET ";
        for($i=0;$i<count($parametri);$i++){
            $update.="$kolone[$i]=?";
            if(count($parametri)!==$i+1){
                $update.=",";
            }
        }
        $update.=" WHERE $kolona=?";
        $update=$konekcija->prepare($update);
        array_push($parametri,$parametar);
        $update->execute($parametri);
        return $update;
    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}

```

```

//zapis logova na stranici
function zabeleziPristup(){
$fajl=fopen(LOG, "a");
if($fajl){
    fwrite($fajl, "{$_SERVER['PHP_SELF']}\\{$_SERVER['QUERY_STRING']}\\{$_SERVER
['REMOTE_ADDR']}\\".date("Y-m-d H:i:s")."\n");
    fclose($fajl);
}
}
?>

```

8.5 Assets/js

8.5.1. main.js

```

$(window).ready(function(){

localStorage.removeItem("price")
localStorage.removeItem("sort")
localStorage.removeItem("tags")
setItemToLocalStorage("brojPag",1);

//update Jela
$('#updateJeloBtn').click(updateJela)

//za cenu input polje sklanjanje disabled
$('.cenaUpdate').click(inputCena);

//potvrda porudzbine
$('#krajKorpa').click(krajKorpa)

//prikaz porudzbina
if(window.location.href.includes("Admin%20panel")){
    prikaziPoruke({tabela:"poruke"})
    $('.obrisiAdmin').click(obrisiAdmin)
    // prikazKorpeDash();
}

//upis broja koliko jela dodatih ima u korpu
brojKorpa();
$brojElemenataUKorpi=getItemFromLocalStorage("korpa");
if($brojElemenataUKorpi){
    $brojElemenataUKorpi=$brojElemenataUKorpi.length;
    $('#korpaPlus').text($brojElemenataUKorpi-1)
}

//prikaz svih kategorija na strani admin / kategorije
if(window.location.href.includes("Kategorije")){
    callBackAjax("models/adminPanel/selectIdRod.php", "POST", {objKat:0,tabela:"kategorije"}, function(data){
        let ispis=`<option value="0">Choose category</option>`;
        for(d of data){

```

```

        ispis+=`<option value="${d.idKat}">${d.naziv}</option>`
    }
    $('#podKatAdmin').html(ispis)}
    prikaziKat({idRod:0,tabela:"kategorije"})
    prikaziPodKat({idRod:1,tabela:"kategorije"})

}

//pričaz svih admin / kolicine
if(window.location.href.includes("Kolicine")){
    prikaziKolicine({tabela:"kolicina"})
    //pričaz svih admin / tags
    if(window.location.href.includes("Tags")){
        prikaziTags({tabela:"podkategorije"})
        //pričaz svih strani admin / users
        if(window.location.href.includes("Korisnici")){
            prikaziUsers({tabela:"korisnik"});
        }
        //pričaz svih uloga na strani admin
        if(window.location.href.includes("Uloge")){
            prikaziUloge({tabela:"uloge"})
        }
        //pričaz menija na strani admin
        if(window.location.href.includes("Meni")){
            callBackAjax("models/adminPanel/selectIdRod.php", "POST", {objKat:0,tabela:"meni"}, function(data){
                let ispis=`<option value="0">Choose category</option>`
                for(d of data){
                    ispis+=`<option value="${d.idMeni}">${d.naziv}</option>`
                }
                $('#podKatAdmin').html(ispis)}
            )
            prikaziMeni({tabela:"meni",idRod:0})
            prikaziPodMeni({tabela:"meni",idRod:1})
        }
    }
}

//pričaz podkategorija na strani admin/kategorije
// prikaziPodKat({})

//update profila kroisnika
$('#updateProfile').click(updateProfile)

//plus i minu spovecavanje vrednosti za quantity
$('.quantity-left-minus').click(smanji)
$('.quantity-right-plus').click(povecaj)

```

```

    //upis vrednosti za range
    $('#customRange1').on("change",function(){
        let val=$('#customRange1').val()
        $('#range').text(val+" din")

        setItemToLocalStorage("price",val)
        setItemToLocalStorage("brojPag",1);
        let obj=objekat();
        filtriraj(obj);
    })

//prikaz korpe
if(window.location.href.includes("Cart")){
    prikazKorpe();
}

//change na sortiranje na stranici shop
$('#sort').change(function(){
    let val=$('#sort').val()
    if(val!=0){
        setItemToLocalStorage("sort",val)
        setItemToLocalStorage("brojPag",1);
        let obj=objekat();
        filtriraj(obj);
    }
    else{
        alert("You must choose something else of order by")
    }
})

//blok za log in i registraciju
$('.log, .icon-close').click(close)

//prikaz login ili signup
$('#r').hide()
$('.div').click(div)

    //kod za registraciju
$('#reg').click(registracija)
$('#insertKorisnika').click(registracija)

    //kod za login
$('#login').click(login)

    //kod za logout
$('.logout').click(logout)

    //odabir kategorije u insert proizvoda

```

```

$( '#insertJeloKat1' ).change( kategorijaRoditelj )

    //insert jela u bazu
$( '#insertJeloBtn' ).click( insertJela )

    //insert podkategorije
$( '#insertTag' ).click( insertPodKategorije )

    //dodavanje polja za cenu u odnosu na kolicinu
$('.insertJeloKolChb').click( dodavanjePoljaCena )

    //klik za brisanje jela na admin panelu
$('.deleteJela').click( adminPanelDeleteJela )

    //update informacija o restoranu na strani admin panel
$('.updateRestoranInfo').blur( updateRestoranInfo )

// $('#updateTimeRestoran').click(function(){alert($('#from').val())})

//insert na admin panelu
$('.insertAdminKat').click( insertAdminKat )

//insert poruke u bazu
$("#contact").click( insertPoruke )

//update statusa porudzbine
$('.updateStatus').click( updateStatus )

//insert podkategorija
$('#podKat').click( insertAdminKat )
$('#podMeni').click( insertAdminKat )
//update radnih dana restorana
$('#updateDaysRestoran').click( updateRestoranInfo )

//update radnog vremena restorana
$('#updateTimeRestoran').click( updateRestoranInfo )

//klik na tagove menjanje boje pozadine
$(".tag-cloud-link").click( function(e){
    e.preventDefault();
    $( this ).toggleClass( "tag" );
    let podatak=this.dataset.form;
    podatak = podatak.split("podKat")[1];
    let tags=getItemFromLocalStorage("tags");
    let tag=[];
    if(tags){
        if(!tags.includes(podatak)){
            tag.push(podatak)
    }
}
})

```

```

        }
        tags.map(function(x){if(x!=podatak){tag.push(x)}})
        setItemToLocalStorage("tags",tag)
        setItemToLocalStorage("brojPag",1);

        let obj=objekat();
        filtriraj(obj);

    }
    else{
        let tag=[];
        tag[0]=podatak;
        setItemToLocalStorage("tags",tag)
        setItemToLocalStorage("brojPag",1);
        let obj=objekat();
        filtriraj(obj);
    }
}

));

//brisanje sa block liste
$('.RemoveBlock').click(RemoveBlock)

//filter
filtriraj({parametar:"all",broj:1});
setItemToLocalStorage("kategorije","all")
// console.log(getItemFromLocalStorage("kategorije"))

//ispisivanje podkategorija na klik
$('.filterKat').click(function(){

let parametar=this.dataset.kat
setItemToLocalStorage("kategorije",parametar)
setItemToLocalStorage("brojPag",1);
let obj=objekat();
filtriraj(obj);

//ispisivanje podkategorija na klik
if(parametar!="all"){
    $podKategorija=callBackAjax("models/podkategorije.php", "POST", {dugme:true,
parametar:parametar}, function(data){
        let ispis``;
        for(d of data){
            // console.log(d)
            ispis+=`<li class="nav-link"><a class="filtriranjeIdRod"  data-
idrod="${d.naziv}" href="#">${d.naziv}</a></li>`
        }
        $('#idRoditelj').html(ispis)
    })
}
})

```

```

        //filtriranje na osnovu idRoditelja
$('.filtriranjeIdRod').click(function(e){
    e.preventDefault();
    // console.log(obj)
    let idRod=this.dataset.idrod;
    setItemToLocalStorage("kategorije",idRod)
setItemToLocalStorage("brojPag",1);

    let obj=objekat();
    filtriraj(obj);
})

})}

else{
    $('#idRoditelj').html(""))
}

//prijava Cene Za Kolicinu u odnosu na to sto je odabрано od kolicine u dropdown listi
$('#prijavaCeneZaKolicinu').change(prikaziCenu);

})

//insert i provjeri da li su strane kontakt
function insertPoruke(e){
e.preventDefault();
let email=$('#emailContact').val()
let subject=$('#subject').val()
let message=$('#message').val()
var regEmail=/^[\w\d\.\-\_]+@[a-z]{2,}(\.[a-z]{2,3})+$/;
let regSubject=/^([A-z(\s)*]{4,})$/;
let regMessage=/^([A-z][\.\-\,\,]*(\s)*)+$/;
let greske=[];
greske.push(provera(email,regEmail,"something@something.something","regPorukaEmail"))
greske.push(provera(subject,regSubject,"The subject of product can only be written in letters","regSubject"))
greske.push(provera(message,regMessage,"The message of product can only be written in letters and contain - or . or , ","regMessage"))
if(!greske.includes(false)){
    callBackAjax("models/insertContact.php", "POST", {email:email,subject:subject,message:message}, function(data){
    alert(data)
    location.reload();
    })
}
}

```

```
//insert na admin panelu
function insertAdminKat(e){
e.preventDefault();
let value($('.textInsertAdmin').val())
// alert(value)

let reg=/^[\w(\s)*]+$/;
let tabela=this.dataset.tabela
let obj={tabela:tabela}
let greske=[];

if(this.id=="podKat" || this.id=="podMeni"){
    value=$('#insertJeloName').val()
    // alert(value)
let mainKat=$('#podKatAdmin').val()
if(mainKat!=0){
    obj.dropdownCat=mainKat;
}
else{alert("Vrednost iz dropdown liste mora da se izabere za glavnu kat")
greske.push(false)}
}
if(!reg.test(value)){
    alert("Polje moze da sadrzi samo slova!")
    greske.push(false)
}
obj.value=value;
if(!greske.includes(false)) {

    callBackAjax("models/adminPanel/insertAdmin.php", "POST", obj, function(data)
){
    alert(data)
    $('#insertJeloName').val("")
    $('.textInsertAdmin').val("")
    if(window.location.href.includes("Kategorije")){
        prikaziKat({idRod:0,tabela:tabela})
        prikaziPodKat({idRod:1,tabela:tabela})
    }
    if(window.location.href.includes("Kolicine")){
        prikaziKolicine({tabela:tabela})
    }
    if(window.location.href.includes("Tags")){
        prikaziTags({tabela:tabela})
    }
    if(window.location.href.includes("Uloge")){
        prikaziUloge({tabela:tabela})
    }
    if(window.location.href.includes("Meni")){
        prikaziMeni({tabela:tabela,idRod:0})
        prikaziPodMeni({tabela:tabela,idRod:1})
    }
}
```

```

        }

    })

}

//select svih kategorija
function prikaziKat(obj){
    // alert("uslo")
callBackAjax("models/adminPanel/prikazi.php", "POST", obj, function(data){
    ispis=""
    // let znak=0
    for(d of data){
        ispis+=`<tr><td>${d.idKat}</td><td class="input-group">
            <input type="text" data-tabela="kategorije" data-id=${d.idKat} data-
kolonaup="naziv" data-kolonawhere="idKat" class="form-
control updateTextAdmin" value="${d.naziv}"></td>`
        // if(d.idRod>=1){
        //   znak=1
        // }
        ispis+=`<td><a href="#" class="obrisiAdmin" data-
parametar="idKat" data-tabela="kategorije" data-
id="${d.idKat}">Delete</a></td></tr>`
    }
    // if(znak){
    //   $('.odPodKat').html(ispis)
    // }
    // else{
        $('.od').html(ispis)//  }
        $('.obrisiAdmin').click(obrisiAdmin)
        $('.updateTextAdmin').blur(updateAdmin)

    })
}
}

//brisanje sa block liste
function RemoveBlock(e){
    e.preventDefault()
    let email=this.dataset.email
callBackAjax("models/adminPanel/removeBlock.php", "POST", {email:email}, function(data){
    alert(data)
    location.reload()
})
}

```

```

//update radnih dana restorana

function updateDaysRestoran(){
callBackAjax("models/adminPanel/prikazi.php", "POST", obj, function(data){
    alert(data)
    location.reload()
})

}

//select svih podkategorija
function prikaziPodKat(obj){
callBackAjax("models/adminPanel/prikazi.php", "POST", obj, function(data){
callBackAjax("models/adminPanel/prikazi.php", "POST", {idRod:0, tabela:"kategorije"}, function(kategorije){
    ispis=""
    for(d of data){
        ispis+=`<tr><td>${d.idKat}</td><td class="input-group">
            <input type="text" data-tabela="kategorije" data-id=${d.idKat} data-
kolonaup="naziv" data-kolonawhere="idKat" class="form-
control updateTextAdmin" value="${d.naziv}"></td>
            <td><select data-kolonaWhere="idKat" data-kolonaUp="idRod" data-
tabela="kategorije" data-id="${d.idKat}" class=" updateRoditelja form-control">`for(k of kategorije){
            if(k.idKat==d.idRod){
                ispis+=`<option value="${k.idKat}" selected>${k.naziv}</option>`}
            else{
                ispis+=`<option value="${k.idKat}">${k.naziv}</option>`}
        }
    }
    ispis+=`</select></td>
<td><a href="#" class="obrisiAdmin" data-parametar="idKat" data-
tabela="kategorije" data-id="${d.idKat}">Delete</a></td></tr>`}
    })
    $('.odPodKat').html(ispis)
    $('.obrisiAdmin').click(obrisiAdmin)
    $('.updateTextAdmin').blur(updateAdmin)
    $('.updateRoditelja').change(updateAdmin)
})

}

//select svih kolicine

```

```

function prikaziKolicine(obj){
    callBackAjax("models/adminPanel/prikazi.php", "POST", obj, function(data){
        ispis=""
        for(d of data){
            ispis+=`<tr><td>${d.idKol}</td><td class="input-group">
                <input type="text" class="form-control updateTextAdmin" data-
                tabela="kolicina" data-id=${d.idKol} data-kolonaup="kolicina" data-
                kolonawhere="idKol" value="${d.kolicina}"></td>
                <td><a href="#" data-tabela="kolicina" data-
                parametar="idKol" class="obrisiAdmin" data-
                id="${d.idKol}">Delete</a></td></tr>`
            }
            $('.od').html(ispis)
            $('.obrisiAdmin').click(obrisiAdmin)
            $('.updateTextAdmin').blur(updateAdmin)

        })
    }
}

//dohvatanje svih uloga

function prikaziUloge(obj){
    callBackAjax("models/adminPanel/prikazi.php", "POST", obj, function(data){
        // console.log(data)
        ispis=""
        for(d of data){
            ispis+=`<tr><td>${d.idUloga}</td><td class="input-group">
                <input type="text" data-tabela="uloge" data-id=${d.idUloga} data-
                kolonaup="naziv" data-kolonawhere="idUloga" class="form-
                control updateTextAdmin" value="${d.naziv}"></td>
                <td><a href="#" data-tabela="uloge" data-
                parametar="idUloga" class="obrisiAdmin" data-
                id="${d.idUloga}">Delete</a></td></tr>`
            }
            $('.prikaziUloge').html(ispis)
            $('.obrisiAdmin').click(obrisiAdmin)
            $('.updateTextAdmin').blur(updateAdmin)

        })
    }
}

//select svih korisnika
function prikaziUsers(obj){
    callBackAjax("models/adminPanel/prikazi.php", "POST", obj, function(data){
        ispis=""
        callBackAjax("models/adminPanel/prikazi.php", "POST", {tabela:"uloge"}, function(uloge){
            for(d of data){

```

```

ispis+=`<tr><td>${d.idKor}</td>
<td>${d.ime}</td>
<td>${d.prezime}</td>
<td>${d.email}</td>
<td>${d.address}</td>

<td></td><td><s
elect data-kolonaWhere="idKor" data-kolonaUp="IdUloga" data-
tabela="korisnik" data-id="${d.idKor}" class=" updateUloge form-control">` 

for(u of uloge){
    if(u.idUloga==d.IdUloga){
        ispis+=`<option value="${u.idUloga}" selected>${u.naziv}</op
tion>` 
    }
    else{ispis+=`<option value="${u.idUloga}">${u.naziv}</option>` }
}

ispis+=`</select></td><td><a href="#" data-tabela="korisnik" data-
parametar="idKor" class="obrisiAdmin" data-id="${d.idKor}">Delete</a></td></tr>` 
}
$('.users').html(ispis)
$('.updateUloge').change(updateAdmin)
$('.obrisiAdmin').click(obrisiAdmin)
}) })
}

//select svih tagova
function prikaziTags(obj){
    callBackAjax("models/adminPanel/prikazi.php", "POST", obj, function(data){
        ispis=""
        for(d of data){
            ispis+=`<tr><td>${d.idPodKat}</td><td class="input-group">
                <input type="text" data-tabela="podkategorije" data-
id=${d.idPodKat} data-kolonaup="naziv" data-kolonawhere="idPodKat" class="form-
control updateTextAdmin" value="${d.naziv}"></td>
                <td><a href="#" data-tabela="podkategorije" data-
parametar="idPodKat" class="obrisiAdmin" data-
id="${d.idPodKat}">Delete</a></td></tr>` 
        }
        $('.od').html(ispis)
        $('.obrisiAdmin').click(obrisiAdmin)
        $('.updateTextAdmin').blur(updateAdmin)
    })
}

//prikazi poruke na stranici dashboard
function prikaziPoruke(obj){
    callBackAjax("models/adminPanel/prikazi.php", "POST", obj, function(data){
        ispis=""

```

```

        for(d of data){
            ispis+=`<tr><td>${d.idMess}</td>
<td>${d.email}</td>
<td>${d.subject}</td>
<td>${d.message}</td>

<td><a href="#" data-tabela="poruke" data-
parametar="idMess" class="obrisiAdmin" data-
id="${d.idMess}">Delete</a></td></tr>`
        }
        $('.poruke').html(ispis)
        $('.obrisiAdmin').click(obrisiAdmin)
    })
}

//prikazi meni
function prikaziMeni(obj){
    callBackAjax("models/adminPanel/prikazi.php", "POST", obj, function(data){
        ispis=""
        for(d of data){
            ispis+=`<tr>
<td>${d.idMeni}</td>
<td>${d.naziv}</td>
<td><a href="#" data-tabela="meni" data-
parametar="idMeni" class="obrisiAdmin" data-
id="${d.idMeni}">Delete</a></td></tr>`
        }
        $('.glMeni').html(ispis)
        $('.obrisiAdmin').click(obrisiAdmin)
    })
}

function prikaziPodMeni(obj){
    callBackAjax("models/adminPanel/prikazi.php", "POST", obj, function(data){
        callBackAjax("models/adminPanel/prikazi.php", "POST", {idRod:0, tabela:"meni"}, function(meni){
            ispis=""
            for(d of data){
                ispis+=`<tr><td>${d.idMeni}</td><td class="input-group">
<p>${d.naziv}</p></td>
<td><select data-kolonaWhere="idMeni" data-
kolonaUp="idRod" data-tabela="meni" data-
id="${d.idMeni}" class=" updateRoditelja form-control">` 
                for(m of meni){
                    if(m.idMeni==d.idRod){
                        ispis+=`<option value="${m.idMeni}" selected>${m.naziv}</option>
`
                }
            }
        })
    })
}

```

```

        else{
            ispis+=`<option value="${m.idMeni}">${m.naziv}</option>`
        }
    }
    ispis+=`</select></td>
<td><a href="#" class="obrisiAdmin" data-parametar="idMeni" data-
tabela="meni" data-id="${d.idMeni}">Delete</a></td></tr>`


    }
    $('.podMeni').html(ispis)
    $('.obrisiAdmin').click(obrisiAdmin)
    $('.updateTextAdmin').blur(updateAdmin)
    $('.updateRoditelja').change(updateAdmin)
)
})

}

//update statusa porudzbine
function updateStatus(e){
    e.preventDefault()
    let value=this.dataset.status
    let korpa=this.dataset.idkorpa
    // alert(korpa)
    callBackAjax("models/adminPanel/update.php", "POST", {tabela:"korpa",value:v
alue,kolonaUpdate:"izvrseno",kolonaWhere:"idKorpa",idK:korpa}, function(data){
    alert(data)
    location.reload();
})
    // $('.updateStatus').click(updateStatus)
}

//update uloge na strani za usere na admin panelu
function updateAdmin(){
    let value=this.value //vrednost za uapdate
    let tabela=this.dataset.tabela
    let idK=this.dataset.id
    let kolonaUpdate=this.dataset.kolonaup
    let kolonaWhere=this.dataset.kolonawhere
    let reg=/^([A-z](\s)*+$/;
    let vrednost=true
    let poruka=""
    // alert(tabela)
    if((tabela=="korisnik" || kolonaUpdate!="idRod") && value==0){
        vrednost=false
        poruka="Vrednost iz dropdown liste mora da se odabere"
    }
    else if((tabela!="korisnik" && kolonaUpdate!="idRod") && !reg.test(value)){
        vrednost=false
    }
}

```

```

poruka="Tekstualna polja moraju da sadrže samo slova"
}

if(vrednost){
    callBackAjax("models/adminPanel/update.php", "POST", {tabela:tabela,value:value,kolonaUpdate:kolonaUpdate,kolonaWhere:kolonaWhere,idK:idK}, function(data){
        alert(data)
        if(window.location.href.includes("Kategorije")){
            prikaziPodKat({idRod:1,tabela:"kategorije"})
        }
    })
}
else{
    alert(poruka)
}

}

//brisanje stavki iz admina za tagove kategorije kolicine
function obrisiAdmin(e){
    e.preventDefault()
    let tabela=this.dataset.tabela
    let parametar=this.dataset.id
    let id=this.dataset.parametar
    callBackAjax("models/adminPanel/brisanjeAdmin.php", "POST", {tabela:tabela,id:id,parametar:parametar}, function(data){
// alert(data);
if(window.location.href.includes("Kategorije")){
    prikaziKat({idRod:0,tabela:tabela})
    prikaziPodKat({idRod:1,tabela:tabela})
}
if(window.location.href.includes("Kolicine")){
    prikaziKolicine({tabela:tabela})
}
if(window.location.href.includes("Tags")){
    prikaziTags({tabela:tabela})
}
if(window.location.href.includes("Korisnici")){
    prikaziUsers({tabela:tabela})
}
if(window.location.href.includes("Uloge")){
    prikaziUloge({tabela:tabela})
}
if(window.location.href.includes("Meni")){
    prikaziMeni({tabela:tabela,idRod:0})
    prikaziPodMeni({tabela:tabela,idRod:1})
}
if(window.location.href.includes("Dashboard")){
    location.reload();
}

```

```

        })

    }

//prikaz korpe
function prikazKorpe(){
    let korpa=getItemFromLocalStorage("korpa")
    // console.log(korpa[0].idK)
    console.log(korpa)
    let total=0
    let ispis='`'
    for(i=1;i<korpa.length;i++){
        // console.log(korpa[i])
        ispis+=`<tr class="text-center">
            <td id="${korpa[i].idK}" class="product-
remove ukloni"><a href="#"><span>X</span></a></td>
            <td class="image-prod"><div class="img" style="background-
image:url(assets/images/food_small/small_${korpa[i].slika});"></div></td>
            <td class="product-name">
                <h3>${korpa[i].naziv}</h3>
                <p>Far far away, behind the word mountains, far from the countries</p>
            </td>
            <td class="price">${korpa[i].cena}</td>
            <td class="quantity">
                <div class="input-group mb-3">
                    <input type="text" name="${korpa[i].idK}" class="quantity form-
control input-number" value="${korpa[i].kolicina}" min="1" max="100">
                </div>
            </td>
            <td class="total">${korpa[i].cena*korpa[i].kolicina}</td>
        </tr>`
        total+=korpa[i].cena*korpa[i].kolicina
    }
    $('.korpaPrikaz').html(ispis);
    $('#korpaTotal').text(total)
    $('.ukloni').click(obrisiJeloKorpa)
    $('.quantity').blur(updateKolicineKorpa)
}

//promenaKolicine
function updateKolicineKorpa(){
    let idK=this.name
    let vrednost=this.value
    let korpa= getItemFromLocalStorage("korpa")
    korpa.map(function(x){if(x.idK==idK){x.kolicina=vrednost}})
    setItemToLocalStorage("korpa",korpa)
}

```

```

alert("Quantity updated")
prikanKorpe();
}

function brojKorpa(){
    $brojElemenataUKorpi= getItemFromLocalStorage("korpa");
    if($brojElemenataUKorpi){
        $brojElemenataUKorpi=$brojElemenataUKorpi.length;
        $('#korpaPlus').text($brojElemenataUKorpi-1)
    }
}

//brisanje jela
function obrisiJeloKorpa(e){
e.preventDefault();
let idKJ=this.id;
let korpa=getItemFromLocalStorage("korpa")
let niz=[];
korpa.map(function(x){if(x.idKJ!=idKJ){niz.push(x)}})
// console.log(niz)
setItemToLocalStorage("korpa",niz)
prikanKorpe();
brojKorpa();
}

//plus i minus za quantity na strani product
function smanji(){
    let broj=$('#quantity').val()
    broj=parseInt(broj)
    console.log(broj)
    if(broj>1){
        $('#quantity').val(broj-1)
    }
    else{alert("Quantity must be greater than 0 ")}
}

function povecaj(){
    let broj=$('#quantity').val()
    broj=parseInt(broj)
    $('#quantity').val(broj+1)
}

}

//update informacija o restoranu na strani admin panel
function updateRestoranInfo(){
    let Story=/^([A-z][\.\-\,\,]*(\s*)+$/;
    let text=""
    let About=/^([A-z][\.\-\,\,]*(\s*)+$/;
}

```

```

let Address=/^[\w\s.-]+[\dA-z]+\s*[\w\s.-]+$/;
let Name=/^[\u0100-\u017f\&]+$/;
let Phone=/^\d{9,11}$/;
let Email=/^[\w\d\.\-\_]+@[a-z]{2,}(\.[a-z]{2,3})+$/;
let Website/^(\http\:\/\/|https\:\/\/)[A-z\d(\.)\*]+(\\/)*[\u0100-\u017f]+$/;
let regTime=/^[\u0100-\u017f]{2}:[\u0100-\u017f]{2}$/;
let value=this.value;
let key=this.dataset.key;
let greska=true;
if(key=="Name"){
    greska=Name.test(value);
    text="nije u dobrom formatu. Mora da sadrzi samo slova. Ukoliko ima vise
reci umesto razmaka je &"}
if(key=="Website"){
    greska=Website.test(value);
    text="nije u dobrom formatu. Mora da sadrzi samo url adresu bez para
metara"}
if(key=="Phone"){
    greska=Phone.test(value);
    text="nije u dobrom formatu. Mora da sadrzi samo cifre, duzine od 9 do 1
1"}
if(key=="Story"){
    greska=Story.test(value);
    text="nije u dobrom formatu. Mora da sadrzi samo slova ili simbole . , -"}
if(key=="About"){
    greska=About.test(value);
    text="nije u dobrom formatu. Mora da sadrzi samo slova ili simbole . , -"
}
if(key=="Email"){
    greska=Email.test(value);
    text="nije u dobrom formatu. Mora da sadrzi @"
}
if(key=="Address"){
    greska=Address.test(value);
    text="nije u dobrom formatu. Treba da izgleda: Naziv broj, mesto"
}
if(key=="OpenDays"){
    let ch$('.daniChb:checked')
    let dani=[]
    ch.each(function(){dani.push(this.value)})
    value=dani.join()
}
if(key=="OpenHours"){
    let from$('.from').val()
    let to$('.to').val()
    greska=regTime.test(from);
    text="From nije u dobrom formatu. Treba da izgleda npr. 22:00"
    if(greska){
        greska=regTime.test(to);
    }
}

```

```

        text="To nije u dobrom formatu. Treba da izgleda npr. 22:00"
    }
    value=from+" - "+to;
}

if(greska){
    callBackAjax("models/adminPanel/updateRestoranInfo.php", "POST", {value:value, key:key}, function(data){
        alert(data);
        if(key=="OpenDays" || key=="OpenHours"){
            location.reload()
        }
    })
}
else{
    alert(key+" "+text)
}

}

//klik za brisanje jela na admin panelu
function adminPanelDeleteJela(e){
e.preventDefault();
let id=this.dataset.id;
callBackAjax("models/adminPanel/obrisiJelo.php", "POST", {id:id}, function(data){
{
alert(data);
window.location.reload();
}})

//skladistenje u Local Storage
function.setItemToLocalStorage(name, value){
    localStorage.setItem(name, JSON.stringify(value));
}
//vracanje iz Local Storage
function getItemFromLocalStorage(name){
    return JSON.parse(localStorage.getItem(name));
}

}

//prijava Cene Za Kolicinu u odnosu na to sto je odabrano od kolicine u dropdown listi
function prikaziCenu(){
    let idKJ=this.value
    let idJelo=this.dataset.id
    let obj={idKJ:idKJ,idJelo:idJelo}
    callBackAjax("models/prikaziCenuDropdown.php", "POST", obj, function(data){

```

```

        console.log(data)
        $('#iznos').html(`<p class="price" id="iznos"><span>${data.iznos} din</span></p>`)
        $('.cenaKorpa').val(data.iznos)
    })
}

//filtriranje
function filtriraj(parametar){
    callBackAjax("models/filtrirajAll.php", "POST", parametar, function(data){
        let ispis=""
        // console.log(data.data.length)
        if(data.data.length==0){
ispis=<h6>No products</h6>
        }else{

            for(d of data.data){
                ispis+=`<div class="col-md-3">
                    <div class="menu-entry">
                        <a href="index.php?page=Product&id=${d.idJelo}" class="img" style="background-image: url(assets/images/food_small/small_${d.src});"></a>
                        <div class="text text-center pt-4">
                            <h3><a href="index.php?page=Product&id=${d.idJelo}">${d.naziv}</a></h3>
                            <p>${d.opis}</p>
                            <p class="price"><span>${d.iznos} din</span></p>
                            <input type="hidden" value="1" class="quantity"/>
                            <p><a href="#" data-idKJ="${d.idKJ}" data-cena="${d.iznos}" data-slika="${d.src}" data-naziv="${d.naziv}" class="btn btn-primary btn-outline-primary korpa">Add to Cart</a></p>
                        </div>
                    </div>
                </div>`
            }
        }
        // console.log(ispis)
        $('#jela').html(ispis);
        $('.korpa').click(dodavanjeUKorpu)

        //paginacija
        paginacija(data.paginacija)
    )}

    //dodavanje u korpu
function dodavanjeUKorpu(e){
    e.preventDefault();
let naziv=this.dataset.naziv
let slika=this.dataset.slika
let broj=$('#korpaPlus').text()
let idKJ="";

```

```

let cena="";
if(this.dataset.jedan){
idKJ=$('.idKJ').val();
cena($('.cenaKorpa').val())
alert(cena)
}
else{
cena=this.dataset.cena
    idKJ=this.dataset.idkj}
let idK=$('#idUlogovan').val()
let kolicina($('.quantity').val())

kolicina=parseInt(kolicina);
broj=parseInt(broj);
broj=broj+1;
$('#korpaPlus').text(broj)
let korpa=getItemFromLocalStorage("korpa");
if(korpa){
    let bool=true;
    korpa.map(function(x){if(x.idKJ==idKJ){x.kolicina=x.kolicina+kolicina; bool=false;}})
    if(bool){
        korpa.push({idKJ:idKJ,kolicina:kolicina,slika:slika,naziv:naziv,cena:cena})
    }
    setItemToLocalStorage("korpa",korpa)
}
else{
    let jelo = [];
    jelo[0]={idK:idK}
    jelo[1] = {
        idKJ: idKJ,
        kolicina : kolicina,
        slika:slika,
        naziv:naziv,
        cena:cena
    }
    setItemToLocalStorage("korpa",jelo)
}
alert("Added to cart!")

}

//upisivanje u bazu potvrde kuopvine iz korpe
function krajKorpa(e){
e.preventDefault();
let korpa= getItemFromLocalStorage("korpa");
// console.log(korpa)
callBackAjax("models/korpaInsert.php", "POST", {korpa:korpa}, function(data){
    alert(data)
})

```

```

localStorage.removeItem("korpa")
location.reload();

})

}

        //paginacija
function paginacija(data){
    let broj=Math.ceil(data/8)
    let ispis=""
    for(i=1; i<=broj; i++){
        ispis+=`<li class="page-item"><a href="index.php?broj=`+i+`" id="`+i+`" class="page-link pag">`+i+`</a></li>`;

    }
    $("#pagination").html(ispis);
    $('.pag').click(function(e){
        e.preventDefault();
        setItemToLocalStorage("brojPag",this.id);
        var obj=objekat()
        filtriraj(obj);
    })
}

//funkcija za pravljenje objekta za slanje preko ajaxa za filtriranje,sortiranje ,paginaciju
function objekat(){
    let obj={broj:getItemFromLocalStorage("brojPag"),parametar:getItemFromLocalStorage("kategorije")}
    let price=getItemFromLocalStorage("price")
    if(price!=null){
        obj.cene=price
    }
    let tags=getItemFromLocalStorage("tags")
    if(tags!=null){
        obj.tags=tags;
    }
    let sort=getItemFromLocalStorage("sort")
    if(sort!=null){
        obj.sort=sort
    }
    return obj;
}

        //dodavanje polja za cenu u odnosu na kolicinu
function dodavanjePoljaCena(){
    let val$('.insertJeloKolChb:checked')
    let ispis=""
    for(v of val){


```

```

// console.log(v.value)
ispis+=`

<input type="text" class="form-control insertJeloCena" value="" placeholder="Price for ${v.id}">
<div class="invalid-feedback d-block">
<strong id="reginsertJeloCena" class="d-none text-danger"></strong>
</div>
</div>`}
$('#addPoljeCena').html(ispis);

}

//sklanjanje disabled polja za cenu kada se cekira kolicina
function inputCena(){
    let val=this.value
    // alert(val)
    console.log(this.checked)
    if(this.checked){
        $('.'+val).removeAttr('disabled');
        $('.'+val).addClass('updateJeloCena');

    }
    else{
        $('.'+val).attr('disabled','disabled');
        $('.'+val).removeClass('updateJeloCena');

    }
    //insert podkategorije
}
function insertPodKategorije(){
let podKat=$('#insertTagVrednost').val();
let regPodKat=/^[a-z]{3,}/
let greske=provera(podKat,regPodKat,"You can only enter lowercase letters and a minimum of 3 characters.", "reginsertTag")
if(greske){
    callBackAjax("models/adminPanel/insertPodKat.php", "POST", {objPodKat:podKat}, function(data){
        $('#insertTagVrednost').val("");
        let ispisi=""
for(d of data){
ispis+=`<label class="custom-control col-3 custom-checkbox custom-control-inline">
<input type="checkbox" value="${d.idPodKat}" class="custom-control-input insertJeloTagsChb" name="checkbox"
data-parsley-errors-container="#error-checkbox">
<span class="custom-control-label">${d.naziv}</span>


```

```

</label>
}
// console.log(ispis)
$('#divPodKat').html(ispis)

})

}

//insert jela u bazu
function insertJela(e){
  e.preventDefault();
let name=$('#insertJeloName').val();
let mainKat=$('#insertJeloKat1').val()
let podKat=$('#insertJeloKat2').val()
let tags($('.insertJeloTagsChb:checked')
let tagsArr=[]
tags.each(function(){tagsArr.push(this.value)})
let cena=$('.insertJeloCena');
let desc=$('#insertJeloDesc').val();
// alert(desc)
let pic=$('#insertJeloPic')[0].files[0];
let kolicina$('.insertJeloKolChb:checked')
let kolArr=[]
let ceneArr=[]
kolicina.each(function(){kolArr.push(this.value)})
let regName=/^([A-z](\s)*+$/;
let regDesc=/^([A-z][\.\\-\\,]*(\s)*+$/
let regCena=/^[\d]{1,}$/,
let greske=[];
if(tagsArr.length<2){
  greske.push(false)
  $('#reginsertJeloTag').removeClass('d-none');
  $('#reginsertJeloTag').html("You must choose at least 2 tags.");
}
else{
  $('#reginsertJeloTag').addClass('d-none');
}
if(pic==undefined){greske.push(false)
  $('#reginsertJeloPic').removeClass('d-none');
  $('#reginsertJeloPic').html("You must add a picture.");}
else{
  $('#reginsertJeloPic').addClass('d-none');
}
greske.push(provera(name,regName,"The name of product can only be written in letters.", "reginsertJeloName"))
for(c of cena){
  if(provera(c.value,regCena,"Price of product can only be written in numbers.", "reginsertJeloCena")){
}

```

```

        ceneArr.push(c.value);
    }
    else{greske.push(false)}
}
// console.log(ceneArr)
greske.push(provera(desc,regDesc,"The description of product can only be written
in letters and contain - or . or , ","reginsertJeloDesc"))
if(kolicina.length==0){
    greske.push(false)
    $('#reginsertJeloKol').removeClass('d-none');
    $('#reginsertJeloKol').html("You must choose at least one quantity");
}
else{
    $('#reginsertJeloKol').addClass('d-none');
}
if(mainKat==0){
    greske.push(false)
    $('#reginsertJeloKat1').removeClass('d-none');
    $('#reginsertJeloKat1').html("You must choose main category");
}
else{
    $('#reginsertJeloKat1').addClass('d-none');
}
// console.log(ceneArr)
if(!greske.includes(false)){
    obj=new FormData();
    obj.append('objName',name);
    obj.append('objpodKat',podKat);
    obj.append('objTags',tagsArr);
    obj.append('objCena',ceneArr);
    obj.append('objDesc',desc);
    obj.append('objPic',pic);
    obj.append('objKolicina',kolArr);
    callBackAjaxFile("models/adminPanel/insertJelo.php", "POST", obj, function(d
ata){
    alert(data)
    window.location.href="index.php?page=Admin%20panel&admin=Spisak%20jela"
    })
}

}

//update jela
function updateJela(e){
    // alert("sdf")
    e.preventDefault();
}

```

```

let name=$('#updateJeloName').val();
let podKat=$('#insertJeloKat2').val()
let tags($('.updateJeloTagsChb:checked'))
let tagsArr=[]
tags.each(function(){tagsArr.push(this.value)})
let cena$('.updateJeloCena');
let desc=$('#updateJeloDesc').val();
// alert(desc)
let pic($('#updateJeloPic')[0].files[0]);
let kolicina$('.updateJeloKolChb:checked')
let kolArr=[]
let ceneArr=[]
kolicina.each(function(){kolArr.push(this.value)})
let regName/^([A-z](\s)*+$/
let regDesc/^([A-z][.\-\,\,]*(\s)*+$/
let regCena/^[0-9]{1,}$/
let id$('#id').val()
let greske=[];
console.log(kolicina)

if(tagsArr.length<2){
    greske.push(false)
    $('#regupdateJeloTag').removeClass('d-none');
    $('#regupdateJeloTag').html("You must choose at least 2 tags.");
}
else{
    $('#regupdateJeloTag').addClass('d-none');
}
greske.push(provera(name,regName,"The name of product can only be written in letters.", "regupdateJeloName"))
// console.log(cena)
for(c of cena){
    // console.log(c.value)      if(provera(c.value,regCena,"Price of product can only be written in numbers.", "regupdateJeloCena")){
        ceneArr.push(c.value);
    }
    else{greske.push(false)}
}
// console.log(ceneArr)
greske.push(provera(desc,regDesc,"The description of product can only be written in letters and contain - or . or , ","regupdateJeloDesc"))

if(kolicina.length==0){
    greske.push(false)
    $('#regupdateJeloKol').removeClass('d-none');
    $('#regupdateJeloKol').html("You must choose at least one quantity")
;
}
else{
    $('#regupdateJeloKol').addClass('d-none');
}

```

```

if(!greske.includes(false)){
    obj=new FormData();
    obj.append('objName',name);
    obj.append('objpodKat',podKat);
    obj.append('objTags',tagsArr);
    obj.append('objCena',ceneArr);
    obj.append('objDesc',desc);
    obj.append('objPic',pic);
    obj.append('objKolicina',kolArr);
    obj.append('id',id);

    // console.log(obj)
    callBackAjaxFile("models/adminPanel/updateJelo.php", "POST", obj, function(data){
        console.log(data)
        alert(data)
        window.location.href="index.php?page=Admin%20panel&admin=Spisak%20jela"
    })
}

}

//odabir kategorije u insert proizvoda
function kategorijaRoditelj(){
let idKat=this.value
callBackAjax("models/adminPanel/selectIdRod.php", "POST", {objKat:idKat,tabela:"kategorije"}, function(data){
$('#insertJeloKat2').removeAttr('disabled')
let ispis=""
for(d of data){
ispis+=`<option value="${d.idKat}">${d.naziv}</option>`
}
$('#insertJeloKat2').html(ispis)
}})

//kod za log out
function logout(e){
e.preventDefault();
callBackAjax("models/logout.php", "POST", {dugme:true}, function(data){
localStorage.removeItem("korpa")
window.location.href="index.php"
})
}

//kod za login
function login(e){
e.preventDefault();

```

```

var email=$('#logEmail').val();
var pass=$('#logPass').val();
var regEmail=/^[\w\d\.\-]+@[a-z]{2,}(\.[a-z]{2,3})+$/;
var regPass=/^.{5,}$/;
let greske=[];
greske.push(provera(email, regEmail,"something@something.something","logRegEmail"));
greske.push(provera(pass, regPass,"Must contain minimum 5 charachters.","logRegPass"));
if(!greske.includes(false)){
    callBackAjax("models/loginServer.php", "POST", {objEmail:email,objPass:pass}
, function(data){
    if(data=="ok"){
        window.location.href="index.php"
    }
})
}

//kod za registraciju
function registracija(e){
e.preventDefault();
var ime=$('#regIme').val();
var prezime=$('#regPrezime').val();
var email=$('#regEmail').val();
var pass=$('#regPass').val();
var address=$('#regAdress').val();
var pic=$('#regPic')[0].files[0];
var uloga=$('.ulogaAddUser').val();
var regImePrezime=/^([A-Z][a-z]{2,})$/;
var regEmail=/^[\w\d\.\-]+@[a-z]{2,}(\.[a-z]{2,3})+$/;
var regPass=/^.{5,}$/;
var regAddress=/^[\w\.-]+[\dA-z]+,\s*[\w\.-]+$/;
let greske=[];
greske.push(provera(ime, regImePrezime,"First letter must be capital.","regImeTekst"));
greske.push(provera(prezime, regImePrezime,"First letter must be capital.","regPrezimeTekst"));
greske.push(provera(email, regEmail,"something@something.something","regEmailTekst"));
greske.push(provera(address, regAddress,"Name number, place","regAddressTekst"));
greske.push(provera(pass, regPass,"Must contain minimum 5 charachters.","regPassTekst"));
if(uloga==0){alert("You must choose roll")}
greske.push(false);
if(pic!=undefined){greske.push(true)}
else{greske.push(false)
    alert("You must choose a profile picture!")}
}

```

```

if(!greske.includes(false)){
    obj=new FormData();
    obj.append('objIme',ime);
    obj.append('objPrezime',prezime);
    obj.append('objEmail',email);
    obj.append('objPass',pass);
    obj.append('objPic',pic);
    obj.append('uloga',uloga);
    obj.append('address',address);

    callBackAjaxFile("models/regServer.php", "POST", obj, function(data){
        alert(data);
        window.location.reload();
    })
}

//update profila kroisnika
function updateProfile(e){
    e.preventDefault();
    var ime=$('#upIme').val();
    var prezime=$('#upPrezime').val();
    var email=$('#upEmail').val();
    var pass=$('#upPass').val();
    var address=$('#upAdress').val();
    var pic=$('#upPic')[0].files[0];
    var uloga=$('#upUloga').val()
    var regImePrezime=/^([A-Z][a-z]{2,})$/
    var regEmail=/^[\w\d\.\-\_]+@[a-z]{2,}(\.[a-z]{2,3})+$/;
    var regPass=/^.{5,}$/
    var regAddress=/^[\w\.\-\_]+[\dA-Z]+,\s*[\w\.\-\_]+$/;
    let idK=$('#idK').val()
    let stariEmail=$('#stariEmail').val()
    let greske=[];
    greske.push(provera(ime, regImePrezime,"First letter must be capital.", "upImeTekst"))
    greske.push(provera(prezime, regImePrezime,"First letter must be capital.", "upPrezimeTekst"))
    greske.push(provera(email, regEmail,"something@something.something", "upEmailTekst"))
    greske.push(provera(address, regAddress,"Name number, place", "upAddressTekst"))
    if(pass!=""){
        greske.push(provera(pass, regPass,"Must contain minimum 5 charachters.", "upPassTekst"))
    }
    if(!greske.includes(false)){

```

```

        obj=new FormData();
        obj.append('objIme',ime);
        obj.append('objPrezime',prezime);
        obj.append('objEmail',email);
        obj.append('objPass',pass);
        obj.append('objPic',pic);
        obj.append('uloga',uloga);
        obj.append('address',address);
        obj.append('idK',idK);
        obj.append('stariEmail',stariEmail);

        // console.log(obj)
        callBackAjaxFile("models/adminPanel/updateProfile.php", "POST", obj,
function(data){
            alert(data);
            window.location.reload();
        })
    }

    //provera regularnih
function provera(vrednost,reg,tekst,id){
    if(!reg.test(vrednost)){
        $('#'+id).removeClass('d-none');
        $('#'+id).html(tekst);
        return false;
    }
    else{
        $('#'+id).addClass('d-none');
        $('#'+id).html("");
        return true;
    }
}

//prikaz login ili signup
function div(e){
    e.preventDefault();
    if($('#l').is(":visible")){
        $('#l').hide()
        $('#r').show()
    }
    else{
        $('#r').hide()
        $('#l').show()
    }
}

```

```

//blok za log in i registraciju i zatvaranje
function close(e){
    e.preventDefault();
    $('#log').toggle(function(){
        if($('#log').is(":visible")){
            $('#layer').css("opacity","20%");
        }
        else{
            $('#layer').css("opacity","100%");
        }
    }))
}

//callback funkcija Ajax
function callBackAjax(url, method, data, success){
    $.ajax({url:url,
            method:method,
            data:data,
            dataType:"json",
            success:success,
            error:function(xhr){
                console.error(xhr.status)
                console.error(xhr.responseText);
                alert(xhr.responseText)
                if(xhr.status==404){
                    window.location.href="404.php"
                }
                if(xhr.status==500){
                    alert("its server error!")
                }}})

}

//callback funkcija ajax za fajlove
function callBackAjaxFile(url, method, data, success){
    $.ajax({url:url,
            processData: false,
            contentType: false,
            method:method,
            data:data,
            dataType:"json",
            success:success,
            error:function(xhr,data){
                console.error(xhr.responseText);
                console.error(xhr.status)
                if(xhr.status==404){
                    window.location.href="404.php"
                }
                alert(xhr.responseText)
            }})}
}

```

} })

}