

# Furn

<https://furnweb.000webhostapp.com/>

Visoka ICT

Smer: Internet tehnologije

Modul: Web programiranje

Sajt rađen za predmet Web programiranje PHP1

## Sadržaj

Korišćeni programski jezici i tehnologije .....	3
Template .....	3
Funkcionalnosti sajta .....	3
Organizaciona šema sajta .....	4
Stranice sajta.....	5
Kodovi.....	16

## 1.1 Korišćeni programski jezici i tehnologije

- HTML
- CSS
- Bootstrap
- JavaScript
- jQuery
- PHP
- MySql
- Rađen u Visual Studio Code-u.
- 

## 1.2 Template

Template je preuzet sa <https://colorlib.com/>.

Responsive je.

Deo za admin panel preuzet kao template takođe.


## 1.3 Funkcionalnosti sajta

- Registracija i logovanje-provera i na klijentskoj i na serverskoj strani, na serverskoj dodatna zaštita sa funkcijom addslashes na parametre, try i catch blokovi.
- Galerija, meni, proizvodi, admin panel, sve specifikacije za proizvode sa komentarima ostavljenih od korisnika dinamički ispisane iz baze.
- Meni prikazan u skladu sa uloge korisnika(Anketa se prikazuje samo ulogovanom, admin panel samo adminu)
- Mogućnost komentarisanja proizvoda ukoliko ste ulogovani korisnik.
- I autorizovan i neautorizovan korisnik ima mogućnost slanja poruke adminu koje se prikazuju u admin panelu, povera ukoliko je neregistrovani korisnik, ukoliko je registrovan uzimaju se podaci iz sesije bez mogućnosti menjanja.
- Na admin panelu se prikazuje poruke za admina, select svih tabela(meni, kategorije, uloge, proizvodi, korisnici, komentari).

- Vrsi se update uloge kod korisnika, delete za kometatre, za meni uloge i kategorije i delete i update i insert.
- Insert proizvoda na delu insertProizvoda.
- Delete proizvoda.
- Admin može da updateuje svoj profil(Ime, prezime, email adresu).
- Na galeriji psotoji stranicenje, u odnosu na izbor kategorije se vrši, filtrira se i prikazuju po 3 proizvoda po strani.
- Postoji pretraga proizvoda po kategoriji i imenu.
- Anketu moze da radi samo ulogovan korisnik i to samo jednom.
- na admin panelu postoji checkbox za aktivnu, odnosno neaktivnu anketu.
- Ukoliko se unese vise cena, prikazuje se samo poslednja uneta.

## 2.2 Organizaciona šema sajta i baze podataka

### ✓ Šema baze



### ✓ SITEMAP

```

<?xml version="1.0" encoding="UTF-
8"?> <urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
<url>

```

```
<loc>https://furnweb.000webhostapp.com/index.php</loc>
<lastmod>2021-03-10</lastmod>
<changefreq>daily</changefreq>
<priority>1</priority>
</url>
  <url>
<loc>https://furnweb.000webhostapp.com/login.php</loc>
<lastmod>2021-03-10</lastmod>
<changefreq>daily</changefreq>
<priority>0.9</priority>
</url>
  <url>
<loc>https://furnweb.000webhostapp.com/register.php</loc>
<lastmod>2021-03-10</lastmod>
<changefreq>daily</changefreq>
<priority>0.9</priority>
</url>
  <url>
<loc>https://furnweb.000webhostapp.com/contact.php</loc>
<lastmod>2021-03-01</lastmod>
<changefreq>monthly</changefreq>
<priority>0.7</priority>
</url>
  <url>
<loc>https://furnweb.000webhostapp.com/gallery.php</loc>
<lastmod>2021-03-10</lastmod>
<changefreq>daily</changefreq>
<priority>0.8</priority>
</url>
  <url>
<loc>https://furnweb.000webhostapp.com/poll.php</loc>
<lastmod>2021-03-01</lastmod>
<changefreq>monthly</changefreq>
<priority>0.5</priority>
</url>
  <url>
<loc>https://furnweb.000webhostapp.com/product.php</loc>
<lastmod>2021-03-10</lastmod>
<changefreq>daily</changefreq>
<priority>0.8</priority>
</url>
  <url>
<loc>https://furnweb.000webhostapp.com/dashboard/examples/dashboard.php</loc>
>
<lastmod>2021-03-10</lastmod>
<changefreq>daily</changefreq>
<priority>0.9</priority>
</url>
  <url>
<loc>https://furnweb.000webhostapp.com/dashboard/examples/comment.php</loc>
<lastmod>2021-03-01</lastmod>
```

```



<changefreq>monthly</changefreq>
<priority>0.7</priority>
</url>
    <url>
<loc>https://furnweb.000webhostapp.com/dashboard/examples/products.php</loc>
<lastmod>2021-03-01</lastmod>
<changefreq>daily</changefreq>
<priority>0.6</priority>
</url>
<url>
<loc>https://furnweb.000webhostapp.com/dashboard/examples/tables.php</loc>
<lastmod>2021-03-01</lastmod>
<changefreq>monthly</changefreq>
<priority>0.6</priority>
</url>
    <url>
<loc>https://furnweb.000webhostapp.com/dashboard/examples/user.php</loc>
<lastmod>2021-03-01</lastmod>
<changefreq>monthly</changefreq>
<priority>0.6</priority>
</url>
    <url>
<loc>https://furnweb.000webhostapp.com/dashboard/examples/users.php</loc>
<lastmod>2021-03-01</lastmod>
<changefreq>monthly</changefreq>
<priority>0.6</priority>
</url>
    <url>
<loc>https://furnweb.000webhostapp.com/dashboard/examples/insertProduct.php<
/loc>
<lastmod>2021-03-01</lastmod>
<changefreq>monthly</changefreq>
<priority>0.7</priority>
</url>

</urlset>


```

## 2.2 Stranice sajta


- ✓ index.php
- ✓ prikaz menija u odnosu na ulogovanog korisnika
- ✓ autorizovan-admin- neuatorizavn



- ✓ Prikazana 3 random proizvoda iščitana iz baze na index.php




- ✓ login.php
- ✓ logovanje proveru na klijentskoj i serveskoj strani, ukoliko se ne podudara ni sa jednim redom iz baze ispiše se obaveštenje o tome. Ukoliko se uloguje redirektuje na index.php.



✓ register.php





## Sign Up

Create your account to get full access

**First Name**

Field must contain first capital letter.

**Last Name**

Field must contain first capital letter.

**Email Address**

Field must contain @ simbol and .

**Password**

Field must contain at least 5 characters.

Already have an account? [Login here](#)

**Sign Up**

- ✓ gallery.php
- ✓ straničenje, pretraga, filtriranje. Klik na proizvod otvara taj proizvod na zasebnoj stranici sa ostalim funkcionalnostima.

All Bed Chair Sofa Table



Chair4

150 \$



Bun armless sofa

821 \$



Box

400 \$

1

2

3

4

5

6

M

All Bed Chair Sofa Table



Chemise

350 \$



Fulham

500 \$



Bun armless sofa

300 \$

shop.euro-mn.com

All Bed Chair Sofa Table



Develius

500 \$



Chair1

200 \$



Chair2

500 \$

1

2

3

4

5

6

All **Bed** Chair Sofa Table



Chair3

100 \$



Pullover ppleat sateen bed

400 \$



Chemise

350 \$

1

2

✓ product.php

- sve je iščitano iz baze. Forma za komentar se pojavljuje samo ako je korisnik ulogovan. Komentare mogu da vide svi na sajtu.

## Bun armless sofa

821 \$

Category : Sofa

Availability : In stock



Description

Specification

Comments

Nelica Stojadinovic

2021-03-09 11:32:21

Great

Your comment

Stojadino Milica

milica@gmail.com

Comment

SUBMIT NOW



Description

Specification

Comments

Armless sofa by Kara Mann is sophisticated but never fussy. Covered in a warm wool blend, sofa sits low and deep, purposefully designed for lounging. A rich, dark walnut stained base adds a structural element while four bun-shaped feet keep it from ever feeling too serious. CB2 exclusive.

✓ contact.php

- svi posetioци sajta moogu da pošalju poruku admninu, ukoliko je korisnik ulogovan automatski se upisu podaci o njemu ime i prezime i email, bez mogućnosti menjanja. Urađena proverа.

## Get in Touch

Nelica Stojadinovic

nelica.stojadinovic@gmail.com

Enter Subject

SEND

✓ poll.php

- Anketu mogu da rade samo autorizovani korisnici i to samo jednom. Upisuju se odgovori u bazu. Na admin panelu postoji checkbox-klikom na njega anketa postaje aktivna ili neaktivna.

Have you visited us yet?

- ☐ Yes
- ☐ No
- ☐ I am planning

Have you bought from us already?

- ☐ Yes
- ☐ No
- ☐ I am planning
- ☐ I am not planning

Are you satisfied with our prices?Have you bought from us already?

- ☐ Yes
- ☐ No

Do you think that we have a good price-quality ratio?

- ☐ Yes
- ☐ No
- ☐ Maybe
- ☐ I dont know

BLOCK LEVEL BUTTON

✓ dashboard.php

- prikazuje se dugme za aktiviranje ankete, statistika o uradjenoj anketi, i poruke sa stranice contact.php koje admin moze da obrise.

☐ Poll is not active

Have you visited us yet?	No	1 of 4	Planning	1 of 4	Yes	2 of 4
Have you bought from us already?	No	1 of 4	Planning	1 of 4	Yes	2 of 4
Are you satisfied with our prices?Have you bought from us already?	No	2 of 4	Yes	2 of 4		
Do you think that we have a good price-quality ratio?	No	2 of 4	Yes	2 of 4		

Messages  
for admin team

14

jnbkjb

kjbnjk


jhygu

yg

Delete

✓ user.php

- podaci admina koji mogu da se updejtuju



- ✓ tables.php
- ✓ 3 tabele-uloge, kategorije i meni. Sve tri mogu da se obrisu, updajtuju, i insertuju.

Dashboard
User Profile
Table List
Comment List
Users List
Products List
Products Insert

IdM Naziv Putanja Insert

uloge

IdUloga	Uloga		
1	Korisnik	Update	Delete
2	Admin	Update	Delete
3	Neautorizovan	Update	Delete

Insertuj uloge

IdUloga Uloga Insert

DASHBOARD

Dashboard
User Profile
Table List
Comment List
Users List
Products List
Products Insert

kategorije

IdK	NazivKat		
5	All	Update	Delete
4	Bed	Update	Delete
3	Chair	Update	Delete
1	Sofa	Update	Delete
2	Table	Update	Delete

Insertuj kategorije

IdK NazivKat Insert

- ✓ comment.php
- prikazani svi komentari za proizvode, mogu da se obrišu.

DASHBOARD

Dashboard
User Profile
Table List
Comment List
Users List
Products List
Products Insert

ADMIN PANEL

komentari

IdKom	Komentar	Datum	Ime	Prezime	Email	Name	
96	Great	2021-03-09 11:32:21	Nelica	Stojadinovic	nelica.stojadinovic@gmail.com	Bun armless sofa	Delete
97	Likel	2021-03-09 11:33:01	Nelica	Stojadinovic	nelica.stojadinovic@gmail.com	Extrasoft	Delete



## ✓ users.php

- prikazani svi korisnici. mogu da se obrišu i da im se updejtuje uloga na change iz dropdown liste.

The screenshot shows a web application interface for user management. On the left is a sidebar with a 'DASHBOARD' header and a list of navigation items: Dashboard, User Profile, Table List, Comment List, Users List, Products List, and Products Insert. The main content area has a header 'korisnik' and a table of users. The table has columns: IdKorisnik, Ime, Prezime, Email, Datum, and Uloga. Each row has a 'Delete' button and an 'UPDATE ROLE FOR THIS USER' button. A modal dialog is open over the table, titled 'Modal title', with a 'Choose' button.

IdKorisnik	Ime	Prezime	Email	Datum	Uloga
19	Nelica	Stojadinovic	nelica.stojadinovic@gmail.com	2021-03-08 18:31:02	Admin
24	Milica	Stojadino	milica@gmail.com	2021-03-08 18:58:58	Korisnik
28	Koriosnik	Kojfh	mika.bla@gmail.com	2021-03-08 19:24:44	Korisnik
29	Njhg	Kmgui	nelica.@gmail.com	2021-03-08 19:28:13	Korisnik
30	Nelica	Nelica	nelica.stojadinovic1@gmail.com	2021-03-09 00:01:54	Korisnik

## ✓ products.php

- prikaz svih proizvoda iz baze

DASHBOARD

Dashboard
User Profile
Table List
Comment List
Users List
Products List
Products Insert

proizvod

IdP	NazivKat	Name	Description	Visina	Tezina	Dubina	Sirina	QualityCheck	Availability	Iznos	Datum	alt	src	
6	Bed	Chair3	KJHohrgjrh deerghesrko h	1	0	3	2	1	1	100	2021-02-26 12:32:44	Slika cetiri	instra1.png	Delete
9	Bed	Pullover ppleat sateen bed	Headboard and frame in double-panelled pine and poplar. Base in tubular AISI 304 stainless steel with matte satinfi nish. Padding in differentiated density polyurethane foam. Cover made from polyester fibres with polyamidevelveteen backing. Fabric or leather upholstery, both withfully removable covers. Available also in American Queenand King size.	90	15	30	60	1	0	400	2021-03-05 10:14:07	Pullover sateen bed	krevet1.jpg	Delete
			Headboard in painted tubular and drawn steel, covered with a											

- ✓ insertProduct.php  
insertuje proizvod i upisuje cenu i putanje u tabele za cenu i sliku

Insert product

Name

Description

Visina

Tezina

Dubina

Sirina

Iznos

alt

src

INSERT

Choose category...

Choose category...

Bed

Chair

Sofa

Table

☐ QualityCheck

☐ Availability

## Kodovi

head.php

```
<!doctype html>
<html class="no-js" lang="zxx">
<head>
<meta charset="utf-8">
<meta http-equiv="x-ua-compatible" content="ie=edge">
<title>Shop | eCommerce</title>
```

```

<meta name="description" content="Modern furniture with of-the-moment design
sense at an affordable price. Find sofas, beds, and other furniture just for
you.">
<meta name="keywords" content="Bed,Sofa,Chair,Furniture,Shop,Safe"/>

<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="shortcut icon" type="image/x-icon" href="assets/img/favicon.ico">

<link rel="stylesheet" href="assets/css/bootstrap.min.css">
<link rel="stylesheet" href="assets/css/owl.carousel.min.css">
<link rel="stylesheet" href="assets/css/slicknav.css">
<link rel="stylesheet" href="assets/css/flaticon.css">
<link rel="stylesheet" href="assets/css/progressbar_barfiller.css">
<link rel="stylesheet" href="assets/css/lightslider.min.css">
<link rel="stylesheet" href="assets/css/price_rangs.css">
<link rel="stylesheet" href="assets/css/gijgo.css">
<link rel="stylesheet" href="assets/css/animate.min.css">
<link rel="stylesheet" href="assets/css/animated-headline.css">
<link rel="stylesheet" href="assets/css/magnific-popup.css">
<link rel="stylesheet" href="assets/css/fontawesome-all.min.css">
<link rel="stylesheet" href="assets/css/themify-icons.css">
<link rel="stylesheet" href="assets/css/slick.css">
<link rel="stylesheet" href="assets/css/nice-select.css">
<link rel="stylesheet" href="assets/css/style.css">
</head>

```

navigacija.php

```

<body>
<div id="preloader-active">
<div class="preloader d-flex align-items-center justify-content-center">
<div class="preloader-inner position-relative">
<div class="preloader-circle"></div>
<div class="preloader-img pere-text">

</div>
</div>
</div>
</div>
</div>
<header>

<div class="header-area">
<div class="main-header header-sticky">
<div class="container-fluid">
<div class="row menu-wrapper align-items-center justify-content-between">
<div class="header-left d-flex align-items-center">

```

```
<div class="logo">
<a href="index.php"></a>
</div>

<div class="main-menu d-none d-lg-block">
<nav>
<ul id="navigation">
<?php
include $_SERVER['DOCUMENT_ROOT'].'/furn/logic/funkcije.php';
echo ispisiMenija() ?>
</ul>
</nav>
</div>
</div>

<div class="header-right1 d-flex align-items-center">
<div class="search">
<ul class="d-flex align-items-center">
<?php
if(isset($_SESSION['ulogovan']))){
    echo '<a href="logic/logout.php?logout=1" name="logout" class="account-
btn" >Logout</a>';
}
else{
    echo '<a href="login.php" class="account-btn" target="_blank">Login</a>';
} ?>

<li>
</li>
</ul>
</div>
</div>

<div class="col-12">
<div class="mobile_menu d-block d-lg-none"></div>
</div>
</div>
</div>
</div>
</div>
</div>
```

- funkcija iz funkcije.php

```

• <?php
• session_start();
• include $_SERVER['DOCUMENT_ROOT']. "/furn/konekcija/konekcija.php";
• //funkcija za ispisivanje menija
• function ispisMenija(){
•     global $konekcija;

```

```

    $upit="Select * from menu";
    $rezultat=$konekcija->query($upit);
    $rez=$rezultat->fetchAll();
    if($rezultat->rowCount()>0){
        foreach($rez as $red){
            if(isset($_SESSION['ulogovan']) && $red-
>Naziv == "Poll" && $_SESSION['ulogovan']->Uloga == "Korisnik"){
                echo "<li><a href='".$red->Putanja."'>$red-
>Naziv</a></li>";
                continue;
            }
            if(isset($_SESSION['ulogovan']) && $red-
>Naziv == "Dashboard" && $_SESSION['ulogovan']->Uloga == "Admin"){
                echo "<li><a href='".$red->Putanja."'>$red-
>Naziv</a></li>";
                continue;
            }
            if($red->Naziv == "Home" || $red-
>Naziv == "Gallery" || $red->Naziv == "Docs" || $red-
>Naziv == "Category" || $red->Naziv == "About me" || $red-
>Naziv == "Contact"){
                echo "<li><a href='".$red->Putanja."'>$red-
>Naziv</a></li>";
            }
        }
    }
}

```

footer.php

```

<div class="categories-area section-padding40 gray-bg">
<div class="container">
<div class="row">
<div class="col-lg-3 col-md-6 col-sm-6">
<div class="single-cat mb-50 wow fadeInUp" data-wow-duration="1s" data-wow-
delay=".2s">
<div class="cat-icon">
</div>
<div class="cat-cap">
<h5>Fast & Free Delivery</h5>
<p>Free delivery on all orders</p>
</div>
</div>
</div>
<div class="col-lg-3 col-md-6 col-sm-6">
<div class="single-cat mb-50 wow fadeInUp" data-wow-duration="1s" data-wow-
delay=".2s">
<div class="cat-icon">

```

```
</div>
<div class="cat-cap">
<h5>Secure Payment</h5>
<p>Free delivery on all orders</p>
</div>
</div>
</div>
<div class="col-lg-3 col-md-6 col-sm-6">
<div class="single-cat mb-50 wow fadeInUp" data-wow-duration="1s" data-wow-delay=".4s">
<div class="cat-icon">
</div>
<div class="cat-cap">
<h5>Money Back Guarantee</h5>
<p>Free delivery on all orders</p>
</div>
</div>
</div>
<div class="col-lg-3 col-md-6 col-sm-6">
<div class="single-cat mb-50 wow fadeInUp" data-wow-duration="1s" data-wow-delay=".5s">
<div class="cat-icon">
</div>
<div class="cat-cap">
<h5>Free delivery</h5>
<p>Free delivery on all orders</p>
</div>
</div>
</div>
</div>
</div>
</div>
</main>
<footer>
<div class="footer-wrapper">
<div class="footer-area footer-padding">
<div class="container ">
<div class="row justify-content-between">
<div class="col-xl-4 col-lg-3 col-md-8 col-sm-8">
<div class="single-footer-caption mb-50">
<div class="single-footer-caption mb-30">
<div class="footer-logo mb-35">
<a href="index.php"></a>
</div>
<div class="footer-tittle">
<div class="footer-pera">
```

<p>Suspendisse varius enim in eros elementum tristique. Duis cursus, mi quis viverra ornare, eros dolor interdum nulla.</p>

</div>

</div>

<div class="footer-social">

<a href="#"><i class="fab fa-twitter"></i></a>

<a href="https://bit.ly/sai4u11"><i class="fab fa-facebook-f"></i></a>

<a href="#"><i class="fab fa-pinterest-p"></i></a>

</div>

</div>

</div>

</div>

<div class="col-xl-2 col-lg-2 col-md-4 col-sm-4">

<div class="single-footer-caption mb-50">

<div class="footer-tittle">

<h4>Quick links</h4>

<ul>

<li><a href="#">Image Licensin</a></li>

<li><a href="#">Style Guide</a></li>

<li><a href="#">Privacy Policy</a></li>

</ul>

</div>

</div>

</div>

<div class="col-xl-2 col-lg-2 col-md-4 col-sm-4">

<div class="single-footer-caption mb-50">

<div class="footer-tittle">

<h4>Shop Category</h4>

<ul>

<li><a href="#">Image Licensin</a></li>

<li><a href="#">Style Guide</a></li>

<li><a href="#">Privacy Policy</a></li>

</ul>

</div>

</div>

</div>

<div class="col-xl-2 col-lg-2 col-md-4 col-sm-4">

<div class="single-footer-caption mb-50">

<div class="footer-tittle">

<h4>Partners</h4>

<ul>

<li><a href="#">Image Licensin</a></li>

<li><a href="#">Style Guide</a></li>

<li><a href="#">Privacy Policy</a></li>

</ul>

</div>

</div>

</div>

</div>

</div>

</div>

```

</div>

<div class="footer-bottom-area">
<div class="container">
<div class="footer-border">
<div class="row d-flex align-items-center">
<div class="col-xl-12 ">
<div class="footer-copy-right text-center">
<p>
Copyright &copy;<script>document.write(new Date().getFullYear());</script> All
rights reserved | This template is made with <i class="fa fa-heart" aria-
hidden="true"></i> by <a href="https://colorlib.com/" target="_blank">Colorli
b</a>
</p>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>

</div>
</footer>

<div id="back-top">
<a title="Go to Top" href="#"> <i class="fas fa-level-up-alt"></i></a>
</div>

<script src="assets/js/vendor/modernizr-3.5.0.min.js"></script>
<script src="assets/js/vendor/jquery-1.12.4.min.js"></script>
<script src="assets/js/popper.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>

<script src="assets/js/owl.carousel.min.js"></script>
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/jquery.slicknav.min.js"></script>

<script src="assets/js/wow.min.js"></script>
<script src="assets/js/animated.headline.js"></script>
<script src="assets/js/jquery.magnific-popup.js"></script>
<script src="assets/js/gijgo.min.js"></script>
<script src="assets/js/lightslider.min.js"></script>
<script src="assets/js/price_rangs.js"></script>

<script src="assets/js/jquery.nice-select.min.js"></script>
<script src="assets/js/jquery.sticky.js"></script>
<script src="assets/js/jquery.barfiller.js"></script>

<script src="assets/js/jquery.counterup.min.js"></script>

```



```

<script src="assets/js/waypoints.min.js"></script>
<script src="assets/js/jquery.countdown.min.js"></script>
<script src="assets/js/hover-direction-snake.min.js"></script>

<script src="assets/js/contact.js"></script>
<script src="assets/js/jquery.form.js"></script>
<script src="assets/js/jquery.validate.min.js"></script>
<script src="assets/js/mail-script.js"></script>
<script src="assets/js/jquery.ajaxchimp.min.js"></script>

<script src="assets/js/plugins.js"></script>
<script src="assets/js/main.js"></script>

<script async src="https://www.googletagmanager.com/gtag/js?id=UA-23581568-13"></script>
<script>
(function($)
{"use strict"
$(window).on('load',function(){$('#preloader-active').delay(450).fadeOut('slow');$('body').delay(450).css({'overflow':'visible'});});$(window).on('scroll',function(){var scroll=$(window).scrollTop();if(scroll<400){$(".header-sticky").removeClass("sticky-bar");$('#back-top').fadeOut(500);}else{$(".header-sticky").addClass("sticky-bar");$('#back-top').fadeIn(500);});$('#back-top a').on("click",function(){$('body,html').animate({scrollTop:0},800);return false;});var menu=$('#ul#navigation');if(menu.length){menu.slicknav({prependTo:".mobile_menu",closedSymbol:'+',openedSymbol:'-'});});function mainSlider(){var BasicSlider=$('#.slider-active');BasicSlider.on('init',function(e,slick){var $firstAnimatingElements=$('#.single-slider:first-child').find('[data-animation]');doAnimations($firstAnimatingElements);});BasicSlider.on('beforeChange',function(e,slick,currentSlide,nextSlide){var $animatingElements=$('#.single-slider[data-slick-index="'+nextSlide+""]').find('[data-animation]');doAnimations($animatingElements);});BasicSlider.slick({autoplay:true,autoplaySpeed:4000,dots:false,fade:true,arrows:false,prevArrow:'<button type="button" class="slick-prev"><i class="ti-angle-left"></i></button>',nextArrow:'<button type="button" class="slick-next"><i class="ti-angle-right"></i></button>',responsive:[{breakpoint:1024,settings:{slidesToShow:1,slidesToScroll:1,infinite:true}},{breakpoint:991,settings:{slidesToShow:1,slidesToScroll:1,arrows:false}},{breakpoint:767,settings:{slidesToShow:1,slidesToScroll:1,arrows:false}}]});function doAnimations(elements){var animationEndEvents='webkitAnimationEnd mozAnimationEnd MSAnimationEnd oanimationend animationend';elements.each(function(){var $this=$(this);var $animationDelay=$this.data('delay');var $animationType='animated '+$this.data('animation');$this.css({'animation-delay':$animationDelay,'-webkit-animation-delay':$animationDelay});$this.addClass($animationType).one(animationEndEvents,function(){$this.removeClass($animationType);});});}}
mainSlider();$('#.owl-carousel').owlCarousel({autoplay:true,center:true,loop:true,nav:true,items:1}

```

```

);var nice_Select=$('#select');if(nice_Select.length){nice_Select.niceSelect()
;}}
$("[data-background]").each(function(){$(this).css("background-
image","url("+$(this).attr("data-
background")+")"));new WOW().init();function mailChimp(){$('#mc_embed_signup
').find('form').ajaxChimp();}
mailChimp();var popUp=($('.single_gallery_part, .img-pop-
up');if(popUp.length){popUp.magnificPopup({type:'image',gallery:{enabled:true
}});}
var popUp=($('.popup-
video');if(popUp.length){popUp.magnificPopup({type:'iframe'}});}
$('.counter').counterUp({delay:10,time:3000});$('#datepicker1').datepicker();
$('#timepicker').timepicker();$(".snake").snakeify({speed:200});$('#bar1').ba
rfiller();$('#bar2').barfiller();$('.search-
switch').on('click',function(){$('.search-model-
box').fadeIn(400)});$('.search-close-btn').on('click',function(){$('.search-
model-box').fadeOut(400,function(){$('#search-
input').val('')}));});var product_overview=$('#vertical');if(product_overview
.length){product_overview.lightSlider({gallery:true,item:1,verticalHeight:450
,thumbItem:4,slideMargin:0,speed:600,autoplay:true,responsive:[{breakpoint:99
1,settings:{item:1}}, {breakpoint:576,settings:{item:1,slideMove:1,verticalHe
ight:350}}]});}
(function(){window.inputNumber=function(el){var min=el.attr('min')||false;var
max=el.attr('max')||false;var els={};els.dec=el.prev();els.inc=el.next();el.
each(function(){init($(this));});function init(el){els.dec.on('click',decreme
nt);els.inc.on('click',increment);function decrement(){var value=el[0].value;
value--;if(!min||value>=min){el[0].value=value;}}
function increment(){var value=el[0].value;value++;if(!max||value<=max){el[0]
.value=value++;}}}})();inputNumber($('.input-number'))})(jQuery);
    window.dataLayer = window.dataLayer || [];
    function gtag(){dataLayer.push(arguments);}
    gtag('js', new Date());

    gtag('config', 'UA-23581568-13');
</script>
</body>
</html>

```

index.php

```

<?php include "fixed/head.php";
include "fixed/navigacija.php"; ?>
<main>

<div class="slider-area ">
<div class="slider-active">

```

```

<div class="single-slider hero-overly1 slider-height d-flex align-items-
center slider-bg1">
<div class="container">
<div class="row">
<div class="col-xl-6 col-lg-8 col-md-8">
<div class="hero__caption">
<span>70% Sale off </span>
<h1 data-animation="fadeInUp" data-delay=".4s">Furniture at Cost</h1>
<p data-animation="fadeInUp" data-
delay=".6s">Suspendisse varius enim in eros elementum
tristique. Duis cursus, mi quis viverra ornare, eros
dolor interdum nulla.</p>

<div class="hero__btn" data-animation="fadeInUp" data-delay=".7s">
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>

<div class="new-arrival new-arrival2">
<div class="container">

<div class="row justify-content-center">
<div class="col-xl-7 col-lg-8 col-md-10">
<div class="section-tittle mb-60 text-center wow fadeInUp" data-wow-
duration="2s" data-wow-delay=".2s">
<h2>Top Pick</h2>
<P>Decorate your home with unique, contemporary furniture from High Fashion H
ome. Find eclectic pieces to match your lifestyle and taste today.</P>
</div>
</div>
</div>
<div class="row" id="rand">
<div class="row justify-content-center">
<div class="room-btn">
<a href="gallery.php" class="border-btn">Discover More</a>
</div>
</div>
</div>
</div>

<div class="instagram-area">
<div class="container-fluid">
<div class="row align-items-center">
<div class="col-xl-3 col-lg-4 col-md-6">

```

```
<div class="insta-tittle mb-40">  
<div class="section-tittle">  
  
<h2>Get Inspired with Instagram</h2>  
<p class="mb-  
35"><P>Suspendisse varius enim in eros elementum tristique. Duis cursus, mi quis  
viverra ornare, eros dolor interdum nulla.</P>  
<a href="gallery.php" class="border-btn">Discover More</a>  
</div>  
</div>  
</div>  
<div class="col-xl-9 col-lg-8">  
<div class="row no-gutters">  
<div class="col-xl-6 col-lg-6 col-md-6 col-sm-6">  
<div class="single-instagram">  
  
</div>  
</div>  
<div class="col-xl-6 col-lg-6 col-md-6 col-sm-6">  
<div class="single-instagram">  
  
</div>  
</div>  
</div>  
</div>  
</div>  
</div>  
</div>  
  
<?php include "fixed/footer.php";?>
```

## main.js -Ajax

```
function Ajax(url, method, data, success){
    $.ajax({url:url,
    method:method,
    data:data,
    dataType:"json",
    success:success,
    error:function(xhr){
        console.error(xhr.status)
        if(xhr.status==500){
            alert("its server error!")
        }
    }
    })
}
```

```

    }
  })
})

```

main.js za index.php

```

//na pocetnoj random 3 proizvoda top pick
if(location.href.includes("index")){
  Ajax("logic/proizvod.php","POST","",function(data){

    console.log(data)
    let rand1=""
    // console.log(rand)
    ispis=""
    for(i=0;i<3;i++){
      let rand=Math.floor(Math.random()*data.length);
      //rand=Math.floor(Math.random()*data.length);
      if(rand1==rand){
        rand=Math.floor(Math.random()*data.length);
      }
      // console.log(data[rand].src)
      ispis+=`<div class="col-lg-4 col-md-6 col-sm-6">
        <div class="single-new-arrival mb-50 text-center wow fadeInUp" data-
wow-duration="1s" data-wow-delay=".1s">
          <div class="popular-img">
            
          </div>
          <div class="popular-caption">
            <h3><a class="proizvod" href="product.php?IdP=${data[rand].IdP+"`">`+d
ata[rand].Name+`</a></h3>
            <span>`+data[rand].Iznos+`</span>
          </div>
        </div>
      </div>
    </div>`;
      rand1=rand;
      //rand2=rand;
    }
    document.getElementById("rand").innerHTML=ispis;
  })
}

```

login.php

```

<?php
include "fixed/head.php";
include "fixed/navigacija.php";
if(isset($_SESSION['uologovan'])){
    http_response_code(404);
    header('Location:index.php');
}??>
<main class="login-bg">

<div class="login-form-area">
<div class="container">
<div class="row justify-content-center">
<div class="col-xl-7 col-lg-8">
<div class="login-form">

<div class="login-heading">
<span>Login</span>
<p>Enter Login details to get access</p>
</div>

<div class="input-box">
<div class="single-input-fields">
<label>Username or Email Address</label>
<input type="email" name="logEmail" id="logEmail" placeholder="Email address">
</div>
<p class=" alert-danger d-none alertemail" id="alertemail" role="alert">
</p>
<div class="single-input-fields">
<label>Password</label>
<input type="password" name="logPass" id="logPass" placeholder="Enter Password">
</div>
<p class=" alert-danger d-none alertpass" id="alertemail" role="alert">
</p>

</div>

<div class="login-footer">
<p>Don't have an account? <a href="register.php">Sign Up</a> here</p>
<button class="submit-btn3 logButton" name="logButton">Login</button>
</div>
<div class="login-footer sesija">
</div>
<?php
?>
</div>
</div>
</div>

```

```
</div>
</div>

</main>

<script src="assets/js/vendor/modernizr-3.5.0.min.js"></script>
<script src="assets/js/vendor/jquery-1.12.4.min.js"></script>
<script src="assets/js/popper.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>

<script src="assets/js/owl.carousel.min.js"></script>
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/jquery.slicknav.min.js"></script>

<script src="assets/js/wow.min.js"></script>
<script src="assets/js/animated.headline.js"></script>
<script src="assets/js/jquery.magnific-popup.js"></script>
<script src="assets/js/gijgo.min.js"></script>
<script src="assets/js/lightslider.min.js"></script>
<script src="assets/js/price_rangs.js"></script>

<script src="assets/js/jquery.nice-select.min.js"></script>
<script src="assets/js/jquery.sticky.js"></script>
<script src="assets/js/jquery.barfiller.js"></script>

<script src="assets/js/jquery.counterup.min.js"></script>
<script src="assets/js/waypoints.min.js"></script>
<script src="assets/js/jquery.countdown.min.js"></script>
<script src="assets/js/hover-direction-snake.min.js"></script>

<script src="assets/js/contact.js"></script>
<script src="assets/js/jquery.form.js"></script>
<script src="assets/js/jquery.validate.min.js"></script>
<script src="assets/js/mail-script.js"></script>
<script src="assets/js/jquery.ajaxchimp.min.js"></script>

<script src="assets/js/plugins.js"></script>
<script src="assets/js/main.js"></script>
<script>
(function($)
{"use strict"
$(window).on('load',function(){$('#preloader-
active').delay(450).fadeOut('slow');$('body').delay(450).css({'overflow':'vis
ible'});});$(window).on('scroll',function(){var scroll=$(window).scrollTop();
if(scroll<400){$(".header-sticky").removeClass("sticky-bar");$('#back-
top').fadeOut(500);}else{$(".header-sticky").addClass("sticky-bar");$('#back-
top').fadeIn(500);});$('#back-
top a').on("click",function(){$('body,html').animate({scrollTop:0},800);retur
n false;});var menu=$('#ul#navigation');if(menu.length){menu.slicknav({prepend
To:".mobile_menu",closedSymbol:'+',openedSymbol:'-
```

```

});function mainSlider(){var BasicSlider=$( '.slider-
active');BasicSlider.on('init',function(e,slick){var $firstAnimatingElements=
$('.single-slider:first-child').find('[data-
animation]');doAnimations($firstAnimatingElements);});BasicSlider.on('beforeC
hange',function(e,slick,currentSlide,nextSlide){var $animatingElements=$( '.si
ngle-slider[data-slick-index="'+nextSlide+"']").find('[data-
animation]');doAnimations($animatingElements);});BasicSlider.slick({autoplay:
true,autoplaySpeed:4000,dots:false,fade:true,arrows:false,prevArrow:'<button
type="button" class="slick-prev"><i class="ti-angle-
left"></i></button>',nextArrow:'<button type="button" class="slick-
next"><i class="ti-angle-
right"></i></button>',responsive:[{breakpoint:1024,settings:{slidesToShow:1,s
lidesToScroll:1,infinite:true,}}, {breakpoint:991,settings:{slidesToShow:1,sli
desToScroll:1,arrows:false}}, {breakpoint:767,settings:{slidesToShow:1,slidesT
oScroll:1,arrows:false}}]);function doAnimations(elements){var animationEndE
vents='webkitAnimationEnd mozAnimationEnd MSAnimationEnd oanimationend animat
ionend';elements.each(function(){var $this=$(this);var $animationDelay=$this.
data('delay');var $animationType='animated '+$this.data('animation');$this.cs
s({'animation-delay':$animationDelay,'-webkit-animation-
delay':$animationDelay});$this.addClass($animationType).one(animationEndEvent
s,function(){$this.removeClass($animationType);});});}}
mainSlider();$('.owl-
carousel').owlCarousel({autoplay:true,center:true,loop:true,nav:true,items:1}
);var nice_Select=$( 'select');if(nice_Select.length){nice_Select.niceSelect()
;}
$("[data-background]").each(function(){$(this).css("background-
image","url("+$(this).attr("data-
background")+")");});new WOW().init();function mailChimp(){$('#mc_embed_signup
').find('form').ajaxChimp();}
mailChimp();var popUp=$( '.single_gallery_part, .img-pop-
up');if(popUp.length){popUp.magnificPopup({type:'image',gallery:{enabled:true
}});}
var popUp=$( '.popup-
video');if(popUp.length){popUp.magnificPopup({type:'iframe'});}
$('.counter').counterUp({delay:10,time:3000});$('#datepicker1').datepicker();
$('#timepicker').timepicker();$('.snake').snakeify({speed:200});$('#bar1').ba
rfiller();$('#bar2').barfiller();$('.search-
switch').on('click',function(){$('.search-model-
box').fadeIn(400);});$('.search-close-btn').on('click',function(){$('.search-
model-box').fadeOut(400,function(){$('#search-
input').val('');});});var product_overview=$('#vertical');if(product_overview
.length){product_overview.lightSlider({gallery:true,item:1,verticalHeight:450
,thumbItem:4,slideMargin:0,speed:600,autoplay:true,responsive:[{breakpoint:99
1,settings:{item:1,}}, {breakpoint:576,settings:{item:1,slideMove:1,verticalHe
ight:350,}}]});}
(function(){window.inputNumber=function(el){var min=el.attr('min')||false;var
max=el.attr('max')||false;var els={};els.dec=el.prev();els.inc=el.next();el.
each(function(){init($(this));});function init(el){els.dec.on('click',decreme
nt);els.inc.on('click',increment);function decrement(){var value=el[0].value;
value--;if(!min|value>=min){el[0].value=value;}}

```



```
function increment(){var value=el[0].value;value++;if(!max||value<=max){el[0].value=value++;}}}}})();inputNumber($('.input-number'));})(jQuery);</script>
</body>
</html>
```

main.js za login

```
//logovanje
$('.logButton').click(function(){
    let emailJS=document.getElementById("logEmail").value
    let passJS=document.getElementById("logPass").value
    let greske=0;
    let regemail=/^[\\w\\d]+@[a-z]{2,}\\.[a-z]{2,3}$/
    let regpass=/^.{5,10}$/
    if(!regemail.test(emailJS) || emailJS==""){
        greske++;
        $('.alertemail').removeClass("d-none");
        $('.alertemail').html("Field must contain @ simbol.")
    }
    else{
        $('.alertemail').addClass("d-none");
    }
    if(!regpass.test(passJS) || passJS==""){
        greske++;
        $('.alertpass').removeClass("d-none");
        $('.alertpass').html("Field must contain at least 5 characters.")
    }
    else{
        $('.alertpass').addClass("d-none");
    }
    if(greske==0){
        let obj={email:emailJS, pass:passJS}
        Ajax("logic/logovanje.php","POST",obj, function(podaci){
            console.log(podaci)
            if(podaci==false){
                $('#logEmail').val("")
                $('#logPass').val("")
                $('.sesija').html(`<p>User with this email and password dose not exist.</p>`)
            }
            else{
                $('.sesija').html(` `)
                $('#logEmail').val("")
                $('#logPass').val("")
                window.location.href="index.php"
            }
        })
    }
})
})
```

```

<?php
session_start();
header('Content-type:application/json');
include $_SERVER['DOCUMENT_ROOT'].'/furn/konekcija/konekcija.php';
if($_SERVER['REQUEST_METHOD']=="POST"){
$email=$_POST['email'];
$pass=$_POST['pass'];
$regemail='/^[\\w\\d]+@[a-z]{2,}\\.[a-z]{2,3}$/';
$regpass='/^[.]{5,}$/';
$greske=[];
    if(!preg_match($regemail,$email) || $email==""){
        $greske[]="Email nije upisano dobro.";
    }
    if(!preg_match($regpass,$pass || $pass=="")){
        $greske[]="Lozinka nije upisano dobro.";
    }
    var_dump($pass);
    if(count($greske)==0){
try{
    $email=$_POST['email'];
    $pass=md5($pass);
    $upit="SELECT u.Uloga, k.IdKorisnik, k.Ime, k.Prezime, k.Email FROM uloge
u INNER JOIN korisnik k ON k.IdUloga=u.IdUloga WHERE k.Email=:email AND k.Lo
zinka=:pass AND Aktivan=1";
    $rezultat=$konekcija->prepare($upit);
    $rezultat->bindParam(":email",$email);
    $rezultat->bindParam(":pass",$pass);
    $rezultat->execute();
    if($rezultat->rowCount()==1){
        $rez=$rezultat->fetch();
        $_SESSION['ulogovan']=$rez;
        $true=true;
        echo json_encode($true);
        return $true;
    }
    else{
        $false=false;
        echo json_encode($false);
        return $false;
    }
}
catch(PDOException $e){
    http_response_code(500);
    echo $e->getMessage();
}
}
}

```

```

}
else{
    http_response_code(404);
}
?>

```

registracija.php

```

<?php
session_start();
include "fixed/head.php";
include "fixed/navigacija.php"; ?>

<main class="login-bg">

<div class="register-form-area">
<div class="container">
<div class="row justify-content-center">
<div class="col-xl-6 col-lg-8">
<div class="register-form text-center">

<div class="register-heading">
<span>Sign Up</span>
<p>Create your account to get full access</p>
</div>

<div class="input-box">
<div class="single-input-fields">
<label>First name</label>
<input type="text" name="ime" id="ime" placeholder="Enter first name">
<p class="alert-danger d-none alerttime" id="alerttime" role="alert">
</p>
</div>
<div class="single-input-fields">
<label>Last name</label>
<input type="text" name="prezime" id="prezime" placeholder="Enter last name">
<p class="alert-danger d-none alertprezime" id="alertprezime" role="alert">
</p>
</div>
<div class="single-input-fields">
<label>Email Address</label>
<input type="email" name="email" id="email" placeholder="Enter email address">
<p class=" alert-danger d-none alertemail" id="alertemail" role="alert">
</p>
<div class="single-input-fields">
<label>Password</label>

```

```

<input type="password" name="pass" id="pass" placeholder="Enter Password">
<p class="alert-danger d-none alertpass" id="alertpass" role="alert">
</p>
</div>
</div>

<div class="register-footer">
<p> Already have an account? <a href="login.php"> Login</a> here</p>
<button class="submit-
btn3" id="registracija" name="registracija">Sign Up</button>
</div>
</div>
</div>
</div>
</div>
</div>

</main>

<script src="assets/js/vendor/modernizr-3.5.0.min.js"></script>
<script src="assets/js/vendor/jquery-1.12.4.min.js"></script>
<script src="assets/js/popper.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>

<script src="assets/js/owl.carousel.min.js"></script>
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/jquery.slicknav.min.js"></script>

<script src="assets/js/wow.min.js"></script>
<script src="assets/js/animated.headline.js"></script>
<script src="assets/js/jquery.magnific-popup.js"></script>
<script src="assets/js/gijgo.min.js"></script>
<script src="assets/js/lightslider.min.js"></script>
<script src="assets/js/price_rangs.js"></script>

<script src="assets/js/jquery.nice-select.min.js"></script>
<script src="assets/js/jquery.sticky.js"></script>
<script src="assets/js/jquery.barfiller.js"></script>

<script src="assets/js/jquery.counterup.min.js"></script>
<script src="assets/js/waypoints.min.js"></script>
<script src="assets/js/jquery.countdown.min.js"></script>
<script src="assets/js/hover-direction-snake.min.js"></script>

<script src="assets/js/contact.js"></script>
<script src="assets/js/jquery.form.js"></script>
<script src="assets/js/jquery.validate.min.js"></script>
<script src="assets/js/mail-script.js"></script>
<script src="assets/js/jquery.ajaxchimp.min.js"></script>

```

```

<script src="assets/js/plugins.js"></script>
<script src="assets/js/main.js"></script>
<script>
(function($)
{"use strict"
$(window).on('load',function(){$('#preloader-
active').delay(450).fadeOut('slow');$('body').delay(450).css({'overflow':'vis
ible'}});});$(window).on('scroll',function(){var scroll=$(window).scrollTop();
if(scroll<400){$(".header-sticky").removeClass("sticky-bar");$('#back-
top').fadeOut(500);}else{$(".header-sticky").addClass("sticky-bar");$('#back-
top').fadeIn(500);});$('#back-
top a').on("click",function(){$('body,html').animate({scrollTop:0},800);return false;});var menu=$('#ul#navigation');if(menu.length){menu.slicknav({prepend
To:".mobile_menu",closedSymbol:'+',openedSymbol:'-
'}));function mainSlider(){var BasicSlider=$('#.slider-
active');BasicSlider.on('init',function(e,slick){var $firstAnimatingElements=
$('#.single-slider:first-child').find('[data-
animation]');doAnimations($firstAnimatingElements);});BasicSlider.on('beforeC
hange',function(e,slick,currentSlide,nextSlide){var $animatingElements=$('#.si
ngle-slider[data-slick-index="'+nextSlide+'"]').find('[data-
animation]');doAnimations($animatingElements);});BasicSlider.slick({autoplay:
true,autoplaySpeed:4000,dots:false,fade:true,arrows:false,prevArrow:'<button
type="button" class="slick-prev"><i class="ti-angle-
left"></i></button>',nextArrow:'<button type="button" class="slick-
next"><i class="ti-angle-
right"></i></button>',responsive:[{breakpoint:1024,settings:{slidesToShow:1,s
lidesToScroll:1,infinite:true}}, {breakpoint:991,settings:{slidesToShow:1,sli
desToScroll:1,arrows:false}}, {breakpoint:767,settings:{slidesToShow:1,slidesT
oScroll:1,arrows:false}}]);function doAnimations(elements){var animationEndE
vents='webkitAnimationEnd mozAnimationEnd MSAnimationEnd oanimationend animat
ionend';elements.each(function(){var $this=$(this);var $animationDelay=$this.
data('delay');var $animationType='animated '+$this.data('animation');$this.cs
s({'animation-delay':$animationDelay,'-webkit-animation-
delay':$animationDelay});$this.addClass($animationType).one(animationEndEvent
s,function(){$this.removeClass($animationType);});});}}
mainSlider();$('#.owl-
carousel').owlCarousel({autoplay:true,center:true,loop:true,nav:true,items:1}
);var nice_Select=$('#select');if(nice_Select.length){nice_Select.niceSelect()
;}}
$("[data-background]").each(function(){$(this).css("background-
image","url("+$(this).attr("data-
background")+")");});new WOW().init();function mailChimp(){$('#mc_embed_signup
').find('form').ajaxChimp();}
mailChimp();var popUp=$('#.single_gallery_part, .img-pop-
up');if(popUp.length){popUp.magnificPopup({type:'image',gallery:{enabled:true
}});}
var popUp=$('#.popup-
video');if(popUp.length){popUp.magnificPopup({type:'iframe'}});}
$('#.counter').counterUp({delay:10,time:3000});$('#datepicker1').datepicker();
$('#timepicker').timepicker();$(".snake").snakeify({speed:200});$('#bar1').ba

```

```

rfiller();$('#bar2').barfiller();$('.search-
switch').on('click',function(){$('.search-model-
box').fadeIn(400);});$('.search-close-btn').on('click',function(){$('.search-
model-box').fadeOut(400,function(){$('#search-
input').val('');});});var product_overview=$('#vertical');if(product_overview
.length){product_overview.lightSlider({gallery:true,item:1,verticalHeight:450
,thumbItem:4,slideMargin:0,speed:600,autoplay:true,responsive:[{breakpoint:99
1,settings:{item:1,}}, {breakpoint:576,settings:{item:1,slideMove:1,verticalHe
ight:350,}}]});}
(function(){window.inputNumber=function(el){var min=el.attr('min')||false;var
max=el.attr('max')||false;var els={};els.dec=el.prev();els.inc=el.next();el.
each(function(){init($(this));});function init(el){els.dec.on('click',decreme
nt);els.inc.on('click',increment);function decrement(){var value=el[0].value;
value--;if(!min||value>=min){el[0].value=value;}}
function increment(){var value=el[0].value;value++;if(!max||value<=max){el[0]
.value=value++;}}}})(jQuery);inputNumber($('.input-number'));})(jQuery);</script>
</body>

</html>

```

main.js za registraciju

```

$('#registracija').click(function(){
    let ime=$('#ime').val();
    let prezime=$('#prezime').val()
    let email=$('#email').val()
    let pass=$('#pass').val()
    let g=provera(ime,prezime,email,pass)
    if(g==0){
        let objekat={imeObj:ime,
            prezObj:prezime,
            emailObj:email,
            passObj:pass,
            dugme:true}
        Ajax("logic/registracija.php","POST",objekat,function(data){
            window.location="login.php"
        })
    }
})

```

```

function provera(ime,prezime,email,pass){
    let regImePrezime=/^[A-ZČĆŠĐŽ][a-zšđćčž]{1,}$/
    let regemail=/^[w\d\.\.]+@[a-z]{2,}\.[a-z]{2,3}$/
    let regpass=/^.{5,}$/
    var greske=0;

    if(!regImePrezime.test(ime) || ime==""){

```

```

        greske++;
        $('.alerttime').removeClass("d-none");
        $('.alerttime').html("Field must contain first capital letter.")
    }
    else{
        $('.alerttime').addClass("d-none");
    }
    if(!regImePrezime.test(prezime) || prezime==""){
        greske++;
        $('.alertprezime').removeClass("d-none");
        $('.alertprezime').html("Field must contain first capital letter."
)
    }
    else{
        $('.alertprezime').addClass("d-none");
    }
    if(!regemail.test(email) || email==""){
        greske++;
        $('.alertemail').removeClass("d-none");
        $('.alertemail').html("Field must contain @ simbol and .")
    }
    else{
        $('.alertemail').addClass("d-none");
    }
    if(!regpass.test(pass) || pass==""){
        greske++;
        $('.alertpass').removeClass("d-none");
        $('.alertpass').html("Field must contain at least 5 characters.")
    }
    else{
        $('.alertpass').addClass("d-none");
    }
}
return greske;
}

```

registracija.php

```

<?php
session_start();
include $_SERVER['DOCUMENT_ROOT'].'/furn/konekcija/konekcija.php';
if(isset($_POST['dugme'])){
    $ime=$_POST['imeObj'];
    $prezime=$_POST['prezObj'];
    $email=$_POST['emailObj'];
    $pass=$_POST['passObj'];
}

```

```

$regimeprezime='/^[A-ZČĆŠĐŽ][a-zšđčćž]{1,10}$/';
$regemail='/^[\\w\\d]+@[a-z]{2,}\\.[a-z]{2,3}$/';
$regpass='/^[.]{5,}$/';
$greske=[];
if(!preg_match($regimeprezime,$ime) || $ime=""){
$greske[]="Ime nije upisano dobro.";
}
if(!preg_match($regimeprezime,$prezime) || $prezime=""){
$greske[]="Prezime nije upisano dobro.";
}
if(!preg_match($regemail,$email) || $email=""){
$greske[]="Email nije upisano dobro.";
}
if(!preg_match($regpass,$pass) || $pass=""){
$greske[]="Lozinka nije upisano dobro.";
}
if(count($greske)==0){
$sifrovanaloz=md5($_POST['passObj']);
$kod=sha1(md5(time()));
$imeSlash=addslashes($_POST['imeObj']);
$prezieSlash=addslashes($_POST['prezObj']);
$emailSlash=addslashes($_POST['emailObj']);
$upit="INSERT INTO korisnik(Ime,Prezime,Email,Lozinka,IdUloga,KodEmail)
VALUES(:ime, :prezime,:email,:lozinka,1,:kod)";
$priprema=$konekcija->prepare($upit);
$priprema->bindParam(':ime',$imeSlash);
$priprema->bindParam(':prezime',$prezieSlash);
$priprema->bindParam(':email',$emailSlash);
$priprema->bindParam(':lozinka',$sifrovanaloz);
$priprema->bindParam(':kod',$kod);
try{
mail($email,"Furn sign up", "potvrdiregistraciju.php?kod=".$kod);
$rez=$priprema->execute();
$_SESSION['uspeh']="USPESNA REGISTRACIJA.";
http_response_code(201);
return $_SESSION['uspeh'];
}
catch(PDOException $e){
echo $e->getMessage();
http_response_code(500);
$_SESSION['greske']="Email vec postoji.";
header('Location:../register.php');
}
}
else{ $_SESSION['greske']=$greske;
header('Location:../register.php');
}
}
}

```



```
else{
    http_response_code(404);
}
?>
```

potvrdiregistraciju.php

```
<?php
header("Content-type: application/json");
include $_SERVER['DOCUMENT_ROOT'].'/furn/konekcija/konekcija.php';
include $_SERVER['DOCUMENT_ROOT'].'/furn/logic/funkcije.php';

if(isset($_GET['kod'])){
    try{
        $upit="SELECT * FROM korisnik where KodEmail=:kod";
        $rez=$konekcija->prepare($upit);
        $rez->bindParam(":kod",$_GET['kod']);
        $rez->execute();
        if($rez->rowCount()==1){
            $korisnik=$rez->fetch();
            $update=$konekcija-
>prepare("UPDATE korisnik SET Aktivan=1 WHERE KodEmail=:kod");
            $update=$konekcija->prepare($upit);
            $update->bindParam(":kod",$_GET['kod']);
            $update->execute();
            header("Location:../index.php");
        }
        else{
            http_response_code(404);
            echo "<h1>KOD NIJE ISPRAVAN</h1>";
        }
    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}
else{
    http_response_code(404); }
?>
```

povtrdiregistraciju.php

```
<?php
```

```

header("Content-type: application/json");
include $_SERVER['DOCUMENT_ROOT'].'/furn/konekcija/konekcija.php';
include $_SERVER['DOCUMENT_ROOT'].'/furn/logic/funkcije.php';

if(isset($_GET['kod'])){
    try{
        $kod=$_GET['kod'];
        $upit=odredjeno("korisnik",$kod,"KodEmail");
        $korisnik=$rez->fetch();
        $update=$konekcija->
>prepare("UPDATE korisnik SET Aktivan=1 WHERE KodEmail=:kod");
        $update=$konekcija->prepare($upit);
        $update->bindParam(":kod",$_GET['kod']);
        $update->execute();
        header("Location:../index.php");
    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}
else{
    http_response_code(404); }
?>

```

iz funkcije.php

```

//dohvatanje svih proizvoda
function odredjeno($tabela,$ime,$kolona){
    global $konekcija;
    $upit="Select * from $tabela where $kolona=:ime";
    $rezultat=$konekcija->prepare($upit);
    $rezultat->bindParam(":ime",$ime);
    $rezultat->execute();
    $rez=$rezultat->fetchAll();
    return $rez;
}

```

logout.php

```

<?php
session_start();
if(isset($_GET['logout'])){
    unset($_SESSION['ulogovan']);
}

```

```

    header("Location:../login.php");
}
else{
    http_response_code(404);
} ?>

```

gallery.php

```

<?php
// /include "logic/funkcije.php";
include "fixed/head.php";
include "fixed/navigacija.php";

?>
<main>

<div class="slider-area ">
<div class="slider-active">
<div class="single-slider hero-overly2 slider-height2 d-flex align-items-
center slider-bg2">
<div class="container">
<div class="row">
<div class="col-xl-6 col-lg-8 col-md-8">
<div class="hero__caption hero__caption2">
<h1 data-animation="fadeInUp" data-delay=".4s">Gallery</h1>
<nav aria-label="breadcrumb">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="index.php">Home</a></li>
<li class="breadcrumb-item"><a href="#">Gallery</a></li>
</ol>
</nav>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>

<section class="properties new-arrival fix">
<div class="container">

<div class="row justify-content-center">
<div class="col-xl-7 col-lg-8 col-md-10">

```

```

<div class="section-tittle mb-60 text-center wow fadeInUp" data-wow-
duration="1s" data-wow-delay=".2s">
<h2>All products</h2>
<P>Shop safe with us!</P>
</div>
</div>
</div>
<div class="row">
<div class="col-xl-12">
<div class="properties__button text-center">

<nav>
<div class="form-outline p-3">
<form class="form-
contact contact_form" method="post" id="contactForm" novalidate="novalidate">
  <input type="search" id="form1" class="form-control col-4 m-
auto search" placeholder="Search"
  aria-label="Search" /> </form>
</div>
<div class="nav nav-tabs" id="nav-tab" role="tablist">
<?php
echo ispiskategorija();

?>

</div>
</nav>

</div>
</div>
</div>
<div class="row">

<div class="tab-content" id="nav-tabContent">
<?php

?>
<div class="tab-pane fade show active" id="nav-Sofa" role="tabpanel" aria-
labelledby="nav-Sofa-tab">
<div class="row" id="proizvodi">

<div class="row justify-content-center">
<div class="room-btn" id="stranicenje">

</div>
</div>
</div>
</section>
<?php include "fixed/footer.php"; ?>

```

funkcija iz funkcije.php -dinamicko ispisivanje kategorija

```
function ispisKategorija(){
    global $konekcija;
    $upit="Select * from kategorije";
    $rezultat=$konekcija->query($upit);
    $rez=$rezultat->fetchAll();
    if($rezultat->rowCount()>0){
        foreach($rez as $red){
            echo '<a class="nav-item nav-link kat" id="'. $red->NazivKat.'" data-toggle="tab" href="#nav-Sofa" role="tab" aria-controls="nav-Sofa" aria-selected="true">' . $red->NazivKat. '</a>';
        }
    }
}
```

ispis proizvoda na gallery.php sa stranicenjem i pretragom

```
//ispis proizvoda na strani gallery.php
if(location.href.includes("gallery")){
    Ajax("logic/prikazStranicenja.php", "POST",{broj:1}, function(podaci){
        kategorije(podaci)
    })

    //stranice
    Ajax("logic/stranice.php", "POST","", function(podaci){
        let ispis=""
        for(i = 1; i<= podaci; i++){
            ispis+="
```

```

    //search
$( '.search' ).keyup(function(){
    let polje=document.getElementById("form1").value;
    Ajax("logic/search.php", "POST", {vrednost:polje}, function(data){
        document.getElementById("stranicenje").innerHTML=""
        kategorije(data)
    });
})
}

```

```

function kategorije(data){
    console.log(data)
    var blok=document.getElementById("proizvodi");
    let ispis=""
    if(data.length==0){
        ispis=`<div class="col-lg-4 col-md-6 col-sm-6"><div class="single-
new-arrival mb-50 text-center"><h3>EMPTY CATEGORY</h3></div></div>`
    }
    else{
        for(d of data){
            ispis+=
                `<div class="col-lg-4 col-md-6 col-sm-6"><div class="single-new-
arrival mb-50 text-center">
                <div class="popular-
img">
                </div><div class="popular-
caption"><h3><a class="proizvod" href="product.php?IdP=${d.IdP}">${d.Name}</a
>
                </h3><span>${d.Iznos} $</span></div></div></div>`
        }
    }

    blok.innerHTML=ispis;
}

```

search.php

```

<?php
header('Content-type:application/json');
include $_SERVER['DOCUMENT_ROOT'].'/furn/konekcija/konekcija.php';
if($_SERVER['REQUEST_METHOD']=="POST"){
    try{
        $vrednost=$_POST['vrednost'];
    }
}

```

```

$upit="SELECT p.*, c.Iznos, s.* FROM proizvod p INNER JOIN kategorije k INNER JOIN slikaproizvod s INNER JOIN cena c ON p.IdP=c.IdP AND s.IdP=p.IdP AND p.IdK=k.IdK WHERE p.Name LIKE '%$vrednost%' OR k.NazivKat LIKE '%$vrednost%'";
$rezultat=$konekcija->query($upit);
$rez=$rezultat->fetchAll();

echo json_encode($rez);

}
catch(PDOException $e){
    http_response_code(500);
    echo $e->getMessage();
}

}
else{
    http_response_code(404);
}

?>

```

stranicenje.php

```

<?php
header("Content-type: application/json");
include $_SERVER['DOCUMENT_ROOT'].'/furn/konekcija/konekcija.php';
include $_SERVER['DOCUMENT_ROOT'].'/furn/logic/funkcije.php';

//prikaz za proizvode po kategorijama
if($_SERVER['REQUEST_METHOD']=='POST'){
    try{
        if((isset($_POST['NazivKat'])) && $_POST['NazivKat']!="All"){
            $kat=$_POST['NazivKat'];
            $broj= filtriraniProizvodi($kat, "k.NazivKat");
            $b=count($broj);
            $rezultat=stranicenje($b);
        }
        else{
            $proizvod="proizvod";
            $broj= prikaz($proizvod);
            $b=count($broj);
            $rezultat=stranicenje($b);
        }
        echo json_encode($rezultat);
        return $rezultat;
    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}

```

```

}
else{
    http_response_code(404); }
?>

```

funkcija.php - filtriraniProizvodi

```

function filtriraniProizvodi($ime,$uporedjivanje){
    global $konekcija;
    $upit="Select p.*,c.*, s.*, k.NazivKat from proizvod p INNER JOIN cena c
INNER JOIN slikaproizvod s INNER JOIN kategorije k ON c.IdCena = (SELECT IdCe
na FROM cena WHERE p.IdP = IdP ORDER BY Datum DESC LIMIT 1) AND s.Idp=p.IdP A
ND p.IdK=k.IdK WHERE ".$uporedjivanje."=:ime";
    $rezultat=$konekcija->prepare($upit);
    $rezultat->bindParam(":ime",$ime);
    $rezultat->execute();
    $kategorije=$rezultat->fetchAll();

    return $kategorije;
}

```

funkcija.php - stranicenje

```

function stranicenje($brojKolona){
    $broj_strana=(int)ceil($brojKolona/3);
    return $broj_strana;
}

```

funkcija.php - prikaz

```

function prikaz($data){
    global $konekcija;
    $upit="Select * from $data";
    $rezultat=$konekcija->query($upit);
    $rez=$rezultat->fetchAll();
    return $rez;
}

```

prikazStranicenja.php

```

<?php
header('Content-type:application/json');
include $_SERVER['DOCUMENT_ROOT'].'/furn/konekcija/konekcija.php';
include $_SERVER['DOCUMENT_ROOT'].'/furn/logic/funkcije.php';
if($_SERVER['REQUEST_METHOD']=="POST"){

```



```

try{
    if((isset($_POST['NazivKat'])) && $_POST['NazivKat']!="All"){
        $broj_strane=$_POST['broj'];
        $kat=$_POST['NazivKat'];

        $kategorije=prikazStraniceLimit($broj_strane,$kat);
        echo json_encode($kategorije);
    }

    else{
        $broj_strane=$_POST['broj'];
        $broj=($broj_strane-1)*3;
        $upit="Select p.*,c.*, s.* from proizvod p INNER JOIN cena c INNER JOIN s
likaproizvod s INNER JOIN kategorije k ON c.IdCena = (SELECT IdCena FROM cena
WHERE p.IdP = IdP ORDER BY Datum DESC LIMIT 1) AND s.Idp=p.IdP AND p.IdK=k.I
dK LIMIT 3 OFFSET $broj";
        $rezultat=$konekcija->query($upit);
        $rezultat->execute();
        $kategorije=$rezultat->fetchAll();
        echo json_encode($kategorije);
    }
}
catch(PDOException $e){
    http_response_code(500);
}

}
else{
    http_response_code(404);
}

?>

```

klikom na kategoriju vrši se filtriranje proizvoda, takodje i stranicenje

```

$('.kat').click(function(){
    var kategorija= $(this).attr('id');
    let objekat={NazivKat:kategorija};
    console.log(objekat)
    Ajax("logic/filtriranje_kat.php", "POST",objekat, function(data){
        //console.log(data)
        kategorije(data)})

```

```

//stranice na osnovu izabrane kategorije
Ajax("logic/stranice.php", "POST",objekat, function(podaci){
    let ispis=""
    for(i = 1; i<= podaci; i++){
        ispis+="

```

funkcije.php-filtriranje\_kat.php

```

<?php
header("Content-type: application/json");
include $_SERVER['DOCUMENT_ROOT'].'/furn/konekcija/konekcija.php';
include $_SERVER['DOCUMENT_ROOT'].'/furn/logic/funkcije.php';

//prikaz za proizvode po kategorijama
if($_SERVER['REQUEST_METHOD']=='POST'){

    $Kat=$_POST['NazivKat'];
    $kategorije="";
    try{
        if($Kat=="All"){
            $kategorije=ispisiPorizvod();
        }
        else{
            $kategorije=prikazStraniceLimit(1,$Kat);
        }

        echo json_encode($kategorije);
    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}
else{

```

```
http_response_code(404); }  
?>
```

funkcije.php-ispisiProizvod

```
//ispisivanje pojedinačno proizvoda  
function ispisiProizvod(){  
    global $konekcija;  
  
    $upit="SELECT p.*,c.*, s.* from proizvod p INNER JOIN cena c INNER JOIN s  
likaproizvod s INNER JOIN kategorije k ON c.IdCena = (SELECT IdCena FROM cena  
WHERE p.IdP = IdP ORDER BY Datum DESC LIMIT 1) AND s.Idp=p.IdP AND p.IdK=k.I  
dK";  
    $rezultat=$konekcija->query($upit);  
    $rez=$rezultat->fetchAll();  
    if($rezultat->rowCount()>0){  
        return $rez;  
    }  
}
```

funkcije.php-prikazStraniceLimit

```
//filtriranje proizvoda na stranici galerija  
function prikazStraniceLimit($broj_strane,$kat){  
    global $konekcija;  
    $broj=($broj_strane-1)*3;  
    $upit="Select p.*,c.*, s.*, k.NazivKat from proizvod p INNER JOIN cena c  
INNER JOIN slikaproizvod s INNER JOIN kategorije k ON c.IdCena = (SELECT IdCe  
na FROM cena WHERE p.IdP = IdP ORDER BY Datum DESC LIMIT 1) AND s.Idp=p.IdP A  
ND p.IdK=k.IdK WHERE k.NazivKat=:ime LIMIT 3 OFFSET $broj";  
    $rezultat=$konekcija->prepare($upit);  
    $rezultat->bindParam(":ime",$kat);  
    $rezultat->execute();  
    $kategorije=$rezultat->fetchAll();  
    return $kategorije;  
}
```

product.php -klik na proizvod iz dinamičke galerije prosledjuje idProizvoda i na strani product.php se prikazuje taj proizvod sa svojim detaljima

```
<?php include "fixed/head.php";  
include "fixed/navigacija.php";
```

```

include "logic/jedanproizvod.php"; ?>

<main>

<div class="slider-area ">
<div class="slider-active">
<div class="single-slider hero-overly2 slider-height2 d-flex align-items-
center slider-bg2">
<div class="container">
<div class="row">
<div class="col-xl-6 col-lg-8 col-md-8">
<div class="hero__caption hero__caption2">
<h1 data-animation="fadeInUp" data-delay=".4s">Product details</h1>
<nav aria-label="breadcrumb">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="index.php">Home</a></li>
<li class="breadcrumb-item"><a href="#">Product details</a></li>
</ol>
</nav>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<?php echo jedanproizvod();?>

<?php include "fixed/footer.php"; ?>

```

jedanproizvod.php

```

<?php
function jedanproizvod(){

    if(isset($_GET['IdP'])){
        try{
            $idP=$_GET['IdP'];
            $proizvod=filtriraniProizvodi($idP,"p.IdP");
            //var_dump($proizvod);
            foreach($proizvod as $osobina):
                ?>
                <div class="product_image_area section-padding40">
                <div class="container">
                <div class="row s_product_inner">
                <div class="col-lg-5">

```

```

        <div class="product_slider_img">
        <div id="vertical">
        <div data-thumb="assets/img/gallery/product-details1.png">
        src?>" class="w-100">
        </div>

        </div>
        </div>
        </div>
        <div class="col-lg-5 offset-lg-1">
        <div class="s_product_text">
        <h3><?=$osobina->Name?></h3>
        <h2><?=$osobina->Iznos?> $</h2>
        <ul class="list">
        <li>
        <a class="active" href="#">
        <span>Category</span> : <?=$osobina->NazivKat?></a>
        </li>
        <li>
        <a href="#"> <span>Availibility</span> : <?php if($osobina-
>Availability==1){ echo "In stock";}
        else{echo "Out of stock";} ?> </a>
        </li>
        </ul>
        <div class="card_area">

        <div class="social_icon">
        <a href="#" class="fb"><i class="ti-facebook"></i></a>
        <a href="#" class="tw"><i class="ti-twitter-alt"></i></a>
        <a href="#" class="li"><i class="ti-linkedin"></i></a>
        </div>
        </div>
        </div>
        </div>
        <!-- </div>
        </div>
        </div> -->

        <section class="col-12 product_description_area">
        <div class="container">
        <ul class="nav nav-tabs" id="myTab" role="tablist">
        <li class="nav-item">
        <a class="nav-link" id="home-tab" data-
toggle="tab" href="#home" role="tab" aria-controls="home" aria-
selected="true">Description</a>
        </li>
        <li class="nav-item">

```

```

        <a class="nav-link" id="profile-tab" data-
toggle="tab" href="#profile" role="tab" aria-controls="profile" aria-
selected="false">Specification</a>
    </li>
    <li class="nav-item">
        <a class="nav-link" id="contact-tab" data-
toggle="tab" href="#contact" role="tab" aria-controls="contact" aria-
selected="false">Comments</a>
    </li>
</ul>
<div class="tab-content" id="myTabContent">
    <div class="tab-pane fade" id="home" role="tabpanel" aria-
labelledby="home-tab">
        <p>
            <?=$osobina->Description?>
        </p>

    </div>
    <div class="tab-pane fade" id="profile" role="tabpanel" aria-
labelledby="profile-tab">
        <div class="table-responsive">
            <table class="table">
                <tbody>
                    <tr>
                        <td>
                            <h5>Width</h5>
                        </td>
                        <td>
                            <h5><?=$osobina->Sirina?></h5>
                        </td>
                    </tr>
                    <tr>
                        <td>
                            <h5>Height</h5>
                        </td>
                        <td>
                            <h5><?=$osobina->Visina?></h5>
                        </td>
                    </tr>
                    <tr>
                        <td>
                            <h5>Depth</h5>
                        </td>
                        <td>
                            <h5><?=$osobina->Dubina?></h5>
                        </td>
                    </tr>
                    <tr>
                        <td>
                            <h5>Weight</h5>

```

```

        </td>
        <td>
        <h5><?=$osobina->Tezina?></h5>
        </td>
    </tr>
    <tr>
    <td>
    <h5>Quality checking</h5>
    </td>
    <td>
    <?php if($osobina->QualityCheck==1){
        echo "<h5>yes</h5>";
    }
    else{
    echo "<h5>no</h5>";

    } ?>

    </td>
    </tr>

    </tbody>
    </table>
    </div>
    </div>
    <div class="tab-pane fade" id="contact" role="tabpanel" aria-
labelledby="contact-tab">
    <div class="row col-lg-12">
    <div class="col-lg-6">
    <div class="comment_list">
    <?php
    $nizKomentaraa=komentari($_GET['IdP']);
    foreach($nizKomentaraa as $nizKomentara):
    ?>
    <div class="review_item">
    <div class="media">
    <!-- <div class="d-flex">
    
    </div> -->
    <div class="media-body">
    <h4><?=$nizKomentara->Ime?> <?=$nizKomentara->Prezime?></h4>
    <h5><?=$nizKomentara->Datum?></h5>
    </div>
    </div>
    <p>
    <?=$nizKomentara->Komentar?>
    </p>

    </div>
    <?php endforeach ?>
    </div></div>

```

```

        <?php if(isset($_SESSION['ulogovan']))){
            echo '<div class="col-lg-6"><p>Your comment</p>
                <form class="form-
contact contact_form" method="post" id="contactForm" novalidate="novalidate">
                    <div class="col-md-12">
                        <div class="form-group">
                            <input type="text" class="form-
control komentariImePrezime" name="komentariImePrezime" disabled value="'.$_S
SESSION['ulogovan']->Prezime.'" .$_SESSION['ulogovan']->Ime.'" />
                        </div>
                    </div>
                    <div class="col-md-12">
                        <div class="form-group">
                            <input type="email" class="form-
control komentariEmail" name="komentariEmail" disabled value="'.$_SESSION['ul
ogovan']->Email.'" />
                        </div>
                    </div>
                    <div class="col-md-12">
                        <div class="form-group">
                            <textarea class="form-
control komentar" name="message" rows="4" placeholder="Comment"></textarea>
                        </div>
                        <p class="obavestenjeKom"></p>
                    </div>

                    <div class="col-md-12 text-right">

                        <button type="submit" value="submit" id="dugmeKomentar" name="dug
meKomentar" class="btn">
                            Submit Now
                        </button>

                    </div>
                </div>
            </form>
        </section>
        <input type="hidden" name="hidden" class="hidden" value="'. $idP.
'" />';
    }

    ?>

    <?php endforeach ?>
<?php
}

```



```

    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}

else{
    http_response_code(404);
}
}

?>

```

funkcije.php - komentari

```

//funkcija za komentare za proizvode pojedinačno
function komentari($id){
    global $konekcija;
    $upit="SELECT k.*, kor.Ime, kor.Prezime from komentari k INNER JOIN pro
izvod p INNER JOIN korisnik kor ON k.IdP=p.IdP and kor.IdKorisnik=k.IdK WHERE
p.IdP=:id";
    $priprema=$konekcija->prepare($upit);
    $priprema->bindParam(":id",$id);
    $priprema->execute();

    return $priprema;
}

```

klikom na dugme se insertuje komentar

```

$('#dugmeKomentar').click(function(){
    let email=$('#.komentarEmail').val();
    let komentar=$('#.komentar').val();
    let id=$('#.hidden').val();
    if(komentar!=""){
        Ajax("logic/insertKomentara.php", "POST",{Emailobj:email,komentarobj:k
omentar,idP:id},function(data){
            $('#obavestenjeKom').text("Your comment is added!");
            $('#komentar').val("");
        })
    }
    else{
        $('#obavestenjeKom').text("Field comment cant be empty.");
    }
}

```

```
}  
  
})
```

insertKomentara.php

```
<?php  
header('Content-type:application/json');  
include $_SERVER['DOCUMENT_ROOT'].'/furn/konekcija/konekcija.php';  
if($_SERVER['REQUEST_METHOD']=="POST"){  
$ime=$_POST['Imeobj'];  
$prezime=$_POST['Prezimeobj'];  
$komentar=$_POST['komentarobj'];  
$email=$_POST['Emailobj'];  
$regimeprezime='/^[A-ZČĆŠĐŽ][a-zšđčćž]{1,10}$/';  
$regemail='/^[\\w\\d\\.-]+@[a-z]{2,}\\.[a-z]{2,3}$/';  
$greske=[];  
if(!preg_match($regimeprezime,$ime) || $ime==""){  
$greske[]="Ime nije upisano dobro."  
}  
if(!preg_match($regimeprezime,$prezime) || $prezime==""){  
$greske[]="Prezime nije upisano dobro."  
}  
if(!preg_match($regemail,$email) || $email==""){  
$greske[]="Email nije upisano dobro."  
}  
if($komentar==""){  
$greske[]="Komentar ne moze da bude prazan string."  
}  
if(count($greske)==0){  
try{  
$idP=$_POST['idP'];  
$emails=$_POST['Emailobj'];  
$komentarS=$_POST['komentarobj'];  
$korisnik="SELECT IdKorisnik from korisnik WHERE Email=:email";  
$rezultat=$konekcija->prepare($korisnik);  
$rezultat->bindParam(':email',$emails);  
$rezultat->execute();  
$rez=$rezultat->fetch();  
$id=$rez->IdKorisnik;  
$upit="INSERT INTO komentari(Komentar,IdK,IdP) VALUES(:komentar,:id,  
:idP)";  
$priprema=$konekcija->prepare($upit);  
$priprema->bindParam(':komentar',$komentarS);
```

```

        $priprema->bindParam(':id',$id);
        $priprema->bindParam(':idP',$idP);
        $priprema->execute();
        $poruka="Your comment is added!";
        echo json_encode($poruka);

    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
        header('Location:../product.php');
    }
}
else{
    http_response_code(404);
}
?>

```

contact.php -stranica za poruke adminu

```

<?php include "fixed/head.php"; include "fixed/navigacija.php"; ?>
<main>

<div class="slider-area ">
<div class="slider-active">
<div class="single-slider hero-overly2 slider-height2 d-flex align-items-
center slider-bg2">
<div class="container">
<div class="row">
<div class="col-xl-6 col-lg-8 col-md-8">
<div class="hero__caption hero__caption2">
<h1 data-animation="fadeInUp" data-delay=".4s">Contact Us</h1>
<nav aria-label="breadcrumb">
<ol class="breadcrumb">
<li class="breadcrumb-item"><a href="index-2.html">Home</a></li>
<li class="breadcrumb-item"><a href="#">Contact</a></li>
</ol>
</nav>
</div>
</div>
</div>

```

```

</div>
</div>
</div>
</div>

<section class="contact-section">
<div class="container">
<div class="d-none d-sm-block mb-5 pb-4">

</div>

<div class="row">
<div class="col-12">
<h2 class="contact-title">Get in Touch</h2>
</div>
<div class="col-lg-8">
<form class="form-
contact contact_form" method="post" id="contactForm" novalidate="novalidate">
<?php if(isset($_SESSION['ulogovan'])): ?>
<div class="row">
<div class="col-12">
<div class="form-group">
<input type="hidden" class="insertPoljeporuka" value="null"/>
<textarea class="form-control insertPoljeporuka w-
100" name="message" id="message" cols="30" rows="9" onfocus="this.placeholder
= ''" onblur="this.placeholder = 'Enter Message'" ></textarea>
</div>
</div>
<div class="col-sm-6">
<div class="form-group">
<input class="form-
control insertPoljeporuka " disabled name="name" id="name" type="text" onfocu
s="this.placeholder = ''" onblur="this.placeholder = 'Enter your name'" value
="<?=$_SESSION['ulogovan']->Ime?> <?=$_SESSION['ulogovan']->Prezime ?>">
</div>
<p class="alert-danger d-none alerttime" id="alertpass" role="alert">
</p>
</div>
<div class="col-sm-6">
<div class="form-group">
<input class="form-
control insertPoljeporuka " disabled name="email" id="email" type="email" onf
ocus="this.placeholder = ''" onblur="this.placeholder = 'Enter email address'
" value="<?=$_SESSION['ulogovan']->Email ?>">
</div>
<p class="alert-danger d-none alertemail" id="alertpass" role="alert">
</p>
</div>

```

```

<div class="col-12">
<div class="form-group">
<input class="form-
control insertPoljeporuka" name="subject" id="subject" type="text" onfocus="t
his.placeholder = ''" onblur="this.placeholder = 'Enter Subject'" placeholder
="Enter Subject">
</div>
</div>
</div>
<?php endif;
if(empty($_SESSION['ulogovan'])):??>
<div class="row">
<div class="col-12">
<div class="form-group">
<input type="hidden" class="insertPoljeporuka" value="null"/>
<textarea class="form-control insertPoljeporuka w-
100" name="message" id="message" cols="30" rows="9" onfocus="this.placeholder
= ''" onblur="this.placeholder = 'Enter Message'" ></textarea>
</div>
</div>
<div class="col-sm-6">
<div class="form-group">
<input class="form-
control insertPoljeporuka" name="name" id="name" type="text" placeholder="Na
me" onfocus="this.placeholder = ''" onblur="this.placeholder = 'Enter your na
me'" >
</div>
</div>
<div class="col-sm-6">
<div class="form-group">
<input class="form-
control insertPoljeporuka" name="email" id="email" type="email" placeholder="
Email" onfocus="this.placeholder = ''" onblur="this.placeholder = 'Enter emai
l address'">
</div>
</div>
<div class="col-12">
<div class="form-group">
<input class="form-
control insertPoljeporuka" name="subject" id="subject" type="text" onfocus="t
his.placeholder = ''" onblur="this.placeholder = 'Enter Subject'" placeholder
="Enter Subject">
</div>
</div>
</div><?php endif;??>
<div class="form-group mt-3">
<button type="submit" class="button button-contactForm boxed-
btn poruka">Send</button>
</div>
</form>
</div>

```



```

        $('.alerttime').removeClass("d-none");
        $('.alerttime').html("Field must contain first capital letter.")
    }
    else{
        $('.alerttime').addClass("d-none");
    }
    if(!regemail.test(email) || email==""){
        greske++;
        $('.alertemail').removeClass("d-none");
        $('.alertemail').html("Field must contain @.")
    }
    else{
        $('.alertemail').addClass("d-none");
    }
    let polja=document.getElementsByClassName("insertPolje"+tabela);
    let vrednosti=[]

    for(p of polja){
        if(p.value!=""){
            vrednosti.push(p.value)
        }
        else{
            greske++
        }
    }

    if(greske==0){
        Ajax("logic/insertPoruke.php", "POST",{tabela:tabela, vrednosti:vrednosti
    },function(data){
        alert("dodato!")

    })
    }
    else{alert("Field cant be empty")}}

    })

}

```

insertPoruke.php

```

<?php
header("Content-type: application/json");
include $_SERVER['DOCUMENT_ROOT'].'/furn/konekcija/konekcija.php';
include $_SERVER['DOCUMENT_ROOT'].'/furn/logic/funkcije.php';
    if($_SERVER['REQUEST_METHOD'] == 'POST'){

```

```

        try{
            $uspeh=insert($_POST);
            echo json_encode($uspeh);
        }
        catch(PDOException $e){
            http_response_code(500);
        }
    }
    else{
        http_response_code(404);
    }
}
?>

```

funkcije.php-insert

```

function insert($data){
    global $konekcija;
    $tabela=$data['tabela'];
    $vrednosti=$data['vrednosti'];
    //var_dump($tabela);
    $upit="INSERT INTO $tabela VALUES (";
    for($i = 0; $i < count($vrednosti); $i++){
        if($i+1==count($vrednosti)){
            $upit.=":$i) ";
        }
        else{
            $upit.=":$i, ";
        }
    }
    $rez=$konekcija->prepare($upit);
    for($i = 0; $i < count($vrednosti); $i++){
        $rez->bindParam(":$i",$vrednosti[$i]);
    }
    $rez->execute();
    return $rez;
}

```

poll.php

```

<?php include "fixed/head.php";
include "fixed/navigacija.php";
$anketa=prikaz("anketa");
foreach($anketa as $a){
    if($a->IdK==$_SESSION['ulogovan']->IdKorisnik){
        header("Location:index.php");
    }
}

```



```

    }
}
if(empty($_SESSION['ulogovan'])){header("Location:index.php");}??

<main>
<section class="contact-section">
<div class="container">

<div class="row">
<div class="col-7 m-auto">

<form method="POST" action="logic/pollInsert.php" id="forma" >
<input type="hidden" name="IdA" value="null" ?>" />
<input type="hidden" name="IdK" value="<?=$_SESSION['ulogovan']->IdKorisnik ?>" />
<?php
$anketa=prikaz("anketapitanja");
foreach($anketa as $a):
?>
<div class="form-check mt-3">
    <h2><?=$a->Prvo;?></h2>
    <input class="form-check-
input" type="radio" name="Prvo" id="exampleRadios2" value="Yes">
    <label class="form-check-label m1-3" for="exampleRadios2"> Yes
    </label>
</div>
<div class="form-check">
    <input class="form-check-
input" type="radio" name="Prvo" id="exampleRadios2" value="No">
    <label class="form-check-label m1-3" for="exampleRadios2"> No
    </label>
</div>
<div class="form-check">
    <input class="form-check-
input" type="radio" name="Prvo" id="exampleRadios2" value="Planning">
    <label class="form-check-label m1-3" for="exampleRadios2"> I am planning
    </label>
</div>

    <div class="form-check mt-3">
    <h2><?=$a->Drugo;?></h2>
    <input class="form-check-
input" type="radio" name="Drugo" id="exampleRadios2" value="Yes">
    <label class="form-check-label m1-3" for="exampleRadios2"> Yes
    </label>
</div>
<div class="form-check">
    <input class="form-check-
input" type="radio" name="Drugo" id="exampleRadios2" value="No">
    <label class="form-check-label m1-3" for="exampleRadios2"> No
    </label>

```

```

</div>
<div class="form-check">
  <input class="form-check-
input" type="radio" name="Drugo" id="exampleRadios2" value="Planning">
  <label class="form-check-label ml-3" for="exampleRadios2"> I am planning
</label>
</div>
<div class="form-check">
  <input class="form-check-
input" type="radio" name="Drugo" id="exampleRadios2" value="Notplanning">
  <label class="form-check-label ml-
3" for="exampleRadios2"> I am not planning
</label>
</div>
<div class="form-check mt-3">
  <h2><?=$a->Trece;?></h2>
  <input class="form-check-
input" type="radio" name="Trece" id="exampleRadios2" value="Yes">
  <label class="form-check-label ml-3" for="exampleRadios2"> Yes
</label>
</div>
<div class="form-check">
  <input class="form-check-
input" type="radio" name="Trece" id="exampleRadios2" value="No">
  <label class="form-check-label ml-3" for="exampleRadios2"> No
</label>
</div>
<div class="form-check mt-3">
  <h2><?=$a->Cetvrto;?></h2>
  <input class="form-check-
input" type="radio" name="Cetvrto" id="exampleRadios2" value="Yes">
  <label class="form-check-label ml-3" for="exampleRadios2"> Yes
</label>
</div>
<div class="form-check">
  <input class="form-check-
input" type="radio" name="Cetvrto" id="exampleRadios2" value="No">
  <label class="form-check-label ml-3" for="exampleRadios2"> No
</label>
</div>
<div class="form-check">
  <input class="form-check-
input" type="radio" name="Cetvrto" id="exampleRadios2" value="Maybe">
  <label class="form-check-label ml-3" for="exampleRadios2"> Maybe
</label>
</div>
<div class="form-check">
  <input class="form-check-
input" type="radio" name="Cetvrto" id="exampleRadios2" value="Dontknow">
  <label class="form-check-label ml-3" for="exampleRadios2"> I dont know

```

```

</label>
</div>
<button class="btn btn-secondary btn-lg btn-block mt-
3 poll">Block level button</button>
<input type="hidden" name="IdAP" value="<?=$a->IdAP ?>" />
</form>
</div>
</div>
<?php endforeach; ?>
</main>

<?php include "fixed/footer.php"; ?>

```

funkcija.php - prikaz

```

function prikaz($data){
global $konekcija;
$upit="Select * from $data";
$rezultat=$konekcija->query($upit);
$rez=$rezultat->fetchAll();
return $rez;
}

```

pollInsert.php

```

<?php
header("Content-type: application/json");
include $_SERVER['DOCUMENT_ROOT'].'/furn/konekcija/konekcija.php';
include $_SERVER['DOCUMENT_ROOT'].'/furn/logic/funkcije.php';
if($_SERVER['REQUEST_METHOD'] == 'POST'){

    try{
        $niz=[];
        foreach($_POST as $p){
            array_push($niz,$p);
        }
        $objekat=array("tabela"=>"anketa", "vrednosti"=>$niz);
        $insert=insert($objekat);
        if($insert){
            $_SESSION['anketa']=$_POST['IdK'];
            header("Location:../index.php");
        }
        echo json_encode($insert);
    }
    catch(PDOException $e){

```

```

        echo $e->getMessage();
        http_response_code(500);
    }
}
else{
    http_response_code(404); }
?>

```

funkcije.php - insert

```

function insert($data){
    global $konekcija;
    $tabela=$data['tabela'];
    $vrednosti=$data['vrednosti'];
    $upit="INSERT INTO $tabela VALUES (";
    for($i = 0; $i < count($vrednosti); $i++){
        if($i+1==count($vrednosti)){
            $upit.=":$i) ";
        }
        else{
            $upit.=":$i, ";
        }
    }
    $rez=$konekcija->prepare($upit);
    for($i = 0; $i < count($vrednosti); $i++){
        $rez->bindParam(":$i",$vrednosti[$i]);
    }
    $rez->execute();
    return $rez;
}

```

header.php za admin panel

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8" />
    <link rel="apple-touch-icon" sizes="76x76" href="../assets/img/apple-
icon.png">
    <link rel="icon" type="image/png" href="../assets/img/favicon.png">
    <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" />
    <title>

```

```
</title>
<meta content='width=device-width, initial-scale=1.0, shrink-to-
fit=no' name='viewport' />
<!--      Fonts and icons      -->
<link rel="stylesheet" type="text/css" href="https://fonts.googleapis.com/c
ss?family=Roboto:300,400,500,700|Roboto+Slab:400,700|Material+Icons" />
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/latest/css/font-awesome.min.css">

<!-- CSS Files -->
<link href="../../assets/css/material-
dashboard.css?v=2.1.2" rel="stylesheet" />
<!-- CSS Just for demo purpose, don't include it in your project -->
<link href="../../assets/demo/demo.css" rel="stylesheet" />
</head>
```

```
<?php session_start();
if( $_SESSION['uologovan']->Uloga!="Admin"){
    http_response_code(404);
    header('Location:../../index.php');
}
?>

<body class="">
    <div class="wrapper ">
        <div class="sidebar" data-color="orange" data-background-
color="white" data-image="../../assets/img/sidebar-1.jpg">
            <!--
                Tip 1: You can change the color of the sidebar using: data-
color="purple | azure | green | orange | danger"

                Tip 2: you can also add an image using data-image tag
            -->

        <div class="logo"><a href="../../examples/dashboard.php" class="simple-
text logo-normal">
            Dashboard
        </a></div>
        <div class="sidebar-wrapper">
            <ul class="nav">
                <li class="nav-item navadmin">
                    <a class="nav-link" href="../../dashboard.php">
                        <i class="material-icons">dashboard</i>
                        <p>Dashboard</p>
                    </a>
                </li>
                <li class="nav-item navadmin">
```

```

        <a class="nav-link" href="./user.php">
            <i class="material-icons">person</i>
            <p>User Profile</p>
        </a>
    </li>
    <li class="nav-item navadmin">
        <a class="nav-link" href="./tables.php">
            <i class="material-icons">content_paste</i>
            <p>Table List</p>
        </a>
    </li>
    <li class="nav-item navadmin">
        <a class="nav-link" href="./comment.php">
            <i class="material-icons">content_paste</i>
            <p>Comment List</p>
        </a>
    </li>
    <li class="nav-item navadmin">
        <a class="nav-link" href="./users.php">
            <i class="material-icons">content_paste</i>
            <p>Users List</p>
        </a>
    </li>
    <li class="nav-item navadmin">
        <a class="nav-link" href="./products.php">
            <i class="material-icons">content_paste</i>
            <p>Products List</p>
        </a>
    </li>
    <li class="nav-item navadmin">
        <a class="nav-link" href="./insertProduct.php">
            <i class="material-icons">content_paste</i>
            <p>Products Insert</p>
        </a>
    </li>
</ul>
</div>
</div>
<div class="main-panel">
    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg navbar-transparent navbar-
absolute fixed-top ">
        <div class="container-fluid">
            <div class="navbar-wrapper">
                <a class="navbar-brand" href="javascript:;">ADMIN PANEL</a>
            </div>
            <button class="navbar-toggler" type="button" data-
toggle="collapse" aria-controls="navigation-index" aria-
expanded="false" aria-label="Toggle navigation">

```

```

        <span class="sr-only">Toggle navigation</span>
        <span class="navbar-toggler-icon icon-bar"></span>
        <span class="navbar-toggler-icon icon-bar"></span>
        <span class="navbar-toggler-icon icon-bar"></span>
    </button>
    <div class="collapse navbar-collapse justify-content-end">
        <ul class="navbar-nav">
            <li class="nav-item dropdown">
                <a class="nav-
link" href="javascript:;" id="navbarDropdownProfile" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false">
                    <i class="material-icons">person</i>
                    <p class="d-lg-none d-md-block">
                        Account
                    </p>
                </a>
                <div class="dropdown-menu dropdown-menu-right" aria-
labelledby="navbarDropdownProfile">
                    <a class="dropdown-item" href="#">Profile</a>
                    <a class="dropdown-item" href="#">Settings</a>
                    <div class="dropdown-divider"></div>
                    <?php if(isset($_SESSION['uologovan'])) && $_SESSION['uologova
n']->Uloga=="Admin"){
                        echo '<a class="dropdown-
item" href="../../../logic/logout.php?logout">Log out</a>';
                    }
                    else{
                        header('Location:../../../index.php');
                        http_response_code(404);
                    }?>
                </div>
            </li>
        </ul>
    </div>
</div>
</nav>
<!-- End Navbar -->

```

footer.php

```

<footer class="footer">
    <div class="container-fluid">
        <nav class="float-left">
            <ul>
                <li>
                    <a href="https://www.creative-tim.com">
                        Creative Tim
                    </a>
                </li>
            </ul>
        </nav>
    </div>

```

```

        <li>
            <a href="https://creative-tim.com/presentation">
                About Us
            </a>
        </li>
        <li>
            <a href="http://blog.creative-tim.com">
                Blog
            </a>
        </li>
        <li>
            <a href="https://www.creative-tim.com/license">
                Licenses
            </a>
        </li>
    </ul>
</nav>
<div class="copyright float-right">
    &copy;
    <script>
        document.write(new Date().getFullYear())
    </script>, made with <i class="material-icons">favorite</i> by
    <a href="https://www.creative-
tim.com" target="_blank">Creative Tim</a> for a better web.
    </div>
</div>
</div>
<div class="fixed-plugin">
    <div class="dropdown show-dropdown">
        <a href="#" data-toggle="dropdown">
            <i class="fa fa-cog fa-2x"> </i>
        </a>
        <ul class="dropdown-menu">
            <li class="header-title"> Sidebar Filters</li>
            <li class="adjustments-line">
                <a href="javascript:void(0)" class="switch-trigger active-color">
                    <div class="badge-colors ml-auto mr-auto">
                        <span class="badge filter badge-purple" data-
color="purple"></span>
                        <span class="badge filter badge-azure" data-
color="azure"></span>
                        <span class="badge filter badge-green" data-
color="green"></span>
                        <span class="badge filter badge-warning" data-
color="orange"></span>
                        <span class="badge filter badge-danger" data-
color="danger"></span>

```



```

        <span class="badge filter badge-rose active" data-
color="rose"></span>
    </div>
    <div class="clearfix"></div>
</a>
</li>
<li class="header-title">Images</li>
<li class="active">
    <a class="img-holder switch-trigger" href="javascript:void(0)">
        
    </a>
</li>
<li>
    <a class="img-holder switch-trigger" href="javascript:void(0)">
        
    </a>
</li>
<li>
    <a class="img-holder switch-trigger" href="javascript:void(0)">
        
    </a>
</li>
<li>
    <a class="img-holder switch-trigger" href="javascript:void(0)">
        
    </a>
</li>
<li class="button-container">
    <a href="https://www.creative-tim.com/product/material-
dashboard" target="_blank" class="btn btn-primary btn-
block">Free Download</a>
</li>
<li class="button-container">
    <a href="https://demos.creative-tim.com/material-
dashboard/docs/2.1/getting-
started/introduction.html" target="_blank" class="btn btn-default btn-block">
        View Documentation
    </a>
</li>
<li class="button-container github-star">
    <a class="github-
button" href="https://github.com/creativetimoofficial/material-
dashboard" data-icon="octicon-star" data-size="large" data-show-
count="true" aria-label="Star ntkme/github-buttons on GitHub">Star</a>
</li>
<li class="header-title">Thank you for 95 shares!</li>
<li class="button-container text-center">
    <button id="twitter" class="btn btn-round btn-
twitter"><i class="fa fa-twitter"></i> &middot; 45</button>
    <button id="facebook" class="btn btn-round btn-
facebook"><i class="fa fa-facebook-f"></i> &middot; 50</button>

```

```

        <br>
        <br>
    </li>
</ul>
</div>
</div>
<script src="../../assets/js/main.js"></script>

<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.
js"></script>
<script src="../../assets/js/core/jquery.min.js"></script>
<script src="../../assets/js/core/popper.min.js"></script>
<script src="../../assets/js/core/bootstrap-material-design.min.js"></script>
<script src="../../assets/js/plugins/perfect-
scrollbar.jquery.min.js"></script>
<script src="../../assets/js/plugins/moment.min.js"></script>
<script src="../../assets/js/plugins/sweetalert2.js"></script>
<script src="../../assets/js/plugins/jquery.validate.min.js"></script>
<script src="../../assets/js/plugins/jquery.bootstrap-wizard.js"></script>
<script src="../../assets/js/plugins/bootstrap-selectpicker.js"></script>
<script src="../../assets/js/plugins/bootstrap-
datetimepicker.min.js"></script>
<script src="../../assets/js/plugins/jquery.dataTables.min.js"></script>
<script src="../../assets/js/plugins/bootstrap-tagsinput.js"></script>
<script src="../../assets/js/plugins/jasny-bootstrap.min.js"></script>
<script src="../../assets/js/plugins/fullcalendar.min.js"></script>
<!--
- Vector Map plugin, full documentation here: http://jvectormap.com/documenta
tion/ -->
<script src="../../assets/js/plugins/jquery-jvectormap.js"></script>
<script src="../../assets/js/plugins/nouislider.min.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/core-
js/2.4.1/core.js"></script>
<script src="../../assets/js/plugins/arrive.min.js"></script>
<script src="https://maps.googleapis.com/maps/api/js?key=YOUR_KEY_HERE"></s
cript>
<script src="../../assets/js/plugins/chartist.min.js"></script>
<script src="../../assets/js/plugins/bootstrap-notify.js"></script>
<script src="../../assets/js/material-
dashboard.js?v=2.1.2" type="text/javascript"></script>

<script src="../../assets/demo/demo.js"></script>
<script>
$(document).ready(function() {
    $.ready(function() {
        $sidebar = $('.sidebar');

        $sidebar_img_container = $sidebar.find('.sidebar-background');

        $full_page = $('.full-page');

```

```

$sidebar_responsive = $('body > .navbar-collapse');

window_width = $(window).width();

fixed_plugin_open = $('.sidebar .sidebar-
wrapper .nav li.active a p').html();

if (window_width > 767 && fixed_plugin_open == 'Dashboard') {
    if ($('.fixed-plugin .dropdown').hasClass('show-dropdown')) {
        $('.fixed-plugin .dropdown').addClass('open');
    }
}

$('.fixed-plugin a').click(function(event) {
    if ($(this).hasClass('switch-trigger')) {
        if (event.stopPropagation) {
            event.stopPropagation();
        } else if (window.event) {
            window.event.cancelBubble = true;
        }
    }
});

$('.fixed-plugin .active-color span').click(function() {
    $full_page_background = $('.full-page-background');

    $(this).siblings().removeClass('active');
    $(this).addClass('active');

    var new_color = $(this).data('color');

    if ($sidebar.length != 0) {
        $sidebar.attr('data-color', new_color);
    }

    if ($full_page.length != 0) {
        $full_page.attr('filter-color', new_color);
    }

    if ($sidebar_responsive.length != 0) {
        $sidebar_responsive.attr('data-color', new_color);
    }
});

$('.fixed-plugin .background-color .badge').click(function() {
    $(this).siblings().removeClass('active');
    $(this).addClass('active');

    var new_color = $(this).data('background-color');

```

```

        if ($sidebar.length != 0) {
            $sidebar.attr('data-background-color', new_color);
        }
    });

    $('.fixed-plugin .img-holder').click(function() {
        $full_page_background = $('.full-page-background');

        $(this).parent('li').siblings().removeClass('active');
        $(this).parent('li').addClass('active');

        var new_image = $(this).find("img").attr('src');

        if ($sidebar_img_container.length != 0 && $('.switch-sidebar-
image input:checked').length != 0) {
            $sidebar_img_container.fadeOut('fast', function() {
                $sidebar_img_container.css('background-
image', 'url("' + new_image + '"');
                $sidebar_img_container.fadeIn('fast');
            });
        }

        if ($full_page_background.length != 0 && $('.switch-sidebar-
image input:checked').length != 0) {
            var new_image_full_page = $('.fixed-plugin li.active .img-
holder').find('img').data('src');

            $full_page_background.fadeOut('fast', function() {
                $full_page_background.css('background-
image', 'url("' + new_image_full_page + '"');
                $full_page_background.fadeIn('fast');
            });
        }

        if ($.switch-sidebar-image input:checked').length == 0) {
            var new_image = $('.fixed-plugin li.active .img-
holder').find("img").attr('src');
            var new_image_full_page = $('.fixed-plugin li.active .img-
holder').find('img').data('src');

            $sidebar_img_container.css('background-
image', 'url("' + new_image + '"');
            $full_page_background.css('background-
image', 'url("' + new_image_full_page + '"');
        }

        if ($sidebar_responsive.length != 0) {

```

```

        $sidebar_responsive.css('background-
image', 'url("' + new_image + '"');
    }
});

$('.switch-sidebar-image input').change(function() {
    $full_page_background = $('.full-page-background');

    $input = $(this);

    if ($input.is(':checked')) {
        if ($sidebar_img_container.length != 0) {
            $sidebar_img_container.fadeIn('fast');
            $sidebar.attr('data-image', '#');
        }

        if ($full_page_background.length != 0) {
            $full_page_background.fadeIn('fast');
            $full_page.attr('data-image', '#');
        }

        background_image = true;
    } else {
        if ($sidebar_img_container.length != 0) {
            $sidebar.removeAttr('data-image');
            $sidebar_img_container.fadeOut('fast');
        }

        if ($full_page_background.length != 0) {
            $full_page.removeAttr('data-image', '#');
            $full_page_background.fadeOut('fast');
        }

        background_image = false;
    }
});

$('.switch-sidebar-mini input').change(function() {
    $body = $('body');

    $input = $(this);

    if (md.misc.sidebar_mini_active == true) {
        $('body').removeClass('sidebar-mini');
        md.misc.sidebar_mini_active = false;

        $('.sidebar .sidebar-wrapper, .main-panel').perfectScrollbar();

    } else {

```

```

        $('.sidebar .sidebar-wrapper, .main-
panel').perfectScrollbar('destroy');

        setTimeout(function() {
            $('body').addClass('sidebar-mini');

            md.misc.sidebar_mini_active = true;
        }, 300);
    }

    // we simulate the window Resize so the charts will get updated in
realtime.
    var simulateWindowResize = setInterval(function() {
        window.dispatchEvent(new Event('resize'));
    }, 180);

    // we stop the simulation of Window Resize after the animations are
completed
    setTimeout(function() {
        clearInterval(simulateWindowResize);
    }, 1000);

    });
});
});
</script>
</body>

</html>

```

dashboard.php

```

<?php
include "../dashfixed/header.php";
include "../dashfixed/nav.php";
include "../../logic/funkcije.php";?>

    <div class="content">
        <div class="container-fluid">
<div class="form-check custom-switch">

</div>
<table class="table">
    <tbody>

<?php
$pitanja=prikaz("anketapitanja");
$uradjenih=prikaz("anketa");

```

```

$uradjjenih=count($uradjjenih);
$niz=["Prvo","Drugo", "Trece", "Cetvrto"];
foreach($pitanja as $p):
    foreach($niz as $pitanje):

?>

<tr>
    <th scope="row"><?=$p->$pitanje?></th>
    <?php

        $upit="Select $pitanje, count($pitanje) as broj from anketa GROUP BY $pi
tanje";
        $rezultat=$konekcija->query($upit);
        $rez=$rezultat->fetchAll();
        foreach($rez as $r):?>
            <th scope="row"><?=$r->$pitanje; ?></th>
            <td><?=$r->broj;?> of <?=$uradjjenih ?></td>
            <?php endforeach ?>
        </tr>

        <?php endforeach;?>
<?php endforeach;?>
    </tbody>
</table>

<div class="row">
    <div class="col-lg-10 m-auto col-md-12">
        <div class="card">
            <div class="card-header card-header-warning">
                <h4 class="card-title">Messages</h4>
                <p class="card-category">for admin team</p>
            </div>
            <div class="card-body table-responsive">
                <table class="table table-hover">
                    <tbody id="por">

                        <?php
                            $podaci=prikaz("poruka");
                            foreach($podaci as $p):
                                ?>
                                    <tr>
                                        <td><?=$p->IdPoruka?></td>
                                        <td><?=$p->Naslov?></td>
                                        <td><?=$p->Poruka?></td>
                                        <td><?=$p->Ime?></td>
                                        <td><?=$p->Email?></td>
                                        <td><a class="waves-effect waves-light btn-
small deletePoruka" role="" data-naziv="IdPoruka" data-table="poruka" data-
id="<?=$p->IdPoruka?>" href="#">Delete</a></td>

```

```

        </tr>

        <?php endforeach; ?>
    </tbody>
</table>
</div>
</div>
</div>
</div>
</div>
</div>
<?php

```

`include "../dashfixed/footer.php";?>`

main.js za delete poruke na admin panelu

```

    $(''.deletePoruka').on("click",poruka)
function poruka(e){
    e.preventDefault();
    let idJS=this.dataset.id;
    let tabelaJS=this.dataset.table;
    let nazivKoloneJS=this.dataset.naziv;
    let obj={0:"poruka"}
    Ajax("../../logic/delete.php", "POST",{id:idJS,tabela:tabelaJS, nazivKolone:nazivKoloneJS,obj:obj},function(data){
        console.log(data)
        let ispis=""
        for(d of data){

ispis+=` <tr>
<td>${d.IdPoruka}</td>
<td>${d.Naslov}</td>
<td>${d.Poruka}</td>
<td>${d.Ime}</td>
<td>${d.Email}</td>
<td><a class="waves-effect waves-light btn-small deletePoruka" role="" data-naziv="IdPoruka" data-table="poruka" data-id="${d.IdPoruka}" href="#">Delete</a></td>
</tr>`
        }
        document.getElementById("por").innerHTML=ispis;
        $(''.deletePoruka').on("click",poruka)

    })}

```

main.js - za prikaz checkboxa za aktivnost ankete

```

Ajax("../../logic/selectAll.php","POST", {tabela:"anketaPitanja"}, function(d
ata){

```



```

        for(d of data){
            if(d.aktivna==1){
                $('.custom-switch').html(`<input type="checkbox" value="" id="customSwitches" checked>
<label class="form-check-label aktivno" for="flexCheckIndeterminate">Poll is active
</label>`)
            }
            else{
                $('.custom-switch').html(`<input type="checkbox" value="" id="customSwitches">
<label class="form-check-label aktivno" for="flexCheckIndeterminate">Poll is not active
</label>`)
            }
        }
        $('#customSwitches').click(function(){
            let red=["aktivna"]
            let vrednost=[]
            if($('#customSwitches').is( ':checked' )){
                $('.aktivno').text("Poll is active")
                vrednost=[0]
            }
            else{
                vrednost=[1]
                $('.aktivno').text("Poll is not active")
            }
            Ajax("../../logic/update.php","POST", {id:d.IdAP,tabela:"anketapitanja",nazivKolone:d.IdAP,vrednost:vrednost,red:red}, function(data){
            })
        })
    })
}

```

user.php - podaci o ulogovanom adminu i update

```

<?php
include "../dashfixed/header.php";
include "../dashfixed/nav.php";
include "../../konekcija/konekcija.php";?>

<div class="content">
    <div class="container-fluid">
        <div class="m-auto card-profile">
            <div class="card-avatar">
                <a href="javascript:;">

```

```

        
    </a>
</div> </div>
<div class="row">
    <div class="col-md-9 m-auto">
        <div class="card">
            <div class="card-header card-header-primary" >
                <h4 class="card-title">Your Profile</h4>
                <p class="card-category"> info</p>
            </div>

            <div class="card-body">

                <form>

<?php
$upit="SELECT * from korisnik where Email=:email";
$rezultat=$konekcija->prepare($upit);
$rezultat->bindParam(":email", $_SESSION['ulogovan']->Email);
try{$rezultat->execute();
    $rez=$rezultat->fetch();}
    catch(PDOException $e){
        http_response_code(500);
    }

    echo '<div class="row">
        <div class="col-md-6">
            <div class="form-group">
                <label class="bmd-label-floating ">'. $rez-
>Ime.'</label>

                <input type="text" value="'. $rez-
>Ime.'" class="adminIme form-control">
                <p class="d-none alertime" role="alert"></p>
            </div>
        </div>
        <div class="col-md-6">
            <div class="form-group">
                <label class="bmd-label-floating">'. $rez-
>Prezime.'</label>

                <input type="text" value="'. $rez-
>Prezime.'" class=" adminPrezime form-control">
                <p class="d-none alertprezime" role="alert"></p>

            </div>
        </div>
    </div>
    <div class="row">
        <div class="col-md-10">
            <div class="form-group">
                <label class="bmd-label-floating">'. $rez-
>Email.'</label>

```

```

        <input type="email" value="'.$rez-
>Email.'" class="adminEmail form-control">
        <p class="d-none alertemail" role="alert"></p>

        </div>
    </div>
</div>
<div class="row">
    <div class="col-md-8">
        <div class="form-group">
            <label class="bmd-label-floating">'. $rez-
>Datum.'</label>
            <input type="text" disabled class="form-control">
        </div>
    </div>

    </div>

    <button type="submit" id="'.$_SESSION['uologovan']-
>IdKorisnik.'" class="btn pull-right user">Update Profile</button>
    <div class="clearfix"></div>
</form>
</div>
</div>
</div>
</div>
</div>';
?>
<?php
include "../dashfixed/footer.php"; ?>

```

main.js - udupdate admina

```

$(".user").click(function(e){
    e.preventDefault();
    let ime=$('.adminIme').val()
    let prezime=$('.adminPrezime').val()
    let email=$('.adminEmail').val()
    let id=$(".user").attr('id')
    let greske=0;
    let regImePrezime=/^[A-ZČĆŠĐŽ][a-zšđčćž]{1,10}$/
    let regemail=/^[\\w\\d\\.-]+@[a-z]{2,}\\.[a-z]{2,3}$/
    if(!regImePrezime.test(ime) || ime==""){
        greske++;
        $('.alerttime').removeClass("d-none");
        $('.alerttime').html("Field must contain first capital letter.")
    }

```

```

    }
    else{
        $('.alerttime').addClass("d-none");
    }
    if(!regImePrezime.test(prezime) || prezime==""){
        greske++;
        $('.alertprezime').removeClass("d-none");
        $('.alertprezime').html("Field must contain first capital letter."
)
    }
    else{
        $('.alertprezime').addClass("d-none");
    }
    if(!regemail.test(email) || email==""){
        greske++;
        $('.alertemail').removeClass("d-none");
        $('.alertemail').html("Field must contain @ simbol.")
    }
    else{
        $('.alertemail').addClass("d-none");
    }
}
// console.log(greske)
if(greske==0){
    let vrednosti=[]
    vrednosti.push(ime)
    vrednosti.push(prezime)
    vrednosti.push(email)
    let red=[]
    red.push("Ime")
    red.push("Prezime")
    red.push("Email")
    Ajax("../../logic/update.php", "POST",{nazivKolone:"IdKorisnik",tabela:"koris
nik",id:id,red:red,vrednost:vrednosti}, function(data){alert("updated!")})
}
})

```

tables.php

```

<?php include "../dashfixed/header.php";
include "../dashfixed/nav.php";?>

<div class="content" id="tabela">

    </div>

<?php include "../dashfixed/footer.php";?>

```

main.js -ispis tabela : uloge, kategorije, meni

```
if(location.href.includes("tables.php")){
    var obj={0:"menu",
    1:"uloge",
    2:"kategorije"}
    Ajax("../..../logic/selectAdminPanel.php", "POST",obj,function(data){tabele
(data,obj)
    })
}
```

selectAdminPanel.php

```
<?php
header("Content-type: application/json");
include $_SERVER['DOCUMENT_ROOT'].'/furn/konekcija/konekcija.php';
include $_SERVER['DOCUMENT_ROOT'].'/furn/logic/funkcije.php';
if($_SERVER['REQUEST_METHOD'] == 'POST'){

    try{
        $podaci=sveTabele($_POST);
        http_response_code(200);
        echo json_encode($podaci);
        return $podaci;
    }
    catch(PDOException $exception){
        http_response_code(500);
    }
}
else{
    http_response_code(404);
}
?>
```

funkcije.php - 3 tabele

```
function sveTabele($data){
    $podaci = [];

    foreach($data as $d){
        array_push($podaci, prikaz($d));
    }
    return $podaci;
}
```

main.js -prikaz njih, delete, update, i insert

```
function tabelle(data,obj){
  var tekst;
  document.getElementById('tabela').innerHTML="";
  let broj=0
  for(d of data){
    console.log(d)
    var ispis=`
<div class="container-fluid">
  <div class="row">
    <div class="col-md-12">
      <div class="card">
        <div class="card-header card-header-primary">
          <h4 class="card-title ">${obj[broj]}</h4>
        </div>
        <div class="card-body">
          <div class="table-responsive">
            <table class="table">
              <tbody>`;
            Object.entries(d[broj]).forEach(([key, value])=> ispis+=`<tr>
<th class="text-primary">${key}</th>`);
            for(dd of d){
              ispis+=`<tr>`
              Object.entries(dd).forEach(([key, value])=>ispis+=`<td>
<input type="text" data-kolona="${key}" class="form-control "${obj[broj]}"+Object.entries(dd)[0][1]+`" value="${value}"></td>`);
              ispis+=`<td><a class="waves-effect waves-light btn-sm update" name="" data-naziv="${Object.entries(dd)[0][0]}"+`" data-table="${obj[broj]}" data-id="${Object.entries(dd)[0][1]}"+`" id="" href="#">Update</a></td>`);
              ispis+=`<td><a class="waves-effect waves-light btn-sm delete" role="" data-naziv="${Object.entries(dd)[0][0]}"+`" data-table="${obj[broj]}" data-id="${Object.entries(dd)[0][1]}"+`" href="#">Delete</a></td></tr>`;
            }

            ispis+=`</tbody>
</table>
</div>
</div>`
  }
}
```



```

        tabelle(data,obj) })
    }
    else{alert("Field cant be empty")}

    })
    $('<del>.delete'</del>').on("click",function(e){
        e.preventDefault();
        let idJS=this.dataset.id;
        let tabelaJS=this.dataset.table;
        let nazivKoloneJS=this.dataset.naziv;
        Ajax("../../logic/delete.php", "POST",{id:idJS,tabela:tabelaJS, nazivKolone:nazivKoloneJS,obj:obj},function(data){
            //alert("dfgd")
            tabelle(data,obj)
        })
    })

    $(".update").click(function(e){
        e.preventDefault();
        let id=this.dataset.id;
        let tabela=this.dataset.table;
        let nazivKolone=this.dataset.naziv;
        //let idPolja=$('<del>.'+tabela+id</del>').val();
        polja=document.getElementsByClassName(tabela+id);
        let data={nazivKolone:nazivKolone,
            tabela:tabela,
            id:id,
            red:"",
            vrednost:""};
        let greske=0;
        // let broj=0;
        let red=[]
        let vrednost=[]
        for(p of polja){
            console.log(p)
            if(p.value==""){
                greske++;
                alert("FIELD CANT BE EMPTY")
            }
            else{
                red.push(p.dataset.kolona)
                vrednost.push(p.value)
            }
        }
        data.red=red;
        data.vrednost=vrednost

        console.log(data)
        if(greske==0){
            console.log(data)
        }
    })
}

```



```

        Ajax("../../logic/update.php", "post", data,function(data){alert("upda
ted!")})

    }

})

}

```

insert.php

```

<?php
header("Content-type: application/json");
include $_SERVER['DOCUMENT_ROOT'].'/furn/konekcija/konekcija.php';
include $_SERVER['DOCUMENT_ROOT'].'/furn/logic/funkcije.php';
if($_SERVER['REQUEST_METHOD'] == 'POST'){

    try{
        $uspeh=insert($_POST);
        if($uspeh){
            $proizvodi=sveTabele($_POST['obj']);
        }
        echo json_encode($proizvodi);
        return $proizvodi;
    }
    catch(PDOException $exception){
        http_response_code(500);
    }
}
else{
    http_response_code(404);
}
?>

```

update.php

```

<?php
header("Content-type: application/json");
include $_SERVER['DOCUMENT_ROOT'].'/furn/konekcija/konekcija.php';
include $_SERVER['DOCUMENT_ROOT'].'/furn/logic/funkcije.php';
if($_SERVER['REQUEST_METHOD'] == 'POST'){

```

```

        try{
            $uspeh=update($_POST);
            echo json_encode($uspeh);
            return $uspeh;
        }
        catch(PDOException $exception){
            http_response_code(500);
        }
    }
    else{
        http_response_code(404);
    }
}
?>

```

delete.php -brise sve sa admin panela, za proizvod brise i sve strane kljuceve

```

<?php
header("Content-type: application/json");
include $_SERVER['DOCUMENT_ROOT'].'/furn/konekcija/konekcija.php';
include $_SERVER['DOCUMENT_ROOT'].'/furn/logic/funkcije.php';
if(isset($_POST['tabela'])){
if(isset($_POST['tabela'])){
    $tabela=$_POST['tabela'];
    $id=$_POST['id'];
    $nazivKolone=$_POST['nazivKolone'];
    if($tabela=="proizvod"){
        try{
            $scena=delete("cena",$nazivKolone,$id);
            $scena->execute();
            $slike=delete("slikaproizvod",$nazivKolone,$id);
            $slike->execute();
            $priprema=delete($tabela,$nazivKolone,$id);
            $priprema->execute();
            $upit="SELECT p.IdP, k.NazivKat, p.Name, p.Description, p.Visina, p.
Tezina, p.Dubina, p.Sirina, p.QualityCheck, p.Availability, c.Iznos, c.Datum,
s.alt,s.src from proizvod p INNER JOIN cena c INNER JOIN slikaproizvod s INN
ER JOIN kategorije k ON p.IdP=c.IdP AND s.Idp=p.IdP AND p.IdK=k.IdK";

            $rezultat=$konekcija->query($upit);
            $rez=$rezultat->fetchAll();
            if($rezultat->rowCount()>0){
                echo json_encode($rez);
                return $rez;
            }
        }
    }
}
}

```

```

        catch(PDOException $e){
            echo $e->getMessage();
            http_response_code(500);
        }

    }
    else{
        $priprema=delete($tabela,$nazivKolone,$id);
        try{
            $priprema->execute();
            if($tabela=="komentar"){ $proizvodi=adminKom(); }
            else if($tabela=="korisnik"){
                $proizvodi=selectKorisnici();
            }
        }
        else if($tabela=="poruka"){ $proizvodi=prikaz($tabela);

            }

            else{
                $proizvodi=sveTabele($_POST['obj']);
            }
        echo json_encode($proizvodi);
        return $proizvodi;
    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}
else{
    http_response_code(404); }
?>

```

comment.php

```

<?php include "../dashfixed/header.php";
include "../dashfixed/nav.php";?>

    <div class="content" id="tabela">

</div>
    <?php include "../dashfixed/footer.php"; ?>

```

main.js

```

if(location.href.includes("comment.php")){
    var naziv={0:"komentari"}
    Ajax("../../logic/adminKomentari.php", "POST",naziv,function(data){
        console.log(data)
        tabela(data,naziv)
    })
}

```

ispis komentara u tabelu, i njen delete

```

function tabela(data,naziv){
    document.getElementById('tabela').innerHTML="";
    let broj=0
    let ispis=`
<div class="container-fluid">
    <div class="row">
        <div class="col-md-12">
            <div class="card">
                <div class="card-header card-header-primary">
                    <h4 class="card-title ">${naziv[broj]}</h4>
                </div>
                <div class="card-body">
                    <div class="table-responsive">
                        <table class="table">
                            <tbody>`;
                        Object.entries(data[broj]).forEach(([key, value])=> ispis+=
`<th class="text-primary">${key}</th>`)
                        for(d of data){
                            ispis+=`<tr>`
                            Object.entries(d).forEach(([key, value])=> ispis+=`<
td>${value}</td>`)
                            ispis+=`<td><a class="waves-effect waves-light btn-
small delete" name="" role="" data-naziv=""`+Object.entries(d)[0][0]+`" data-
table="${naziv[broj]}" data-
id=""`+Object.entries(d)[0][1]+`" href="#">Delete</a></td>`;
                            if(naziv[broj]=="korisnik"){
                                console.log(d.IdKorisnik)
                                ispis+=`<td>
<button type="button" class="btn btn-
primary modall" data-toggle="modal" data-id="${d.IdKorisnik}" data-
target="#exampleModalCenter">
                                Update role for this user
                                </button>
                                <div class="modal fade" id="exampleModalCenter" t
abindex="-1" role="dialog" aria-labelledby="exampleModalCenterTitle" aria-
hidden="true">

```

```

        <div class="modal-dialog modal-dialog-
centered" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <h5 class="modal-
title" id="exampleModallongTitle">Modal title</h5>
                    <button type="button" class="close" data-
dismiss="modal" aria-label="Close">
                        <span aria-hidden="true">&times;</span>
                    </button>
                </div>
                <div class="modal-body">
                    </div>
            </div>
        </div>
    </td>
</tr>
</tbody>
</table>
</div>
</div>
</div>`

    broj++;
    document.getElementById('tabela').innerHTML+=ispis;
    $('.modall').on("click",function(){
        let id=this.dataset.id;
        console.log(id)
        let ispis=""
        Ajax("../..../logic/selectAll.php", "POST", {tabela:"uloga"},function(data){
            ispis+=`<select id="select" class="form-select" aria-
label="Default select example"> <option value="0">Choose</option>`
            for(d of data){
                ispis+=` <option value="${d.IdUloga}">${d.Uloga}</option>`
            }
            ispis+=`</select> <div class="modal-footer">
</div></td></tr>`
            $('.modal-body').html(ispis);
            $('.form-select').change(function(){
                let uloga=this.value;
                if(document.getElementById("select").value=="0"){
                    alert("You must choose something!")
                }
                Ajax("../..../logic/updateKorisnikaUloga.php", "POST", {id:i
d,uloga:uloga},function(data){
                    location.reload();
                    alert("updated!")
                })
            })
        })
    })

```

```

        })

    })

})

$('.delete').on("click",function(e){
    e.preventDefault();
    let idJS=this.dataset.id;
    let tabelaJS=this.dataset.table;
    let nazivKoloneJS=this.dataset.naziv;
    Ajax("../..../logic/delete.php", "POST",{id:idJS,tabela:tabelaJS, nazivKolone:nazivKoloneJS, obj:naziv},function(data){
        tabela(data,naziv)

    })
})
}

```

```

<?php
header("Content-type: application/json");
include $_SERVER['DOCUMENT_ROOT'].'/furn/konekcija/konekcija.php';
include $_SERVER['DOCUMENT_ROOT'].'/furn/logic/funkcije.php';
if($_SERVER['REQUEST_METHOD'] == 'POST'){

    try{
        $rez=adminKom();
        http_response_code(200);
        echo json_encode($rez);
        return $rez;
    }
    catch(PDOException $exception){
        http_response_code(500);
    }
}
else{
    http_response_code(404);
}
?>

```

funkcije.php

```
function adminKom(){
```

```

    global $konekcija;
    $upit="SELECT kom.IdKom, kom.Komentar, kom.Datum, k.Ime, k.Prezime, k.Email, p.Name FROM proizvod p INNER JOIN komentari kom INNER JOIN korisnik k ON k.IdKorisnik=kom.IdK AND kom.IdP=p.IdP";
    $rezultat=$konekcija->query($upit);
    $rezultat->execute();
    $rez=$rezultat->fetchAll();
    return $rez;
}

```

users.php

```

<?php include "../dashfixed/header.php";
include "../dashfixed/nav.php";?>

    <div class="content" id="tabela">

</div>
    <?php include "../dashfixed/footer.php"; ?>

```

main.js

```

if(location.href.includes("users.php")){
    let ime={0:"korisnik"}
    Ajax("../../logic/selectSve.php", "POST","", function(data){
        tabela(data,ime)
    })
}

```

selectSve.php

```

<?php
header("Content-type: application/json");
include $_SERVER['DOCUMENT_ROOT'].'/furn/konekcija/konekcija.php';
include $_SERVER['DOCUMENT_ROOT'].'/furn/logic/funkcije.php';
if($_SERVER['REQUEST_METHOD'] == 'POST'){

    try{

        $rez=selectKorisnici();
        echo json_encode($rez);
        return $rez;
    }
    catch(PDOException $e){
        http_response_code(500);
    }
}

```

```

    else{
        http_response_code(404);
    }
?>

```

funkcije.php-selectKorisnici

```

function selectKorisnici(){
    global $konekcija;
    $upit="Select k.IdKorisnik, k.Ime, k.Prezime, k.Email, k.Datum, u.Uloga f
rom korisnik k INNER JOIN uloge u ON k.IdUloga=u.IdUloga";
    $rezultat=$konekcija->query($upit);
    $proizvodi=$rezultat->fetchAll();
    return $proizvodi;
}

```

selectAll.php - za modal izlistava sve uloge za update uloge korisnika

```

<?php
header("Content-type: application/json");
include $_SERVER['DOCUMENT_ROOT'].'/furn/konekcija/konekcija.php';
include $_SERVER['DOCUMENT_ROOT'].'/furn/logic/funkcije.php';
if($_SERVER['REQUEST_METHOD']=='POST'){

    try{
        $rezultat=prikaz($_POST['tabela']);
        echo json_encode($rezultat);
    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}
else{
    http_response_code(404); }
?>

```

updateKorisnikaUloga.php

```

<?php
header("Content-type: application/json");
include $_SERVER['DOCUMENT_ROOT'].'/furn/konekcija/konekcija.php';
include $_SERVER['DOCUMENT_ROOT'].'/furn/logic/funkcije.php';
if($_SERVER['REQUEST_METHOD']=='POST'){

    try{
        $idK=$_POST['id'];
        $uloga=$_POST['uloga'];

```



```

        $upit="UPDATE korisnik SET IdUloga=$uloga WHERE IdKorisnik=:id";
        $rez=$konekcija->prepare($upit);
        $rez->bindParam(":id",$idK);
        $rez->execute();
        echo json_encode($rez);
        return $rez;
    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}
else{
    http_response_code(404); }
?>

```

products.php

```

<?php include "../dashfixed/header.php";
include "../dashfixed/nav.php";?>

    <div class="content" id="tabela">

</div>
    <?php include "../dashfixed/footer.php"; ?>

```

main.js

```

if(location.href.includes("products.php")){
    let ime={0:"proizvod"}
    Ajax("../../logic/prikaz.php", "POST","", function(data){
        console.log(data)
        tabela(data,ime)
    })
}

```

✓ insertProduct.php

```

<?php include "../dashfixed/header.php";
include "../dashfixed/nav.php";
include "../../konekcija/konekcija.php";?>
    <div class="content" id="tabela">

        </div>
    </div>
</div></div>

```

```

        </div>
    </div>
</form>
</div> -->
<?php include "../dashfixed/footer.php"; ?>

```

main.js za insert proizvoda i provere pre unosa u bazu

```

if(location.href.includes("insertProduct.php")){
    document.getElementById('tabela').innerHTML="";
    let ispis=`
    <div class="container-fluid">
        <div class="row">
            <div class="col-md-12">
                <div class="card">
                    <div class="card-header card-header-primary">
                        <h4 class="card-title">Insert product</h4>
                    </div>
                    <div class="card-body">
                        <div class="table-responsive">
                            <table class="table">
                                <tbody>`;
                    Ajax("../../logic/prikaz.php", "POST","", function(data
){
                console.log(data)
                let nazivi=Object.keys(data[0])
                ispis+=`<input type="hidden" value="null" id="${nazivi[0]}"/>
                <div class="form-row">`
                for(i=1;i<nazivi.length;i++){
                    if(nazivi[i]=="QualityCheck" || nazivi[i]=="Availability"
){
                        ispis+=` <div class=" my-1 mr-sm-2">
                            <input class="check" type="checkbox" id="${nazivi[i]}
" value="${nazivi[i]}" name="${nazivi[i]}" >
                            <label class="" for="customControlInline">${nazivi[i
]}/></label>

                        </div>`
                    }
                    else if(nazivi[i]=="Datum" || nazivi[i]=="NazivKat"){
                        continue;
                    }
                    else{
                        ispis+=`<div class="col-7">
                            <input type="text" id="${nazivi[i]}" class="form-
control polja" name="${nazivi[i]}" placeholder="${nazivi[i]}">
                        </div>`
                    }
                }

                ispis+=`

```

```

        <div class="form-row align-items-center">
            <div class="col-auto my-1">
                <select class="polja custom-select mr-sm-
2" id="IdK">
                    <option selected>Choose category...</option>
                    `
                `
                Ajax("../../logic/selectAll.php", "POST",{tabela:"kategorije"
}, function(kat){
                    for(i=1;i<kat.length;i++){
                        ispis+="

```

```

        if(c.checked){
            obj[c.id]=true
        }
        else{
            obj[c.id]=false
        }
    }

    Ajax("../../logic/insertProizvoda.php","POST",obj,function(data){
        window.location.reload();
        alert(data)
    })

    })
}

```

insertProizvoda.php

```

<?php
header("Content-type: application/json");
include $_SERVER['DOCUMENT_ROOT'].'/furn/konekcija/konekcija.php';
include $_SERVER['DOCUMENT_ROOT'].'/furn/logic/funkcije.php';
if($_SERVER['REQUEST_METHOD']=='POST'){
    try{
//var_dump($_POST);
if($_POST['QualityCheck']){
    $q=1;
}
else{$q=0;}
if($_POST['Availability']){
    $A=1;
}
else{$A=0;}
$upit="INSERT INTO proizvod(IdK, Availability, Name, Description, Visina, Sirina, Dubina, Tezina, QualityCheck) VALUES (:id,:avail,:name,:desc,:visina,:sirina,:dubina,:tezina,:q) ";
$resultat=$konekcija->prepare($upit);
    $resultat->bindParam(":id",$_POST['IdK']);
    $resultat->bindParam(":avail",$A);
    $resultat->bindParam(":name",$_POST['Name']);
    $resultat->bindParam(":desc",$_POST['Description']);
    $resultat->bindParam(":visina",$_POST['Visina']);
    $resultat->bindParam(":sirina",$_POST['Sirina']);
    $resultat->bindParam(":dubina",$_POST['Dubina']);
    $resultat->bindParam(":tezina",$_POST['Tezina']);
    $resultat->bindParam(":q",$q);
}
}

```

```

    $rezultat->execute();
    $upit1="SELECT IdP from proizvod ORDER BY IdP DESC LIMIT 1";
    $rez=$konekcija->query($upit1);
    $id=$rez->fetch();
    $id=$id->IdP;
    $slika="INSERT INTO slikaproizvod(alt,src,IdP) VALUES (:alt,:src,:id)";
    $rez=$konekcija->prepare($slika);
    $rez->bindParam(":id",$id);
    $rez->bindParam(":alt",$_POST['alt']);
    $rez->bindParam(":src",$_POST['src']);
    $rez->execute();
    $cena="INSERT INTO cena(Iznos, IdP) VALUES (:cena,:id)";
    $r=$konekcija->prepare($cena);
    $r->bindParam(":id",$id);
    $r->bindParam(":cena",$_POST['Iznos']);
    $r->execute();
    $poruka="INSERTED!";
    echo json_encode($poruka);

    }
    catch(PDOException $e){
        echo $e->getMessage();
        http_response_code(500);
    }
}
else{
    http_response_code(404); }

?>

```

