

Problem 2181: Merge Nodes in Between Zeros

Problem Information

Difficulty: Medium

Acceptance Rate: 89.65%

Paid Only: No

Tags: Linked List, Simulation

Problem Description

You are given the `head` of a linked list, which contains a series of integers **separated** by `0`'s. The **beginning** and **end** of the linked list will have `Node.val == 0`.

For **every** two consecutive `0`'s, **merge** all the nodes lying in between them into a single node whose value is the **sum** of all the merged nodes. The modified list should not contain any `0`'s.

Return _the_ `head` _of the modified linked list_.

Example 1:

Input: head = [0,3,1,0,4,5,2,0] **Output:** [4,11] **Explanation:** The above figure represents the given linked list. The modified list contains - The sum of the nodes marked in green: $3 + 1 = 4$. - The sum of the nodes marked in red: $4 + 5 + 2 = 11$.

Example 2:

Input: head = [0,1,0,3,0,2,2,0] **Output:** [1,3,4] **Explanation:** The above figure represents the given linked list. The modified list contains - The sum of the nodes marked in green: $1 = 1$. - The sum of the nodes marked in red: $3 = 3$. - The sum of the nodes marked in yellow: $2 + 2 = 4$.

****Constraints:****

* The number of nodes in the list is in the range `'[3, 2 * 105]`. * `0 <= Node.val <= 1000` * There are **no** two consecutive nodes with `Node.val == 0`. * The **beginning** and **end** of the linked list have `Node.val == 0`.

Code Snippets

C++:

```
/**
 * Definition for singly-linked list.
 * struct ListNode {
 *     int val;
 *     ListNode *next;
 *     ListNode() : val(0), next(nullptr) {}
 *     ListNode(int x) : val(x), next(nullptr) {}
 *     ListNode(int x, ListNode *next) : val(x), next(next) {}
 * };
 *
class Solution {
public:
    ListNode* mergeNodes(ListNode* head) {

    }
};
```

Java:

```
/**
 * Definition for singly-linked list.
 * public class ListNode {
 *     int val;
 *     ListNode next;
 *     ListNode() {}
 *     ListNode(int val) { this.val = val; }
 *     ListNode(int val, ListNode next) { this.val = val; this.next = next; }
 * }
 *
class Solution {
    public ListNode mergeNodes(ListNode head) {
```

```
    }  
}
```

Python3:

```
# Definition for singly-linked list.  
# class ListNode:  
#     def __init__(self, val=0, next=None):  
#         self.val = val  
#         self.next = next  
class Solution:  
    def mergeNodes(self, head: Optional[ListNode]) -> Optional[ListNode]:
```