

# Problem 2635: Apply Transform Over Each Element in Array

## Problem Information

Difficulty: Easy

Acceptance Rate: 0.00%

Paid Only: No

## Problem Description

Given an integer array

`arr`

and a mapping function

`fn`

, return a new array with a transformation applied to each element.

The returned array should be created such that

`returnedArray[i] = fn(arr[i], i)`

.

Please solve it without the built-in

`Array.map`

method.

Example 1:

Input:

```
arr = [1,2,3], fn = function plusone(n) { return n + 1; }
```

Output:

```
[2,3,4]
```

Explanation:

`const newArray = map(arr, plusone); // [2,3,4]` The function increases each value in the array by one.

Example 2:

Input:

```
arr = [1,2,3], fn = function plusI(n, i) { return n + i; }
```

Output:

```
[1,3,5]
```

Explanation:

The function increases each value by the index it resides in.

Example 3:

Input:

```
arr = [10,20,30], fn = function constant() { return 42; }
```

Output:

```
[42,42,42]
```

Explanation:

The function always returns 42.

Constraints:

$0 \leq \text{arr.length} \leq 1000$

-10

9

$\text{arr}[i] \leq 10$

9

fn

returns an integer.

## Code Snippets

**JavaScript:**

```
/**
 * @param {number[]} arr
 * @param {Function} fn
 * @return {number[]}
 */
var map = function(arr, fn) {

};
```

**TypeScript:**

```
function map(arr: number[], fn: (n: number, i: number) => number): number[] {

};
```

## Solutions

**JavaScript Solution:**

```

/**
 * Problem: Apply Transform Over Each Element in Array
 * Difficulty: Easy
 * Tags: array
 *
 * Approach: Use two pointers or sliding window technique
 * Time Complexity: O(n) or O(n log n)
 * Space Complexity: O(1) to O(n) depending on approach
 */

/**
 * @param {number[]} arr
 * @param {Function} fn
 * @return {number[]}
 */
var map = function(arr, fn) {

};

```

## TypeScript Solution:

```

/**
 * Problem: Apply Transform Over Each Element in Array
 * Difficulty: Easy
 * Tags: array
 *
 * Approach: Use two pointers or sliding window technique
 * Time Complexity: O(n) or O(n log n)
 * Space Complexity: O(1) to O(n) depending on approach
 */

function map(arr: number[], fn: (n: number, i: number) => number): number[] {

};

```